

# MEDICAL LIBRARY

(MINISTRY OF HEALTH.)






Report of the  
Marriages

Lent-Reminder Rel'd

MEDICAL LIBRARY



22500993422



No.....

## MINISTRY OF HEALTH.

---

### MEDICAL LIBRARY.

---

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be reborrowed for a further period upon written request provided it is not required by another officer.
















1694  
FOURTEENTH

# DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

## BIRTHS, DEATHS, AND MARRIAGES IN SCOTLAND.

[ABSTRACTS OF 1868.]

---

Presented to both Houses of Parliament by Command of Her Majesty.

---



EDINBURGH:  
PRINTED BY MURRAY AND GIBB,  
FOR HER MAJESTY'S STATIONERY OFFICE.

1870.



WELLCOME INSTITUTE LIBRARY	
Coll.	welMOMec
Call	ser
No.	WA



# REPORT.

---

TO THE

RIGHT HON<sup>BLE</sup>. H. AUSTIN BRUCE, M.P.,

*Her Majesty's Principal Secretary of State for the Home Department.*

---

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, *December 31, 1870.*

SIR,

AT the close of the year 1868 I submitted to you a General Abstract of the Births, Deaths, and Marriages registered in Scotland during that year, together with a short explanatory statement relative to the same, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict. cap. 80.

Along with that I transmitted my Fourth Annual Report on Vaccination, conform to the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vict. cap. 108.

I have now the honour to forward to you my Detailed Report for the same year, with relative Tables.

The restricted trade of the year 1868 had apparently the effect of diminishing the number of Marriages during the year, so that they fell 763 in number below those of the previous year. The Births, however, were high above those of 1867; while the Deaths were at the same rate as during that year.

The facts ascertained for the year 1868 corroborate those of former years, that the numbers of Births, Deaths, and Marriages are strictly proportioned to the density of the population, so that the greater number of Births and of Marriages in the more unhealthy districts compensates for the greater mortality which prevails there.

Being desirous of ascertaining whether our population in Scotland entered into the married state at an earlier or a later period of life than in other countries, I caused some Tables to be



prepared which would throw light on that subject; and to these I desire to direct your attention, as they seem to show that a very much higher proportion of the Anglo-Saxon races marry under 25 years of age than any other nation of which we have reliable statistics.

As the Zymotic Diseases always constitute a very large proportion of the mortality, I directed some Tables to be prepared with the view of showing the ages of the persons who fall victims to them. The facts elicited merit attention, for they prove that, while these diseases are especially fatal to the young, the proportion of adults dying therefrom is very much lower than from the ordinary diseases.

So far as it has gone, the Vaccination Act may be pronounced to be a success, the mortality of Small-pox having been reduced during the year to 15 deaths—the lowest ever known in Scotland. Some interesting facts are stated in the Report regarding the prevalent mortality in Small-pox before the discovery of Vaccination, and after its adoption in Scotland in 1800; showing the great saving to human life through Vaccination, and that the extinction of the Small-pox has not apparently increased the fatality of the other epidemic diseases to which children are liable.

The state of elementary education among the people, as indicated by the number of those who were able to sign their names in writing in the Marriage Registers, appears satisfactory, seeing that 90·19 per cent. of the men, and 80·99 per cent. of the women who married in 1868 were able to sign their names in writing.

To facilitate sanitary inquiries, I have given for the first time in our Abstracts, Tables giving the full particulars as to the Ages and the Diseases of the persons who died in the Small Towns of Scotland. Heretofore these towns were included in the Rural Districts. The full particulars as to Age and Disease are therefore now given for every town in Scotland which contains above 3000 inhabitants.

I have the honour to be,

SIR,

Your faithful Servant,

W. PITT DUNDAS,

*Registrar-General.*



# CONTENTS.

	Page
Report of Registrar-General to the Secretary of State, . . . . .	iii
Report by Dr Stark to the Registrar-General, . . . . .	ix
Tables of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855 to 1868 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths, . . . . .	ix
Table of Population, estimated from excess of Births over Deaths, deducting Emigrants, with the Annual Number of Emigrants, and the Annual Increase or Decrease of Births, Deaths, and Marriages, . . . . .	x
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Insular, Mainland-Rural, and Town Districts, during each of the fourteen years 1855 to 1868, . . . . .	xi
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1868, . . . . .	xi
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1868, . . . . .	xii
Series of Tables showing the Number and Proportion of Births, Deaths, and Marriages in Scotland, when it is divided into Four Groups of Districts, according to Density of Population, . . . . .	xv-xvi

## BIRTHS.

Births in 1868, and their Proportion to the Population, with relative Tables, . . . . .	xiii
Tables showing particulars relative to the Births during each of the years 1856 to 1868 inclusive, . . . . .	xii
Influence of Density of Population on the Births, . . . . .	xiv
Curious Facts as to length of time elapsing from Date of Marriage to Birth of first Child, . . . . .	xvii

## MARRIAGES.

Number of Marriages in 1868, and their Proportion to the Population, . . . . .	xvii
Influence of Density of Population on the Marriages, . . . . .	xvii
Proportion of Legitimate Children to the Marriages in Scotland and England, . . . . .	xviii
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1868, and from 1855 to 1868, with relative Tables, . . . . .	xix
Number and Proportion of Persons marrying at different Ages, with relative Tables, . . . . .	xx
Proportion of Men and of Women who married at each Quinquennial Period of Life in different Countries of Europe and America, compared with those of Scotland, with relative Tables, . . . . .	xxii
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables, . . . . .	xxiii
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark, . . . . .	xxiv



	Page
DEATHS.	
Number of Deaths in Scotland in 1868, and their Proportion to the Population, . . . . .	xxviii
Death-rates in Scotland, and in its Insular, Mainland-Rural, and Town Districts, during each of the years 1855 to 1868, with relative Tables, . . . . .	xxviii
Influence of Density of Population on the Death-rate, . . . . .	xxix
Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1858-1868, . . . . .	xxvii
Series of Tables of the Deaths at different Ages in Scotland, its Three Great Groups of Districts, and in each of its Eight Principal Towns, during the year 1868, . . . . .	xxx-xxxvi
Mortality of Female lower than that of the Male at about every period of life, . . . . .	xxxi
High Mortality in Towns at every period of life, as compared with that of the Rural Districts, . . . . .	xxxv
Causes of Death in 1868, with relative Tables, . . . . .	xli
Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables, . . . . .	xlili
Small-pox Deaths in Scotland for fourteen years, . . . . .	xlvi
Mortality of Small-pox in Edinburgh since 1740 to the present day, showing the Influence of Vaccination on that Disease, . . . . .	xlvi
Mortality of Vaccination in 1868, . . . . .	xlvi
Particulars relative to Vaccination in Scotland, with relative Tables, . . . . .	xlvi
Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths, . . . . .	xlvi
The Nineteen most fatal Diseases in England and Scotland in 1868, . . . . .	liv

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1868.

Weather, Weekly and Monthly, and its Influence on the Mortality, . . . . .	liv
Table showing the Meteorology of Scotland during each month of the year 1868, together with the Monthly and Daily Number of Births, Deaths, and Marriages, . . . . .	liv
Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1868, . . . . .	lvi
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland, during each month of the year 1868, . . . . .	lvii
Deaths in Scotland compared with the average price of Wheat and Potatoes during each of the years 1855 to 1868, showing that the high price of provisions has no apparent effect on the Death-rate in Scotland, . . . . .	lviii

APPENDIX TABLES.

Series of Tables giving a Summary of the Births, Deaths, and Marriages during each of the ten years 1858-1867, in the Principal Towns, the Large Towns, the Small Towns, and the Rural Districts of Scotland, and the Proportion of each of these to the Mean Population, so as to show the influence of Density of Population on the Proportion of Births, Deaths, and Marriages, . . . . .	lx
--	----

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1868, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County, . . . . .	1
Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages during the year 1868, also of the Illegitimate Births, in every Registration District, . . . . .	2-22
Summary Table of Population in 1851 and 1861; and of the Births, Deaths, and Marriages in 1868, in the Insular, the Mainland-Rural, and Town Districts of Scotland, . . . . .	23



## MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1868; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, . . . . .	24
Table of the Civil Condition of the Parties who married in 1868; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, . . . . .	25
Table of the Ages of all Males who married in Scotland and its Counties in 1868, . . . . .	26
Table of the Ages of all Females who married in Scotland and its Counties in 1868, . . . . .	28

## DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1868, together with the Population of these Counties and Towns in 1851 and 1861, . . . . .	30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1868, together with the Male Population of these Counties and Towns in 1851 and 1861, . . . . .	32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1868, together with the Female Population of these Counties and Towns in 1851 and 1861, . . . . .	34
Deaths at different Ages in both Sexes in each of the Small Towns of Scotland, . . . . .	36-39
Do. Males, . . . . .	40-43
Do. Females, . . . . .	44-47
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1868, . . . . .	48-51
Do. Males, . . . . .	52-55
Do. Females, . . . . .	56-59
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1868, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts, . . . . .	60-63
Do. Males, . . . . .	64-67
Do. Females, . . . . .	68-71
Summary Table of the Causes of Death in both Sexes in each of the Small Towns of Scotland, whose respective Populations numbered from 3000 to 10,000 persons, . . . . .	72-79
Do. Males, . . . . .	80-87
Do. Females, . . . . .	88-95
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . . . . .	96-99
Do. Males, . . . . .	100-103
Do. Females, . . . . .	104-107
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, . . . . .	108-111
Do. Males, . . . . .	112-115
Do. Females, . . . . .	116-119
Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, . . . . .	120-123
Do. Males, . . . . .	124-127
Do. Females, . . . . .	128-131
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, . . . . .	132-135
Do. Males, . . . . .	136-139
Do. Females, . . . . .	140-143
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . . . . .	144-147
Do. Males, . . . . .	148-151
Do. Females, . . . . .	152-155
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, . . . . .	156-159
Do. Males, . . . . .	160-163
Do. Females, . . . . .	164-167



	Page
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, .	168-171
Do.    Males, . . . . .	172-175
Do.    Females, . . . . .	176-179
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, .	180-183
Do.    Males, . . . . .	184-187
Do.    Females, . . . . .	188-191
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, .	192-195
Do.    Males, . . . . .	196-199
Do.    Females, . . . . .	200-203
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, .	204-207
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, .	208-211
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, .	212-215
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, .	216-219
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1868, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County to the middle of 1868, . . . . .	220
-----	
Constitution of the Compound Districts, . . . . .	221
Index to Districts, . . . . .	222



# REPORT TO THE REGISTRAR-GENERAL,

BY JAMES STARK, M.D., F.R.S.E.

SIR,

THE year 1868, to which this Report refers, cannot otherwise be specified than as one of average commercial and manufacturing prosperity. The overstocking of the markets from over-production in 1867, the bad harvest of 1867 and the consequent high prices of food, together with the general fall in price both of the raw textile materials, and of the manufactured goods, with the consequent lowering of the wages of the working classes, increased by the additional taxation for carrying on the war in Abyssinia, caused the year 1868 to open with rather gloomy prospects.

As the year 1868 advanced, trade, though restricted, became more steady; and the speedy termination of the Abyssinian Expedition, the suppression of the Fenian conspiracy, together with the splendid harvest, the redundancy of floating capital in London and Paris, and the unparalleled accumulation of the precious metals in the Banks of England and France,

TABLE I.—POPULATION estimated to the middle of each year; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the Years 1855 to 1868, and their Proportion to the Population; also the Illegitimate Births, and the Excess of Births over Deaths.

YEAR.	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
		Total.	Illegit.				Births.	Deaths.	Marriages.
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·134	2·082	0·660
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·395	1·953	0·692
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·433	2·055	0·709
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·435	2·098	0·649
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·502	2·028	0·697
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·457	2·231	0·695
1861	3,066,633	107,009	9,929	62,341	20,896	44,668	3·484	2·032	0·681
1862	3,083,989	107,069	10,376	67,195	20,597	39,874	3·471	2·178	0·667
1863	3,101,345	109,341	10,948	71,481	22,234	37,860	3·525	2·305	0·716
1864	3,118,701	112,333	11,197	74,416	22,725	37,917	3·602	2·386	0·728
1865	3,136,057	113,070	11,262	70,891	23,611	42,179	3·605	2·260	0·753
1866	3,153,413	113,667	11,673	71,348	23,688	42,319	3·604	2·263	0·751
1867	3,170,769	114,044	11,148	69,068	22,618	44,976	3·593	2·177	0·710
1868	3,188,125	115,514	11,354	69,416	21,855	46,098	3·623	2·177	0·685



allowed both the home and foreign trade steadily to improve, and the year to close with bright prospects.

The restricted trade, however, during the greater portion of the year, had the effect of discouraging marriages, so that they fell 763 in number below those of the previous year, and 1833 below those of the prosperous commercial year 1866.

The very open winter 1867-1868, followed by a summer of extreme heat and great drought, and that again by a winter of intense cold, caused

TABLE II.—POPULATION of SCOTLAND, estimated to the middle of each year from the excess of Births over Deaths, deducting Emigrants, and the Per-centage of Births, Deaths, and Marriages to that Population; also the Number of Emigrants, and the Annual Increase or Decrease of Births, Deaths, and Marriages.

YEAR.	Estimated Population.	Yearly Increase of Popu-lation.	EMI-GRANTS.	Per-centage to Population.			Annual Increase or Decrease.		
				Births.	Deaths.	Mar-riages.	Births.	Deaths.	Mar-riages.
1861	3,066,633	35,694	8,974	3.484	2.032	0.681	+1380	—5829	—329
1862	3,102,327	24,769	15,105	3.451	2.166	0.665	+60	+4854	—299
1863	3,127,096	20,880	16,980	3.496	2.286	0.711	+2272	+4286	+1637
1864	3,147,976	22,523	15,394	3.568	2.364	0.721	+2992	+2335	+491
1865	3,170,499	28,902	13,277	3.566	2.235	0.744	+737	—3525	+886
1866	3,199,401	29,504	12,815	3.552	2.230	0.740	+597	+457	+77
1867	3,228,905	31,578	13,398	3.532	2.138	0.700	+375	—2280	—1070
1868	3,260,483	30,559	15,439	3.543	2.129	0.670	+1470	+348	—763

TABLE III.—POPULATION of SCOTLAND and its THREE GROUPS of DISTRICTS in 1851 and 1861; also the Population of each estimated to the middle of the Year 1868.

DISTRICTS.	CENSUS 1851.			CENSUS 1861.			Estimated to 30th June 1868.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular . .	76,760	89,727	166,487	73,409	87,324	160,733	70,980	85,584	156,564
Mainland- } Rural . .	828,852	882,865	1,711,717	848,998	913,578	1,762,576	863,600	935,843	1,799,443
Town* . .	469,867	540,671	1,010,538	527,441	611,544	1,138,985	569,186	662,932	1,232,118
SCOTLAND .	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,503,766	1,684,359	3,188,125

\* The Town Districts in this Table only include Towns which have above 10,000 Inhabitants.

TABLE IV.—POPULATION of SCOTLAND when divided into Three Groups of Town and One Group of Rural Districts.

DISTRICTS.	CENSUS 1851.			CENSUS 1861.			Estimated to 30th June 1868.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Towns* }	362,791	422,350	785,141	407,839	477,116	884,955	440,500	516,824	957,324
Large Towns	107,076	118,321	225,397	119,602	134,428	254,030	128,686	146,108	274,794
Small Towns	222,308	244,272	466,580	239,074	265,223	504,297	251,225	280,412	531,637
Rural Districts	683,304	728,320	1,411,624	683,333	735,679	1,419,012	683,355	741,015	1,424,370
SCOTLAND .	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,503,766	1,684,359	3,188,125

\* The Eight Principal Towns have each above 25,000 Inhabitants. The Large Towns have each from 10,000 to 25,000 Inhabitants. The Small Towns have each from 3,000 to 10,000 Inhabitants. The Rural Districts constitute the remainder of Scotland.



the mortality of 1868 to be as high as that of the previous year. The births, however, were 1470 in number above those of 1867.

TABLE V.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during each of the Years 1855-68.

YEARS.	TOTAL BIRTHS.			ILLEGITIMATE BIRTHS.			DEATHS.			MARRIAGES.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	3733	53347	36269	162	4589	2606	2693	30893	28418	724	10060	8896
1856	4320	56705	40796	240	5375	3082	2166	28825	27538	841	10428	9471
1857	4460	57568	41687	227	5542	3090	2306	30390	29210	954	10960	9445
1858	4582	57607	41829	247	5574	3533	2377	31564	29598	884	10083	8688
1859	4627	59366	42550	269	5874	3572	2633	30959	28122	910	10825	9466
1860	4588	58883	42158	247	5875	3614	2714	33358	32098	811	10747	9667
1861	4499	58191	44319	227	5646	4056	2562	30814	28965	919	10288	9689
1862	4458	58557	44054	219	5836	4321	2975	32694	31526	851	10185	9561
1863	4323	59235	45783	212	6277	4459	2934	34722	33825	784	10820	10630
1864	4340	60672	47321	233	6433	4531	2720	35719	35977	775	10819	11131
1865	5046	59321	48703	337	6303	4622	2488	32992	35411	776	11184	14651
1866	4253	60420	48994	264	6543	4866	2661	34315	34372	815	11127	11746
1867	4301	60080	49663	229	6180	4739	2583	33190	33295	829	10763	11026
1868	4302	60987	50225	260	6355	4739	2511	32184	34721	707	10458	10690

TABLE VI.—PER-CENTAGE of BIRTHS, DEATHS, and MARRIAGES to the POPULATION in the INSULAR, MAINLAND-RURAL, and TOWN DISTRICTS of SCOTLAND during the Years 1855-1868; also the Per-centage of Illegitimate to the Total Births.

YEARS.	Per-centage of BIRTHS to the Population.			Per-centage of Illegitimate to the Total Births.			Per-centage of DEATHS to the Population.			Per-centage of MARRIAGES to the Population.		
	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
1855	2.275	3.078	3.403	4.3	8.6	7.1	1.644	1.784	2.675	0.441	0.580	0.834
1856	2.643	3.204	3.783	5.5	9.4	7.5	1.293	1.659	2.561	0.514	0.599	0.869
1857	2.738	3.301	3.794	5.6	9.6	7.4	1.414	1.744	2.685	0.585	0.628	0.866
1858	2.882	3.299	3.790	5.4	9.6	8.4	1.463	1.806	2.690	0.544	0.576	0.787
1859	2.860	3.384	3.812	5.8	9.9	8.4	1.626	1.766	2.527	0.562	0.617	0.848
1860	2.846	3.346	3.735	5.3	9.9	8.5	1.682	1.897	2.851	0.503	0.610	0.856
1861	2.801	3.297	3.883	5.0	9.7	9.1	1.595	1.746	2.537	0.572	0.582	0.848
1862	2.786	3.308	3.814	4.9	9.9	9.8	1.859	1.847	2.730	0.531	0.575	0.827
1863	2.711	3.338	3.921	4.9	10.6	9.7	1.840	1.956	2.897	0.491	0.609	0.910
1864	2.732	3.408	4.010	5.3	10.6	9.6	1.712	2.006	3.048	0.488	0.607	0.943
1865	3.187	3.323	4.083	6.6	10.6	9.4	1.571	1.848	2.969	0.490	0.626	0.976
1866	2.696	3.375	4.064	6.2	10.8	9.9	1.687	1.916	2.851	0.516	0.621	0.974
1867	2.735	3.348	4.073	5.3	10.2	9.5	1.635	1.849	2.730	0.527	0.599	0.904
1868	2.748	3.389	4.076	6.0	10.4	9.4	1.603	1.788	2.818	0.451	0.581	0.867

TABLE VII.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in each of the EIGHT PRINCIPAL TOWNS of SCOTLAND during 1868, and their Proportion to the Population; also the Illegitimate Births, and their Proportion to the Total Births.

TOWNS.	Estimated Population, 1868.	BIRTHS.		ILLEGITIMATE BIRTHS.		DEATHS.		MARRIAGES.	
		Births.	Per cent. to Pop.	Number.	Per cent. to Births.	Deaths.	Per cent. to Pop.	Marriages.	Per cent. to Pop.
Glasgow .	443,643	18607	4.194	1818	9.7	13832	3.117	3814	0.895
Edinburgh .	176,817	6640	3.755	650	9.7	4781	2.704	1765	0.998
Dundee .	100,096	4576	4.571	534	11.6	2917	2.914	860	0.859
Aberdeen .	75,292	2916	3.872	368	12.6	2029	2.694	691	0.917
Paisley .	47,427	1756	3.702	151	8.6	1221	2.574	394	0.830
Greenock .	48,570	2396	4.727	143	5.9	1658	3.413	433	0.891
Leith .	38,791	1760	4.537	110	6.2	973	2.511	410	1.057
Perth .	27,123	841	3.100	77	9.1	626	2.308	222	0.818



## POPULATION.

In former Reports it was explained that the imperfections of the emigration returns prevented the number of the population of Scotland being approximatively estimated by taking as the annual increase the excess

TABLE VIII.—NUMBER OF BIRTHS, DEATHS, and MARRIAGES in 1868, and their Proportion to the Population, in Scotland, its Groups of Districts, Divisions, and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

DIVISIONS AND COUNTIES.		Population, estimated to the middle of the Year 1868.	TOTAL BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
			No.	Per- cent.	No.	Per- cent.	No.	Per- cent.	No.	Per- cent.
SCOTLAND . . . . .		3,188,125	115514	3·623	11354	9·8	69416	2·177	21855	0·685
INSULAR DISTRICTS . . . .		156,564	4302	2·748	260	6·0	2511	1·603	707	0·451
MAINLAND-RURAL DISTS. . .		1,799,443	60987	3·389	6355	10·4	32184	1·788	10458	0·581
TOWN DISTRICTS . . . . .		1,232,118	50225	4·076	4739	9·4	34721	2·818	10690	0·867
DIVISIONS.										
I.	NORTHERN . . . . .	132,879	3256	2·450	214	6·5	1811	1·363	553	0·416
II.	NORTH-WESTERN . . . . .	161,239	4576	2·838	283	6·1	2564	1·590	707	0·432
III.	NORTH-EASTERN . . . . .	380,130	12919	3·398	1981	15·3	6634	1·745	2436	0·641
IV.	EAST-MIDLAND . . . . .	529,519	18610	3·514	1964	10·1	11023	2·081	3508	0·662
V.	WEST-MIDLAND . . . . .	243,275	8166	3·356	626	7·6	5027	2·066	1369	0·562
VI.	SOUTH-WESTERN . . . . .	1,100,447	45030	4·092	3857	8·5	28653	2·603	8566	0·778
VII.	SOUTH-EASTERN . . . . .	427,623	16310	3·814	1434	8·7	9639	2·254	3526	0·824
VIII.	SOUTHERN . . . . .	213,013	6647	3·120	995	14·9	4065	1·908	1190	0·558
COUNTIES.										
1	Shetland . . . . .	32,098	775	2·414	37	4·7	433	1·348	149	0·464
2	Orkney . . . . .	33,076	816	2·467	39	4·7	430	1·300	154	0·465
3	Caithness . . . . .	43,946	1166	2·653	101	8·6	617	1·400	170	0·387
4	Sutherland . . . . .	23,759	499	2·100	37	7·4	331	1·393	80	0·336
5	Ross and Cromarty . . . .	81,442	2180	2·677	102	4·7	1123	1·378	365	0·448
6	Inverness . . . . .	79,797	2396	3·003	181	7·5	1441	1·805	342	0·428
7	Nairn . . . . .	8,542	241	2·821	24	10·0	123	1·410	48	0·562
8	Elgin . . . . .	46,886	1415	3·018	199	14·0	705	1·503	244	0·520
9	Banff . . . . .	59,399	1895	3·190	328	17·3	1008	1·697	300	0·505
10	Aberdeen . . . . .	230,507	8231	3·570	1256	15·2	4271	1·852	1614	0·700
11	Kincardine . . . . .	34,796	1137	3·267	174	15·3	527	1·514	230	0·661
12	Forfar . . . . .	216,261	8596	3·974	1011	11·7	5156	2·384	1588	0·734
13	Perth . . . . .	130,175	3747	2·878	411	10·9	2419	1·858	760	0·583
14	Fife . . . . .	155,912	5338	3·424	446	8·3	2811	1·803	996	0·638
15	Kinross . . . . .	8,086	208	2·572	25	12·0	127	1·570	37	0·457
16	Clackmannan . . . . .	19,085	721	3·778	71	9·8	510	2·672	127	0·665
17	Stirling . . . . .	91,277	3471	3·802	278	8·0	1962	2·149	593	0·649
18	Dumbarton . . . . .	59,392	2190	3·687	162	7·4	1290	2·172	364	0·613
19	Argyll . . . . .	76,479	2107	2·755	156	7·4	1371	1·792	334	0·436
20	Bute . . . . .	16,127	398	2·468	30	7·5	404	2·505	78	0·483
21	Renfrew . . . . .	176,577	7227	4·092	534	7·4	4798	2·717	1412	0·799
22	Ayr . . . . .	205,647	7635	3·712	719	9·4	3796	1·846	1429	0·695
23	Lanark . . . . .	718,223	30168	4·200	2604	8·6	20059	2·792	5725	0·797
24	Linlithgow . . . . .	45,178	1812	4·010	141	7·7	775	1·715	285	0·630
25	Edinburgh . . . . .	284,678	11205	3·936	981	8·7	7259	2·550	2676	0·940
26	Haddington . . . . .	38,540	1233	3·199	106	8·6	647	1·683	241	0·625
27	Berwick . . . . .	36,719	1208	3·289	140	11·6	522	1·421	181	0·492
28	Peebles . . . . .	11,655	380	3·260	25	6·5	175	1·501	62	0·532
29	Selkirk . . . . .	10,853	472	4·349	41	8·6	261	2·405	81	0·746
30	Roxburgh . . . . .	55,527	1775	3·196	202	11·3	965	1·738	321	0·578
31	Dumfries . . . . .	74,280	2374	3·196	368	15·5	1423	1·915	460	0·619
32	Kirkcudbright . . . . .	42,045	1332	3·168	234	17·5	862	2·050	214	0·509
33	Wigtown . . . . .	41,161	1166	2·832	191	16·3	815	1·980	195	0·473



of births over deaths, deducting emigrants. It is therefore assumed that the population is increasing during the present decade at the same ratio in which it increased during the decade 1851–1861. By this mode of estimation, the population of Scotland at the middle of 1868, would amount to 3,188,125 persons; of whom 156,564 would inhabit the Insular Districts, 1,799,443 the Mainland-Rural Districts, and 1,232,118 the Town Districts.

To show, however, how the population would look if estimated from the excess of births over deaths, deducting the ascertained emigrants, Table II. is added, which, in addition to giving the annual number of the population since 1861, according to that mode of estimation, shows the annual number of emigrants, the per-centage of births, deaths, and marriages to that estimated population, and the annual increase or decrease of births, deaths, and marriages over those of each previous year. By this latter mode of estimation the population of Scotland at the middle of 1868 would amount to 3,260,483 persons, which is assuredly a great over-estimate.

## BIRTHS.

115514 Births were registered in Scotland during the year 1867, being at the high rate of 362 births in every ten thousand persons of the estimated population, or 3·62 per cent. This is the highest number and proportion of births in Scotland since the Registration Act came into operation, and is 1470 more births than were registered during the previous year.

Of these 115514 births, 4302 were registered in the Insular Districts, 60987 in the Mainland-Rural Districts, and 50225 in the Town Districts,—indicating a proportion in every ten thousand persons of 275 births in the Insular, 389 births in the Mainland-Rural, and 407 births in the Town Districts. As the relative proportion of births in these districts is much the same from year to year, it seems to prove that the births, like the deaths, are influenced by density of population, the proportion being highest where

TABLE IX.—BIRTHS in SCOTLAND, 1855–1868; with the Number and Proportion of Males and Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births, and the Proportion of Mothers who had Multiple Births.

YEARS.	TOTAL BIRTHS.		LEGITIMATE BIRTHS.		ILLEGIT. BIRTHS.		TWIN BIRTHS.	TRI- PLET BIRTHS.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins or Triplets. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	...	...	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4333	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110·0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105·8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81
1867	58517	55527	52751	50145	5766	5382	1365	13*	105·4	105·1	107·1	82
1868	59222	56292	53375	50785	5847	5507	1443	15	105·2	105·1	106·1	78

\* Of these, one was a Quadruple Birth.



the population is most dense and the deaths are in greatest numbers, and lowest where the population is most widely scattered and the deaths are fewest.

This fact is still more strikingly illustrated by dividing the districts of Scotland into four groups, according to the size of the towns in each group of Districts. This is done in Tables IV., XII., and XIII. for the year 1868, and in Tables XIV. and XV. for the ten years 1858–1867. It will be seen that the correspondence between these two sets of Tables is extremely striking, clearly showing that births, deaths, and marriages are under a similar law of subjection to density of population, and are equally affected by it, as shall be more particularly mentioned afterwards when speaking of the deaths. As to the births, it will be seen from Table XIII. that during 1868, for every thousand persons in each of these four groups of districts, there occurred in the proportion of 41·25 births in the Principal Towns, 39·05 births in the Large Towns, 36·79 births in the Small Towns, but only 32·17 births in the Rural Districts. As these proportions for each group of districts closely correspond with those for the ten previous years, they seem clearly to demonstrate that it is a law of nature that the proportion of births is as strictly dependent on the density of the population, as it has been proved the deaths are.

In consequence of mistakes which are continually being made even by statisticians in official positions, when endeavouring to compare the vital statistics of the towns of Scotland with those of England, it is necessary to offer a few remarks. Statistics which, like the above, show the distinct influence of density of population on the three great events of life, viz., birth, death, and marriage, can only be correctly shown for those countries where the whole births, the whole marriages, and the whole deaths which occur

TABLE X.—BIRTHS, 1868. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Three Great Groups of Districts in 1868; together with the Number of Twin and Triplet Births.

DISTRICTS.	TOTAL BIRTHS.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Insular . . . .	2218	2084	4302	2089	1953	4042	129	131	260	51	1
Mainland-Rural	31319	29668	60987	28040	26592	54632	3279	3076	6355	780	8
Town . . . .	25685	24540	50225	23246	22240	45486	2439	2300	4739	612	6
SCOTLAND . . .	59222	56292	115514	53375	50785	104160	5847	5507	11354	1443	15

TABLE XI.—PROPORTION OF BIRTHS, 1868. Per-centage of Births to the Population, and of the Illegitimate to the Total Births; also the Proportion of the Sexes in the Legitimate, Illegitimate, and Total Births; together with the Proportion of Mothers who bare Twins and Triplets in Scotland, its Insular, Mainland-Rural, and Town Districts in 1868.

DISTRICTS.	Per-centage of Births to Population.	Per-centage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of MOTHERS who bare TWINS. — One in every	Proportion of MOTHERS who bare TRIPLETS. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Insular . . . .	2·748	6·0	106·4	106·9	98·4	83	4249
Mainland-Rural	3·389	10·4	105·5	105·4	106·6	77	7524
Town . . . .	4·076	9·4	104·6	104·5	106·0	81	8266
SCOTLAND . . .	3·623	9·8	105·2	105·1	106·1	79	7602



among the people are entered on the Registers. So extremely few of these events escape registration in Scotland, that it may be said that all the births, marriages, and deaths which occur among the people are entered on the Registers. Hence, when abstracted and classified in groups according to the size of the towns, and compared with the population, it is seen that the proportion of births, of deaths, and of marriages is highest in the Principal Towns, and that this proportion regularly falls through the Large Towns, and the Small Towns, till it attains its lowest proportion in the Rural Districts.

Nothing of all this can be proved from the imperfect statistics of England, because the registration of her births and deaths is defective, and does not include all the events which occur among the population. In consequence of this, even though her towns were thrown into groups according to their density of population, they would fail to bring out results similar to those proved with regard to Scotland. From not attending to this, the most invidious comparisons are constantly being drawn, both in official reports and in public newspapers, as to the assumed greater mortality which prevails in the Scottish towns; while all the time it is the imperfect registration of the births and deaths in the English towns which is the cause of the assumed discrepancy. All such comparisons should, therefore, in future be avoided, as they only teach error, raise unnecessary presumption on the part of the English public, and propagate needless and false alarm among the inhabitants of the towns of Scotland.

The influence of density of population on the proportion of births is even markedly seen in the eight divisions into which the counties of Scotland are divided. Thus, in the North-Western Division, where there are only 23 persons to a square mile, the births in 1868 were in the proportion of 28·38 to every thousand persons; in the Southern Division, with 66 persons to a square mile, there were 31·20 births to every thousand

TABLE XII.—1868. Births, Deaths, and Marriages in the several Groups of Town and Rural Districts of Scotland in 1868.

Four Groups of Districts.	BIRTHS.				DEATHS.			MAR-RIAGES.
	Males.	Females.	Total.	Ille-gitimate.	Males.	Females.	Total.	
Principal Towns . . .	20243	19249	39492	3851	14154	13883	28037	8589
Large Towns . . .	5442	5291	10733	888	3359	3325	6684	2101
Small Towns . . .	10105	9458	19563	1836	5640	5752	11392	3469
Rural Districts . . .	23432	22294	45726	4779	11509	11794	23303	7696
SCOTLAND . . . .	59222	56292	115514	11354	34662	34754	69416	21855

TABLE XIII.—1868. Proportion of Births, Deaths, and Marriages in each of the Four Groups of Town and Rural Districts of Scotland in 1868.

Four Groups of Districts.	Per-centage to Population.							Per-cent. of Illegitimate to Total Births.	Ratio to Persons in the Population.		
	BIRTHS.			DEATHS.			MAR-RIAGES.		One Birth to every	One Death to every	One Mar-riage to every
	Males.	Fem.	Total.	Males.	Fem.	Total.					
Principal Towns .	4·595	3·724	4·125	3·213	2·686	2·928	0·897	9·7	24	34	110
Large Towns . .	4·228	3·621	3·905	2·610	2·275	2·432	0·764	8·2	25	41	130
Small Towns . .	4·022	3·373	3·679	2·245	2·051	2·142	0·652	9·3	27	46	153
Rural Districts .	3·428	3·008	3·217	1·684	1·584	1·636	0·540	10·4	31	61	185
SCOTLAND . . .	3·625	3·342	3·623	2·305	2·063	2·177	0·685	9·8	27	46	145



persons ; in the North-Eastern Division, with 97 persons to a square mile, there were 33·98 births to every thousand persons ; in the East-Midland Division, with 120 persons to a square mile, there were 35·14 births to every thousand persons ; in the South-Eastern Division, with 219 persons to a square mile, there were 38·14 births to every thousand persons ; while in the most densely peopled South-Western Division, with 441 persons to a square mile, there were no fewer than 40·92 births to every thousand persons.

Of the 115514 births, 104160 were legitimate, and 11354 illegitimate, thus showing that 9·8 per cent. of the births were illegitimate. This rate is much about the same as has been observed in the returns of former years ; and, though high, it is not believed to be in excess of the rate which prevails in England, if due allowance be made for the greater number of births which are supposed to escape registration in that country, and which, between 1851 and 1861, were estimated by the Census Commissioners to amount to 36950 annually. When compared with the rate which prevails in the Continental States of which we have full statistical data, it is moderate.

Of the children born during the year, 59222 were boys, and 56292 girls, showing that 105·2 boys were born for every 100 girls. It is a somewhat remarkable fact, that Scotland, unlike every other country of which we have the full statistics, exhibits the peculiarity of having the proportion of boys in the illegitimate births higher than that of the legitimate. Thus, during 1868, while only 105·1 boys were born to every 100 girls in the legitimate births, 106·1 boys were born to 100 girls in the illegitimate.

During the year, 1443 twin births, and 15 triplet births occurred, indicating that one in every 79 mothers bare twins, and that one in every 7602 mothers bare triplets.

TABLE XIV.—1858–1867. Ten Years' Summary of the Births, Deaths, and Marriages in each of the Four Groups of Town and Rural Districts of Scotland.

Four Groups of Districts. 1858–1867.	BIRTHS—TEN YEARS.				DEATHS—TEN YEARS.			MAR- RIAGES TEN YEARS.
	Males.	Females.	Total.	Ille- gitimate.	Males.	Females.	Total.	
Principal Towns . . .	182673	173270	355943	33927	128745	129617	258362	82700
Large Towns . . .	50941	48278	99219	8357	32061	32806	64867	20561
Small Towns . . .	96313	90849	187162	17480	55174	55774	110948	35569
Rural Districts . . .	231364	219035	450399	45574	121488	124498	245986	79820
SCOTLAND . . . . .	561291	531432	1092723	105338	387468	342695	680163	218450

TABLE XV.—1858–1867. Annual Proportion of Births, Deaths, and Marriages to the mean Population in each of the Four Groups of Town and Rural Districts of Scotland during the Ten Years 1858–1867.

Four Groups of Districts.  1858-1867.	Per-centage to Population.							Per-cent. of Illegitimate to Total Births.	Ratio to Persons in the Population.		
	BIRTHS.			DEATHS.			MAR-RIAGES.		One Birth in every	One Death in every	One Mar-riage in every
	Males.	Fem.	Total.	Males.	Fem.	Total.					
Principal Towns .	4·394	3·560	3·944	3·089	2·663	2·863	0·916	9·3	25	35	109
Large Towns . .	4·182	3·517	3·830	2·632	2·390	2·504	0·793	8·4	26	39	126
Small Towns . .	3·979	3·379	3·663	2·279	2·074	2·171	0·692	9·3	27	46	144
Rural Districts .	3·385	2·972	3·164	1·777	1·689	1·732	0·562	10·1	31	58	178
SCOTLAND . . .	3·836	3·261	3·533	2·306	2·108	2·199	0·706	9·6	28	45	141



Some of the Registrars have appended notes to their birth entries, which are of much interest in a medico-legal point of view, mentioning the long period which, in certain instances, elapsed between the date of the marriage and the birth of the first child. The value of these notes would have been increased had the age of the mother been given in all the cases, and in especial when she had passed the 50th year of life. Thus, one woman had been 27 years married before she bare her first child; two had been married 28 years; one had been married 29 years; one, 30½ years; one, 32 years; one, 33½ years; and one did not bear her first child till 37 years after the date of her marriage.

A female child was taken from its mother's womb twenty minutes after her death, and lived.

## MARRIAGES.

21855 Marriages were registered in Scotland during the year 1868, being in the proportion of 68 marriages in every ten thousand persons of the estimated population. The number of marriages during 1868 was therefore 763, or 3·37 per cent., below those of the previous year, and 1833, or 8·33 per cent., below those of the year 1866.

As usual, the proportion of marriages was much higher in the Town than in the Rural Districts. Thus, for every ten thousand persons in each of the three groups of districts into which Scotland is divided, there were only 45 marriages in the Insular, 58 marriages in the Mainland-Rural, but 86 marriages in the Town Districts. (Tables V., VI., and VIII.)

When the districts of Scotland, however, are arranged in four groups, according to the density of population in each, it is seen that the proportion of marriages, as happens with both births and deaths, is proportioned to the density of the population, being most numerous where the greatest masses of human beings are congregated together, and fewest where the population is most scattered. Thus, for every ten thousand persons in each of the four groups, during 1868 (Tables XII. and XIII.), there occurred 89 marriages in the Principal Towns, 76 marriages in the Large Towns, 65 marriages in the Small Towns, but only 54 marriages in the Rural Districts.

Allowing for the fact, that in 1868 the number and proportion of

TABLE XVI.—MARRIAGES, 1868. Number of Marriages contracted according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages.

RELIGIOUS DENOMINATIONS.		Number of Marriages.				Proportion in every 100 Marriages.			
		Insular Districts.	Mainland- Rural Districts.	Town Districts.	SCOTLAND	Insular Districts.	Mainland- Rural Districts.	Town Districts.	SCOTLAND
Regular Marriages.	Established Church .	307	5609	3820	9736	43·42	53·63	35·74	44·55
	Free Church . . . .	287	2365	2363	5015	40·60	22·62	22·10	22·95
	United Presbyterian Church	55	1445	1744	3244	7·78	13·82	16·32	14·85
	Roman Catholic Church	19	510	1343	1872	2·69	4·88	12·56	8·57
	Episcopalian Church .	—	122	345	467	—	1·16	3·23	2·13
	Other Denominations .	35	386	982	1403	4·95	3·69	9·18	6·42
	Denomination not stated	3	19	36	58	0·42	0·18	0·33	0·26
	Irregular Marriages .	1	2	57	60	0·14	0·02	0·53	0·27
Total Marriages .		707	10453	10690	21855	100·00	100·00	100·00	100·00



marriages fell below the average, if the above proportions be compared with those of the ten previous years (Tables XIV. and XV.), it will be seen that it is the ordinary law that the proportion of marriages in each of these groups of districts corresponds with the density of the population. Thus, during the ten years 1858-1867, for every ten thousand persons in each of the four groups, there occurred 91 marriages annually in the Principal Towns, 79 marriages in the Large Towns, 69 marriages in the Small Towns, but only 56 marriages in the Rural Districts.

The proportion of legitimate children born to each marriage during the year 1868 was much larger in Scotland than in England. Thus, to the 21855 marriages in Scotland during 1868 there were born 104160 legitimate children, giving a proportion of 4.76 children for every marriage, or 476 children for every 100 marriages. In England, during the same year, there were 176962 marriages, and 740520 legitimate children; being in the

TABLE XVII.--MARRIAGES, 1855-1868. Number of Marriages according to the Rites of the several Religious Denominations during each of the Years 1855-1868.

YEARS.	Total MARRIAGES.		REGULAR MARRIAGES according to Rites of the							IRREGULAR MARRIAGES.
	Number.	Per-centage to Population.	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	19680	0.660	8879	4665	2952	1826	350	923	76	9
1856	20740	0.692	9863	4645	2875	1953	360	984	24	36
1857	21369	0.709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0.649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0.697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0.695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0.681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0.667	9307	4930	2846	1778	371	990	348	27
1863	22234	0.716	9929	5242	3249	2119	487	1113	76	19
1864	22725	0.728	9907	5507	3198	2276	469	1231	115	22
1865	23611	0.753	10177	5636	3345	2399	476	1516	30	32
1866	23688	0.751	10392	5570	3385	2259	516	1483	41	42
1867	22618	0.710	10066	5347	3247	2039	488	1323	65	43
1868	23855	0.685	9736	5015	3244	1872	467	1403	58	60

TABLE XVIII.—Proportion of MARRIAGES, 1855-1868. Per-centage of Marriages according to the Rites of the several Religious Denominations during each of the Years 1855-1868.

YEARS.	PER-CENTAGE OF REGULAR MARRIAGES according to the Rites of the							IRREGULAR MARRIAGES.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45.12	23.70	15.00	9.28	1.78	4.70	0.38	0.04
1856	47.55	22.40	13.87	9.42	1.73	4.74	0.12	0.17
1857	47.71	22.41	13.69	8.98	1.95	4.76	0.47	0.03
1858	46.32	23.66	13.77	8.63	1.93	5.26	0.30	0.13
1859	46.08	22.93	13.85	8.59	1.78	5.54	1.15	0.08
1860	45.73	22.95	13.36	8.75	1.95	5.73	1.45	0.08
1861	44.66	23.78	14.00	8.65	1.85	6.18	0.76	0.12
1862	45.19	23.94	13.81	8.64	1.80	4.80	1.69	0.13
1863	44.66	23.58	14.61	9.53	2.19	5.01	0.34	0.08
1864	43.60	24.24	14.06	10.02	2.07	5.41	0.51	0.09
1865	43.10	23.87	14.17	10.16	2.02	6.42	0.13	0.13
1866	43.87	23.52	14.29	9.54	2.18	6.26	0.17	0.17
1867	44.51	23.65	14.36	9.02	2.15	5.84	0.28	0.19
1868	44.55	22.95	14.85	8.57	2.13	6.42	0.26	0.27



proportion of 4·18 children to every marriage, or 418 children to every 100 marriages.

Of the 21855 marriages, 9736 were contracted according to the rites of the Established Church, 5015 according to those of the Free Church, 3244 according to those of the United Presbyterians, 1872 according to those of the Romish Church, 467 according to those of the Episcopal Church, and 1403 according to the varying rites of the smaller denominations; in 58 cases the religious denomination was omitted to be stated; and in 60 instances the marriage was irregular, that is to say, was contracted without a religious ceremony, and without previous publication of the banns of marriage. (Table XVI.)

These facts indicate that 44·55 per cent. of the marriages were contracted according to the rites of the Established Church of Scotland, 22·95 per cent. according to those of the Free Church, 14·85 according to those of the United Presbyterian Church, 8·57 per cent. according to those of the Romish Church, 2·13 per cent. according to the rites of the Episcopal Church, and 6·42 per cent. according to the rites of the smaller religious denominations; while in 0·26 per cent. the religious denomination had been omitted to be stated; and in 0·27 per cent. (that is, 27 in every ten thousand marriages) the marriage was irregular.

Of the 21855 men who married, the ages of 21837 were ascertained, and of these, 1459, or 6·68 per cent., were minors, or were under 21 years of age. Of the 21855 women who married, the ages of 21823 were ascertained, and of these, 4463, or 20·45 per cent. were under 21 years of age. (Tables XXIII. and XXIV.)

It would be interesting to compare the proportion of minors who respectively marry in England and Scotland; but, unfortunately, the ages of the parties marrying in England are so imperfectly given as to render an accurate comparison impossible. Thus, of the 176962 marriages in England in 1868, the precise age of the parties was only specified in 118634 instances, and of that number, 11326 men, or 9·54 per cent. of the men, and 30132

TABLE XIX.—MARRIAGES, 1868. Ages of Men and Women at Marriage.

AGES.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15 years	—	—	—	—	—	—	—	—
15—16	—	9	—	—	—	4	—	5
16—17	1	72	—	—	1	43	—	29
17—18	19	312	—	4	8	142	11	166
18—19	123	843	3	11	64	415	56	417
19—20	453	1434	3	18	203	653	247	763
20—21	863	1793	8	41	453	856	402	896
21—25	7209	7976	127	257	3467	3813	3615	3906
25—30	6801	5486	276	209	3215	2699	3310	2578
30—35	2804	1978	135	87	1327	989	1342	902
35—40	1410	991	66	41	702	428	642	522
40—45	896	511	37	22	423	229	436	260
45—50	529	269	19	7	239	111	271	151
50—55	342	105	11	4	172	44	159	57
55—60	192	32	10	2	78	9	104	21
60—65	99	11	4	—	40	5	55	6
65—70	68	—	4	—	38	—	26	—
70—75	21	1	3	—	11	—	7	1
75—80	7	—	—	—	5	—	2	—
80—85	—	—	—	—	—	—	—	—
85—90	—	—	—	—	—	—	—	—
Not stated	18	32	1	4	12	18	5	10
ALL AGES	21855	21855	707	707	10458	10458	10690	10690



women, or 25·39 per cent. of the women, were minors, or were under 21 years of age. If these numbers may be taken as showing the true proportion of minor marriages in England, they would indicate that a larger proportion of minors marries in England than in Scotland.

Since these Reports were commenced, we have been in the habit of giving a Table showing the proportion of men and of women who married annually under and above 25 years of age. We then considered, and the experience of years has proved that our ideas were correct, that the proportion in which men married under 25 years of age was the most correct test which could be applied for the purpose of ascertaining approximatively the comparative facility of procuring a livelihood in the various Divisions and Counties of Scotland. Tables XXIII. and XXIV. again bear evidence as to the general truth of this proposition. In the highland, unimproving North-Western Division only 17·55 per cent. of the men, and 46·53 per cent. of the women who married were under 25 years of age. In the active, partly agricultural, partly manufacturing North-Eastern Division, 34·27 per cent. of the men, and 54·84 per cent. of the women who married were under 25 years of age. But in the active and prosperous mining and

TABLE XX.—MARRIAGES, 1868. Per-centage of Men and Women at different Ages who contracted Marriage in 1868.

AGES.	MEN.				WOMEN.			
	SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.	SCOTLAND.	Insular Districts.	Mainland-Rural Districts.	Town Districts.
15—20 years	2·73	0·85	2·64	2·94	12·22	4·67	12·02	12·91
20—25	36·94	19·10	37·48	37·57	44·70	42·15	44·65	44·92
25—30	31·12	39·04	30·74	30·96	25·11	29·56	25·81	24·11
30—35	12·83	19·10	12·69	12·55	9·05	12·31	9·46	8·44
35—40	6·45	9·34	6·71	6·00	4·53	5·80	4·09	4·88
40—45	4·10	5·23	4·05	4·08	2·33	3·11	2·19	2·43
45—50	2·42	2·68	2·29	2·53	1·23	0·99	1·06	1·41
50 and above	3·33	4·52	3·29	3·32	0·68	0·85	0·55	0·80
Not stated	0·08	0·14	0·11	0·05	0·15	0·56	0·17	0·10
ALL AGES	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

TABLE XXI.—MARRIAGES, 1855—1867. Number and Proportion of Men and Women, at each quinquennial period of life, who contracted marriage in Scotland during the Thirteen Years 1855—1867.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Per-centage at each Age.	Number who married at each Age.	Per-centage at each Age.
15—20 years	8152	2·92	35147	12·59
20—25	107192	38·40	127970	45·84
25—30	82241	29·46	67227	24·08
30—35	34970	12·54	24284	8·70
35—40	18635	6·67	12404	4·45
40—45	11259	4·03	6321	2·27
45—50	7079	2·53	3031	1·08
50 and above	9145	3·27	1855	0·66
Age not stated	496	0·18	930	0·33
ALL AGES	279169	100·00	279169	100·00



manufacturing South-Western Division, where no one need be idle who is willing to work, 43·56 per cent. of the men, and 60·70 per cent. of the women who married were under 25 years of age.

The same difference was strikingly illustrated in the case of Edinburgh and Glasgow. In Edinburgh, where no manufactures of any extent are carried on, only 35·57 per cent. of the men, and 54·51 per cent. of the women who married were under 25 years of age; while in the prosperous, commercial and manufacturing city of Glasgow, 42·21 per cent. of the men, and 60·06 per cent. of the women who married were under 25 years of age.

In last Report it was pointed out that when the statistics of births, deaths, and marriages for any country were carefully and fully collected, so that all the events which occurred among the population were entered on the Registers, it was found that they were under certain laws as fixed as those which regulate the motions of the heavenly bodies; and that even their very particulars recurred with a regularity truly surprising. The first and most important of these laws was pointed out to be the connection between density of population and the proportion of births, deaths, and marriages; and, with regard to marriages, the law that, notwithstanding of the excessive difference between the proportion of marriages in Town and Rural Districts, the relative proportion of persons at different ages who married remained almost the same.

TABLE XXII.—Proportions in every 100 MEN and WOMEN who married at each quinquennial period of life in different countries. Five years' average.

AGE.	MEN.									
	Holland.	Sweden.	Belgium.	Norway.	Austria.	France.	Scotland.	England.	State of Massachusetts.	State of New York.
Under 20	1·66	0·04	*2·45	0·91	28·40	2·61	2·92	2·98	1·89	3·25
20—25	19·76	21·79	18·72	23·04		26·45	38·40	47·97	37·57	38·52
25—30	34·98	36·21	33·24	40·91	35·19	33·55	29·46	25·58	31·09	31·23
30—35	19·16	20·95	19·81	22·94	23·17	17·36	12·54	9·52	12·44	11·81
35—40	10·14	9·28	11·30	8·16		8·87	6·67	4·89	6·61	5·73
40—45	6·21	5·21	6·40	2·73	8·40	6·78	4·03	3·30	3·71	3·31
45—50	3·64	2·85	3·52	0·83			2·53	2·12	2·60	2·28
50 and above	4·45	3·67	4·46	0·48	4·84	4·38	3·27	3·64	4·09	3·87
Not stated	—	—	—	—	—	—	0·18	†	—	—
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

WOMEN.										
Under 20	7·59	4·88	*12·02	6·11	21·82	20·18	12·59	14·06	21·13	28·67
20—25	28·99	32·78	29·15	38·52	30·31	37·83	45·84	49·27	44·65	44·22
25—30	32·14	31·18	27·70	33·52	25·95	21·38	24·08	19·59	19·42	15·72
30—35	14·86	16·43	14·46	14·55	14·96	9·92	8·70	7·28	6·78	5·16
35—40	7·62	7·65	7·88	5·02		4·93	4·45	3·91	3·60	2·59
40—45	4·59	4·05	4·53	1·63	5·50	3·95	2·27	2·59	2·10	1·55
45—50	2·38	1·89	2·30	0·50			1·08	1·59	0·99	0·85
50 and above	1·83	1·14	1·96	0·15	1·46	1·81	0·66	1·71	1·33	1·24
Not stated	—	—	—	—	—	—	0·33	†	—	—
TOTAL	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

\* These are the proportions under 21 years of age,—the Belgian ages under 21 not being separately specified.

† In England 33 per cent. of the Marriages do not specify the ages of the parties. The proportions here given are deducted from those alone in which the ages of the parties were specified.



This was again strikingly illustrated during the year 1868. (Table XX.) In the Town Districts of Scotland there was the high proportion of 86 marriages in every ten thousand persons of the population; but in the Mainland-Rural Districts only the low proportion of 58 marriages in an equal population. Notwithstanding of this great diversity, it will be seen by consulting Table XX. that the proportions of men and women who married at each quinquennial period of life were almost exactly the same in these two districts. Thus, of the men who married in the Mainland-Rural Districts, 37·48 per cent. were between 20 and 25 years of age; the proportion was 37·57 in the Town Districts. In the Mainland-Rural Districts, 30·74 per cent. of the men were between 25 and 30 years; the proportion was 30·96 per cent. in the Town Districts. In the Mainland-Rural Districts, 12·69 per cent. of the men who married were between 30 and 35 years of age; the proportion was 12·55 per cent. in the Town Districts; and so forth. The proportion of the women in these two districts was equally close. Thus, in the Mainland-Rural Districts, 12·02 per cent. of the women who married were under 20 years of age; the proportion was 12·91 per cent. in the Town Districts. In the Mainland-Rural Districts, 44·65 per cent. of the women who married were between 20 and 25 years of age; the proportion was 44·92 per cent. in the Rural Districts; and so on.

The reason why the proportion in the Insular Districts does not correspond, is mainly owing to the fact that these districts are decreasing in population; that the numbers are too small to yield anything but exceptional results; and that a large proportion of the male population, unable to obtain a livelihood at home, are migratory, or engaged as seamen in the home coasting trade and fisheries.

It is interesting to compare our own Marriage statistics with those of other countries. Table XXII. has therefore been added, showing the relative proportions in which men and women at different ages contract

TABLE XXIII.—MARRIAGES in SCOTLAND, 1868. Number of Men and Women under and above 25 years of age; also the Numbers under 21 years, who contracted Marriage in Scotland, its Groups of Districts and Divisions, in 1868; also the Number of Marriages between Persons in different Conjugal Conditions.

1868.	Number who Married				Number who Married under 21 years.		Number of Marriages between			
	Under 25 years.		Above 25 years.				Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women				
SCOTLAND . . .	8668	12439	13169	9384	1459	4463	18609	484	1966	671
INSULAR DISTRICTS .	141	331	565	372	14	74	597	9	72	18
MAINLAND-RURAL do.	4196	5926	6250	4514	729	2113	9074	176	875	225
TOWN DISTRICTS . .	4331	6182	6354	4498	716	2276	8933	299	1019	428
1. Northern Division	137	245	415	306	20	65	485	5	51	9
2. North-Western do.	126	326	581	381	11	75	610	8	53	10
3. North-Eastern do.	835	1325	1601	1109	147	489	2128	51	199	48
4. East-Midland do.	1487	1957	2019	1546	235	625	3029	60	309	90
5. West-Midland do.	482	769	883	595	89	268	1169	22	121	38
6. South-Western do.	3729	5193	4831	3362	637	2023	7160	240	779	366
7. South-Eastern do.	1394	1963	2128	1558	226	689	3003	82	338	81
8. Southern do.	478	661	711	527	94	229	1025	16	111	26
EDINBURGH . . .	628	944	1137	820	89	321	1480	43	184	57
GLASGOW . . . .	1610	2290	2204	1524	287	850	3168	115	368	159



marriages in Holland, Sweden, Belgium, Norway, Austria, France, Scotland, England, and the States of Massachusetts and New York. These countries are arranged in the order of smallest proportion of marriages among the females under 25 years of age; for the system of military conscription in France and Austria, in particular, seriously interferes with early marriage in the men, throwing it to a later period of life. It is worthy of note, however, that whether arranged according to the proportion of the marriages of the men or of the women, they would stand in nearly the same relative positions, the marked exceptions being England, Massachusetts, and New York.

Of the men who married in Holland, Sweden, and Belgium, it is seen that the proportions under 25 years of age were nearly alike, viz. 21·42 per cent. in Holland, 21·83 per cent in Sweden, and 21·17 per cent. in Belgium. In Norway, which might have been expected to have been the same as Sweden, the proportion was higher, seeing that 23·93 per cent. of the men who married were under 25 years of age. France and Austria, two countries lying in the same parallels of latitude, and having nearly similar laws as to military conscription, have a still higher proportion, but proportions closely approximating, seeing that of the men who married, 28·40 per cent. were under 25 years of age in Austria, and 29·06 per cent. in France. It is worthy of notice that not only at this, but at each several age, the proportion of men who married at each age was closely alike in France and Austria.

Among the Anglo-Saxon race, represented in our Table by Scotland, England, and the States of Massachusetts and New York in America, the proportion of men who married when under 25 years of age was very much higher than in the Continental States of Europe. Thus, of the men who married in Massachusetts, 39·46 per cent. were under 25 years of age; in Scotland, 41·32 per cent.; in New York State, 41·77 per cent.; while in

TABLE XXIV.—PROPORTION of MARRIAGES in SCOTLAND in 1868. Per-centage of Men and Women who contracted Marriage under and above 25 years of age; also the Per-centage of Minors, and the Per-centage of Marriages between Persons in different Conjugal Conditions.

1868.	Per-centage who Married				Per-centage under 21 years.		Proportion in every 100 Marriages.			
	Under 25 years.		Above 25 years.				Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
	Men.	Women	Men.	Women	Men.	Women				
SCOTLAND . . .	39·69	57·00	60·31	43·00	6·68	20·45	85·64	2·22	9·05	3·09
INSULAR DISTRICTS .	19·97	47·08	80·03	52·92	1·98	10·52	85·78	1·30	10·34	2·58
MAINLAND-RURAL do.	40·17	56·76	59·83	43·24	6·98	20·24	87·68	1·70	8·45	2·17
TOWN DISTRICTS . .	40·53	57·88	59·47	42·12	6·70	21·31	83·66	2·80	9·54	4·00
1. Northern Division	24·82	44·46	75·18	55·54	3·62	11·81	88·18	0·91	9·27	1·64
2. North-Western do.	17·55	46·53	82·45	53·47	1·55	10·61	88·92	1·17	8·46	1·45
3. North-Eastern do.	34·27	54·84	65·73	45·16	6·07	20·09	87·71	2·10	8·21	1·98
4. East-Midland do.	42·41	55·89	57·59	44·11	6·70	17·84	86·84	1·72	8·85	2·59
5. West-Midland do.	35·31	56·38	64·71	43·62	6·52	19·65	86·59	1·63	8·96	2·82
6. South-Western do.	43·56	60·70	56·44	39·30	7·44	23·65	83·79	2·81	9·12	4·28
7. South-Eastern do.	39·58	55·75	60·42	44·25	6·41	19·57	85·63	2·34	9·63	2·40
8. Southern do.	40·21	55·64	59·79	44·36	7·90	19·28	87·02	1·35	9·42	2·21
EDINBURGH . .	35·57	53·51	64·43	46·49	5·04	18·20	83·90	2·43	10·44	3·23
GLASGOW . . .	42·21	60·06	57·79	39·94	7·52	22·29	83·15	3·02	9·66	4·17



England 50·95 per cent. of the men who married were under 25 years of age.

It is singular to find that Scotland, with its low proportion of 70 marriages annually in every ten thousand persons, should have the same proportion of men marrying under 25 years of age as Massachusetts, with its high proportion of 106 marriages in every ten thousand persons, and as New York, whose exact proportion is unknown, but supposed to be equal to that of Massachusetts. It is, however, still more singular that in England, which has 82 marriages annually to every ten thousand persons (a proportion which closely corresponds with that in France, Austria, Belgium, Holland, and Norway), the proportion of men under 25 years of age who married annually was nearly 30 per cent. higher than in Holland, Sweden, and Belgium; 27 per cent. higher than in Norway; nearly 22 per cent. higher than in France and Austria; 11 per cent. higher than in Massachusetts; and 9 per cent. higher than in New York State and Scotland. This striking fact of the earlier age of marriage of the men of the Anglo-Saxon race, seems not to have been previously noticed by writers on vital statistics; and even they have always assumed it as a proved fact, that the young men of the United States married at an earlier age than those of England, whereas the contrary is now proved to be the case, if the English and the American statistics are to be trusted.

As women are not liable to military conscription, nor to be drafted into the navy or to merchant shipping, it might have been expected that the proportions in which they married at the several quinquennial periods of life would have been much more uniform than those of the men, in the several countries of Europe and America. The above Table (XXII.), however, proves that the proportions at different ages in which women marry in the several countries vary as much as do those of the men; for while in Holland, which is at the bottom of the scale, only 36·58 per cent. of the women who married annually were under 25 years of age; in New York, which is at the head of the scale, 72·89 per cent. were under that age. In fact, that Table proves that, within certain limits, the proportions of women marrying at each period of life, bear a certain relation to the proportion of men who marry at the same ages.

TABLE XXV.—MARRIAGES in SCOTLAND, 1855-1868. Numbers.

YEARS.	Number who Married under 21 years of Age.		Number who Married				Number who Signed				Number of Marriages between			
			Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689
1868	1459	4463	8668	12439	13169	9384	19712	17701	2143	4154	18609	484	1966	671



It was shown above, that of the men who married annually, the lowest proportion under 25 years of age occurred in the kingdoms of Holland, Sweden, and Belgium. These were the countries which furnished also the lowest proportion of marriages among women at that age. Thus, of the women who married annually, 36·58 per cent. were under 25 years of age in Holland, 37·66 per cent. in Sweden, and 47·17 per cent. in Belgium. After these countries (just as with the men) came Norway, in which 44·63 per cent. of the women who married annually were under 25 years of age.

Austria and France follow next in order, just as they did with the marriages of the men; and the proportion of the marriages of the women under 25 years of age was high above that of the women at the same ages in Holland, Sweden, Belgium, and Norway. Thus, of the women who married annually in Austria, 52·13 per cent. were under 25 years of age, while 58·01 per cent. were under that age, in France.

In the countries, however, inhabited by the Anglo-Saxon race, the proportion of women under 25 years of age who married annually, was higher than in all the above kingdoms of Europe. Thus, in Scotland, 58·43 per cent. of the women who married annually were under 25 years of age. In England the proportion was still higher, viz., 63·33 per cent.; in Massachusetts higher still, viz., 65·78 per cent.; while in New York State, of the women who married annually, the very high proportion of 72·89 per cent. were under 25 years of age.

But that Table seems to throw light on another question relative to our race, viz., the influence of climate, and in particular of heat, in forwarding the age at which the female arrives at maturity, and the influence of cold in retarding that period. If we arranged the countries named in the above Table in the order of mean temperature, beginning with the coldest, they would arrange themselves in the order of Norway, Sweden, Holland, Belgium, Scotland, England, and, as nearly the same mean temperatures, France, Austria, Massachusetts, and New York. If we regard the comparative early maturity of the female in each of these countries to be represented by the proportion of marriages under 20 years of age, then the females would arrive at maturity in these countries in the exact order as indicated by mean temperature, the maturity of the female being most

TABLE XXVI.—MARRIAGES in SCOTLAND, 1855-1868. Proportions.

YEARS.	Per-centage who Married under 21 years.		Per-centage who Married				Per-centage who Signed				Proportion in every 100 Marriages.			
			Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	39·44	57·99	60·56	42·01	88·6	77·2	11·4	22·8	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	88·2	76·1	11·8	23·9	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·9	75·2	12·1	24·8	86·01	2·63	8·32	3·01
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·2	76·0	11·8	24·0	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·1	77·8	10·9	22·2	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·7	78·3	10·3	21·7	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·4	78·7	10·6	21·3	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	90·0	79·7	10·0	20·3	86·51	2·31	8·69	2·49
1863	7·91	22·05	43·79	59·93	56·21	40·07	89·1	77·9	10·9	22·1	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·5	76·1	11·5	23·9	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·63	57·47	59·37	42·53	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·69	57·00	60·31	43·00	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09



retarded in the cold northern country of Sweden, and most forwarded in the warmer countries of France, Austria, Massachusetts, and New York. Thus, in the coldest of these countries, viz., Sweden (for its winters are not

TABLE XXVII.—Per-centage of Persons signing the Marriage Register in Writing or by Mark; of Persons not of full Age; and of the Re-marriages of Widowers and Widows in the several Groups of Districts, Divisions, and Counties of Scotland during the year 1868.

		Signed their Names in Writing.		Signed by Mark.		Persons under 21 Years.		Re-Marriages.	
		Of 100 Men who married.	Of 100 Women who married.	Of 100 Men who married.	Of 100 Women who married.	Of 100 Men who married.	Of 100 Women who married.	Widowers in every 100 Men who married.	Widows in every 100 Women who married.
SCOTLAND . . . . .		90·19	80·99	9·81	19·01	6·68	20·45	12·13	5·31
INSULAR DISTRICTS . . . . .		74·82	59·26	25·18	40·74	1·98	10·52	12·93	3·88
MAINLAND-RURAL DISTRICTS		92·63	86·54	7·37	13·46	6·98	20·24	10·62	3·87
TOWN DISTRICTS . . . . .		88·82	77·00	11·18	23·00	6·70	21·31	13·54	6·80
DIVISIONS.									
I.	NORTHERN . . . . .	93·85	85·35	6·15	14·65	3·62	11·81	10·91	2·54
II.	NORTH-WESTERN . . . . .	67·75	51·07	32·25	48·93	1·55	10·61	9·91	2·62
III.	NORTH-EASTERN . . . . .	97·58	93·02	2·42	6·98	6·07	20·09	10·18	4·08
IV.	EAST-MIDLAND . . . . .	95·52	87·23	4·48	12·77	6·70	17·84	11·44	4·30
V.	WEST-MIDLAND . . . . .	87·07	79·98	12·93	20·02	6·52	19·65	11·77	4·44
VI.	SOUTH-WESTERN . . . . .	85·75	71·99	14·25	28·01	7·44	23·65	13·40	7·09
VII.	SOUTH-EASTERN . . . . .	93·81	88·88	6·19	11·12	6·41	19·57	12·03	4·73
VIII.	SOUTHERN . . . . .	95·79	94·45	4·21	5·55	7·90	19·28	11·63	3·56
COUNTIES.									
1	Shetland . . . . .	89·26	69·12	10·74	30·88	2·70	11·49	12·16	1·35
2	Orkney . . . . .	98·70	96·10	1·30	3·90	5·18	14·28	12·98	0·00
3	Caithness . . . . .	93·53	92·35	6·47	7·65	3·53	11·76	9·46	2·95
4	Sutherland . . . . .	93·75	80·00	6·25	20·00	2·50	7·50	7·59	1·26
5	Ross and Cromarty . . . . .	60·54	43·56	39·46	56·44	0·82	9·04	11·75	3·15
6	Inverness . . . . .	75·45	59·06	24·55	40·94	2·33	11·11	8·00	2·08
7	Nairn . . . . .	87·50	77·08	12·50	22·92	4·16	20·83	12·50	4·16
8	Elgin . . . . .	95·08	89·75	4·92	10·25	4·50	18·44	10·00	4·58
9	Banff . . . . .	97·33	93·00	2·67	7·00	3·33	17·00	8·09	1·67
10	Aberdeen . . . . .	98·31	93·87	1·69	6·13	6·81	20·50	10·07	4·41
11	Kincardine . . . . .	97·39	93·48	2·61	6·56	6·08	22·17	13·47	4·34
12	Forfar . . . . .	94·07	79·49	5·93	20·51	7·62	19·84	12·65	5·60
13	Perth . . . . .	96·44	93·68	3·56	6·32	3·42	15·65	9·41	3·05
14	Fife . . . . .	97·19	93·67	2·81	6·33	7·83	16·11	10·89	3·56
15	Kinross . . . . .	100·00	100·00	0·00	0·00	5·40	18·91	10·81	2·70
16	Clackmannan . . . . .	93·70	91·33	6·30	8·67	6·35	19·04	11·81	1·57
17	Stirling . . . . .	86·00	82·12	14·00	17·88	8·79	24·56	10·25	4·10
18	Dumbarton . . . . .	84·06	72·53	15·94	27·47	8·79	20·60	13·29	4·43
19	Argyll . . . . .	90·12	82·63	9·88	17·37	1·20	13·03	11·01	5·20
20	Bute . . . . .	96·15	87·18	3·85	12·82	1·28	6·41	19·48	3·89
21	Renfrew . . . . .	83·85	70·89	16·15	29·11	4·39	21·00	13·12	6·91
22	Ayr . . . . .	88·31	76·84	11·69	23·16	10·15	25·91	13·31	7·77
23	Lanark . . . . .	85·59	75·10	14·41	24·90	7·51	23·72	13·48	6·96
24	Linlithgow . . . . .	86·66	77·89	13·34	22·11	14·38	30·87	8·02	4·74
25	Edinburgh . . . . .	94·39	89·95	5·61	10·05	5·94	19·00	12·77	5·28
26	Haddington . . . . .	89·62	85·06	10·38	14·94	4·56	16·59	13·33	2·91
27	Berwick . . . . .	97·79	98·89	2·21	1·11	4·42	13·25	8·33	1·66
28	Peebles . . . . .	98·38	100·00	1·62	0·00	6·45	24·19	11·29	0·00
29	Selkirk . . . . .	100·00	100·00	0·00	0·00	3·70	17·28	6·17	2·47
30	Roxburgh . . . . .	97·82	97·19	2·18	2·81	6·23	20·87	10·03	3·13
31	Dumfries . . . . .	96·30	95·43	3·70	4·57	10·02	18·51	11·26	2·65
32	Kirkcudbright . . . . .	96·26	92·52	3·74	7·48	5·60	17·76	10·42	5·21
33	Wigtown . . . . .	90·77	89·74	9·23	10·26	8·20	20·00	16·41	4·61
EDINBURGH . . . . .		94·73	90·42	5·27	9·58	5·04	18·20	13·66	5·67
GLASGOW . . . . .		83·98	68·11	16·02	31·89	7·52	22·29	15·93	7·12



tempered, like those of Norway, by the south-west winds which play over it during the months of November, December, and January), only 4·88 per cent. of the women who married were under 20 years of age. In Norway, a slightly warmer country, 6·11 per cent. of the women who married were under 20 years of age. In the still milder country of Holland, 7·59 per cent. of the women who married were under 20 years of age. In Belgium, which is still more temperate, about 8 per cent. of the women who married were under 20 years; for, unfortunately, the statistical tables only indicate in a slump sum the total numbers marrying under 21 years. In Scotland, the next mildest climate, 12·59 per cent. of the women who married were under 20 years of age; while in England, whose mean temperature is still milder, 14·06 per cent. of the women who married were under 20 years of age. The mean temperature of France, Austria, Massachusetts, and New York is considerably above that of England; and the proportion of women under 20 years who marry annually, is accordingly considerably higher. Thus, of the women who married in France, 20·18 per cent. were under 20 years of age; in Austria, 21·82 per cent.; in Massachusetts, 21·13 per cent., and in New York 28·67 per cent. It is thus seen that the facts which that Table brings to light strongly corroborate the opinion which has been entertained, that cold retards and heat develops the early maturity of the female; and, taken in connection with facts which have been gathered from other sources, may be regarded as establishing this as a proved fact in vital statistics.

Of the 21855 marriages in Scotland, the conjugal or civil condition of the parties previous to their marriage was ascertained in 21730 cases. Of these 21730 marriages, 18609 were between bachelors and spinsters; 484 were between bachelors and widows; 1966 between widowers and spinsters; and 671 between widowers and widows. (Tables XXV., XXVI.) These numbers indicate that 85·64 per cent. of the marriages were between bachelors and spinsters; 2·22 per cent. between bachelors and widows; 9·05 per cent. between widowers and spinsters; and 3·09 per cent. between widowers and widows.

The last two columns of Table XXVII. show the proportions of widowers and widows who re-married in 1868 in Scotland, its Divisions and Counties. By that Table it appears that 12·13 per cent. of the men who married during that year were widowers; while 5·31 per cent. of the women who married were widows.

By consulting the last four columns of Table XXVI. it will be seen that the relative proportion of marriages between persons in different conjugal conditions, varies very little from year to year; so that, during the last fourteen years, the proportion in which bachelors marry spinsters or widows, or widowers marry spinsters or widows, repeats itself with a regularity as unflinching as that of the ages at which the parties marry. All this is evidently in obedience to fixed laws imprinted on our species, as unvarying as those which regulate the motions of the planets around us.

During 1868 the state of elementary education among the people, in so far as such is indicated by the ability to write their names in the Marriage Registers, was a slight improvement on former years. (Tables XXV., XXVI., and XXVII.) Thus, of the 21855 men who married during the year, 19712, being 90·19 per cent., signed their names in writing; while 2143, or 9·81 per cent., not being able to write, signed by mark. Of the 21855 women who married during the year, 17701, being 80·99 per cent., signed their names in writing; while 4154, being 19·01 per cent., not being able to write, signed by mark. (Table XXVII.)



In England, during the same year, 79·9 per cent. of the men, and 72·2 per cent. of the women signed their names in writing in the Marriage Registers; while 20·1 per cent. of the men, and 27·8 per cent. of the women, not being able to write, signed by mark. By this test, therefore, elementary education is much more advanced among the people of Scotland than among those of England.

## D E A T H S.

69416 Deaths were registered in Scotland during the year 1868, being at the rate of 21·77 deaths in every thousand of the estimated population. This was the same proportion as that of the previous year, and the merest fraction below the mean of the ten previous years.

In England, during the same year, the deaths were in the proportion of 22·20 deaths in every thousand persons of the estimated population; a proportion higher than that of Scotland, but also a fraction below its own mean of the ten previous years.

When Scotland was divided into three groups, it was found that the smallest proportion of deaths occurred in the Insular, and the highest pro-

TABLE XXVIII.—DEATHS in SCOTLAND, and in its Insular, Mainland-Rural, and Town Districts, during each of the Years 1855–1868, distinguishing the Sexes.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	30626	31378	62004	1293	1400	2693	15300	15593	30893	14033	14385	28418
1856	29418	29111	58529	1042	1124	2166	14560	14265	28825	13816	13722	27538
1857	30937	30969	61906	1141	1165	2306	15195	15195	30390	14601	14609	29210
1858	31652	31887	63539	1153	1224	2377	15698	15866	31564	14801	14797	29598
1859	30588	31126	61714	1252	1381	2633	15317	15642	30959	14019	14103	28122
1860	33610	34560	68170	1319	1395	2714	16510	16848	33358	15781	16317	32098
1861	30890	31451	62341	1235	1327	2562	15329	15485	30814	14326	14639	28965
1862	33179	34016	67195	1445	1530	2975	16178	16516	32694	15556	15970	31526
1863	35631	35850	71481	1427	1507	2934	17222	17500	34722	16982	16843	33825
1864	37010	37406	74416	1283	1437	2720	17679	18040	35719	18048	17929	35977
1865	35190	35701	70891	1236	1252	2488	16339	16653	32992	17615	17796	35411
1866	35355	35993	71348	1305	1356	2661	16930	17385	34315	17120	17252	34372
1867	34363	34705	69068	1233	1350	2583	16589	16601	33190	16541	16754	33295
1868	34662	34754	69416	1156	1355	2511	15993	16191	32184	17513	17208	34721

TABLE XXIX.—Per-centage of Deaths to the Population in Scotland, its Insular, Mainland-Rural, and Town Districts, during each of the Years 1855–1868, distinguishing the Sexes.

YEARS.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL.			TOWN DISTRICTS.		
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.
1855	2·162	2·003	2·082	1·714	1·577	1·644	1·828	1·742	1·784	2·781	2·527	2·675
1856	2·065	1·850	1·953	1·387	1·269	1·293	1·735	1·588	1·659	2·769	2·381	2·561
1857	2·161	1·958	2·055	1·526	1·316	1·414	1·807	1·686	1·744	2·896	2·505	2·685
1858	2·202	2·005	2·098	1·549	1·390	1·463	1·862	1·778	1·806	2·901	2·507	2·690
1859	2·120	1·940	2·028	1·690	1·573	1·626	1·812	1·723	1·766	2·719	2·361	2·527
1860	2·321	2·150	2·231	1·788	1·593	1·682	1·948	1·849	1·897	3·026	2·700	2·851
1861	2·127	1·947	2·032	1·684	1·520	1·595	1·803	1·692	1·746	2·710	2·387	2·537
1862	2·273	2·093	2·178	1·979	1·758	1·859	1·859	1·799	1·817	2·912	2·598	2·730
1863	2·429	2·192	2·305	1·964	1·736	1·840	2·107	1·900	1·956	3·143	2·685	2·897
1864	2·511	2·274	2·386	1·774	1·660	1·712	2·065	1·952	2·006	3·306	2·827	3·048
1865	2·375	2·157	2·260	1·717	1·450	1·571	1·904	1·796	1·848	3·193	2·775	2·969
1866	2·374	2·162	2·263	1·821	1·575	1·687	1·968	1·868	1·916	3·072	2·662	2·851
1867	2·296	2·072	2·177	1·728	1·573	1·643	1·925	1·778	1·849	2·936	2·554	2·730
1868	2·305	2·063	2·177	1·628	1·583	1·603	1·852	1·730	1·788	3·077	2·596	2·818



portion in the Town Districts. Thus, in every thousand persons in each district, it was found that during 1868 there occurred in the proportion of 16·03 deaths in the Insular, 17·88 deaths in the Mainland-Rural, but 28·18 deaths in the Town Districts.

It throws much more light, however, on the causes which increase the mortality of our race, if we divide Scotland into four groups of districts according to the sizes of the towns in each. When this is done, it is found that, apparently irrespective of every other influence, the proportion of deaths in each group exactly follows the increasing density of the population. Having every reason to believe that few events escape registration, reliance may be placed in the general accuracy of the facts stated, and the consequent truth of the conclusions deduced; and this is further evidenced by finding that in each of these groups of districts the births, deaths, and marriages are seen to be all subject to that same law of density of population.

When Tables XII. and XIII. are consulted, it will be seen that in every thousand persons in each of the four groups of districts, there occurred 29·28 deaths in the Principal Towns; 24·32 deaths in the Large Towns; 21·42 deaths in the Small Towns; but only 16·36 deaths in the Rural Districts. In every case the death-rate corresponded to the density of population; and that this is not a casual case occurring during one year, but is the regular law of death in Scotland, the facts brought to light by Tables XIV. and XV. fully prove.

By these Tables it will be seen that, taking the deaths which occurred in each of these four groups of districts during a period of ten years, viz. 1858–1867, in every thousand persons in each of these groups of districts, there occurred annually 28·63 deaths in the Principal Towns; 25·04 deaths in the Large Towns; 21·71 deaths in the Small Towns; but only 17·32 deaths in the Rural Districts. Density of population, therefore, increases the Deaths; and the proportion of increase is proportioned to the increased density.

TABLE XXX.—TOWN DEATHS, 1858–1868. Number of Deaths Annually in each of the Eight Principal Towns of Scotland.

TOWNS.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.
Glasgow . . .	11472	10832	12436	10936	11565	13329	13674	13914	12829	12578	13832
Edinburgh . . .	4190	3703	4240	4168	4760	4593	4678	4858	4813	4765	4781
Dundee . . .	2335	2269	2903	2499	2599	2714	3105	3000	3130	2952	2917
Aberdeen . . .	1619	1676	2193	1780	1923	1750	2139	1981	2324	1824	2029
Paisley . . .	1276	1185	1378	1207	1253	1218	1521	1410	1345	1335	1221
Greenock . . .	1088	1423	1255	1113	1370	1876	1929	1675	1488	1433	1658
Leith . . .	790	699	987	766	872	913	928	948	924	1064	973
Perth . . .	665	560	664	665	618	652	871	729	613	569	626

TABLE XXXI.—TOWN DEATHS, 1858–1868. Annual Per-centage of Deaths to the Population in each of the Eight Principal Towns of Scotland, during each of the Years 1858–1868.

TOWNS.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	Mean Annual Mortality.	1868.
Glasgow .	3·05	2·83	3·19	2·75	2·86	3·24	3·27	3·28	2·98	2·87	3·032	3·117
Edinburgh	2·49	2·19	2·50	2·44	2·77	2·60	2·69	2·78	2·75	2·70	2·591	2·704
Dundee .	2·64	2·53	3·20	2·60	2·79	2·87	3·25	3·10	3·20	2·98	2·916	2·914
Aberdeen	2·20	2·28	2·97	2·40	2·59	2·35	2·87	2·65	3·11	2·42	2·584	2·694
Paisley .	2·67	2·49	2·90	2·54	2·64	2·56	3·20	2·97	2·83	2·81	2·761	2·574
Greenock	2·50	3·34	2·90	2·52	3·06	4·13	4·19	3·59	3·10	2·99	3·232	3·413
Leith .	2·26	1·98	2·76	2·12	2·38	2·47	2·49	2·52	2·43	2·77	2·418	2·511
Perth .	2·67	2·24	2·64	2·62	2·35	2·46	3·28	2·73	2·28	2·10	2·537	2·308



Facts like these can only be shown correctly in large masses, as is well known to every writer on vital statistics; and, accordingly, when the component parts of any of these districts are examined, local causes will be found interposing, which somewhat modify the influence of the law just referred to. Thus, a more insalubrious and damper site, a greater amount of over-crowding of the inhabitants, a virulent epidemic, or a strike with its privations and miseries, will often cause a small town to exhibit a higher death-rate than a much larger one. Greenock has for years been a notable example of this; for though it has a population only about one-ninth of that of Glasgow, its death-rate has been higher.

The death-rate in each of the Eight Principal Towns of Scotland was very various during 1868. Thus, for every thousand persons in each town, there occurred in the proportion of 23·08 deaths in Perth; 25·11 deaths in Leith; 25·74 in Paisley; 26·94 in Aberdeen; 27·04 in Edinburgh; 29·14 in Dundee; 31·17 in Glasgow; and 34·13 in Greenock.

Of the 69416 persons who died during the year, 34662 were males, and 34754 females; from which it appears that for every thousand of each sex there died in the proportion of 23·05 males, but only 20·63 females; so that the female mortality was considerably below that of the males. The male mortality in Scotland is constantly higher than that of the female, for if we take the average of the previous thirteen years, it is seen that 22·6 males died annually in every thousand males, but only 20·6 females in every thousand of that sex. This, with the constant greater emigration of the males, accounts for the increasing proportion of females in the population of Scotland. Thus, at the census of 1851, there were 110 females for every 100 males; but at the census of 1861, there were 111·2 females for every 100 males; and we shall probably find in 1871 that the proportion of females is still higher.

TABLE XXXII.—DEATHS at different AGES, and Proportion at each Age to the Total Deaths in all SCOTLAND and its Three Groups of Districts, during the Ten Years 1855–1864; also the proportions during the Year 1868.

AGES.	TEN YEARS 1855–1864.								PER CENTAGE AT EACH AGE TO TOTAL DEATH. YEAR 1868.			
	SCOTLAND.		INSULAR.		MAINLAND-RURAL.		TOWN.		SCOTLAND.	INSULAR DISTRICTS.	MAINLAND-RURAL DISTRICTS.	TOWN DISTRICTS.
	Deaths.	Per cent. to Total Deaths.	Deaths.	Per cent. to Total Deaths.	Deaths.	Per cent. to Total Deaths.	Deaths.	Per cent. to Total Deaths.				
Under 5	250143	38·42	6817	26·14	105656	33·03	137670	45·09	37·97	20·75	32·82	43·99
5–10	33557	5·16	875	3·36	16553	5·17	16129	5·27	4·95	2·95	4·63	5·39
10–15	16454	2·53	552	2·12	9152	2·86	6740	2·26	2·63	2·47	2·79	2·51
15–20	21496	3·31	861	3·30	11262	3·52	9373	3·07	3·23	3·15	3·44	3·02
20–30	46753	7·12	2033	7·79	22691	7·09	22029	7·20	7·18	7·56	7·01	7·30
30–40	39879	6·12	1449	5·56	17977	5·62	20453	6·70	6·26	5·22	5·71	6·85
40–50	38767	5·96	1362	5·22	17279	5·42	20126	6·59	6·17	5·62	5·53	6·80
50–60	42438	6·52	1736	6·65	20608	6·44	20094	6·58	6·89	7·01	6·78	7·00
60–70	54591	8·38	2601	9·98	29625	9·25	22365	7·32	8·95	12·06	10·17	7·59
70–80	60755	9·33	3662	14·04	37558	11·74	19535	6·40	9·13	16·52	11·73	6·19
80–90	38394	5·91	3076	11·80	26128	8·16	9190	3·01	5·55	12·43	7·94	2·85
90–100	6556	1·00	805	3·08	4490	1·40	1271	0·41	0·95	3·31	1·29	0·45
100 & above	354	0·06	75	0·29	209	0·06	70	0·02	0·05	0·43	0·06	0·02
Not stated	1158	0·18	176	0·67	750	0·24	232	0·08	0·09	0·52	0·10	0·04
TOTAL	651295	100·00	26080	100·00	319938	100·00	305277	100·00	100·00	100·00	100·00	100·00



A reference to Table XXXIII. will show that at every year of life, excepting during the fourth year, and between 10 and 15 years of age, males were cut off at a higher rate than females. Even during the first year of life this greater mortality of the male was manifested; for of every thousand of each sex at that age, 157 boys died, but only 130 girls. Of all

TABLE XXXIII.—SCOTLAND, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION 1868.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	47,865	46,437	7527	6073	15·725	13·077
— 2	43,695	42,586	3158	2971	7·227	6·974
— 3	44,032	42,922	1549	1472	3·517	3·429
— 4	42,544	41,856	1036	1048	2·411	2·503
— 5	41,844	40,550	779	742	1·861	1·830
Total under 5 Years	219,980	214,351	14049	12306	6·386	5·741
5—10	190,947	186,554	1757	1674	0·920	0·897
10—15	170,982	164,321	878	952	0·513	0·578
15—20	155,986	164,113	1130	1107	0·724	0·674
20—30	238,782	298,063	2475	2508	1·036	0·841
30—40	176,502	216,795	2088	2261	1·183	1·043
40—50	141,908	169,014	2205	2078	1·553	1·229
50—60	103,221	124,442	2438	2347	2·361	1·886
60—70	67,450	89,822	3044	3166	4·513	3·536
70—80	29,388	42,566	2804	3536	9·541	8·307
80—90	7,974	13,038	1517	2338	19·024	17·932
90—100	617	1,222	228	430	36·953	35·188
100 and above	29	58	11	27	37·931	46·551
Not stated	—	—	38	24	—	—
ALL AGES	1,503,766	1,684,359	34662	34754	2·305	2·063
BOTH SEXES	3,188,125		69416		2·177	

TABLE XXXIV.—INSULAR DISTRICTS, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,928	1,845	168	144	8·713	7·804
— 2	1,861	1,831	47	41	2·525	2·238
— 3	1,963	1,965	27	27	1·375	1·372
— 4	1,919	1,858	20	19	1·042	1·022
— 5	2,001	1,903	18	10	0·899	0·525
Total under 5 Years	9,672	9,402	280	241	2·895	2·563
5—10	9,169	9,019	39	35	0·425	0·388
10—15	8,410	8,247	27	35	0·321	0·424
15—20	7,279	8,119	38	41	0·522	0·505
20—30	9,900	14,134	109	81	1·101	0·573
30—40	7,381	10,740	64	67	0·867	0·624
40—50	6,193	8,572	60	81	0·968	0·945
50—60	5,392	6,886	82	94	1·520	1·365
60—70	4,486	5,940	129	174	2·876	2·912
70—80	2,234	3,076	166	249	7·430	8·095
80—90	779	1,278	122	190	15·661	14·866
90—100	82	152	26	57	31·707	37·500
100 and above	3	19	3	8	100·000	42·105
Not stated	—	—	11	2	—	—
ALL AGES	70,980	85,584	1156	1355	1·628	1·583
BOTH SEXES	156,564		2511		1·603	



under 5 years of age in every thousand of each sex, 63·86 boys died, but only 57·41 girls. From 20 to 30 years of age, 10·36 men died, but only 8·41 women. From 40 to 50 years of age, 15·63 men died in every thousand, but only 12·29 women. Even between 60 and 70 years of age, in every

TABLE XXXV.—MAINLAND-RURAL DISTRICTS, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	26,469	25,746	3217	2643	12·153	10·265
— 2	25,045	24,355	1139	1065	4·547	4·372
— 3	25,320	24,683	546	548	2·156	2·220
— 4	24,836	24,160	406	408	1·634	1·688
— 5	24,530	23,727	281	308	1·145	1·298
Total under 5 Years	126,200	122,671	5589	4972	4·429	4·053
5—10	113,153	109,537	754	735	0·666	0·671
10—15	102,239	97,044	438	461	0·428	0·475
15—20	90,359	89,507	571	537	0·632	0·599
20—30	127,072	151,808	1148	1109	0·903	0·730
30—40	95,376	113,699	893	945	0·936	0·831
40—50	79,590	91,703	909	871	1·142	0·949
50—60	61,232	70,157	1117	1062	1·822	1·513
60—70	42,386	53,039	1617	1655	3·803	3·120
70—80	19,869	27,050	1711	2064	8·611	7·630
80—90	5,666	8,785	1074	1480	18·955	16·846
90—100	435	811	149	268	34·253	33·045
100 and above	23	32	7	14	30·435	43·750
Not stated	—	—	16	18	—	—
ALL AGES	863,600	935,843	15993	16191	1·852	1·730
BOTH SEXES	1,799,443		32184		1·788	

TABLE XXXVI.—TOWN DISTRICTS, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	19,468	18,846	4142	3286	21·275	17·436
— 2	16,789	16,400	1972	1865	11·745	11·372
— 3	16,749	16,274	976	897	5·827	5·512
— 4	15,789	15,838	610	621	3·863	3·921
— 5	15,313	14,920	480	424	3·134	2·835
Total under 5 Years	84,108	82,278	8180	7093	9·725	8·499
5—10	68,625	67,998	964	904	1·404	1·329
10—15	60,333	59,030	413	456	0·684	0·772
15—20	58,348	66,487	521	529	0·893	0·795
20—30	101,810	132,121	1218	1318	1·098	0·998
30—40	73,745	92,356	1131	1249	1·533	1·352
40—50	56,125	68,739	1236	1126	2·202	1·637
50—60	36,597	47,399	1239	1191	3·385	2·513
60—70	20,578	30,843	1298	1337	6·307	4·361
70—80	7,285	12,440	927	1223	12·724	9·831
80—90	1,529	2,975	321	668	20·994	22·453
90—100	100	259	53	105	53·000	40·544
100 and above	3	7	1	5	33·333	71·428
Not stated	—	—	11	4	—	—
ALL AGES	569,186	662,932	17513	17208	3·077	2·596
BOTH SEXES	1,232,118		34721		2·818	

thousand of each sex, there died 45·15 males, but only 35·36 females; and at the extreme ages between 80 and 90 years, 190·24 males died, but only 179·32 females.

To compensate for this greater waste of male life at all ages, we have

TABLE XXXVII.—GLASGOW, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	7,678	7,275	1740	1387	22·662	19·066
— 2	6,267	6,165	945	873	15·078	14·160
— 3	6,048	6,002	479	439	7·919	7·314
— 4	5,658	5,737	294	291	5·196	5·072
— 5	5,462	5,295	235	207	4·302	3·909
Total under 5 Years	31,113	30,474	3693	3197	11·869	10·490
5—10	23,764	23,590	415	419	1·746	1·776
10—15	20,806	20,460	177	192	0·850	0·938
15—20	21,925	24,477	202	199	0·921	0·813
20—30	40,600	50,532	486	518	1·197	1·025
30—40	28,416	34,009	415	528	1·460	1·552
40—50	20,736	24,095	505	422	2·435	1·751
50—60	12,195	15,310	445	442	3·649	2·885
60—70	6,173	9,140	406	408	6·577	4·464
70—80	1,693	3,112	221	291	13·053	9·351
80—90	315	626	60	147	19·047	23·482
90—100	20	59	12	26	60·000	44·067
100 and above	—	3	—	3	—	100·000
Not stated	—	—	2	1	—	—
ALL AGES	207,756	235,887	7039	6793	3·388	2·879
BOTH SEXES	443,643		13,832		3·117	

TABLE XXXVIII.—EDINBURGH, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,309	2,421	480	390	20·788	16·108
— 2	2,075	2,079	194	200	9·349	9·620
— 3	2,046	1,985	106	105	5·180	5·289
— 4	1,917	1,973	58	72	3·025	3·649
— 5	2,004	1,828	80	50	3·992	2·734
Total under 5 Years	10,351	10,286	918	817	8·868	7·942
5—10	9,004	8,855	143	102	1·588	1·152
10—15	8,252	8,051	54	67	0·654	0·832
15—20	8,299	10,115	73	57	0·879	0·563
20—30	15,024	20,166	209	179	1·391	0·887
30—40	10,194	13,871	197	149	1·932	1·074
40—50	7,733	10,752	205	170	2·651	1·581
50—60	5,317	7,860	186	184	3·499	2·341
60—70	3,206	5,297	216	254	6·737	4·795
70—80	1,246	2,168	157	233	12·600	10·747
80—90	230	484	52	124	22·608	25·619
90—100	14	41	13	22	92·857	53·658
100 and above	—	1	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	78,870	97,947	2423	2359	3·072	2·407
BOTH SEXES	176,817		4781		2·704	



seen that year after year there are born 105 boys for every 100 girls; but the mortality among the boys is so much higher in early life, that by the time the eighteenth year is attained the numbers of the sexes are equalized, so that if all were to remain in this country, and to marry at that age, there would be exactly one man to every woman. These facts would seem to

TABLE XXXIX.—DUNDEE, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,599	1,516	411	340	25·703	22·427
— 2	1,246	1,294	156	172	12·520	13·222
— 3	1,402	1,280	69	58	4·921	4·531
— 4	1,217	1,234	46	31	3·779	2·512
— 5	1,176	1,235	30	19	2·551	1·538
Total under 5 Years	6,641	6,559	712	620	10·721	9·452
5—10	5,517	5,635	51	51	0·924	0·905
10—15	4,780	4,862	26	32	0·543	0·658
15—20	4,348	5,964	29	40	0·667	0·670
20—30	7,255	12,367	82	114	1·130	0·921
30—40	5,421	8,096	97	136	1·789	1·679
40—50	4,147	5,834	92	123	2·218	2·108
50—60	3,085	4,038	125	112	4·051	2·773
60—70	1,522	2,375	117	122	7·687	5·137
70—80	502	834	68	101	13·545	12·110
80—90	86	196	16	35	18·604	17·857
90—100	12	19	3	11	25·000	57·894
100 and above	1	—	1	—	100·000	—
Not stated	—	—	1	—	—	—
ALL AGES	43,317	56,779	1420	1497	3·208	2·636
BOTH SEXES	100,096		2917		2·914	

TABLE XL.—ABERDEEN, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,053	1,006	235	205	22·317	19·089
— 2	947	890	92	77	9·715	8·651
— 3	967	942	49	47	5·067	4·989
— 4	920	905	26	35	2·824	3·867
— 5	899	847	16	20	1·779	2·361
Total under 5 Years	4,786	4,590	418	384	8·734	8·366
5—10	4,319	4,135	42	36	0·972	0·870
10—15	3,907	3,990	22	23	0·563	0·576
15—20	3,381	3,872	38	33	1·121	0·852
20—30	5,026	7,544	58	81	1·154	1·073
30—40	3,742	5,728	63	63	1·683	1·099
40—50	3,229	4,576	56	61	1·734	1·333
50—60	2,483	3,580	72	82	2·900	2·290
60—70	1,467	2,537	91	104	6·203	4·099
70—80	626	1,224	78	102	12·460	8·333
80—90	157	351	32	69	20·375	19·658
90—100	11	31	7	11	63·636	35·483
100 and above	—	1	—	1	—	100·000
Not stated	—	—	2	—	—	—
ALL AGES	33,134	42,158	979	1050	2·955	2·490
BOTH SEXES	75,292		2029		2·694	

prove that monogamy and not polygamy was intended by nature to be the condition of man's social existence.

It has often been asserted, and is still believed by many to be a fact, that although children die in the Towns at a much more rapid rate than they do in the Rural Districts, a town residence does not shorten the lives of

TABLE XLI.—PAISLEY, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	785	780	127	95	16·179	12·171
— 2	680	659	48	33	7·058	5·007
— 3	724	642	40	28	5·524	4·361
— 4	652	643	25	27	3·834	4·261
— 5	621	581	11	14	1·771	2·409
Total under 5 Years	3,462	3,305	251	197	7·250	5·963
5—10	2,759	2,872	38	38	1·377	1·323
10—15	2,438	2,409	14	18	0·574	0·747
15—20	2,130	2,598	27	33	1·268	1·274
20—30	3,497	4,690	35	58	1·000	1·236
30—40	2,630	3,293	33	39	1·254	1·184
40—50	2,134	2,520	43	46	2·015	1·826
50—60	1,472	1,857	35	56	2·377	3·015
60—70	925	1,272	56	41	6·054	3·223
70—80	373	559	42	71	11·260	12·701
80—90	81	129	11	33	13·580	25·581
90—100	11	10	3	3	27·272	30·000
100 and above	1	—	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	21,913	25,514	588	633	2·679	2·481
BOTH SEXES	47,427		1221		2·574	

TABLE XLII.—GREENOCK, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	868	778	209	160	24·078	20·565
— 2	671	667	125	121	18·629	18·140
— 3	729	675	48	52	6·584	7·703
— 4	693	686	39	51	5·627	7·434
— 5	634	644	28	17	4·416	2·639
Total under 5 Years	3,595	3,450	449	401	12·490	11·622
5—10	2,855	2,761	46	43	1·611	1·557
10—15	2,332	2,209	20	20	0·857	0·905
15—20	2,336	2,215	28	18	0·198	0·812
20—30	4,581	4,679	71	50	1·549	1·068
30—40	3,362	3,620	63	48	1·873	1·326
40—50	2,409	2,570	57	41	2·366	1·595
50—60	1,391	1,598	60	42	4·313	2·628
60—70	739	1,070	42	46	5·683	4·289
70—80	254	383	29	36	11·417	9·399
80—90	42	102	17	28	40·476	27·451
90—100	5	11	—	2	—	18·181
100 and above	—	1	—	—	—	—
Not stated	—	—	—	1	—	—
ALL AGES	23,901	24,669	882	776	3·690	3·105
BOTH SEXES	48,570		1658		3·413	



adults and aged persons. The Tables of the relative mortality of males and females at the different ages, in the Insular, the Mainland-Rural, and Town Districts, which have been published in these Reports since 1855, ought to have convinced every one of the fallacy of this assertion. At all ages, and at every separate age, persons living in the towns are cut off in much

TABLE XLIII.—LEITH, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	623	569	123	107	19·743	18·804
— 2	599	508	52	37	8·681	7·283
— 3	528	524	21	26	3·977	4·961
— 4	529	516	20	22	3·780	4·263
— 5	517	474	15	17	2·901	3·586
Total under 5 Years	2,796	2,591	231	209	8·262	8·066
5—10	2,215	2,176	48	37	2·167	1·240
10—15	1,993	1,794	16	13	0·802	0·724
15—20	1,755	1,817	12	4	0·683	0·220
20—30	4,009	3,530	33	30	0·824	0·849
30—40	2,746	2,771	26	28	0·946	1·010
40—50	1,834	2,087	30	27	1·635	1·293
50—60	1,076	1,372	35	26	3·253	1·895
60—70	593	919	34	36	5·733	3·917
70—80	215	375	31	34	14·419	9·066
80—90	37	86	10	19	27·027	22·093
90—100	2	2	2	2	100·000	100·000
100 and above	—	—	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	19,271	19,520	508	465	2·636	2·382
BOTH SEXES	38,791		973		2·511	

TABLE XLIV.—PERTH, 1868. Estimated Population and Deaths at different Ages, and the Per-centage of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	367	357	55	42	14·986	11·765
— 2	350	341	28	32	8·000	9·383
— 3	336	325	8	18	2·381	5·538
— 4	365	326	5	5	1·369	1·533
— 5	305	307	5	3	1·639	0·977
Total under 5 Years	1,732	1,656	101	100	5·831	6·038
5—10	1,410	1,458	17	15	1·205	1·028
10—15	1,332	1,316	3	4	0·225	0·304
15—20	1,314	1,392	7	8	0·532	0·575
20—30	2,072	2,605	23	28	1·110	1·074
30—40	1,615	2,024	17	15	1·053	0·741
40—50	1,223	1,553	29	20	2·371	1·287
50—60	869	1,193	32	22	3·682	1·835
60—70	579	957	37	38	6·390	3·970
70—80	247	402	38	33	15·384	8·208
80—90	67	101	10	26	14·925	25·742
90—100	1	5	1	2	100·000	40·000
100 and above	—	—	—	—	—	—
Not stated	—	—	—	—	—	—
ALL AGES	12,461	14,662	315	311	2·528	2·121
BOTH SEXES	27,123		626		2·308	

higher proportions than if their residence was in the country. The Tables for 1868 are almost identical with those of former years, so that they may be quoted as settling this point.

TABLE XLV.—DEATHS, 1868. Proportion of Deaths from different Diseases to every hundred thousand Persons of the Population in 1868, allowing for Causes not specified.

DISEASES.	Proportion of DEATHS to every 100,000 Living.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . . .	2177	2305	2063	1603	1628	1583	1788	1852	1730	2818	3077	2596
1. Zymotic Class . . .	499	519	478	234	244	226	367	366	367	715	777	662
2. Uncertain Seat . . .	73	63	92	71	74	68	73	57	86	84	67	99
3. Tubercular Class . . .	378	388	366	246	257	238	294	302	286	512	533	495
4. Nervous System . . .	179	202	158	97	95	99	149	162	137	233	277	196
5. Organs of Circulation . . .	108	118	98	56	64	49	98	104	93	127	146	110
6. Respiratory Organs . . .	310	345	278	139	148	132	215	240	192	465	524	415
7. Organs of Digestion . . .	158	170	147	105	124	89	143	158	133	188	205	172
8. Urinary Organs . . .	33	49	20	20	38	7	29	43	16	42	58	28
9. Generative Organs . . .	17	—	33	17	1	30	14	—	27	22	—	41
10. Locomotive Organs . . .	15	16	14	21	17	25	12	12	11	19	22	15
11. Skin, etc. . . . .	3	3	2	4	5	3	2	3	2	3	3	3
12. Malformation . . . .	6	8	4	3	5	1	5	7	5	7	9	5
13. Premature Debility . . .	106	126	89	23	27	19	85	98	73	147	182	119
14. Atrophy . . . . .	18	17	20	6	5	7	13	11	15	27	25	28
15. Age . . . . .	195	151	231	497	405	572	217	173	256	134	102	160
16. Sudden Deaths . . .	6	7	5	5	5	4	5	6	4	8	9	7
17. Violent Deaths . . .	73	120	32	59	114	14	67	110	27	86	138	41
Small-pox . . . . .	—	—	1	—	—	—	—	—	1	1	—	1
Measles . . . . .	37	42	34	19	25	15	16	19	14	69	76	63
Scarlatina . . . . .	103	111	95	10	12	9	73	78	74	154	171	140
Diphtheria . . . . .	25	24	34	5	5	4	26	26	26	24	26	23
Hooping-cough . . . . .	82	81	82	60	64	57	45	43	45	136	138	134
Croup . . . . .	31	34	28	27	29	26	26	27	25	38	46	31
DIARRHŒA . . . . .	66	69	63	26	27	24	50	49	46	97	105	90
Dysentery . . . . .	8	8	9	3	5	1	8	7	9	10	10	40
Cholera . . . . .	7	7	6	1	—	1	6	6	6	9	9	8
Influenza . . . . .	5	4	4	2	15	9	5	5	6	3	3	2
ALL FEVERS, viz. . . . .	106	112	101	53	48	57	89	86	91	139	157	122
Typhus . . . . .	52	58	45	36	37	36	32	35	30	79	93	66
Enteric . . . . .	46	46	47	15	10	18	48	44	52	47	53	43
Relapsing . . . . .	1	1	1	—	—	—	2	1	2	2	1	2
Continued . . . . .	3	2	4	2	1	3	4	3	4	4	2	4
Infantile . . . . .	4	5	4	—	—	—	3	3	3	7	8	7
Metria . . . . .	5	—	9	1	—	1	4	—	8	6	—	10
Erysipelas . . . . .	8	9	7	3	—	6	7	8	7	10	13	8
Dropsy . . . . .	21	18	23	29	32	27	19	16	22	23	20	25
Cancer . . . . .	43	30	55	33	29	36	42	31	53	46	30	60
Scrofula . . . . .	22	27	19	10	9	12	18	21	15	30	39	24
Tabes Mesenterica . . . .	29	34	25	12	15	9	23	24	22	40	51	31
PHTHISIS . . . . .	268	259	273	204	212	196	212	209	214	355	343	367
Hydrocephalus . . . . .	57	66	48	19	20	19	40	48	33	85	100	73
Apoplexy . . . . .	39	42	36	19	17	22	33	35	30	50	55	46
Paralysis . . . . .	54	55	52	40	37	42	52	49	54	59	67	53
Epilepsy . . . . .	7	8	6	8	3	11	7	8	6	7	9	5
Convulsions . . . . .	28	33	23	6	9	4	16	18	14	48	58	38
BRONCHITIS . . . . .	205	214	196	63	61	64	132	136	129	325	348	305
Pneumonia . . . . .	69	86	53	32	37	27	52	65	40	97	121	76
Teething . . . . .	30	34	27	9	10	7	22	23	20	46	53	38
Enteritis . . . . .	25	30	21	10	9	11	24	27	21	30	36	24
All Liver Diseases . . . .	35	39	32	33	46	23	31	47	28	41	45	38
CHILDBIRTH . . . . .	11	—	22	9	—	16	9	—	17	15	—	28
Burns and Scalds . . . .	7	9	6	7	12	3	7	8	6	8	10	6
Drowning . . . . .	17	30	4	29	64	1	18	33	6	13	24	4
Fracture & Contusion . . .	30	54	10	12	20	5	27	47	9	37	66	12



Compare, then, the death-rate of the males in the Mainland-Rural and the Town Districts, taking the proportions in one thousand persons living in each of these districts at the different ages. Of boys under one year of

TABLE XLVI.—DEATHS, 1868. Proportion of Deaths from different Diseases in every ten thousand Deaths from Specified Causes in 1868.

DISEASES.	Proportion of DEATHS in every 10,000 Specified Causes of Death.											
	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class . . .	2282	2250	2315	1460	1495	1431	2053	1982	2122	2538	2526	2549
2. Uncertain Seat . . .	353	267	437	441	450	434	406	312	498	301	219	384
3. Tubercular Class . .	1729	1682	1774	1535	1578	1500	1642	1634	1649	1817	1730	1906
4. Nervous System . . .	822	878	766	607	586	624	834	875	792	824	896	753
5. Organs of Circulation	492	513	472	350	396	313	550	562	540	451	477	424
6. Respiratory Organs .	1422	1498	1347	867	909	833	1202	1302	1105	1651	1701	1600
7. Organs of Digestion .	726	739	713	654	768	564	798	815	780	666	671	664
8. Urinary Organs . . .	154	211	98	128	230	43	161	232	92	149	190	106
9. Generative Organs . .	80	—	158	109	10	191	78	—	156	79	—	153
10. Locomotive Organs .	67	70	65	133	104	156	65	65	65	66	71	60
11. Skin, etc. . . . .	12	14	10	24	31	17	13	18	9	10	11	10
12. Malformation . . .	28	33	22	19	31	9	31	37	27	24	31	18
13. Premature Debility .	489	549	430	142	167	121	476	533	420	522	584	461
14. Atrophy . . . . .	84	71	97	38	31	43	74	61	88	95	82	109
15. Age . . . . .	894	672	1115	3100	2487	3608	1216	943	1481	474	335	617
16. Sudden Deaths . . .	28	32	24	28	31	26	26	33	20	29	31	27
17. Violent Deaths . . .	338	521	157	365	700	87	375	596	156	304	445	159
Small-pox . . . . .	2	1	3	—	—	—	2	1	3	2	2	3
Measles . . . . .	173	180	165	123	157	96	94	104	85	245	247	242
Scarlatina . . . . .	472	482	462	66	70	61	414	423	407	548	557	540
Diphtheria . . . . .	113	107	118	28	31	26	148	134	156	86	82	90
Hooping-cough . . . .	374	352	397	379	387	347	250	235	265	484	451	517
Croup . . . . .	141	148	134	170	177	165	146	145	146	135	150	121
DIARRHŒA . . . . .	303	302	305	161	167	156	266	265	267	345	341	350
Dysentery . . . . .	40	34	44	19	31	9	44	37	51	36	32	40
Cholera . . . . .	30	31	30	5	—	9	33	33	33	30	31	29
Influenza . . . . .	21	20	21	76	94	61	29	27	33	10	11	9
ALL FEVERS, viz.	488	485	490	331	303	356	495	467	523	491	512	469
Typhus . . . . .	235	252	220	227	230	226	184	189	179	281	306	254
Enteric . . . . .	211	197	224	90	63	113	270	240	298	167	169	165
Relapsing . . . . .	7	6	8	—	—	—	9	8	10	5	4	7
Continued . . . . .	15	10	19	14	10	17	18	15	22	12	7	17
Infantile . . . . .	20	20	19	—	—	—	14	15	14	26	26	26
Metria . . . . .	21	—	42	5	—	9	22	—	45	20	—	41
Erysipelas . . . . .	39	42	35	19	—	35	42	43	42	37	43	30
Dropsy . . . . .	97	79	114	185	198	173	109	89	127	81	64	98
Cancer . . . . .	199	132	267	204	177	225	238	166	308	165	98	232
Scrofula . . . . .	103	116	90	66	52	78	101	113	90	108	123	92
Tabes Mesenterica . . .	136	149	122	76	94	61	130	130	129	144	168	121
PHTHISIS . . . . .	1225	1126	1326	1270	1306	1240	1184	1130	1237	1259	1113	1412
Hydrocephalus . . . .	262	290	234	123	125	121	225	200	192	303	325	280
Apoplexy . . . . .	180	183	175	123	104	139	184	194	175	177	178	177
Paralysis . . . . .	248	242	255	251	230	269	290	269	310	212	220	204
Epilepsy . . . . .	32	35	28	5	21	70	39	44	35	24	29	20
Convulsions . . . . .	129	144	113	4	52	26	89	99	79	170	190	143
BRONCHITIS . . . . .	942	930	953	393	376	407	744	736	746	1153	1130	1177
Pneumonia . . . . .	315	372	259	200	230	173	292	355	230	344	395	291
Teething . . . . .	141	149	133	52	63	43	124	128	120	161	171	150
Enteritis . . . . .	117	130	105	61	52	70	136	149	123	105	112	91
All Liver Diseases . .	163	170	155	208	282	147	176	255	165	147	149	146
CHILDBIRTH . . . . .	53	—	106	57	—	104	52	—	102	54	—	109
Burns and Scalds . . .	33	38	28	43	70	17	38	41	35	28	33	22
Drowning . . . . .	77	133	22	185	397	9	105	178	33	46	79	13
Fracture & Contusion .	138	232	48	76	125	35	153	257	50	132	217	46

age the death-rate was 212·75 per thousand living in the Towns, but only 121·53 in the Rural Districts. Of all the boys under 5 years, 97·25 per thousand died in the Towns, but only 44·29 in the Rural Districts. Of boys from 10 to 15 years, 6·84 per thousand died in the Towns, but only 4·28 in the Rural Districts. Of males from 15 to 20 years, 8·93 per thousand died in the Towns, but only 6·32 in the country. From 20 to 30 years, 10·98 per thousand died in the Towns, but 9·03 in the Rural Districts. From 30 to 40 years, 15·33 per thousand died in the Towns, but only 9·36 in the Rural Districts. From 40 to 50 years, 22·02 per thousand died in the Towns, but only 11·42 in the Rural Districts. From 50 to 60 years of age, 33·85 per thousand men died in the Towns, but only 18·22 in the Rural Districts. From 60 to 70 years, the death-rate was 63·07 per thousand males in the Towns, but only 38·03 in the Rural Districts. From 70 to 80 years, it was 127·24 deaths per thousand men in the Towns, but only 86·11 in the Rural Districts.

We thus find that, even to extreme old age, the death-rate in the Towns at every age of life was very much higher than it was in the Rural Districts.

But the proportion of deaths at the different ages may be looked at

TABLE XLVII.—TOWN DEATHS, 1868. Per-centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1868 (allowing for Causes not specified).

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
TOTAL DEATHS . . . . .	3·117	2·704	2·914	2·694	2·574	3·413	2·511	2·308
I. Zymotic Class . . . . .	0·857	0·623	0·715	0·585	0·681	1·097	0·647	0·483
III. Tubercular Class . . . . .	0·587	0·459	0·524	0·497	0·494	0·536	0·365	0·371
IV. Brain, etc., Diseases . . . . .	0·217	0·284	0·232	0·268	0·225	0·271	0·220	0·204
V. Heart, etc., Diseases . . . . .	0·100	0·176	0·129	0·137	0·082	0·166	0·124	0·182
VI. Respiratory Organs, Dis. . . . .	0·605	0·372	0·480	0·376	0·345	0·474	0·385	0·297
VII. Organs of Digestion, Dis. . . . .	0·205	0·163	0·185	0·177	0·175	0·211	0·170	0·133
XIII. Premature Debility . . . . .	0·162	0·137	0·204	0·117	0·110	0·164	0·152	0·115
XV. Old Age . . . . .	0·086	0·136	0·150	0·194	0·184	0·115	0·095	0·197
XVII. Violent Deaths . . . . .	0·088	0·095	0·080	0·079	0·060	0·118	0·126	0·081
Small-pox . . . . .	0·001	0·000	0·001	0·001	0·000	0·004	0·000	0·003
Measles . . . . .	0·079	0·019	0·179	0·158	0·013	0·073	0·002	0·029
Scarlatina . . . . .	0·209	0·194	0·040	0·064	0·241	0·187	0·339	0·070
Diphtheria . . . . .	0·024	0·034	0·024	0·008	0·021	0·031	0·015	0·007
Hooping-cough . . . . .	0·211	0·067	0·049	0·094	0·049	0·311	0·059	0·122
Croup . . . . .	0·034	0·043	0·037	0·014	0·047	0·075	0·033	0·033
Diarrhoea . . . . .	0·102	0·092	0·120	0·077	0·082	0·164	0·070	0·070
Dysentery . . . . .	0·007	0·016	0·019	0·020	0·013	0·004	0·010	0·007
Cholera . . . . .	0·006	0·013	0·020	0·005	0·008	0·002	0·008	0·003
Fevers, viz. . . . .	0·150	0·101	0·177	0·086	0·162	0·193	0·088	0·093
Typhus . . . . .	0·084	0·066	0·133	0·035	0·074	0·147	0·028	0·067
Enteric . . . . .	0·052	0·032	0·031	0·045	0·065	0·040	0·042	0·011
Relapsing . . . . .	0·001	0·000	0·000	0·000	0·006	0·004	0·000	0·000
Continued . . . . .	0·004	0·001	0·004	0·001	0·006	0·000	0·016	0·015
Infantile . . . . .	0·009	0·002	0·009	0·005	0·011	0·002	0·002	0·000
Dropsy . . . . .	0·023	0·012	0·042	0·017	0·043	0·033	0·018	0·022
Cancer . . . . .	0·040	0·073	0·036	0·072	0·043	0·028	0·036	0·059
Phthisis . . . . .	0·411	0·302	0·368	0·335	0·325	0·391	0·196	0·260
Apoplexy . . . . .	0·039	0·074	0·053	0·056	0·060	0·064	0·025	0·078
Paralysis . . . . .	0·048	0·072	0·056	0·063	0·089	0·046	0·075	0·059
Convulsions . . . . .	0·055	0·045	0·068	0·073	0·008	0·049	0·049	0·022
Bronchitis . . . . .	0·438	0·253	0·333	0·239	0·260	0·320	0·251	0·204
Pneumonia . . . . .	0·128	0·073	0·103	0·083	0·063	0·111	0·101	0·059
Teething . . . . .	0·054	0·015	0·090	0·043	0·049	0·075	0·042	0·033



from another and even more instructive point of view,—viz. endeavour to ascertain what proportion of the deaths occur at, above, or below certain ages. The deaths which occur at each age maintain a certain ratio to each other; but this ratio is apparently subordinate to the healthiness of the district in which the deaths occur, in other words, is subordinate to the general death-rate, and to the density of the population. Thus, as a general rule, it is found that in unhealthy districts, or where the death-rate is high, a much larger proportion of those who are cut off annually die at the earlier ages of life, than in a district where the death-rate is moderate or low.

Table XXXII. is constructed with the view of showing how the different groups of districts in Scotland affect the proportion of deaths under certain ages, when these are compared with the total annual deaths; and for this purpose the Table gives both the numbers and proportions at the several ages for the whole ten-yearly period 1855–1864, and the proportions for 1868. It will be seen that the proportions dying at each age so closely correspond between the year 1868 and the ten years 1855–1864, that, in referring to the Table, either might have been quoted. But as large numbers are always most trustworthy, we prefer quoting the ten yearly results.

By that Table it appears, that of the 651295 persons who died in Scotland during the ten years 1855–1864, one-half were under  $20\frac{1}{4}$  years of

TABLE XLVIII.—TOWN DEATHS, 1868. Per-centage of Deaths from different Diseases to the Specified Causes of Death in each of the Eight Principal Towns of Scotland in 1868.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
I. Zymotic Class . . .	27·49	23·03	24·56	21·73	26·47	32·13	25·80	20·93
III. Tubercular Class . . .	18·85	16·98	17·99	18·44	19·22	15·71	14·76	16·10
IV. Brain, etc., Diseases . . .	6·95	10·51	7·96	9·97	8·77	7·95	8·77	8·85
V. Heart, etc., Diseases . . .	3·23	6·53	4·45	5·08	3·20	4·88	4·95	7·89
VI. Respiratory Organs, Dis. . .	19·43	13·77	16·49	13·95	13·40	13·88	15·37	12·88
VII. Organs of Digestion, Dis. . .	6·75	6·03	6·36	6·58	6·83	6·19	6·81	5·79
XIII. Premature Debility . . .	5·19	5·06	7·03	4·33	4·30	4·82	6·09	4·99
XV. Old Age . . . . .	2·75	5·04	5·15	7·22	7·16	3·39	3·82	8·53
XVII. Violent Deaths . . .	2·84	3·53	2·75	2·93	2·36	3·52	5·05	3·54
Small-pox . . . . .	0·02	0·00	0·03	0·05	0·00	0·13	0·00	0·16
Measles . . . . .	2·54	0·71	6·15	5·88	0·50	2·15	0·10	1·28
Scarlatina . . . . .	6·71	7·19	1·39	2·39	9·35	5·47	13·52	3·06
Diphtheria . . . . .	0·77	1·28	0·83	0·29	0·84	0·91	0·62	0·32
Hooping-cough . . . . .	6·77	2·48	1·70	3·48	1·94	9·12	2·37	5·31
Croup . . . . .	1·09	1·61	1·29	0·54	1·85	2·21	1·34	1·44
Diarrhœa . . . . .	3·29	3·42	4·14	2·88	3·20	4·82	2·78	3·06
Dysentery . . . . .	0·22	0·59	0·66	0·74	0·50	0·13	0·41	0·32
Cholera . . . . .	0·19	0·48	0·69	0·20	0·33	0·52	0·31	0·16
Fevers, viz. . . . .	4·81	3·74	6·09	3·19	6·32	5·67	3·50	4·02
Typhus . . . . .	2·68	2·44	4·60	1·30	2·86	4·30	1·13	2·90
Enteric . . . . .	1·67	1·18	1·04	1·64	2·52	1·17	1·65	0·48
Relapsing . . . . .	0·04	0·02	0·00	0·00	0·26	0·13	0·00	0·00
Continued . . . . .	0·12	0·04	0·14	0·05	0·26	0·00	0·62	0·64
Infantile . . . . .	0·30	0·06	0·31	0·20	0·42	0·07	0·10	0·00
Dropsy . . . . .	0·75	0·44	1·46	0·64	1·68	0·97	0·72	0·96
Cancer . . . . .	1·28	2·71	1·21	2·69	1·68	0·84	1·44	2·57
Phthisis . . . . .	13·19	11·17	12·66	12·46	12·64	11·47	7·84	11·11
Apoplexy . . . . .	1·25	2·75	1·84	2·09	2·36	1·89	1·03	3·38
Paralysis . . . . .	1·55	2·67	1·94	2·34	3·45	1·37	2·99	2·57
Convulsions . . . . .	1·79	1·45	2·36	2·74	0·33	1·43	1·96	0·96
Bronchitis . . . . .	14·05	9·35	11·44	8·87	10·12	9·39	10·06	8·85
Pneumonia . . . . .	4·10	2·71	3·55	3·09	2·44	3·26	4·42	2·57
Teething . . . . .	1·73	0·56	3·13	1·59	1·94	2·21	1·65	1·44

age, the other half above that age. In the Town Districts, where the general death-rate was high, this period was very much shortened; while in the Insular Districts, where the death-rate was low, this period was correspondingly lengthened. Thus, of all the persons who died in the Insular Districts during these ten years, one-half were below 40 years of age, the other half above that age. In the Mainland-Rural Districts, one-half of all who died were below 25 years of age, the other half above that age. But in the Town Districts, the one-half of all who died were under 10 years of age, the other half above that age.

In reading these figures we are very apt to overlook their importance, or to confound them with the calculations as to the mean age at death, or with the mean duration of life. But the above figures mean something more startling than either of these; for as these numbers and proportions recur year after year with unceasing regularity, they show us that, in a generation, half of the inhabitants of Scotland died, and will die, under  $20\frac{1}{4}$  years of age; while half of the inhabitants of all the towns of Scotland with populations above ten thousand persons died, and will probably continue to die, under ten years of age.

Let us see, however, in what proportion children under 10 years of age are cut off by death in the three groups of districts in Scotland. In the Insular Districts, 29·5 per cent. of all the persons who died during the ten years 1855–1864, were under ten years of age. In the Mainland-Rural Districts, 38·2 per cent. were under 10 years; while in the Town Districts, 50·2 per cent. of all who died were under 10 years of age.

If we pursue the inquiry to the first five years of life, it will be seen that in the Insular Districts, 26 per cent. of the deaths occurred among children under 5 years of age; 33 per cent. in the Mainland-Rural Districts; and 45 per cent. in the Town Districts; while in all Scotland, 38·4 per cent. of all who died were under 5 years of age.

All this is reversed when we come to consider the deaths above threescore and ten years. The healthiest districts then exhibit the highest proportion of deaths at extreme old age; while the Town Districts, where the mortality had been so high in early life, have but few left to die at extreme ages. Accordingly, in the Insular Districts, of all who died during the above-named ten years, 14 per cent. were between 70 and 80 years of age. This proportion was 11·7 per cent. in the Mainland-Rural, but only 6·4 per cent. in the Town Districts. Again, in the Insular Districts, 11·8 per cent. of all who died were between 80 and 90 years of age; while the proportion was 8·1 per cent. in the Mainland-Rural, but only 3 per cent. in the Town Districts.

### CAUSES OF DEATH.

Of the 69416 Deaths registered in Scotland during the year 1868, the cause of death was accurately accorded in 66463 instances. In the remaining 2953 cases, being 4·25 per cent. of the whole, the causes of death were stated in such indefinite terms that no use could be made of them; while in a few instances the disease of which the person died was not named at all.

When two years succeed one another in which the proportion of deaths to the population remains unaltered, as was the case in 1867 and 1868, it is extremely interesting to ascertain whether the diseases which produced death proved equally fatal during each of these years. In comparing these two years together, it appears that in 1868 the deaths from the Zymotic class of diseases increased by 1914, or 14·4 per cent. above those of 1867;



and that this increase was limited to Scarlatina, Diphtheria, Hooping-cough, and Diarrhœa. There was a slight increase also during 1868, of the deaths from Childbirth and Rheumatism. To counterbalance this increase, the deaths from certain classes of disease in 1868 fell below those of 1867. Thus, in the deaths from Old Age, there was a decrease to the extent of 8·7 per cent.; in the deaths from Inflammatory Affections of the Respiratory Organs, a decrease to the extent of 6 per cent.; and in the deaths from Heart Diseases, a decrease to the extent of 3·2 per cent. Almost all the other diseases had a death-rate nearly equal in the two years.

The Zymotic or epidemic and contagious class of diseases cut off 15170 persons in Scotland during the year 1868, of whom 7439 were males and 7731 females. These diseases thus constituted 22·82 per cent. of the deaths, or cut off at the rate of 499 persons out of every hundred thousand of the population. As the deaths from these diseases, on a ten years' average, constituted 24·26 per cent. of the deaths, the year 1868 must be considered as a non-epidemic year, even though its epidemic deaths were 14·4 per cent. above those of the previous year. The fact that in one year the epidemic deaths may show an increase of 14·4 per cent. without affecting the general mortality, is well worthy of attention, especially when taken in connection with the equally startling fact which occurred in the year 1866, when the general mortality of the year rose above that of the previous year, though its epidemic mortality decreased to the extent of 8·3 per cent. These two facts, the exact converse of one another—occurring too in a period of three years, during one of which the epidemic mortality increased 14·4 per cent., and yet did not increase the general mortality; while during the other the epidemic mortality decreased to the extent of 8·3 per cent., and yet the general mortality increased above that of the previous year,—of themselves prove how ignorant we yet are as to the causes of the prevalence of epidemics, or as to the causes of the increase or decrease of the general mortality from all diseases.

In studying the deaths from any particular class of diseases, one of the most important points of inquiry is the age at which the chief mortality occurs. This point seems to have been greatly overlooked; and with the view of throwing some light on the subject in reference to the deaths from the diseases which are classified under the title of Zymotics, a couple of Tables (XLIX. and L.) have been drawn up, to which special attention is desired to be directed. To obtain data for comparison, however, it is necessary to know the proportions at which persons at different ages die from all the diseases which afflict our race; and then we are able with advantage to compare these with the proportions at each age in which the zymotic diseases prove fatal.

The last line of Table XLIX. shows that in 1868 (which was a year of mean mortality in all respects), 38 per cent. of the total deaths which occurred were under 5 years of age; 4·9 per cent. were between 5 and 10 years; 2·7 per cent. were between 10 and 15 years; 29·7 per cent. were between 15 and 60 years; while 24·7 per cent. were 60 years and upwards. This shows that a very large majority of the deaths from all diseases, indeed close on two-thirds, occurred above 5 years of age. Or, to look at it in another light, it showed that 45·6 per cent. of all who died were under 15 years of age, while 54·4 per cent. were above that age.

But this is the deaths from all diseases, including the zymotic. But fairly to compare the deaths from the ordinary diseases, with the deaths from the zymotics, we must exclude the latter from our calculations, and then we have the results shown in the second lowest line of Table XLIX. It will there be seen that 31·7 per cent. of the deaths from all diseases,

excepting the zymotic, were under 5 years of age; 3 per cent. were between 5 and 10 years; 2·4 per cent. were between 10 and 15 years; 33·3 per cent. were between 15 and 60 years; while 29·6 per cent. were above 60 years of age. In other words, while only 37·1 per cent. of the deaths were under 15 years of age, 62·9 per cent. of the deaths were above that age.

The deaths from the zymotic diseases showed very different proportions at the several ages, for 60·5 per cent. of the deaths from the zymotic diseases were those of children under 5 years of age; 11·7 per cent. of the deaths were between 5 and 10 years; 3·7 per cent. were between 10 and 15 years; while only 16·9 per cent. of the deaths were from 15 to 60 years of age; and 7·2 per cent. above 60 years of age. In other words, no less than 75·9 per cent. of the deaths from the zymotic diseases occurred among children under 15 years of age, while only 24·1 per cent. of the deaths occurred in persons above 15 years.

It is thus seen that, instead of adults being prone to be cut off by

TABLE XLIX.—PROPORTION OF DEATHS at different Ages from the Zymotic and Total Deaths. SCOTLAND 1868.

	NUMBER OF DEATHS.						PER-CENTAGE AT EACH AGE.				
	0—5 yrs.	5—10	10—15	15—60	Above 60	Total.	0—5	5—10	10—15	15—60	Above 60
Small-pox . . . .	12	1	1	1	—	15	80·0	6·6	6·8	6·6	—
Measles . . . . .	1064	59	11	14	1	1149	92·6	5·1	1·0	1·2	0·1
Scarlatina . . . .	1961	911	173	95	1	3141	62·5	29·0	5·5	3·0	—
Diphtheria . . . .	516	142	33	45	13	749	68·9	19·0	4·4	6·0	1·7
Hooping-cough . .	2352	131	6	1	—	2490	94·5	5·2	0·3	—	—
Croup . . . . .	846	92	—	1	—	939	90·1	9·8	—	0·1	—
Diarrhoea . . . . .	1367	35	10	207	398	2017	67·7	1·8	0·4	10·3	19·7
Dysentery . . . . .	62	3	3	87	108	263	23·6	1·2	1·1	33·1	41·0
Cholera . . . . .	92	9	4	63	36	204	45·1	4·4	2·0	30·9	17·6
Typhus . . . . .	159	112	118	987	185	1561	10·2	7·2	7·5	63·2	11·9
Enteric . . . . .	258	203	147	639	157	1404	18·4	14·4	10·5	45·5	11·2
Relapsing . . . . .	5	1	5	25	9	45	11·1	2·2	11·2	55·5	20·0
Simple Continued .	16	18	14	40	12	100	16·0	18·0	14·0	40·0	12·0
Infantile Fever . .	106	25	1	—	—	132	80·3	18·9	0·8	—	—
All Fevers . . . . .	544	359	285	1691	363	3242	16·8	11·1	8·8	52·1	11·2
Syphilis . . . . .	153	1	1	28	2	185	82·7	0·5	0·5	15·2	1·1
Erysipelas . . . .	122	8	7	56	65	258	47·3	3·1	2·7	21·7	25·2
All Zymotics . . .	9173	1774	562	2566	1095	15170	60·5	11·7	3·7	16·9	7·2
All Diseases, ex- cluding Zymotics)	17182	1657	1268	18071	16068	54246	31·7	3·0	2·4	33·3	29·6
Total Deaths . . .	26355	3431	1830	20637	17163	69416	38·0	4·9	2·7	29·7	24·7

TABLE L.—Proportion of ZYMOTIC in the Total Deaths at different Ages in SCOTLAND, 1868.

AGES.	Total Deaths.	Zymotic Deaths.	Per-centage of Zymotic Deaths.	Per-centage of Deaths from other Diseases.
0—5	26,355	9,173	34·8	65·2
5—10	3,431	1,774	51·7	48·3
10—15	1,830	562	30·7	69·3
15—60	20,637	2,566	12·5	87·5
Above 60	17,163	1,095	6·3	93·7
0—15	31,616	11,509	36·4	63·6
15—105	37,800	3,661	9·6	90·4



zymotic diseases, they are infinitely less liable than children; and that, in fact, the chief mortality of the zymotic (that is, the epidemic and contagious) diseases falls on children and not on the adult population; and that the chief mortality of adults arises from the ordinary diseases and not from those called zymotic.

This fact is shown in a very striking manner in Table L., in which the zymotic deaths at each age are compared with the deaths from all diseases, and the proportions are given of persons dying at each age from the zymotic diseases, and from all other diseases. It is there seen that of the persons who died under 5 years of age, 34·8 per cent. died from zymotic diseases, and the remaining 65·2 per cent. from all other diseases. Of the deaths from 5 to 10 years of age, 51·7 per cent. died from zymotic diseases, while only 48·3 per cent. died from all other diseases. Of the deaths from 10 to 15 years of age, 30·7 per cent. died from zymotic diseases, and 69·3 per cent. from all other diseases. Of the deaths from 15 to 60 years of age—the adult, working, active period of life,—only 12·5 per cent. died from zymotic diseases, but the very high proportion of 87·5 per cent. from all other diseases. While of the deaths above 60 years of age, only 6·3 per cent. died from the zymotic diseases, but 93·7 per cent. from all other diseases.

The same fact is still more strikingly shown by dividing the deaths according to age into two classes alone; viz. those *below* and those *above* 15 years of age. It is then seen that of the total deaths *below* 15 years of age, 36·4 per cent. fell victims to the zymotic diseases; but of the deaths *above* 15 years of age, only 9·6 per cent.

These facts should convince every one that zymotics are the especial scourge of the young; and that in ordinary years they constitute but a small proportion of the adult mortality in this country.

There is another feature, however, of the zymotic diseases which merits notice, and that is, that it is not the same epidemic which takes the lead in each locality; but one epidemic here, and another there takes the lead, throwing the others into abeyance; so that, what between the increase of the one and decrease of the other, the general zymotic mortality of the locality is not much affected.

Thus, if we look at the Eight Principal Towns, it will be seen that Measles raged so in Dundee and Aberdeen, and that it constituted 6·15 per cent. of the deaths in the former and 5·88 per cent. in the latter; it was so in abeyance in Leith that it only constituted one-tenth of a per-centage of the deaths there, and half a per-centage of the deaths in Paisley. Scarlet Fever, on the other hand, so raged in Leith that 13·5 per cent. of the deaths were caused by it, 9·3 per cent. in Paisley, and 7·1 per cent. in Edinburgh; while it only caused 1·4 per cent. of the deaths in Dundee, and 2·4 per cent. in Aberdeen. Hooping-cough, again, caused 9·1 per cent. of the deaths in Greenock, 6·7 per cent. in Glasgow, and 5·3 per cent. in Perth; while it only caused 1·7 per cent. of the deaths in Dundee, and 1·9 per cent. in Paisley. Fever itself caused 6·3 per cent. of the deaths in Paisley, and 6·1 per cent. in Dundee; but only 3·1 per cent. of the deaths in Aberdeen, and 3·5 per cent. in Leith.

Of the various diseases belonging to the epidemic class, Small-pox in importance stands first; yet during the year 1868, only 15 deaths were caused by that disease in Scotland.

Never since the Registration of Deaths commenced in Scotland has the mortality from Small-pox been so low as during 1868; and it may be added, that never since the prophylactic powers of the vaccine virus were

extended to Scotland in 1800, have so few deaths from Small-pox occurred there. That this may fairly be attributed to the successful working of the Vaccination Act in Scotland, cannot be doubted; and its marked success is the strongest argument which could be adduced in favour of enforcing the provisions of the Vaccination Acts more stringently in England and in Ireland. It cannot be expected that the Small-pox mortality shall remain at the above low rate year after year, however perfectly the Vaccination Act may be carried out. From the Scottish Act allowing all to delay the vaccination of the child for six months, and from a considerable portion of Scotland, and almost all its numerous Islands, being only accessible to the vaccinators during a few months in summer, a large proportion of the children under one year of age—the very age at which they are most liable to take Small-pox—are exposed to the ravages of the disease. Still the above fact proves the value of vaccination in preventing the ravages of Small-pox. It must be remembered that in England, during the same year, 2052 deaths from Small-pox were registered; and it is highly desirable to check its ravages by means of vaccination, seeing it is not only a very fatal malady to those attacked, but also because in a large proportion of those who recover, it leaves its pernicious effects in destroying the countenance in some, producing blindness and deafness in others, and in increasing or exciting the tendency to scrofulous affections.

We have not the means of showing the effect of the introduction of vaccination into Scotland on the mortality of Small-pox, because Scotland did not possess a national system of registration of deaths till 1855. But it may be interesting to show the ascertained facts regarding Edinburgh, the capital of Scotland, as it may be safely assumed that the disease exhibited the same mortality in the other parts of the country.

In Edinburgh, from 1740 to 1750, the deaths from Small-pox constituted 14 per cent. of the total deaths. From 1750 to 1760, Small-pox caused 9 per cent. of the deaths; 11 per cent. of the deaths from 1760 to 1770; 12 per cent. of the deaths from 1770 to 1780; 14 per cent. of the deaths from 1780 to 1790; and 12 per cent. of the deaths from 1790 to 1800, when vaccination was introduced, and pretty generally adopted.

Immediately on the introduction and adoption of vaccination the number of deaths from Small-pox in Edinburgh fell, never to rise again to its old fatality. Thus, from 1800 to 1810, only  $3\frac{1}{2}$  per cent. of the deaths were from Small-pox; and the proportion sunk lower so long as the vaccination of the children born was nearly general. Thus, from 1810 to 1820, only 1·5 per cent. of the total deaths were caused by Small-pox; while from 1820 to 1830 the deaths were at the low rate of 1·2 per cent. of the total deaths. About that period the low Irish began to settle in great numbers

TABLE LI.—SMALL-POX DEATHS in SCOTLAND.

YEARS.	Small-pox Deaths.	YEARS.	Small-pox Deaths.
1855	1309	1862	426
1856	1306	1863	1646
1857	845	1864	1741
1858	332	1865	383
1859	682	1866	200
1860	1495	1867	100
1861	766	1868	15



in Edinburgh, and very generally neglected to have their children vaccinated. From that period the Small-pox deaths somewhat increased. Thus, from 1830 to 1840 the Small-pox deaths constituted 1·9 per cent. of the mortality in Edinburgh, and from 1840 to 1850 the proportion had increased to 2 per cent.

The above may represent the state of Scotland with reference to the mortality from Small-pox up to the period when the Registration Act came into operation. Since that period we have the ascertained facts for all Scotland, and from them we learn that for the ten years 1855–1864, the deaths from Small-pox constituted 1·7 per cent. of the total mortality in Scotland. Since that period the Vaccination Act has been in full operation, and for the five years 1865–1869 its beneficial effects have been manifested in this, that during these years only two-tenths of a per-centage of the deaths have been caused by Small-pox.

Much needless prejudice still exists, in England especially, with regard to vaccination, as they believe it endangers the life of the child. As we have the means of showing the exact danger to life from the operation of vaccination in Scotland, let us see the amount of that danger. In 1868 there were vaccinated in Scotland 106181 children, and of that number two were recorded to have died from the consequences thereof—that is, one death in 53190 cases. Now the constitutions of some children are such that the slightest scratch or abrasion of the skin is followed by inflammation and death. Need it be wondered at that two deaths should occur from that cause among the 106181 children whose arms had been scratched to insert the vaccine virus? The astonishment is not that there were deaths, but that the deaths were so few. Had these children been all inoculated with Small-pox, many hundreds would have died, and the disease would have spread among the rest of the population. Even had the vaccinations been no more perfect than between 1855 and 1864, the probability is that 500 deaths from Small-pox would have occurred among these children, whereas only 15 deaths from Small-pox were registered during that year in Scotland, and two of these were attributed to the effects of vaccination.

From the Tables which are appended, showing the state of vaccination in Scotland (Tables LII. and LIII.), it will be seen that upwards of 96 per cent. of the surviving children who were born in 1868 were successfully vaccinated; that 0·86 per cent. had their vaccination postponed; that 0·48 per cent. had been found to be insusceptible of vaccination, from constitutional insusceptibility, or from having been previously vaccinated, or from

TABLE LII.—VACCINATION of Children whose Births were Registered in SCOTLAND during the Five Years, 1864–1868, and proportion to the Births each Year.

Years.		Success-fully Vaccinated.	Vaccina-tion Post-poned.	Insusceptible of Vaccination.			Died before Vaccina-tion.	Removed from District before Vaccination, or otherwise not accounted for.	TOTAL BIRTHS.
				From Constitutional Insuscep-tibility.	From having had Small-pox.	From hav-ing been previously Vaccinated.			
1864	Number .	95047	662	667	154	440	9180	2701	108851
1865	Number .	99648	719	474	34	207	9366	2622	113070
1866	Number .	100468	579	332	30	227	9433	2658	113667
1867	Number .	101139	670	233	16	151	9355	2480	114044
1868	Number .	102140	914	277	7	230	9440	2506	115514
1864	Per-centage	87·313	0·608	0·613	0·142	0·404	8·438	2·481	100·000
1865	Per-centage	88·130	0·636	0·419	0·030	0·183	8·283	2·319	100·000
1866	Per-centage	88·335	0·510	0·292	0·026	0·200	8·299	2·338	100·000
1867	Per-centage	88·684	0·587	0·204	0·014	0·132	8·203	2·176	100·000
1868	Per-centage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000



having had Small-pox; while 2·46 per cent. had escaped notice altogether, from belonging to the wandering classes who have no fixed abode, or had removed to other districts unknown to the Registrar.

Of the individual zymotic diseases, the most fatal in 1868 was Fever, which caused 3242 deaths, and thus constituted 4·88 per cent. of the mortality. Of these 3242 deaths, 1561 were attributed to Typhus, 1404 to Enteric Fever, 45 to Relapsing Fever, 100 to Simple Continued Fever, and 132 to Infantile Fever. As Infantile Fever is undoubtedly Enteric Fever in the child, this makes the deaths from Enteric Fever to amount to 1536, almost as many as those attributed to Typhus. Since attention has of late years been directed to the prevalence and fatality of the different forms of Fever, a Table has been given in these Reports showing their relative prevalence in the Town and Rural Districts of Scotland. From the Table appended for 1868, it will be seen that, as formerly, Typhus is the special disease of the Towns, while Enteric Fever is the leading form in the Rural Districts. Thus, Typhus caused 57·16 per cent. of the Fever deaths in the Town Districts, but only 37·10 per cent. of the Fever deaths in the Rural Districts. But on the other hand, Enteric Fever caused 54·41 per cent. of the deaths from Fever in the Rural Districts, but only 34·07 per cent. of the Fever deaths in the Town Districts.

One circumstance, however, relative to the Fever deaths merits especial attention, and that is, that though the general Town mortality is one-third greater than that of the Rural Districts, the relative proportion of deaths by Fever, when compared with the total deaths in each, is rather higher in the Rural than in the Town Districts. Thus, of every 100 deaths in the Town Districts, 4·91 were from Fever, but in the Rural Districts the proportion was 4·95 Fever deaths.

We still require to know a great deal more about Fever before we could venture to theorize about its origin or causes. One important element to be taken into consideration, is the period of the year at which it exhibits its increase and its decline. We cannot show this for all Scotland; but as the Eight Principal Towns contain nearly a third of the population of Scotland, the periods at which Fever was found to be most fatal in them may be safely held to be the same as those over the country generally. Table LV. is drawn up with the view of showing the monthly deaths from Fever in the Eight Principal Towns of Scotland during a five-yearly period—1865–1869,—specifying also the deaths from Typhus and those from Enteric Fever. It will be seen from that Table, that in Scotland Fever was most fatal during the

TABLE LIII.—VACCINATIONS in SCOTLAND, 1864–1868, deducting from the Births those who died before they could be Vaccinated, and giving the proportion of the Vaccinated to the surviving Births of each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise not accounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From having been previously Vaccinated.		
1864	Number .	95047	662	667	154	440	2701	99671
1865	Number .	99648	719	474	34	207	2622	103704
1866	Number .	100408	579	332	30	227	2658	104234
1867	Number .	101139	670	233	16	151	2480	104689
1868	Number .	102140	914	277	7	230	2506	106074
1864	Per-centage	95·361	0·664	0·669	0·155	0·441	2·710	100·000
1865	Per-centage	96·089	0·694	0·457	0·033	0·199	2·528	100·000
1866	Per-centage	96·329	0·556	0·318	0·029	0·217	2·551	100·000
1867	Per-centage	96·609	0·640	0·222	0·015	0·144	2·370	100·000
1868	Per-centage	96·292	0·861	0·261	0·007	0·216	2·363	100·000



month of March; and that Typhus, its most prevalent form in the Towns, was also most fatal during that month. The next most fatal month was January, then February, May, April, and November, in the order named. These, then, are the six months during which Fever was most fatal to the inhabitants of Scotland. The smallest mortality from Fever occurred in September, then followed in order August, October, July, June, and December.

From these ascertained facts, then, we see that Fever, like all the ordinary diseases which cut off our race, was most fatal during the three coldest months of the year, viz., January, February, and March, the truly wintry months in this country; and was least fatal during those genial months when all other diseases are least fatal in Scotland, viz. during the months of August, September, and October.

Scarlatina was the next most fatal of the zymotic diseases, causing 3141 deaths, being an increase of 883, or 39 per cent. above the deaths from that disease during the previous year. The deaths from Scarlatina thus constituted 4·72 per cent. of the mortality, or cut off in the proportion of 103 persons in every hundred thousand. During the ten-yearly period, 1855–1864, Scarlatina caused 4·30 per cent. of the deaths, or 92 deaths in every hundred thousand persons, so that the Scarlatina mortality was above the average during 1868.

Diphtheria caused 749 deaths, being an increase of 139 deaths, or 22·7 per cent. above the deaths of the previous year, but greatly below the deaths caused by it during the years 1862, 1863, 1864, and 1865. It is a singular fact connected with this disease, that ever since it was recognised as a distinct disease in Scotland it has been much more prevalent and fatal

TABLE LIV.—DEATHS from FEVER in 1868.

FEVERS.	MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Fever Deaths.	Proportion to Total Fever Deaths.	Fever Deaths.	Proportion to Total Fever Deaths.
Typhus . . .	555	37·10	958	57·16
Enteric . . .	814	54·41	571	34·07
Relapsing . . .	28	1·87	17	1·02
Simple Continued . .	56	3·74	41	2·44
Infantile . . .	43	2·88	89	5·31
ALL FEVERS . .	1496	100·00	1676	100·00

TABLE LV.—Monthly Deaths from FEVER in the Eight Principal TOWNS of SCOTLAND during the Five Years 1865–1869; specifying those from Typhus and Enteric Fever.

MONTHS.	Total Fever Deaths.	Typhus.	Enteric.	MONTHS.	Total Fever Deaths.	Typhus.	Enteric.
January .	867	639	201	July . .	671	502	135
February .	822	599	179	August .	570	399	142
March .	888	666	178	September .	561	387	147
April .	789	599	150	October .	640	416	192
May .	803	583	181	November .	783	538	200
June .	731	552	149	December .	772	537	197

in the Rural than in the Town Districts. The year 1868 was no exception to this rule, for it caused 26 deaths in every hundred thousand persons in the Rural Districts, but only 24 deaths in a like population in the Town Districts; or, to view it from another position, it constituted 1·48 per cent. of the deaths in the Rural Districts, but only 0·86 per cent. in the Town Districts.

Hooping-cough was another of the diseases very much more fatal during 1868 than during the previous year. The deaths of 2490 persons were attributed to Hooping-cough, being an increase of 762 deaths, or 44 per cent. above those of the previous year. The deaths from that disease thus constituted 3·74 per cent. of the general mortality, or caused 82 deaths in every hundred thousand persons. The ten years' average 1855–1864 shows that Hooping-cough in general constitutes 3·39 per cent. of the deaths, or 72 deaths in every hundred thousand persons; so that the mortality in 1868 was above the average.

Diarrhoea was the only other of the zymotic diseases in which the mortality of 1868 was high above that of 1867. It caused 2017 deaths, or 3·03 per cent. of the mortality, being 536 deaths, or 36 per cent. above the deaths of the previous year.

Measles only caused 1149 deaths, or 1·73 per cent. of the mortality. It is almost invariably remarked that when Scarlatina increases, and becomes the leading epidemic of children, Measles decreases; and the year 1868 is another example of the truth of this remark. Taking the ten years' average, 2 per cent. of the deaths are usually caused by Measles.

It is a fact worth noticing, that since Small-pox has been checked by vaccination, the mortality of Measles has diminished with it; so that during the present century not nearly the same proportion of children in Scotland fall victims to it as during the past century. To show this singular fact we must again instance the statistics of Edinburgh, which are very striking on this point. Thus, from 1740 to 1750 the deaths from Measles constituted 5·6 per cent. of total mortality in Edinburgh. The mortality from Measles was 6·1 per cent. of the deaths, from 1750 to 1760. It was 2·3 per cent. from 1760 to 1770; it was 11·8 per cent. from 1770 to 1780. This, then, shows the general fatality of Measles during the last century, before the introduction of vaccination. During the present century we have only correct Tables of the diseases in Edinburgh drawn for the years 1839 to 1841, and 1846 to 1848 inclusive, till the present system of registration came into operation. During the first of these periods the deaths from Measles constituted 2·9 per cent. of the total mortality, and during the latter period 2·6 per cent. For the ten years 1855–1864, the deaths from Measles constituted less than 2 per cent. (1·9) of the deaths in Edinburgh. It is not meant to be averred that there is a necessary connection between Measles and Small-Pox; but it is certainly a very striking fact, that since the general introduction of vaccination, the deaths from Measles have diminished in nearly as great a ratio as the deaths from Small-pox, as the above statistics of the disease in Edinburgh prove it to have done. Measles is as prevalent as before the introduction of vaccination; but its fatality seems to have been to a great extent taken from it.

Of the other diseases put under the zymotic class, Croup caused 939 deaths, Dysentery 263, Cholera 204, Influenza 140, Metria 140, Erysipelas 258, Thrush 25, Purpura 30, Ague 1, Worms 18, Rheumatic Fever 122, Pyæmia 29, Noma 13, and Syphilis 185, of which 153 were congenital.

The diseases of Uncertain Seat caused 2344 deaths, or 3·53 per cent. of the total mortality. Cancer was the most fatal of the diseases under this



class, causing 1327 deaths, of which 436 were males, and 891 females. The mortality of Cancer is therefore high, constituting as it does nearly 2 per cent. (1·99) of the deaths.

The tubercular diseases caused 11487 deaths, of which 5562 were males, and 5925 females. This class of diseases thus constituted 17·29 per cent. of the deaths, and indicated an annual proportion of 388 male, and 366 female deaths in every hundred thousand persons of each sex; showing that in Scotland males die from these diseases at a higher rate than females, yet in very much the same higher proportion as males die from all diseases. As compared with the population, this class of diseases was very much more fatal in the Towns than in the Rural Districts. Thus, of every hundred thousand persons in each group of districts, 246 died from tubercular diseases in the Insular, 294 in the Mainland-Rural, and 512 in the Town Districts. And when compared with the total deaths, it appears that tubercular diseases constituted 16·42 per cent. of the deaths in the Mainland-Rural, but 18·17 per cent. in the Town Districts.

Phthisis or Consumption is the individual disease which is most fatal to the inhabitants of Scotland, and cut off 8154 persons during the year, of whom 3734 were males and 4430 females. This indicates a proportion of 259 male deaths, and 273 female deaths in every hundred thousand persons of each sex; so that, as in former years, a higher proportion of females than of males fell victims to that disease. The mortality from this disease, like that of all diseases, was about a third lower in the Rural than in the Town Districts, as compared with the population in each; but as compared with the total deaths, the proportion of deaths from Consumption did not greatly differ in town and country. That means, that in a generation when all had died it would be found that nearly the same number had died from Consumption in the country as in the Town Districts; but that the average age of those who died in the country from that disease was about 12 years greater than the age of those who had died in the Towns. Consumption caused a very different proportion of deaths in the Eight Principal Towns. Thus, in every ten thousand persons in each town, it caused 19 deaths in Leith, 26 in Perth, 30 in Edinburgh, 32 in Paisley, 33 in Aberdeen, 36 in Dundee, 39 in Greenock, and 41 in Glasgow.

Of the other diseases belonging to the tubercular class, Scrofula caused 688 deaths, Tabes Mesenterica 902, and Hydrocephalus 1743. This last disease is most fatal to males, and caused 959 male, but only 784 female deaths during the year.

Diseases of the Brain caused 5460 deaths, and thus constituted 8·22 per cent. of the deaths, or cut off at the rate of 179 out of every hundred thousand persons during the year. Brain diseases were more fatal to males than to females, seeing that in every hundred thousand persons of each sex, 202 males, but only 158 females died from these diseases. That this greater liability of the males to die from brain diseases can scarcely be attributed to the greater amount of brain work which men perform, must be apparent from the fact that the greater tendency to brain disease in the male is shown at the very earliest age of life; for Hydrocephalus—a disease of childhood—cuts off the males in the same higher relative proportion which the ordinary brain diseases do in after life.

Diseases of the Heart and Blood-vessels caused 3274 deaths, of which 1696 were male and 1578 female. These diseases thus constituted 4·92 per cent. of the deaths, and cut off in the proportion of 108 in every hundred thousand persons. The mortality from these diseases was 109, or 3·2 per cent. below that of the previous year.



Inflammatory affections of the Respiratory Organs caused 9450 deaths, of which 4953 were male and 4497 female, being in the proportion of 345 male, and 278 female deaths in every hundred thousand of each sex. This class of diseases, then, in the proportional mortality of the sexes, is just the opposite of that of Phthisis, which had the female mortality much higher than that of the male. It is worthy of note that the proportional mortality from these diseases was more than twice as great in the Town as it was in the Mainland-Rural Districts, seeing that in every hundred thousand persons they caused 215 deaths in the Mainland-Rural, but 465 deaths in the Town Districts.

Of the Eight Principal Towns, Glasgow had much the highest proportion of deaths from the inflammatory affections of the respiratory organs, Perth the lowest. Thus, in every ten thousand persons in each town, 29·7 died from these diseases in Perth, 34·5 in Paisley, 37·2 in Edinburgh, 37·6 in Aberdeen, 38·5 in Leith, 47·4 in Greenock, 48 in Dundee, but 60·5 in Glasgow.

As above stated, the deaths from this class of disease fell 6 per cent. below those of the previous year.

Of the individual diseases belonging to this class, Bronchitis was the most fatal, causing 6261 deaths, or 9·42 per cent. of the total mortality. Pneumonia caused 2098 deaths, Asthma 415, Laryngitis 142, Pleurisy 206, and Diseases of the Lungs (not otherwise specified) 328 deaths.

Diseases of the Organs of Digestion caused 4822 deaths, and thus constituted 7·26 per cent. of the mortality, or 158 deaths in every hundred thousand persons. They also proved most fatal to the male, seeing that in every hundred thousand of each sex 170 males, but only 147 females died from these affections.

Of the diseases belonging to this class, Teething caused 937 deaths, Quinsey 56, Gastritis 159, Enteritis 783, Peritonitis 325, Ascites 71, Ulceration of Intestines 185, Hernia 99, Ileus 292, Intussusception 30, Stricture of Intestines 31, Indefinite Disease of Stomach 751, Hepatitis 146, Jaundice 176, other Diseases of Liver 759, and Diseases of Spleen 22 deaths.

Kidney and Urinary Diseases caused 1024 deaths, being 1·54 per cent. of the mortality. These diseases are twice as fatal to the male as to the female, seeing that 698 males, but only 326 females died from these affections. Of the individual diseases, Nephritis caused 79 deaths, Nephria 300, Ischuria 41, Diabetes 91, Stone 48, Cystitis 174, Stricture of Urethra 21, Kidney Disease, not otherwise specified, 266, and Addison's Disease 4 deaths.

Diseases of the Generative Organs caused 531 deaths, two of which were males. Of these 354 were ascribed to one or other of the accidents attending Childbirth; and if to these be added the 140 deaths from Metria or Childbed Fever, it gives us 494 deaths from Childbirth during the year 1868, out of the 114,041 women who gave birth to children, indicating the low proportion of one death during childbearing in every 231 mothers.

Diseases of the Organs of Locomotion caused 450 deaths, of which 107 were attributed to Arthritis, 177 to Rheumatism, and 166 to Joint and Bone Diseases.

Skin Diseases caused 82 deaths, of which 17 were attributed to Carbuncle, 8 to Phlegmon, and 57 to Skin Diseases.

Malformation caused 183 deaths, Premature Debility 3251 deaths, and Atrophy 559 deaths; 5944 deaths were attributed to Old Age without marked disease; while 185 deaths were Sudden, the exact cause not having been ascertained.



2247 deaths were ascribed to Violent Causes, being 3·38 per cent. of the deaths, or 73 deaths in every hundred thousand persons. Of these deaths 929 were ascribed to Fractures and Contusions, 515 to Drowning, 220 to Burns and Scalds, 82 to Intemperance, 6 to Privation, 87 to Want of Breast Milk, 2 to Neglect, 33 to Cold, 53 to Poison, 58 to Hanging, 128 to Suffocation—81 of which were due to Overlying, 19 to Gunshot Wounds, 22 to Cuts and Stabs, and 93 to Other Violent Causes, the particulars of which were not recorded.

On analyzing the deaths from burning during the five years 1863–67, it appears that 748 males and 720 females died from Burns and Scalds during these years. But this excess of male deaths from these causes was limited to the period of infancy, that is, the first five years of life, during which the sexes are dressed in much the same material. The more stirring and venturesome nature of the boy caused 457 boys, but only 356 girls under 5 years of age to lose their lives by burning during these five years. After the fifth year, the boys begin to be dressed in less inflammable materials, and the girls more in those inflammable materials which constitute their dress in after life. Accordingly, between 5 and 10 years only 75 boys, but 97 girls lost their lives by burning. After that period of life, notwithstanding the more dangerous occupations in which many men are engaged, only 216 men, but 267 women lost their lives by burning; the more generally inflammable materials of which the dresses of women are composed rendering them so much more liable to be set on fire.

Of the violent deaths, 123 were registered as suicides. Of these suicides the form of death was ascribed to hanging in 55 cases, in 23 to drowning, in 13 to cut-throat, in 8 to gunshot wounds, in 12 to poison of various kinds—5 deaths being ascribed to laudanum or opium, 2 to prussic-acid, 1 to strichnine, 1 to foreshot, 2 to hydrochloric acid, while in one the poison was not named. One death was ascribed to voluntary starvation, while in 11 the form of death was not stated.

Sometimes facts are put on record by the registrars which are well worthy of being made known. Thus, there died in Glasgow a wine merchant only 27 years of age, of such extreme obesity that he weighed 27 stones, though only 5 feet 4 inches in height. The circumference of his chest was 75 inches, and that of his thigh 37 inches. He was thus 1 stone 6 lbs. heavier than the fattest man at the celebrated 'Fat Man's Ball,' New York, who weighed 358 lbs., or 25 stone 8 lbs.

The Registrar of Killin mentions a curious physiological fact, viz. that an old bachelor who died at the age of 91 years, 'five or six years ago cut six new teeth which he said were quite serviceable, and as sharp as lancets.'

Table LVI. shows the nineteen most fatal diseases in Scotland and England during the year 1868, arranged according to the order of their fatality, and giving the proportion in which they prove fatal to the population. That Table shows that the several diseases in each of these countries have different death-rates, though inhabited by the same general races of men, and supposed to be under the same meteorological conditions. But when narrowly examined, that Table reflects, through the deaths, a good deal of the different meteorological conditions under which are England and Scotland; indeed, their broad differences are quite traceable in the varying proportion of deaths from certain diseases. Thus, Diarrhœa is now thoroughly proved to be so far under climatic agencies, that its chief mortality occurs during the warmer months, and its prevalence and mortality are almost always proportioned to the rise of temperature. In both countries Diarrhœa was more than usually prevalent during 1868; but the temperature of the

autumnal months was very much higher in England than in Scotland, and this higher temperature is pointedly indicated in the deaths from Diarrhœa; for, while Scotland only had 66 deaths from that disease in every hundred thousand persons, England had no fewer than 138 deaths in a like population.

Again, those sudden changes from mild weather to extreme cold, and *vice versa*, are much more common in Scotland than in England during the colder months of the year. It is these sudden changes which induce Bronchitis and other inflammatory affections of the respiratory organs. This peculiarity of the climate of Scotland is also very noticeable in the deaths. Thus, if we take the two most fatal of the diseases of the respiratory organs, viz. Bronchitis and Pneumonia, we find that in England only 247 persons died from these diseases in every hundred thousand persons, while in Scotland the deaths amounted to 274 in a like population.

Even the customs or domestic habits of the peoples of each of the countries are reflected in the deaths. Thus, the English are in the habit of stuffing their babies with spoon meat almost from birth; while the Scotch, excepting in cases where the mother is delicate or the child is out nursing, wisely give nothing excepting the mother's milk till the child begins to cut its teeth. The English practice occasioned the death, by Convulsions, of 23,198 children under one year of age during the year 1868, out of 786,858 births; in other words, caused one death from Convulsions in every 34 of the children born during the year in England. In Scotland, during the same year, only 312 infants under one year of age fell victims to Convulsions, out of 115,514 children born during the year; in other words, one death from Convulsions in every 370 born during the year. What a saving of infantile life would occur were the English to adopt the rational Scottish system!

Another instance may be noted. It is a known fact that malt liquor has a greater tendency to produce deranged biliary action than diluted alcohol in its pure state. Beer in all its forms is the national drink in

TABLE LVI.—The Nineteen most fatal Diseases in Scotland and England in 1868, arranged in the order and proportion of their fatality.

SCOTLAND.		ENGLAND.	
Diseases.	Proportion of Deaths to 100,000 living.	Diseases.	Proportion of Deaths to 100,000 living.
Phthisis . . . . .	268	Phthisis . . . . .	239
Bronchitis . . . . .	205	Atrophy, Debility, Premature } Birth . . . . .	193
Old Age . . . . .	195	Bronchitis . . . . .	155
Atrophy, Debility, Premature } Birth . . . . .	124	Diarrhœa . . . . .	138
Heart . . . . .	108	Old Age . . . . .	121
Fever . . . . .	106	Convulsions . . . . .	120
Scarlatina . . . . .	103	Heart Diseases . . . . .	105
Hooping-cough . . . . .	81	Scarlatina . . . . .	102
Pneumonia . . . . .	69	Pneumonia . . . . .	92
Diarrhœa . . . . .	66	Fever . . . . .	91
Hydrocephalus . . . . .	57	Measles . . . . .	54
Paralysis . . . . .	54	Paralysis . . . . .	50
Cancer . . . . .	43	Apoplexy . . . . .	49
Apoplexy . . . . .	39	Hooping-cough . . . . .	43
Measles . . . . .	37	Cancer . . . . .	41
All Liver Diseases . . . . .	35	All Liver Diseases . . . . .	39
Croup . . . . .	31	Hydrocephalus . . . . .	33
Teething . . . . .	30	Tabes Mesenterica . . . . .	32
Fractures and Contusions . . . . .	30	Fractures and Contusions . . . . .	30



England, whisky in Scotland; and the effect of these drinks seems to be reflected in the proportion of deaths from Liver Diseases in the two countries, for while Scotland had only the proportion of 35 deaths from all Liver Diseases in every hundred thousand of her population, the proportion in England was 39 deaths in a like population; and these proportions are pretty constant in both countries year after year.

These facts are pointed out with the view of showing that even a Table of Deaths can throw light on the habits of a nation, and on the meteorological conditions of the climate to whose influence its inhabitants are exposed.

WEATHER, AND ITS INFLUENCE ON THE HEALTH.

Whatever causes may be assigned as the originators of the various diseases which afflict the inhabitants of Scotland, this at least has been fully ascertained, that the weather is the great regulator of the mortality. In this country excess of heat and excess of cold seem to act equally injuriously on the health of the population, but with this marked difference, that the heat induces and increases the mortality of one class of diseases alone, viz., the bowel complaints, while the cold increases the fatality of all diseases.

The weather during 1868 illustrated both these effects, though it was peculiar, and exhibited striking differences from the average of former years;

TABLE LVII.—Meteorology of Scotland for the Year 1868, deduced from observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General for 1868; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1868.

1868.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temp. in shade	56°·0	60°·0	63°·0	69°·0	74°·2	84°·0	88°·5	91°·0	86°·5	66°·0	62°·5	59°·5	91°·0
Lowest Temp. in . do.	12°·0	15°·0	18°·8	22°·3	22°·0	32°·5	35°·0	38°·0	29°·0	23°·0	17°·8	16°·0	12°·0
Mean Day Temp. . .	41°·9	46°·6	48°·8	52°·4	58°·9	63°·8	69°·5	65°·5	59°·5	51°·3	43°·9	45°·0	53°·9
Mean Night Temp. .	33°·0	36°·7	36°·8	39°·6	44°·0	47°·5	51°·3	51°·5	46°·9	38°·5	34°·6	36°·2	41°·4
Daily Range . . . .	8°·9	9°·9	12°·0	12°·8	14°·9	16°·3	18°·2	14°·0	12°·6	12°·8	9°·3	8°·8	12°·5
Mean Temperature .	37°·5	41°·6	42°·8	46°·0	51°·4	55°·6	60°·4	58°·5	53°·2	44°·8	39°·2	40°·6	47°·6
Highest Temperature in sun . . . . .	84°·7	95°·4	115°·7	129°·4	125°·7	135°·4	143°·4	135°·1	130°·8	125°·8	91°·3	75°·4	143°·4
Lowest on grass at night	6°·0	14°·0	15°·0	17°·0	15°·0	27°·0	25°·0	12°·0	22°·0	12°·0	10°·0	10°·0	6°·0
Wet-bulb Temperature	36°·1	39°·3	40°·4	43°·3	48°·3	51°·7	56°·2	55°·2	50°·7	42°·7	37°·3	39°·2	45°·0
Dew-point Temperature	34°·3	37°·1	37°·9	40°·6	45°·3	48°·2	53°·0	52°·6	48°·6	40°·7	35°·2	37°·5	42°·6
Humidity of Air . .	89	86	85	84	80	77	78	83	86	87	87	90	84
Elastic force of Vapour (inches) . . . . .	·199	·221	·229	·254	·303	·339	·403	·398	·343	·254	·206	·226	·281
Number of Rainy Days	17	18	17	13	15	11	6	16	13	17	13	19	175
Amount of Rain (inch.)	5·53	4·75	4·22	3·31	2·51	1·14	0·70	5·18	3·34	3·71	2·62	6·02	43·03
Amount of Cloud . .	7·1	6·7	6·6	7·2	6·4	5·8	5·5	6·6	6·9	5·9	6·8	6·8	6·5
Hours of Sunshine . .	53	89	130	141	211	264	275	183	124	123	67	58	1718
Mean Barometer (in.)	29·742	29·799	29·749	29·852	29·882	30·034	30·058	29·808	29·903	29·772	29·955	29·312	29·822
Easterly Winds (num- ber of days) . . . .	10	...	1	7	6	3	8	8	14	3	10	9	79
Westerly Winds (do.)	14	25	23	16	16	21	14	16	9	20	11	13	198
Births . . . . .	9566	9132	9999	10228	10428	10327	9845	9328	9181	9600	8548	9332	115514
Deaths . . . . .	6305	5687	6050	5753	5689	5516	5639	5355	5165	5437	5709	6611	69416
Marriages . . . . .	2654	1385	1248	1331	999	3331	2078	1351	1275	1424	2183	2596	21855
Daily Births . . . .	309	315	323	341	337	345	318	301	306	310	285	301	316
Daily Deaths . . . .	204	192	195	192	183	184	182	189	172	175	191	213	189

and coincident with this the monthly mortality differed less than during almost any year of which we have records, and deviated far from the average, as may be seen in Table LVIII.

The peculiarities of the year as to weather may be shortly stated.

During the first quarter—our winter months—no truly wintry weather occurred, frost and snow being almost unknown over all the lower-lying portions of the country. The mean temperature of the first quarter of the year during the ten previous years was 37°·9 Fahr., and that temperature was accompanied by a mean mortality of 2·49 deaths in every hundred persons. But during the first quarter of 1868 the mean temperature was 40°·6, or 2°·7 higher than the average temperature, and the mean mortality was only 2·26 deaths in every hundred persons. In other words, the milder winter weather of 1868 saved the lives of 1833 persons in Scotland during the first quarter of the year.

During the second quarter of the year the mean temperature is wonderfully uniform in Scotland from year to year, the difference between one year and another being chiefly caused by the keenness and strength of the northerly and easterly winds. In average seasons these blow with cutting severity, and with the above mean temperature produce a death-rate of 2·22 deaths per hundred persons. During the second quarter of 1868, however, the average temperature was 51°, and instead of suffering severely from the biting northerly and easterly winds, balmy westerly and south-westerly breezes were the prevalent ærial currents; and the consequence of this more genial spring was seen on the mortality, inasmuch as only 2·12 deaths occurred in every hundred of the population. In other words, the less severe spring weather of 1868 saved the lives of 796 persons in Scotland during the second quarter.

The third quarter of the year was characterized by an unusual high temperature and drought. This quarter, on the average of years, has a mean temperature of 55°·3, and a mean death-rate of 1·90 deaths in every hundred of the population. In Scotland, the third quarter is generally the healthiest, because the heat is rarely oppressive, and the mean temperature of the warmest month rarely reaches 60° Fahr. In tropical and continental countries, however, where the summer heat is excessive, the third quarter is the most fatal of the year, because the heat induces all kinds of bowel complaints and miasmatic fevers. Even Scotland feels the increase of

TABLE LVIII.—Monthly Mortality in Scotland in 1868, compared with that of the Ten Years 1855-1864.

MONTHS.	1868.			1855-64.
	Absolute Monthly Deaths.	Deaths when Months equalized to 31 Days.	Monthly Proportion to 12,000 per annum.	Monthly Proportion.
January . . . . .	6305	6305	1073	1134
February . . . . .	5687	6079	1034	1193
March . . . . .	6050	6050	1029	1145
April . . . . .	5753	5945	1011	1083
May . . . . .	5689	5689	968	1010
June . . . . .	5516	5700	970	956
July . . . . .	5639	5639	959	895
August . . . . .	5855	5855	996	856
September . . . . .	5165	5337	908	843
October . . . . .	5437	5437	925	858
November . . . . .	5709	5899	1003	954
December . . . . .	6611	6611	1124	1073
YEAR . . . . .	69,416	70,546	12,000	12,000



heat, and marks it on her deaths. Accordingly, whenever the mean temperature in Scotland rises above 55°, bowel complaints become prevalent, and increase in prevalence and fatality just in proportion to the rise of mean temperature above that point. During the third quarter of 1868 the mean temperature was 57°·4, that of July having been 60°·4, that of August 58°·5; and the deaths over the country so increased under that unusual heat that the death-rate rose to 2·09 deaths in every hundred of the population. In other words, the unusual heat of the third quarter so increased the deaths that 1514 more persons died in Scotland than would have died had the usual cooler temperature prevailed.

During the fourth, or autumnal quarter, the temperature falls, and with the fall of temperature the deaths from almost all diseases increase. The fourth quarter of 1868 had a temperature below the mean, but its hurtful effect was rendered more powerful from the circumstance that the heat which had preceded it was greater than usual. Instead of the mortality, therefore, being at the rate of 2·14 deaths in every hundred persons, it was in the proportion of 2·22 deaths in a like population, and thus caused 673 more persons to lose their lives than would have died had the weather been the average of the ten previous years.

These striking facts prove how closely our health and lives are dependent on the kind of weather which prevails.

To show still more strongly the exceptional character of the year 1868, let us compare the monthly mortality with that of the ten years 1855–1864, as shown in Table LVIII. If we take these ten years as a fair sample of the average mortality of the months in Scotland, all being reduced to proportion, then the most fatal month is February, after which comes March, then January. The fourth most fatal month is April, and the fifth December. But in 1868 December was by far the most fatal month, then followed January, February, and March in the order named, then April, then November.

TABLE LIX.—Deaths, Temperatures, and Fall of Rain, in the Eight Principal Towns of Scotland during each Week of the Year 1868.

No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	DEATHS.	TEMPERATURE.			RAIN, in inches
			Mean.	Highest	Lowest.					Mean.	Highest	Lowest.	
			°	°	°					°	°	°	
1	January 4	481	34·3	47·0	22·5	0·254	27	July 4	494	61·6	86·0	42·0	0·000
2	11	554	36·8	48·0	26·0	0·481	28	11	484	59·6	81·8	44·9	0·070
3	18	553	43·0	55·5	30·8	2·333	29	18	491	61·7	85·7	47·9	0·152
4	25	561	35·7	55·1	18·0	1·892	30	25	585	61·1	82·6	43·0	0·236
5	February 1	544	43·2	55·0	30·6	2·388	31	August 1	582	62·5	81·0	45·0	0·034
6	8	526	39·9	50·0	29·0	1·837	32	8	618	65·5	87·7	51·3	0·552
7	15	504	43·4	54·9	25·6	0·735	33	15	545	59·3	72·0	47·6	3·181
8	22	501	42·0	52·0	30·0	1·272	34	22	533	58·5	76·0	44·1	1·177
9	29	568	47·0	59·0	32·0	0·763	35	29	469	55·2	69·2	45·6	0·815
10	March 7	542	42·1	53·0	29·7	1·359	36	September 5	506	58·4	75·7	41·0	0·403
11	14	543	44·0	60·0	31·0	1·002	37	12	431	56·1	84·3	37·0	0·260
12	21	539	45·5	58·5	32·1	0·725	38	19	496	50·0	61·7	32·4	0·602
13	28	529	42·5	60·0	27·4	0·742	39	26	495	53·4	69·5	38·0	1·396
14	April 4	532	49·3	62·0	35·0	0·000	40	October 3	524	49·9	64·8	31·0	1·334
15	11	490	42·5	57·0	28·0	0·558	41	10	480	49·2	61·2	35·1	0·372
16	18	552	48·1	68·0	30·1	0·238	42	17	538	47·3	61·0	34·0	0·753
17	25	522	48·1	60·0	37·7	1·649	43	24	503	41·4	57·0	28·0	0·929
18	May 2	522	48·5	65·2	32·9	0·786	44	31	560	45·2	60·2	31·8	1·014
19	9	523	48·7	68·2	29·5	0·280	45	November 7	492	41·5	61·0	23·0	1·649
20	16	560	52·5	67·0	30·0	0·431	46	14	588	37·7	53·0	25·0	0·334
21	23	502	53·4	71·0	34·3	0·955	47	21	627	38·2	51·9	25·0	0·109
22	30	521	55·3	72·7	43·0	0·581	48	28	609	40·6	53·0	30·1	0·388
23	June 6	507	55·0	70·3	41·1	0·212	49	December 5	644	43·5	55·0	31·0	1·332
24	13	505	54·8	75·2	38·0	0·081	50	12	575	42·6	57·0	25·0	1·553
25	20	485	57·0	79·6	39·2	0·247	51	19	583	42·9	57·1	29·0	1·606
26	27	518	58·4	74·8	45·6	0·371	52	26	596	40·0	57·0	30·6	1·590

In ordinary seasons the Table shows that September is the most healthy month, then August, and then October. But in 1868, though September was also the healthiest month, October was the second healthiest, and July the third, while May and June also were both healthier than August, so that, during that year, five months were healthier than August.

Table LIX. shows the connection between weekly temperature and the weekly deaths in the Eight Principal Towns of Scotland, and still more strikingly illustrates the close dependence of the mortality on the kind of weather which prevails. In reading that Table of the weekly deaths, it is to be remembered that if the extreme heat or extreme cold occurred at the end of the week, the deaths caused by that heat or cold would be entered on the Registers of the subsequent week; but if the heat or cold occurred at the beginning of the week, the mortality caused thereby would be entered on the Registers during the same week.

The warmest week in Scotland in 1858, was the 32d week, that ending 8th August, when the highest temperature was  $87^{\circ}\cdot7$  in the shade, and the mean temperature was  $65^{\circ}\cdot5$ . The deaths for the second and third weeks of July had been 484 and 491 weekly in the Eight Towns, but in the week specified they rose to 618, being a number very much higher than during any previous week of 1868.

On the week ending 29th August, the mean temperature had declined to  $55^{\circ}\cdot2$ , and the deaths had diminished to 469. But during the next week, that ending 5th September, the mean temperature had risen to  $58^{\circ}\cdot4$ , and with it the weekly deaths rose to 506.

The effect of cold was equally remarked. November was the coldest of the closing months of the year. During the week ending 7th November, the mean temperature was  $41^{\circ}\cdot5$ , and the weekly deaths 492. During the next week the mean temperature fell to  $37^{\circ}\cdot7$ , and with the descent of temperature the deaths rose to 588. The cold continuing, the next, or third week of November, was still more fatal to the population, and produced 627 deaths. But during the three closing weeks of the year, when

TABLE LX.—Showing the connection between Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease, in the Eight Principal Towns of Scotland, during each Month of the Year 1868.

1868.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature . . .	38°·9	42°·9	44°·2	46°·8	52°·6	56°·8	61°·0	59°·8	54°·1	45°·6	39°·6	41°·1
Highest Temperature . . .	56°·0	59°·2	62°·2	67°·3	72°·7	79°·6	86°·2	87°·7	84°·3	65°·0	61°·8	57°·0
Lowest Temperature . . .	18°·0	25°·6	28°·0	28°·9	29°·5	38°·0	43°·7	44°·0	32°·4	28°·0	23°·0	21°·0
Rainfall in inches . . .	6·73	4·53	3·98	3·29	2·27	1·00	0·54	5·33	3·26	3·57	2·80	6·59
Easterly Winds (days) . .	8	1	—	6	6	5	10	8	14	3	11	9
Westerly Winds (days) . .	15	24	23	14	16	20	15	16	9	23	12	13
Total Deaths . . .	2423	2170	2409	2248	2248	2232	2358	2404	2065	2298	2474	2702
Daily Deaths . . .	78	75	78	75	72	75	76	77	69	74	82	87
Zymotic Diseases . . .	499	469	535	483	520	537	666	781	630	726	642	685
Small-pox . . .	—	—	2	2	—	—	1	1	1	—	3	1
Measles . . .	32	69	70	89	116	122	87	55	37	34	28	37
Scarlatina . . .	108	87	77	62	75	78	72	100	185	325	272	263
Diphtheria . . .	27	22	22	13	10	12	11	8	11	16	25	27
Hooping-Cough . . .	99	87	155	145	131	165	135	121	92	95	83	101
Croup . . .	48	30	30	20	20	17	14	22	37	48	34	47
All Fevers . . .	131	113	110	90	101	86	82	77	86	98	107	138
Diarrhœa . . .	25	22	36	25	28	29	201	311	131	71	40	25
Dysentery . . .	3	6	3	7	8	4	10	29	12	4	6	6
Cholera . . .	1	1	—	2	—	—	24	32	10	5	1	2
Consumption . . .	284	268	341	312	325	320	301	287	228	235	232	269
Diseases Respiratory Organs	522	381	392	414	348	358	240	271	230	364	511	580
Heart, etc., Diseases . .	121	95	101	103	98	103	71	64	97	85	110	115
Brain, etc., Diseases . .	173	178	223	193	174	162	212	194	167	177	191	210
Debility and Premat. Birth	134	119	119	103	129	116	145	140	110	110	119	117
Age . . .	118	100	101	97	107	91	84	84	85	71	108	132



the mean temperature continued to range from 40° to 42°9, the weekly deaths were 575, 583, and 596.

Table LX. shows the influence of weather on the monthly mortality of different diseases in the Eight Principal Towns of Scotland. As above remarked, the year 1868 was especially remarkable for the great heat in summer months, or third quarter; and it is interesting to notice the effect of this heat on the monthly deaths, from the bowel complaints Diarrhœa, Dysentery, and Cholera, in the Eight Towns. These diseases are not suddenly fatal, but linger on for a week or two after the heat which had given rise to them is past; some of the mortality is therefore thrown into the cooler months. The heat began to rise in June, but its influence was not seen on the bowel complaints, for only 33 deaths from them occurred in the Towns during that month. The mean temperature in the Towns was 61° in July, and the deaths from the bowel complaints rose to 235. The temperature was nearly as high in August, and the bowel complaints furnished 372 deaths. September was much cooler, and the deaths from these diseases fell to 153; and as the temperature lowered, they sunk to 80 deaths in October, to 47 deaths in November, and to 33 deaths in December.

The converse of all this was seen in the inflammatory affections of the respiratory organs. These diseases increase in frequency and fatality with the general depression of temperature. Accordingly, while the genial month of September only showed 230 deaths from these diseases in the Eight Towns, October produced 364 deaths, November 511 deaths, and December 580 deaths.

Consumption, again, is a disease which proves most fatal during those months when the cold, biting, arid, easterly winds are the prevalent ærial currents. In Scotland these winds begin to blow in March and continue till nearly the close of June; but as they were less keen than usual during 1868, so their pernicious effects on Consumption were not so strikingly manifested as in former years; still they were quite marked. Thus, in the month of February, before these winds began to blow, only 268 deaths from Consumption occurred; but March, with its keen easterly winds, yielded 341 deaths from that disease, and the deaths continued above 300 monthly till the end of June, falling rapidly after that to 228 in September.

In the Appendix is given a series of Tables having reference to the

TABLE LXI.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Fourteen Years 1855-1868.

YEAR.	Average Price of WHEAT per quarter.		DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.	
	s.	d.		s.	d.
1855	74	8	62,004	100	6
1856	69	2	52,529	85	6
1857	56	5	61,906	120	8
1858	44	3	63,539	120	0
1859	43	10	61,714	94	0
1860	53	3	68,170	132	6
1861	55	4	62,341	124	0
1862	55	5	67,195	137	0
1863	44	8	71,481	100	0
1864	40	2	74,416	75	0
1865	41	9	70,891	85	5
1866	49	11	71,348	89	6
1867	64	5	69,068	138	0
1868	63	9	69,416	137	6

Eight Principal Towns of Scotland, showing the influence of season on the mortality at four periods of life, both for the year 1868 and for the ten-yearly period 1858-1867. The facts there brought to light merit a careful study, as they not only corroborate what has been advanced in the above Report, but also give further evidence of the peculiarities of the year 1868, and show how strongly these peculiarities of the weather during each month of the year are marked on the mortality at the different periods of life.

We have failed to trace in Scotland any connection between the price of provisions and the mortality; but as this subject was commented on at some length in our last Report, Table LXL, which shows the prices of wheat and potatoes in connection with the deaths in Scotland for the fourteen years 1855-68, is allowed to tell its own tale.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,  
EDINBURGH, *December 7, 1870.*



TABLE I.—PRINCIPAL TOWNS. Ten Years' Summary of Births, Deaths, and Marriages, 1858-1867.

YEARS.	MEAN POPULATION.			BIRTHS.				DEATHS.			MAR- RIAGES.
	Total.	Males.	Fem.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1858	...	...	...	32563	16828	15735	2779	23445	11770	11675	6865
1859	...	...	...	33027	16885	16142	2818	22352	11075	11277	7554
1860	...	...	...	32958	17035	15923	2874	26066	12814	13252	7688
1861	...	...	...	34351	17444	16907	3211	23149	11464	11685	7753
1862	...	...	...	34436	17649	16787	3457	24960	12270	12690	7724
1863	...	...	...	35888	18537	17351	3550	27045	13624	13421	8544
1864	...	...	...	37058	18930	18128	3660	28845	14504	14341	8897
1865	...	...	...	38109	19591	18518	3731	28515	14263	14252	9347
1866	...	...	...	38541	19741	18800	3977	27466	13742	13724	9458
1867	...	...	...	39012	20033	18979	3870	26519	13219	13300	8870
Ten Years.	902423	415722	486701	355943	182673	173270	33927	258362	128745	129617	82700

TABLE II.—LARGE TOWNS. Ten Years' Summary of Births, Deaths, and Marriages, 1858-1867.

YEARS.	MEAN POPULATION.			BIRTHS.				DEATHS.			MAR- RIAGES.
	Total.	Males.	Fem.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1858	...	...	...	9282	4728	4554	757	6163	3034	3129	1824
1859	...	...	...	9545	4927	4618	756	5775	2946	2829	1918
1860	...	...	...	9223	4733	4490	743	6042	2972	3070	1983
1861	...	...	...	9695	4983	4712	808	5831	2869	2962	1940
1862	...	...	...	9618	4994	4624	864	6566	3286	3280	1837
1863	...	...	...	9895	5086	4809	909	6780	3358	3422	2086
1864	...	...	...	10263	5222	5041	871	7132	3544	3588	2234
1865	...	...	...	10594	5491	5103	891	6896	3352	3544	2304
1866	...	...	...	10453	5363	5090	889	6906	3378	3528	2279
1867	...	...	...	10651	5414	5237	869	6776	3322	3454	2156
Ten Years.	259042	121795	137247	99219	50941	48278	8357	64867	32061	32806	20561

TABLE III.—SMALL TOWNS. Ten Years' Summary of Births, Deaths, and Marriages, 1858-1867.

YEARS.	MEAN POPULATION.			BIRTHS.				DEATHS.			MAR- RIAGES.
	Total.	Males.	Fem.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1858	...	...	...	17678	9194	8484	1574	10076	5046	5030	3133
1859	...	...	...	18533	9538	8995	1705	10045	4975	5070	3643
1860	...	...	...	18239	9385	8854	1611	11070	5480	5590	3443
1861	...	...	...	18453	9352	9101	1611	10366	5150	5216	3365
1862	...	...	...	18376	9551	8825	1663	10933	5368	5565	3289
1863	...	...	...	18707	9626	9081	1793	11542	5862	5680	3521
1864	...	...	...	19389	9952	9437	1898	12294	6132	6162	3750
1865	...	...	...	19283	9963	9320	1873	11256	5598	5658	3779
1866	...	...	...	19326	9912	9414	1907	11809	5777	6032	3839
1867	...	...	...	19178	9840	9338	1845	11557	5786	5771	3607
Ten Years.	510897	242007	268890	187162	96313	90849	17480	110948	55174	55774	35369

TABLE IV.—TOTAL TOWN DISTRICTS. Ten Years' Summary of Births, Deaths, and Marriages, 1858-1867.

YEARS.	MEAN POPULATION.			BIRTHS.				DEATHS.			MAR- RIAGES.
	Total.	Males.	Fem.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1858	...	...	...	59523	30750	28773	5110	39684	19850	19834	11822
1859	...	...	...	61105	31350	29755	5279	38172	18996	19176	13115
1860	...	...	...	60420	31153	29267	5228	43178	21266	21912	13114
1861	...	...	...	62499	31779	30720	5630	39346	19483	19863	13058
1862	...	...	...	62430	32194	30236	5984	42459	20924	21535	12850
1863	...	...	...	64490	33249	31241	6252	45367	22844	22523	14151
1864	...	...	...	66710	34104	32606	6429	48271	24180	24091	14881
1865	...	...	...	67986	35045	32941	6495	46667	23213	23454	15430
1866	...	...	...	68320	35016	33304	6773	46181	22897	23284	15576
1867	...	...	...	68841	35287	33554	6584	44852	22327	22525	14633
Ten Years.	1672362	779524	892838	642324	329927	312397	59764	434177	215980	218197	138630

TABLE V.—RURAL DISTRICTS. Ten Years' Summary of Births, Deaths, and Marriages, 1858-1867.

YEARS.	MEAN POPULATION.			BIRTHS.				DEATHS.			MAR- RIAGES.
	Total.	Males.	Fem.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1858	...	...	...	44495	22944	21551	4244	23855	11802	12053	7833
1859	...	...	...	45438	23278	22160	4436	23542	11592	11950	8086
1860	...	...	...	45209	23256	21953	4508	24992	12344	12648	8111
1861	...	...	...	44510	22827	21683	4299	22995	11407	11588	7838
1862	...	...	...	44639	23063	21576	4392	24736	12255	12481	7747
1863	...	...	...	44851	22977	21874	4696	26114	12787	13327	8083
1864	...	...	...	45623	23270	22353	4768	26145	12830	13315	7844
1865	...	...	...	45084	23175	21909	4767	24224	11977	12247	8181
1866	...	...	...	45347	23344	22003	4900	25167	12458	12709	8112
1867	...	...	...	45203	23230	21973	4564	24216	12036	12180	7985
Ten Years.	1420305	683338	736967	450399	231364	219035	45574	245986	121488	124498	79820

TABLE VI.—SCOTLAND. Ten Years' Summary of Births, Deaths, and Marriages, 1858-1867.

YEARS.	MEAN POPULATION.			BIRTHS.				DEATHS.			MAR- RIAGES.
	Total.	Males.	Fem.	Total.	Males.	Fem.	Illegit.	Total.	Males.	Fem.	
1858	...	...	...	104018	53694	50324	9354	63539	31652	31887	19655
1859	...	...	...	106543	54628	51915	9715	61714	30588	31126	21201
1860	...	...	...	105629	54409	51220	9736	68170	33610	34560	21225
1861	...	...	...	107009	54606	52403	9929	62341	30890	31451	20896
1862	...	...	...	107069	55257	51812	10376	67195	33179	34016	20597
1863	...	...	...	109341	56226	53115	10948	71481	35631	35850	22234
1864	...	...	...	112333	57374	54959	11197	74416	37010	37406	22725
1865	...	...	...	113070	58220	54850	11262	70891	35190	35701	23611
1866	...	...	...	113667	58360	55307	11673	71348	35355	35993	23688
1867	...	...	...	114044	58517	55527	11148	69068	34363	34705	22618
Ten Years.	3092667	1462862	1629805	1092723	561291	531432	105338	680163	337468	342695	218450



TABLE VII.—Annual Per-centage of Births, Deaths, and Marriages to Population in the several Town and Rural Districts of Scotland during the Ten Years 1858-1867; and the Proportion of Illegitimate to Total Births.

	BIRTHS.				DEATHS.			MAR- RIAGES.
	Total.	Males.	Fem.	Illegit. to Total Births.	Total.	Males.	Fem.	
Principal Towns . . . .	3·944	4·394	3·560	9·3	2·863	3·089	2·663	0·916
Large Towns . . . . .	3·830	4·182	3·517	8·4	2·504	2·632	2·390	0·793
Small Towns . . . . .	3·663	3·979	3·379	9·3	2·171	2·279	2·074	0·692
Total Town Districts . .	3·841	4·245	3·499	9·3	2·596	2·770	2·444	0·829
Rural Districts . . . . .	3·164	3·385	2·972	10·1	1·732	1·777	1·689	0·562
SCOTLAND . . . . .	3·533	3·836	3·261	9·6	2·199	2·306	2·108	0·706

TABLE VIII.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Ten Years 1858-1867.

MONTHS.	Absolute Number of Deaths— Ten Years.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5-20.	20-60.	60 and above.	Total.	Under 5 years.	5-20.	20-60.	60 and above.	Total.
January . . . . .	11156	2351	7582	4723	25812	43·22	9·11	29·37	18·30	100·00
February . . . . .	10114	2209	6536	4033	22892	44·18	9·65	28·55	17·62	100·00
March . . . . .	10501	2351	7282	4175	24309	43·20	9·67	29·95	17·18	100·00
April . . . . .	9803	2199	6545	3748	22295	43·97	9·86	29·36	16·81	100·00
May . . . . .	9330	2364	6479	3366	21539	43·32	10·97	30·08	15·63	100·00
June . . . . .	8512	2148	5883	3210	19753	43·09	10·88	29·78	16·25	100·00
July . . . . .	9246	2136	5634	3014	20030	46·16	10·66	28·13	15·05	100·00
August . . . . .	8666	1995	5201	2812	18674	46·41	10·68	27·85	15·06	100·00
September . . . . .	8249	1914	4793	2525	17481	47·19	10·95	27·42	14·44	100·00
October . . . . .	9265	2229	5294	2783	19571	47·34	11·39	27·05	14·22	100·00
November . . . . .	10261	2217	6034	3635	22147	46·33	10·01	27·25	16·41	100·00
December . . . . .	10744	2256	6665	4040	23705	45·32	9·52	28·12	17·04	100·00
TEN YEARS . . . . .	115,847	26,369	73,928	42,064	258,208	44·86	10·21	28·63	16·30	100·00

TABLE IX.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age during every Month of the Ten Years 1858-1867.

MONTHS.	Relative Number of Deaths, Ten Years.					Monthly Deaths, proportioned to 1000 per Month or 12,000 per Annum.
	Under 5 years.	5-20.	20-60.	60 and above.	Total.	
January . . . . .	11156	2351	7582	4723	25812	1176
February . . . . .	11191	2443	7229	4462	25325	1154
March . . . . .	10501	2351	7282	4175	24309	1108
April . . . . .	10130	2272	6763	3873	23038	1050
May . . . . .	9330	2364	6479	3366	21539	982
June . . . . .	8795	2220	6079	3317	20411	930
July . . . . .	9246	2136	5634	3014	20030	913
August . . . . .	8666	1995	5201	2812	18674	851
September . . . . .	8524	1978	4953	2609	18064	823
October . . . . .	9265	2229	5294	2783	19571	890
November . . . . .	10603	2291	6235	3756	22885	1043
December . . . . .	10744	2256	6665	4040	23705	1080
TEN YEARS . . . . .	118,151	26,886	75,396	42,930	263,363	12,000

TABLE X.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Year 1868.

MONTHS.	Absolute Number of Deaths in 1868.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5-20.	20-60.	60 and above.	Total Deaths.	Under 5 years.	5-20.	20-60.	60 and above.	Total.
January . . .	1007	252	735	429	2423	41·56	10·40	30·33	17·71	100·00
February . . .	943	241	628	358	2170	43·46	11·10	28·94	16·50	100·00
March . . . .	1044	270	710	385	2409	43·34	11·21	29·47	15·98	100·00
April . . . . .	1002	237	627	382	2248	44·58	10·54	27·89	16·99	100·00
May . . . . .	1016	258	617	357	2248	45·19	11·48	27·45	15·88	100·00
June . . . . .	1033	231	639	329	2232	46·28	10·35	28·63	14·74	100·00
July . . . . .	1195	236	606	321	2358	50·68	10·01	25·70	13·61	100·00
August . . . .	1194	232	632	346	2404	49·67	9·65	26·29	14·39	100·00
September . . .	981	228	540	316	2065	47·50	11·05	26·15	15·30	100·00
October . . . .	1070	295	604	329	2298	46·56	12·84	26·29	14·31	100·00
November . . .	1070	283	678	443	2474	43·25	11·44	27·40	17·91	100·00
December . . .	1173	273	797	459	2702	43·41	10·10	29·50	16·99	100·00
YEAR . . .	12,728	3036	7813	4454	28,031	45·40	10·83	27·88	15·89	100·00

TABLE XI.—Months equalized to 31 days, and Deaths at each age corrected thereto, in order to show the relative Mortality at each Age during every Month of the Year 1868.

MONTHS.	Relative Number of Deaths, 1868.					Monthly Deaths, proportioned to 1000 per Month or 12,000 per Annum.
	Under 5 years.	5-20.	20-60.	60 and above.	Total.	
January . . . . .	1007	252	735	429	2423	1021
February . . . . .	1009	257	672	382	2320	977
March . . . . .	1044	270	710	385	2409	1015
April . . . . .	1035	245	648	395	2323	979
May . . . . .	1016	258	617	357	2248	947
June . . . . .	1067	239	660	340	2306	972
July . . . . .	1195	236	606	321	2358	993
August . . . . .	1194	232	632	346	2404	1013
September . . . .	1014	236	558	326	2134	899
October . . . . .	1070	295	604	329	2298	968
November . . . . .	1106	292	700	458	2556	1077
December . . . . .	1173	273	797	459	2702	1139
YEAR . . .	12,930	3085	7939	4527	28,481	12,000





## BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1868.

1868.		POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Males.	Fem.	Total.			
SCOTLAND - -		2,888,742	3,062,294	59222	56292	115514	5847	5507	11354	34662	34754	69416	21855	46098	19,639,377
DIVISIONS.															
1	NORTHERN, . . .	127,035	130,422	1676	1580	3256	102	112	214	849	962	1811	553	1445	2,261,662
2	NORTH-WESTERN, .	175,735	167,329	2334	2242	4576	140	143	283	1229	1335	2564	707	2012	4,739,876
3	NORTH-EASTERN, .	348,366	366,783	6668	6251	12919	1009	972	1981	3314	3320	6634	2436	6285	2,429,594
4	EAST-MIDLAND, .	515,966	523,822	9565	9045	18610	1009	955	1964	5377	5646	11023	3508	7587	2,790,492
5	WEST-MIDLAND, .	241,447	242,507	4225	3941	8166	337	289	626	2537	2490	5027	1369	3139	2,693,176
6	SOUTH-WESTERN, .	881,092	1,008,253	23043	21987	45030	1991	1866	3857	14568	14085	28653	8566	16377	1,462,397
7	SOUTH-EASTERN, .	383,217	408,962	8388	7922	16310	758	676	1434	4868	4771	9639	3526	6671	1,192,524
8	SOUTHERN, . . .	215,884	214,216	3323	3324	6647	501	494	995	1920	2145	4065	1190	2582	2,069,696
COUNTIES.															
I. NORTHERN.															
1	Shetland, . . .	31,078	31,670	408	367	775	16	21	37	196	237	433	149	342	598,726
2	Orkney, . . .	31,455	32,395	417	399	816	13	26	39	177	253	430	154	386	
3	Caithness, . . .	39,782	42,200	597	569	1166	53	48	101	327	290	617	170	549	455,708
4	Sutherland, . . .	24,720	24,157	254	245	499	20	17	37	149	182	331	80	168	1,207,188
II. NORTH-WESTERN.															
5	Ross and Cromarty, .	83,781	82,427	1084	1096	2180	52	50	102	523	660	1123	365	1057	2,016,375
6	Inverness, . . .	91,954	84,902	1250	1146	2396	88	93	181	706	735	1441	342	955	2,723,501
III. NORTH-EASTERN.															
7	Nairn, . . .	8,076	8,347	119	122	241	14	10	24	64	59	123	48	118	137,500
8	Elgin (or Moray), .	40,532	44,218	744	671	1415	105	94	199	358	347	705	244	710	340,000
9	Banff, . . .	51,353	56,020	959	936	1895	151	177	328	491	517	1008	300	887	439,219
10	Aberdeen, . . .	213,591	223,474	4272	3959	8231	653	603	1256	2143	2128	4271	1614	3960	1,260,625
11	Kincardine, . . .	34,814	34,724	574	563	1137	86	88	174	258	269	527	230	610	252,250
IV. EAST-MIDLAND.															
12	Forfar, . . .	193,627	206,750	4378	4218	8596	508	503	1011	2498	2658	5156	1588	3440	568,750
13	Perth, . . .	137,369	133,198	1946	1801	3747	221	190	411	1188	1231	2419	760	1328	1,814,063
14	Fife,* . . .	153,789	155,021	2743	2595	5338	219	227	446	1392	1419	2811	996	2527	328,427
15	Kinross,* . . .	9,626	8,731	110	98	208	14	11	25	62	65	127	37	81	49,812
16	Clackmannan, . . .	21,555	20,122	388	333	721	47	24	71	237	273	510	127	211	29,440
V. WEST-MIDLAND.															
17	Stirling, . . .	83,802	88,138	1812	1659	3471	148	130	278	969	993	1962	593	1509	295,875
18	Dumbarton, . . .	46,995	54,179	1143	1047	2190	91	71	162	687	603	1290	364	900	204,800
19	Argyll, . . .	94,042	83,859	1067	1040	2107	82	74	156	701	670	1371	334	736	2,083,126
20	Bute, . . .	16,608	16,331	203	195	398	16	14	30	180	224	404	78	—6	109,375
VI. SOUTH-WESTERN.															
21	Renfrew,* . . .	157,950	168,746	3683	3544	7227	283	251	534	2405	2393	4798	1412	2429	158,268
22	Ayr,* . . .	189,973	199,063	3919	3716	7635	366	353	719	1935	1861	3796	1429	3839	735,262
23	Lanark,* . . .	533,169	640,444	15441	14727	30168	1342	1262	2604	10228	9831	20059	5725	10109	568,867
VII. SOUTH-EASTERN.															
24	Linlithgow,* . . .	20,590	39,045	934	878	1812	69	72	141	379	396	775	285	1037	81,113
25	Edinburgh,* . . .	259,493	274,093	5782	5423	11205	530	451	981	3678	3581	7259	2676	3946	234,925
26	Haddington,* . . .	36,363	37,626	667	566	1233	54	52	106	321	326	647	241	586	179,142
27	Berwick,* . . .	36,165	36,488	568	640	1208	68	72	140	266	256	522	181	686	302,951
28	Peebles,* . . .	10,804	11,300	192	188	380	16	9	25	100	75	175	62	205	227,869
29	Selkirk,* . . .	9,802	10,410	245	227	472	21	20	41	124	137	261	81	211	166,524
VIII. SOUTHERN.															
30	Roxburgh,* . . .	51,225	53,722	898	877	1775	94	108	202	460	505	965	321	810	428,494
31	Dumfries,* . . .	78,149	75,904	1164	1210	2374	182	186	368	669	754	1423	460	951	702,953
32	Kirkcudbright,* . .	43,371	42,745	680	652	1332	121	113	234	398	464	862	214	470	610,343
33	Wigtown,* . . .	43,139	41,845	581	585	1166	104	87	191	393	422	815	195	351	327,906

\* In all the Counties marked thus \*, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.



No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
I. NORTHERN.													
1. SHETLAND.													
1	Bressay, etc.—(1) Bressay	906	915	15	11	26	1	—	1	6	4	10	8
	(2) Burrà and Quarff,	906	890	15	12	27	—	1	1	2	3	5	6
2	Delting, . . . . .	2124	1975	22	27	49	2	2	4	12	11	23	4
3	Dunrossness, etc.—												
	(1) Dunrossness, . . . . . c.	2005	2113	21	27	48	1	1	2	14	13	27	8
	(2) Sandwick and Cunningsburgh, . . . . . c.	2220	2337	36	30	66	2	—	2	10	19	29	15
	(3) Fair Isle, . . . . .	280	380	4	7	11	—	—	—	6	3	9	—
4	Fetlar, etc.—												
	(1) Fetlar, . . . . .	658	548	4	4	8	—	—	—	2	4	6	1
	(2) North Yell, . . . . .	998	932	18	6	24	1	1	2	9	9	18	4
5	LERWICK (incl. Town), . . . . .	3390	3631	50	54	104	1	4	5	40	35	75	44
6	Mid and South Yell, . . . . .	1741	1784	24	21	45	—	—	—	11	12	23	7
7	Nesting, etc.—												
	(1) Nesting, . . . . . c.	806	855	11	8	19	1	1	2	3	5	8	3
	(2) Lunnasting, . . . . . c.	830	880	11	8	19	1	—	1	4	6	10	1
	(3) Whalsay and Skerries	784	848	20	13	33	—	—	—	4	6	10	7
8	Northmavine, . . . . .	2534	2585	30	29	59	—	1	1	17	15	32	6
9	Sandsting and Aithsting, . . . . .	2603	2670	28	29	57	1	2	3	19	20	39	11
10	Tingwall, etc.—												
	(1) Tingwall, . . . . . c.	1654	1554	15	15	30	—	3	3	7	11	18	7
	(2) Whiteness & Weisdale	c. 1220	1143	16	7	23	2	—	2	4	5	9	4
11	Unst, . . . . .	2977	3060	38	34	72	3	3	6	13	30	43	6
12	Walls, etc.—(1) Walls, . . . . . c.	1280	1365	15	15	30	—	1	1	10	12	22	5
	(2) Sandness, . . . . . c.	563	606	11	5	16	—	1	1	3	8	11	2
	(3) Papa-Stour, . . . . .	359	366	3	5	8	—	—	—	—	4	4	—
	(4) Foula, . . . . .	240	233	1	—	1	—	—	—	—	2	2	—
Total,		31078	31670	408	367	775	16	21	37	196	237	433	149
2. ORKNEY.													
13	Birsay, . . . . .	1749	1774	21	13	34	1	1	2	9	10	19	7
14	Deerness, . . . . .	786	813	13	18	31	—	1	1	4	4	8	2
15	Eday and Pharay, . . . . .	1016	979	20	9	29	1	—	1	5	8	13	6
16	Evie and Rendall, . . . . .	1446	1408	18	12	30	2	1	3	4	17	21	5
17	Firth and Stennes, . . . . .	1327	1493	20	17	37	2	—	2	5	9	14	7
18	Harray, . . . . .	750	819	9	8	17	—	1	1	3	8	11	6
19	Holm and Paplay, . . . . .	749	834	10	16	26	—	—	—	9	7	16	6
20	Hoy and Græmsay, . . . . .	615	556	6	6	12	—	—	—	5	6	11	4
21	KIRKWALL & ST OLA (incl. Burgh), . . . . .	3990	4422	57	44	101	2	2	4	37	49	86	19
22	North Ronaldshay, . . . . .	526	532	13	9	22	1	1	2	6	4	10	2
23	Orphir, . . . . .	1157	1133	9	17	26	1	1	2	4	10	14	9
24	Rousay and Egilsay, . . . . .	1215	1152	12	17	29	—	1	1	4	6	10	8
25	St Andrews, . . . . .	926	868	6	10	16	—	3	3	2	1	3	4
26	Sanday, . . . . .	2004	2145	31	24	55	—	1	1	11	17	28	7
27	Sandwick, . . . . .	1107	1225	14	16	30	1	1	2	3	11	14	6
28	Shapinshay, . . . . .	899	973	11	13	24	—	—	—	7	7	14	7
29	South Ronaldshay and Burray, . . . . .	3086	3282	54	41	95	—	4	4	26	26	52	18
30	Stromness, . . . . .	2770	2540	18	35	53	—	2	2	9	24	33	9
31	Stronsay, . . . . .	1211	1228	22	17	39	—	1	1	3	5	8	6
32	Walls, etc.—(1) Walls, . . . . .	1278	1254	12	16	28	—	—	—	8	7	15	4
	(2) Flotta, . . . . .	389	420		1	6	2	—	2	1	1	2	1
33	Westray, etc.—(1) Westray	2088	2153	20	35	65	—	5	5	11	15	26	7
	(2) Papa-Westray, . . . . .	371	392	6	5	11	—	—	—	1	1	2	4
Total,		31455	32395	417	399	816	13	26	39	177	253	430	154

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns, with Populations of 2000 and upwards in small capitals; thus: Tainso.

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
	3. CAITHNESS.												
34	Bower, . . . . .	1658	1746	23	16	39	5	—	5	10	9	19	—
35	Canisbay, . . . . .	2437	2730	39	41	80	4	3	7	17	16	33	12
36	Dunnet, . . . . .	1868	1861	26	25	51	—	2	2	18	9	27	11
37	Halkirk, . . . . .	2918	2864	30	31	61	2	—	2	15	16	31	5
38	Latheron, . . . . .	8224	8571	92	93	185	7	8	15	53	45	98	28
39	Olrig, . . . . .	1873	2059	37	16	53	2	2	4	14	15	29	1
40	Reay, . . . . .	2506	2476	29	30	59	4	5	9	18	19	37	13
41	Thurso (incl. Town), . . . . .	5096	5561	93	80	173	12	7	19	48	49	97	25
42	Watten, . . . . .	1351	1491	18	23	41	3	—	3	12	10	22	6
43	WICK (incl. Burgh), . . . . .	11851	12841	210	214	424	14	21	35	122	102	224	69
	Total, . . . . .	39782	42200	597	569	1166	53	48	101	327	290	617	170
	4. SUTHERLAND.												
44	Assynt—(1) Kirkton, . . . . .	c. 510	553	4	4	8	1	—	1	2	4	6	2
	(2) Stoer, . . . . .	c. 2479	2625	29	18	47	1	1	2	17	14	31	10
45	Clyne, . . . . .	1933	1886	15	14	29	1	3	4	10	12	22	1
46	Creich—(1) Bonar, . . . . .	c. 2134	1982	24	13	37	3	1	4	9	16	25	4
	(2) Rosehall, . . . . .	c. 580	539	10	4	14	3	—	3	4	5	9	3
47	DORNOCH (incl. Burgh), . . . . .	2981	2885	37	31	68	1	2	3	22	19	41	17
48	Durness, . . . . .	1152	1109	14	12	26	5	3	8	3	10	13	4
49	Eddrachillis—(1) Scourie, . . . . .	c. 700	727	4	5	9	—	—	—	5	5	10	1
	(2) Kinlochbervie, . . . . .	c. 876	914	9	11	20	—	1	1	8	6	14	4
50	Farr—(1) Kirkton, . . . . .	c. 1313	1251	10	12	22	—	—	—	8	11	19	7
	(2) Strathy, . . . . .	c. 890	852	5	13	18	1	1	2	7	5	12	4
51	Golspie, . . . . .	1529	1615	21	25	46	1	—	1	10	15	25	4
52	Kildonan, . . . . .	2288	2132	24	24	48	2	1	3	14	8	22	4
53	Lairg, . . . . .	1162	961	11	15	26	1	1	2	9	15	24	5
54	Loth, . . . . .	640	610	3	5	8	—	—	—	4	2	6	3
55	Rogart, . . . . .	1535	1439	18	17	35	—	1	1	3	25	28	5
56	Tongue, . . . . .	2018	2077	16	22	38	—	2	2	14	10	24	2
	Total, . . . . .	24720	24157	254	245	499	20	17	37	149	182	331	80
	II. NORTH-WESTERN.												
	5. ROSS AND CROMARTY.												
	Mainland.												
57	Alness, . . . . .	1240	1178	12	14	26	1	1	2	4	15	19	1
58	Applecross—												
	(1) Applecross, . . . . .	c. 1130	1064	8	16	24	—	2	2	1	6	7	5
	(2) Shieldaig, . . . . .	c. 1579	1480	15	16	31	1	2	3	8	14	22	8
59	Avoch, . . . . .	2029	1788	25	41	66	1	—	1	10	11	21	12
60	Contin, . . . . .	1562	1509	13	19	32	1	—	1	10	11	21	1
61	CROMARTY (incl. Burgh), . . . . .	2727	2300	38	23	61	—	1	1	16	19	35	9
62	DINGWALL (incl. Burgh), . . . . .	2364	2412	38	27	65	4	3	7	22	26	48	9
63	Edderton, . . . . .	890	836	13	16	29	—	3	3	7	6	13	3
64	Fearn, . . . . .	2122	2083	33	31	64	3	—	3	13	21	34	5
65	Fodderty, . . . . .	2342	2247	28	22	50	1	—	1	12	14	26	3
66	Gairloch—												
	(1) Northern District, . . . . .	c. 1822	1927	19	10	29	1	—	1	10	12	22	8
	(2) Southern District, . . . . .	c. 3340	3522	30	34	64	—	2	2	24	17	41	15
67	Glenshiel, . . . . .	573	485	6	4	10	1	—	1	2	1	3	—
68	Killearnan, . . . . .	1794	1494	14	16	30	1	—	1	4	15	19	11
69	Kilmuir-Easter, . . . . .	1437	1295	19	11	30	1	1	2	4	10	14	3
70	Kiltearn, . . . . .	1538	1634	16	14	30	—	—	—	13	3	16	5
71	Kincardine—												
	(1) Kincardine, . . . . .	1896	{c. 1380	19	20	39	2	1	3	8	8	16	4
	(2) Strathysel, . . . . .		{c. 366	6	8	14	1	1	2	5	5	10	—
72	Kintail, . . . . .	1009	890	11	6	17	1	1	2	7	8	15	3
73	Knockbain, . . . . .	3005	2485	16	21	37	3	3	6	20	14	34	7



No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
74	Lochalsh, . . . .	2299	2413	23	18	41	—	—	—	16	14	30	8
75	Lochbroom—												
	(1) Lochbroom, . . . .	c. 3540	3577	43	28	71	—	2	2	25	21	46	22
	(2) Coigach, . . . .	c. 1273	1285	23	11	34	—	—	—	5	5	10	—
76	Lochcarron, . . . .	1612	1592	12	17	29	—	1	1	8	13	21	6
77	Logie-Easter, . . . .	965	932	7	12	19	2	—	2	10	10	20	4
78	Nigg, . . . .	1457	1253	23	7	30	3	—	3	9	6	15	6
79	Resolis, . . . .	1551	1568	8	20	28	2	1	3	5	8	13	6
80	Rosemarkie (incl. Burgh of FORTROSE), . . . .	1776	1545	14	18	32	—	2	2	9	7	16	4
81	Rosskeen, . . . .	3699	3766	46	58	104	3	5	8	16	30	46	19
82	TAIN (incl. Burgh), . . . .	3574	3294	47	45	92	5	6	11	22	21	43	14
83	Tarbat, . . . .	2151	2269	26	31	57	1	—	1	16	18	34	9
84	Urquhart & Logie-Wester, . . . .	3153	3147	22	36	58	1	2	3	17	21	38	15
85	Urray, . . . .	2621	2355	25	31	56	2	1	3	19	21	40	10
	<i>Insular.</i>												
a86	Barvas, . . . .	4189	4609	82	88	170	—	1	1	25	31	56	28
b86	Carloway, . . . .	c. 2120	2204	48	42	90	1	—	1	9	16	25	19
87	Lochs, . . . .	c. 3109	3568	68	72	140	3	1	4	21	24	45	28
88	STORNOWAY (incl. Town), . . . .	8057	8668	151	157	308	6	6	12	76	91	167	48
89	Uig, . . . .	c. 2236	2007	37	36	73	—	1	1	15	7	22	7
	Total, . . . .	83781	82427	1084	1096	2180	52	50	102	523	600	1123	365
	6. INVERNESS. <i>Mainland.</i>												
90	Alvie, . . . .	914	833	12	13	25	2	4	6	6	2	8	1
91	Ardersier, . . . .	1337	1239	27	29	56	—	—	—	17	20	37	18
92	Boleskine & Abertarff—												
	(1) Boleskine, . . . .	c. 936	813	11	16	27	—	3	3	4	7	11	1
	(2) Fort-Augustus or Abertarff, . . . .	c. 1070	930	6	7	13	—	1	1	8	3	11	1
93	Cromdale—(1) Cromdale, . . . .	c. 1647	17	14	31	1	7	8	6	9	15	6	
	(2) Inverallan, . . . .	c. 2295	40	39	79	4	8	12	23	31	54	23	
94	Croy and Dalcross, . . . .	1777	1873	19	24	43	1	—	1	12	14	26	6
95	Daviot and Dunlichty, . . . .	1857	1741	24	17	41	5	1	6	10	7	17	2
96	Dores, . . . .	1650	1506	16	19	35	—	2	2	10	10	20	1
97	Glenelg—(1) Glenelg, . . . .	c. 1070	800	9	9	18	1	2	3	5	4	9	2
	(2) Knoydart, . . . .	c. 770	574	7	6	13	1	2	3	4	4	8	1
	(3) North Morar, . . . .	c. 630	469	7	6	13	—	—	—	4	2	6	1
98	INVERNESS (incl. Burgh), . . . .	16496	16162	297	273	570	16	16	32	228	192	420	98
99	Kilmonivaig—												
	(1) Glengarry, . . . .	c. 710	625	10	10	20	1	—	1	4	3	7	1
	(2) Lochaber, . . . .	c. 1873	1651	14	11	25	1	2	3	6	11	17	2
100	Kilmorack, . . . .	3007	2852	27	30	57	1	1	2	21	16	37	9
101	Kiltarlity, . . . .	2965	2839	34	22	56	7	1	8	16	20	36	8
102	Kingussie and Insh, . . . .	2201	2033	29	23	52	4	3	7	17	15	32	6
103	Kirkhill, . . . .	1730	1757	23	13	36	—	1	1	5	13	18	5
104	Laggan, . . . .	1223	986	9	7	16	1	—	1	1	4	5	3
105	Moy and Dalarossie, . . . .	1018	1026	10	13	23	—	2	2	3	5	8	—
106	Petty, . . . .	1784	1671	23	20	43	—	—	—	13	22	35	7
107	Urquhart, etc.—												
	(1) Urquhart, . . . .	c. 2585	2294	24	39	63	—	4	4	9	19	28	6
	(2) Glenmoriston, . . . .	c. 695	617	9	2	11	1	—	1	5	4	9	2
	<i>Insular.</i>												
108	Barra, . . . .	1873	1853	39	26	65	3	—	3	13	18	31	4
109	Bracadale, . . . .	1597	1335	13	16	29	1	—	1	6	12	18	2
110	Duirinish, . . . .	5330	4775	61	63	124	8	8	16	27	36	63	12
111	Harris—(1) Harris, . . . .	3663	3769	58	55	113	1	4	5	26	29	55	15
	(2) Bernera, . . . .	477	336	8	6	14	—	—	—	2	2	4	3
	(3) St Kilda, . . . .	110	78	4	—	4	—	—	—	5	—	5	3

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
112	Kilmuir—(1) Kilmuir, . . .	c. 1743	1561	27	27	54	—	5	5	11	16	27	11
	(2) Stenscholl, . . .	c. 1464	1311	15	27	42	—	—	—	5	8	13	8
113	North Uist, . . .	3918	3959	75	57	132	8	6	14	38	39	77	20
114	Portree—(1) Portree, . . .	2805	2579	36	29	65	3	1	4	20	15	35	8
	(2) Raasay, . . .	752	580	12	9	21	—	—	—	4	3	7	4
115	Sleat, . . .	2531	2330	30	21	51	2	1	3	18	21	39	9
116	Small Isles, . . .	916	567	10	6	16	—	—	—	2	5	7	1
117	Snizort—(1) North, . . .	c. 3071	2613	15	12	27	4	1	5	7	7	14	—
	(2) South, . . .			24	21	45	2	1	3	14	16	30	5
118	South Uist—												
	(1) Benbecula, . . .	1762	1544	22	31	53	3	—	3	8	10	18	6
	(2) Howmore, . . .	c. 2040	1763	21	27	48	3	2	5	20	24	44	10
	(3) Boisdale, . . .	c. 2371	2051	30	22	52	1	4	5	24	15	39	6
119	Strath, . . .	3243	2664	46	29	75	2	—	2	19	22	41	5
	— Total.	91954	84902	1250	1146	2396	88	93	181	706	735	1441	342
III. NORTH-EASTERN.													
7. NAIRN.													
120	Ardelach, . . .	1278	1330	13	13	26	1	1	2	9	6	15	6
121	Auldearn, . . .	1480	1328	20	20	40	2	2	4	9	9	18	8
122	Cawdor, . . .	1202	1203	15	13	28	2	—	2	5	6	11	8
123	NAIRN (incl. Burgh), . . .	4116	4486	71	76	147	9	7	16	41	38	79	26
	Total,	8076	8347	119	122	241	14	10	24	64	59	123	48
8. ELGIN (OR MORAY).													
124	Abernethy & Kincardine, . . .	1871	1928	26	16	42	5	6	11	13	15	28	11
125	Alves, . . .	919	1010	19	19	38	2	1	3	5	3	8	2
126	Bellie, . . .	2017	1967	25	19	44	2	2	4	10	17	27	10
127	Birnie, . . .	427	411	2	9	11	—	1	1	1	5	6	2
128	Boharm, . . .	1368	1412	24	11	35	2	2	4	4	10	14	8
129	Dallas, . . .	1226	1102	19	13	32	6	2	8	12	6	18	6
130	Drainy, . . .	1856	3028	81	76	157	6	9	15	37	23	60	15
131	Duffus, . . .	2983	3308	80	60	140	7	7	14	27	23	50	20
132	Duthil, etc.—(1) Duthil, . . .	c. 1493	1609	17	17	34	1	1	2	9	6	15	3
	(2) Rothiemurchus, . . .	c. 295	319	8	13	21	2	—	2	6	8	14	5
133	Dyke, . . .	1369	1247	21	11	32	2	—	2	14	9	23	6
134	Edinkillie, . . .	1343	1303	21	17	38	3	3	6	11	5	16	3
135	ELGIN (incl. Burgh), . . .	8231	9866	156	135	291	19	19	38	82	87	169	54
136	New Spynie, . . .	445	518	13	11	24	3	2	5	9	11	20	3
137	FORRES (incl. Burgh), . . .	4069	4112	63	71	134	10	13	23	46	53	99	26
138	Kinloss, . . .	1370	1315	30	13	43	5	1	6	4	8	12	5
139	Knockando, . . .	1771	1736	21	29	50	5	5	10	14	10	24	9
140	Rafford, . . .	1020	1055	10	18	28	1	—	1	5	5	10	7
141	Rothies, . . .	2022	2407	39	39	78	8	7	15	17	18	35	13
142	St Andrews-Lhanbryde, . . .	1208	1344	21	20	41	3	3	6	16	3	19	14
143	Speymouth, . . .	685	689	12	7	19	4	2	6	3	3	6	4
144	Urquhart, . . .	2544	2532	36	47	83	9	8	17	13	19	32	18
	Total,	40532	44218	744	671	1415	105	94	199	358	347	705	244
9. BANFF.													
145	Aberlour, . . .	1447	1665	24	18	42	1	5	6	12	11	23	9
146	Alvah, . . .	1402	1467	24	17	41	3	5	8	7	11	18	4
147	BANFF (incl. Burgh), . . .	6953	7740	122	131	253	19	31	50	95	116	211	36
148	Botriphnie, . . .	713	867	17	7	24	4	—	4	2	7	9	8
149	Boyndie, . . .	1564	1711	36	32	68	3	3	6	14	15	29	12
150	CULLEN (pt. of Burgh), . . .	1697	1821	37	40	77	4	3	7	24	17	41	11
151	Deskford, . . .	917	1031	15	14	29	1	5	6	7	9	16	5
152	Enzie, . . .	c. 1872	2072	35	42	77	6	6	12	25	14	39	13



No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
153	Fordyce, . . . .	3807	4145	74	69	143	12	13	25	33	40	73	20
154	Forglen, . . . .	695	783	18	17	35	2	1	3	6	4	10	5
155	Gamrie, . . . .	2758	3019	61	57	118	9	12	21	16	15	31	22
155	Glenrinnnes, . . . .	?	c. 472	3	5	8	1	1	2	6	3	9	3
156	Grange, . . . .	1851	1909	21	25	46	3	4	7	9	9	18	11
157	Inveravon—(1) Inveravon, c.	894	868	11	16	27	2	1	3	6	9	15	1
	(2) Auchbreck, c.	1820	1771	18	19	37	5	7	12	16	9	25	6
158	Inverkeithny, . . . .	835	880	20	19	39	—	4	4	13	4	17	4
159	Keith, . . . .	4986	5943	94	94	188	23	23	46	55	60	115	20
160	Kirkmichael, etc.—												
	(1) Kirkmichael, . . . .	c. 568	551	4	4	8	—	1	1	6	5	11	1
	(2) Tomintoul, . . . .	c. 990	960	13	19	32	2	4	6	7	7	14	7
161	Marnoch, . . . .	2994	3289	65	57	122	13	13	26	22	37	59	18
162	Mortlach, . . . .	2804	3095	41	35	76	15	9	24	13	20	33	13
163	Ordiquhill, . . . .	644	764	14	14	28	—	3	3	7	2	9	6
164	Rathven (incl. BUCKIE, Town), . . . .	c. 4664	4922	109	113	222	14	11	25	57	57	114	35
165	Rothiemy, . . . .	1413	1414	29	14	43	5	4	9	8	13	21	5
166	St Fergus, . . . .	1597	1608	33	28	61	4	6	10	14	11	25	11
167	Seafeld (pt. of CULLEN, Burgh), . . . .	c. 1468	1725	21	30	51	—	2	2	11	12	23	14
	Total,	51353	56020	959	936	1895	151	177	328	491	517	1008	300
	10. ABERDEEN.												
168	ABERDEEN—												
	(1) St Nicholas (Burgh),	41465	41962	875	882	1757	104	134	238	617	617	1234	331
	(2) Old Machar (Burgh),	30503	31938	602	557	1159	74	56	130	362	433	795	360
	(3) Do. (Landward),	1254	1298	18	24	42	2	4	6	9	9	18	11
169	Aberdour, . . . .	1707	1837	32	53	85	8	9	17	21	22	43	9
170	Aboyne, . . . .	1108	1160	23	14	37	5	2	7	4	7	11	3
171	Alford, . . . .	1143	1264	32	22	54	8	5	13	10	11	21	9
172	Auchindoir, . . . .	1369	1593	18	24	42	6	5	11	7	11	18	8
173	Auchterless, . . . .	1837	2010	33	43	76	7	6	13	13	6	19	18
174	Belhelvie, . . . .	1692	1807	36	30	66	3	2	5	12	12	24	7
175	Birse, . . . .	1533	1284	14	18	32	1	2	3	7	5	12	6
176	Bourtie, . . . .	529	547	13	7	20	—	1	1	1	—	1	2
177	Cabrach, . . . .	750	794	7	4	11	—	1	1	4	7	11	5
178	Cairney, . . . .	1565	1490	23	15	38	8	1	9	15	13	28	5
179	Chapel of Garioch, . . . .	2102	2023	22	32	54	2	3	5	9	15	24	5
180	Clatt, . . . .	543	511	4	6	10	—	—	—	2	2	4	3
181	Cluny, . . . .	1149	1254	24	22	46	3	2	5	14	10	24	11
182	Coull, . . . .	734	792	22	13	35	6	2	8	2	6	8	12
183	Crathie and Braemar, . . . .	1788	1574	22	29	51	4	3	7	10	13	23	3
184	Crimond, . . . .	893	892	14	18	32	4	3	7	6	3	9	4
185	Cruden, . . . .	2479	2743	50	51	101	6	11	17	19	25	44	21
186	Culsamond, . . . .	1042	1165	14	17	31	4	4	8	4	12	16	6
187	Daviot, . . . .	601	614	7	11	18	—	—	—	2	5	7	6
188	Drumblade, . . . .	949	926	11	12	23	1	2	3	5	5	10	5
189	Drumoak, . . . .	948	996	17	14	31	1	1	2	9	7	16	4
190	Dyce, . . . .	470	585	15	17	32	3	—	3	4	9	13	6
191	Echt, . . . .	1206	1287	20	20	40	3	7	10	4	6	10	12
192	Ellon, . . . .	c. 2750	3239	57	57	114	12	9	21	18	19	37	29
193	Fintray, . . . .	1080	1003	14	20	34	1	—	1	14	9	23	6
194	Forgue, . . . .	2626	2686	43	59	102	10	14	24	15	9	24	12
195	Foveran, . . . .	1638	1891	44	28	72	8	3	11	20	18	38	4
196	FRASERBURGH (incl. Twn.),	4447	4511	141	102	243	11	12	23	56	48	104	42
197	Fyvie, . . . .	c. 2927	c. 3264	66	48	114	12	9	21	22	27	49	18
198	Gartly, . . . .	990	1029	14	6	20	2	3	5	5	5	10	8
199	Glass, . . . .	972	1049	14	20	34	5	5	10	10	7	17	6
200	Glenbucket, . . . .	542	552	10	8	18	1	2	3	4	8	12	2

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
201	Glenmuick, Tullich, and Glengairn, . . . . .	1984	1668	41	30	71	8	3	11	27	11	38	6
202	HUNTLY (incl. Town), . .	4061	4329	80	65	145	16	15	31	31	33	64	24
203	Insch, . . . . .	1519	1565	23	16	39	7	7	14	26	17	43	13
204	INVERURIE (including part of Burgh), . . . .	c. 2649	2668	52	55	107	9	7	16	28	20	48	26
205	Keig, . . . . .	772	811	11	15	26	5	4	9	9	11	20	3
206	Keithhall, . . . . .	920	933	14	13	27	6	—	6	7	4	11	8
207	Kemnay, . . . . .	680	832	18	23	41	1	2	3	6	1	7	8
208	Kildrummy, . . . . .	643	590	12	13	25	—	2	2	10	1	11	4
209	Kincardine O'Neil, . . .	2098	2186	36	23	59	7	3	10	12	13	25	9
210	King-Edward, . . . . .	2749	2843	67	48	115	15	11	26	18	21	39	21
211	Kinnellar, . . . . .	590	691	10	8	18	4	1	5	6	2	8	4
212	Kinnethmont, . . . . .	1108	1187	15	9	24	5	2	7	9	5	14	4
213	KINTORE (incl. Burgh, and part of Burgh of INVERURIE), . . . . .	1342	1895	43	36	79	5	5	10	20	17	37	9
214	Leochel-Cushnie, . . . .	1068	1173	24	15	39	—	2	2	12	6	18	7
215	Leslie, . . . . .	559	577	8	9	17	1	—	1	7	4	11	2
216	Logie-Buchan, . . . . .	724	762	20	11	31	1	3	4	3	5	8	5
217	Logie-Coldstone, . . . .	889	932	16	17	33	1	6	7	6	5	11	6
218	Longside, . . . . .	2952	3008	71	71	142	8	12	20	29	20	49	22
219	Lonmay, . . . . .	1964	2142	40	29	69	11	9	20	15	11	26	18
220	Lumphanan, . . . . .	1088	1251	24	15	39	6	4	10	12	17	29	7
221	Methlic, . . . . .	1997	2157	36	29	65	7	8	15	12	15	27	10
a222	Midmar, . . . . .	1166	1091	25	17	42	5	—	5	6	2	8	7
b222	Millbren, . . . . .	c. 1215	c. 1295	24	18	42	5	5	10	9	9	18	7
223	Monquhitter, . . . . .	c. 2080	c. 2365	48	38	86	8	10	18	15	16	31	15
224	Monymusk, . . . . .	940	988	18	12	30	1	3	4	7	8	15	9
225	New Deer, . . . . .	c. 3383	3736	68	61	129	19	10	29	28	28	56	24
226	Newhills, . . . . .	3325	3463	64	64	128	6	6	12	27	34	61	29
a227	New Machar, . . . . .	c. 1338	1556	29	22	51	4	3	7	15	8	23	6
b227	New Pitsligo, . . . . .	c. 2425	2609	62	56	118	13	12	25	23	29	52	19
228	Old Deer, . . . . .	c. 4025	4392	76	61	137	14	9	23	25	32	57	33
229	Old Meldrum, . . . . .	2002	2343	39	46	85	9	11	20	15	11	26	9
230	Oyne, . . . . .	919	1127	19	12	31	5	2	7	10	10	20	7
231	Peterculter, . . . . .	1481	1540	24	14	38	3	1	4	13	10	23	11
232	PETERHEAD (incl. Burgh),	9429	9796	252	219	471	35	20	55	115	87	202	73
233	Pitsligo, . . . . .	1801	1890	41	41	82	2	3	5	15	10	25	7
234	Premnay, . . . . .	793	916	25	18	43	8	3	11	14	10	24	9
235	Rathen, . . . . .	2368	2554	54	48	102	6	2	8	17	21	38	18
236	Rayne, . . . . .	1550	1514	22	20	42	1	5	6	9	9	18	8
a237	Rhynie, . . . . .	1017	1061	10	26	36	1	4	5	5	7	12	7
b237	Savoch, . . . . .	c. 1852	2061	35	23	58	14	6	20	10	9	19	8
238	Skene, . . . . .	1862	1831	26	30	56	3	2	5	7	7	14	12
239	Slains, . . . . .	1232	1266	22	15	37	5	3	8	4	3	7	4
240	Strathdon, . . . . .	c. 1931	c. 1859	21	26	47	5	6	11	12	10	22	2
241	Strichen, . . . . .	c. 2223	2409	35	41	76	5	13	18	11	21	32	11
242	Tarland, . . . . .	c. 797	c. 846	18	16	34	2	3	5	13	5	18	3
243	Tarves, . . . . .	c. 2339	2377	32	25	57	4	5	9	8	6	14	14
244	Tough, . . . . .	891	874	11	10	21	2	2	4	4	3	7	6
245	Towie, . . . . .	758	839	11	13	24	1	3	4	9	3	12	6
246	Tullynessle and Forbes, .	930	957	15	12	27	2	4	6	6	7	13	6
247	Turriff, . . . . .	3584	3693	73	65	138	11	10	21	35	34	69	20
248	Tyrie, . . . . .	c. 775	833	11	15	26	2	3	5	9	6	15	5
249	Udny, . . . . .	c. 1473	1623	30	22	52	4	5	9	6	13	19	4
	Total,	213461	223344	4272	3959	8231	653	603	1256	2143	2128	4271	1614



No. of District.	REGISTRATION  DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Totl.	Mal.	Fem.	Total.	
	11. KINCARDINE.												
250	Arbuthnot, . . . . .	1002	932	15	16	31	—	2	2	4	1	5	6
251	Banchory-Devenick—												
	(1) Ban.-Devenick (incl. pt. of ABERDEEN),	c. 1168	1102	14	18	32	2	—	2	10	11	21	4
	(2) Portlethen, . . . . .	c. 1780	1687	27	26	53	5	5	10	12	9	21	15
252	Banchory-Ternan, . . . . .	2462	2947	52	39	91	9	6	15	17	24	41	17
253	Benholm, . . . . .	1641	1574	23	28	51	3	3	6	7	20	27	11
254	BERVIE (incl. Burgh),	1459	1561	43	45	88	2	8	10	16	21	37	13
255	Dunnottar (incl. part of STONEHAVEN, Town), . .	1949	1828	36	30	66	5	1	6	13	16	29	14
256	Durris, . . . . .	962	1109	13	24	37	1	3	4	6	8	14	7
257	Fettercairn, . . . . .	1741	1700	15	25	40	5	6	11	7	13	20	7
258	Fetteresso—												
	(1) Fetteresso (incl. pt. of STONEHAVEN, Town),	c. 3730	3575	62	55	117	10	10	20	40	30	70	23
	(2) Cookney, . . . . .	c. 1990	1952	33	35	68	4	5	9	16	6	22	16
259	Fordoun, . . . . .	2386	2297	35	27	62	7	4	11	17	16	33	13
260	Garvock, . . . . .	457	458	10	7	17	2	—	2	6	2	8	3
261	Glenbervie, . . . . .	1239	1219	16	11	27	4	—	4	8	10	18	6
262	Kinneff and Catterline, .	1069	1054	22	20	42	2	1	3	4	7	11	8
263	Laurencekirk, . . . . .	2125	2110	33	32	65	5	7	12	8	23	31	14
264	Maryculter, . . . . .	1055	1055	11	15	26	1	6	7	4	7	11	5
265	Marykirk, . . . . .	2232	2068	31	31	62	5	7	12	9	18	27	12
266	Nigg, . . . . .	1841	2074	46	35	81	7	5	12	29	15	44	21
267	St Cyrus, . . . . .	1579	1552	27	34	61	6	8	14	19	8	27	10
268	Strachan, . . . . .	947	870	10	10	20	1	1	2	6	4	10	5
	Total,	34944	34854	574	563	1137	86	88	174	258	269	527	230
	IV. EAST-MIDLAND.												
	12. FORFAR.												
269	Aberlemno, . . . . .	1116	1054	12	20	32	1	1	2	11	6	17	6
270	Airlie, . . . . .	856	845	14	16	30	—	—	—	5	7	12	2
271	Arbirlot, . . . . .	990	960	18	17	35	2	3	5	3	3	6	4
272	ARBROATH (incl. Bur.),	17238	17831	329	351	680	25	36	61	196	225	421	128
273	Auchterhouse, . . . . .	686	706	12	9	21	—	—	—	4	4	8	3
274	Barry, . . . . .	2175	2465	49	44	93	2	4	6	20	43	63	23
275	BRECHIN (incl. Burgh),	8210	8810	167	138	305	32	26	58	100	104	204	55
276	Carmylie, . . . . .	1240	1286	27	15	42	5	3	8	8	8	16	6
277	Careston, . . . . .	207	225	9	1	10	1	1	2	—	2	2	—
278	Cortachy and Clova, . .	722	653	7	12	19	—	—	—	7	4	11	5
279	Coupar-Angus, . . . . .	2685	2642	32	39	71	5	3	8	26	35	61	14
280	Craig (incl. part of MON- TROSE, Burgh), . . . .	1934	2177	35	39	74	2	3	5	15	13	28	12
281	Dun, . . . . .	522	552	12	9	21	1	—	1	3	5	8	1
282	DUNDEE—												
	(1) St Peter, . . . . .	c. 19000	460	430	890	49	50	99	206	253	459	138	
	(2) St Mary, . . . . .	c. 19000	417	431	848	69	68	137	322	362	684	185	
	(3) St Clement, . . . . .	c. 80027	498	509	1007	60	72	132	340	303	643	206	
	(4) St And. (in. Land.),	c. 19000	741	687	1428	70	45	115	441	434	875	240	
	(5) Lochee, . . . . .	c. 15664	199	204	403	26	25	51	111	145	256	91	
283	Dunnichen, . . . . .	1884	1932	26	23	49	3	8	11	17	22	39	9
284	Eassie and Nevay, . . .	706	748	11	11	22	3	1	4	4	4	8	1
285	Edzell, . . . . .	1084	1025	18	15	33	6	3	9	14	7	21	7
286	Farnell, . . . . .	650	703	9	8	17	2	1	3	2	1	3	1
287	Fearn, . . . . .	392	439	5	4	9	1	—	1	6	2	8	—
288	FORFAR (incl. Burgh),	11009	10838	252	185	437	38	37	75	123	112	235	89
289	Glamis, . . . . .	2152	1980	33	38	71	4	4	8	13	10	23	13
290	Glenisla, . . . . .	1050	1008	17	16	33	2	1	3	7	10	17	1

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
291	Guthrie, . . . . .	469	476	7	3	10	-	-	-	1	1	2	4
292	Inverarity, . . . . .	948	961	20	16	36	1	1	2	7	6	13	5
293	Inverkeillor, . . . . .	1871	1792	29	22	51	2	2	4	5	4	9	6
294	Kettins, . . . . .	995	962	15	11	26	-	1	1	6	4	10	4
295	Kingoldrum, . . . . .	429	473	15	6	21	-	-	-	2	4	6	-
296	Kinnell, . . . . .	826	816	4	7	11	1	-	1	5	5	10	9
297	Kinnettles, . . . . .	460	447	8	8	16	1	1	2	4	4	8	5
298	Kirkden, . . . . .	1763	1862	32	23	55	3	2	5	15	19	34	8
299	KIRRIEMUIR (incl. Town),	7617	7359	91	135	226	28	35	63	62	64	126	45
300	Lethnott and Navar, . .	408	446	5	2	7	1	-	1	3	2	5	1
301	Liff, Benvie, and Inver- gowrie, . . . . .	1467	1430	17	22	39	2	-	2	16	13	29	6
302	Lintrathen, . . . . .	926	898	17	9	26	4	1	5	3	2	5	8
303	Lochlee, . . . . .	615	495	5	3	8	1	-	1	8	4	12	2
304	Logie-Pert, . . . . .	1609	1483	11	16	27	1	6	7	3	7	10	12
305	Lunan, . . . . .	279	259	7	3	10	1	-	1	2	1	3	2
306	Lundie, . . . . .	450	442	6	4	10	-	-	-	4	3	7	1
307	Mains, etc.—(1) Mains, .	1299	1392	36	35	71	2	1	3	15	15	30	11
	(2) Strathmartine, . .	735	789	18	14	32	3	-	3	6	6	12	1
308	Marytown, . . . . .	366	417	8	3	11	2	-	2	-	3	3	4
309	Menmuir, . . . . .	693	796	13	11	24	1	2	3	1	-	1	6
310	Monifieth (including part of BROUGHTY FERRY),	4267	5052	144	133	277	9	8	17	64	56	120	36
311	Monikie, . . . . .	1317	1460	22	25	47	-	2	2	14	13	27	7
312	MONTROSE (incl. part of Burgh), . . . . .	16037	15668	269	270	539	17	24	41	184	226	410	98
313	Murroes, . . . . .	643	763	13	17	30	-	1	1	3	7	10	4
314	Newtyle, . . . . .	1141	1139	20	18	38	3	5	8	11	8	19	5
315	Oathlaw, . . . . .	424	399	12	8	20	-	-	-	1	2	3	-
316	Panbride, . . . . .	1372	1299	21	23	44	1	2	3	10	14	24	9
317	Rescobie, . . . . .	711	747	16	10	26	-	2	2	2	6	8	5
318	Ruthven, . . . . .	503	265	2	3	5	-	-	-	-	2	2	3
319	St Vigean, . . . . .	2591	2553	42	39	81	6	5	11	14	16	30	21
320	Stracathro, . . . . .	505	546	11	11	22	3	2	5	4	3	7	4
321	Tannadice, . . . . .	1517	1438	24	18	42	4	2	6	11	8	19	8
322	Tealing, . . . . .	844	883	9	19	28	2	3	5	8	6	14	8
	Total, . . . . .	193627	206750	4378	4218	8596	508	503	1011	2498	2658	5156	1588
	13. PERTH.												
323	Aberdalgie, . . . . .	343	295	5	4	9	-	-	-	3	3	6	2
324	Aberfeldy, . . . . .	c. 2702	2402	24	32	56	5	2	7	21	17	38	13
325	Aberfoyle, . . . . .	514	565	8	2	10	-	-	-	5	4	9	-
326	Abernethy, . . . . .	2026	1960	27	17	44	3	2	5	19	17	36	8
327	Abernyte, . . . . .	275	310	4	5	9	-	1	1	4	2	6	1
328	ALYTH (incl. Town), . .	c. 2946	3198	53	46	99	6	6	12	36	57	93	19
329	AUCHTERARDER (includ- ing Town), . . . . .	4160	4208	56	47	103	9	7	16	29	32	61	19
330	Auchtergaven, . . . . .	3232	2562	27	32	59	3	3	6	23	27	50	18
331	Balquhidder, . . . . .	c. 974	c. 846	13	12	25	1	2	3	8	9	17	4
332	Bendochy, . . . . .	c. 552	549	12	7	19	1	2	3	6	1	7	1
333	Blackford, . . . . .	c. 2012	2084	38	29	67	5	5	10	21	17	38	8
334	Blair-Athol, . . . . .	c. 1951	1553	25	22	47	1	2	3	14	16	30	5
335	BLAIRGOWRIE (incl. Town),	c. 4081	4423	79	77	156	11	6	17	48	46	94	33
336	Callander, . . . . .	1716	1676	23	26	49	1	4	5	21	18	39	13
337	Caputh, . . . . .	c. 1920	1728	22	14	36	2	1	3	11	14	25	9
338	Cargill, . . . . .	1629	1647	14	25	39	1	2	3	10	9	19	11
339	Clunie, . . . . .	723	699	5	13	18	-	1	1	2	7	9	6
340	Collace, . . . . .	581	534	4	8	12	1	1	2	4	5	9	5
341	Comrie, . . . . .	c. 2363	c. 2126	29	21	50	3	5	8	17	12	29	8
342	CRIEFF (incl. Town), . .	4504	4490	76	72	148	14	7	21	34	35	69	29



No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
343	CULROSS (incl. Burgh),	1487	1423	25	25	50	2	2	4	6	13	19	12
344	Dowally, . . . . .	c. 531	486	5	10	15	—	—	—	5	5	10	1
345	Dron, . . . . .	394	376	5	4	9	—	—	—	3	2	5	1
346	Dull, . . . . .	c. 855	753	6	6	12	1	1	2	10	7	17	1
347	Dunbarney, . . . . .	1066	1035	9	10	19	1	1	2	9	13	22	2
348	Dunblane, . . . . .	c. 3213	3096	61	51	112	10	6	16	27	30	57	16
349	Dunkeld, . . . . .	c. 1199	1086	14	14	28	—	—	—	8	16	24	3
350	Dunning, . . . . .	2206	2084	30	28	58	1	5	6	15	15	30	11
351	Errol, . . . . .	2796	2759	59	41	100	8	4	12	24	28	52	11
352	Findo-Gask, . . . . .	405	399	4	3	7	—	1	1	—	3	3	—
353	Forgandenny, . . . . .	828	739	5	10	15	1	—	1	6	3	9	4
354	Forteviot, . . . . .	638	595	11	10	21	1	—	1	2	2	4	4
a355	Fortingall, . . . . .	c. 1409	1244	13	12	25	5	2	7	10	7	17	1
b355	Foss, . . . . .	c. 432	381	3	5	8	—	—	—	3	—	3	1
356	Fowlis-Easter, . . . . .	300	317	2	7	9	—	—	—	2	2	4	—
357	Fowlis-Wester, . . . . .	1321	1276	13	15	28	1	3	4	13	7	20	7
358	Glendevon, . . . . .	128	138	2	—	2	—	—	—	—	1	1	1
359	Inchture, . . . . .	745	659	11	11	22	2	—	2	7	5	12	2
360	Kenmore, . . . . .	c. 1718	1515	20	14	34	3	2	5	9	9	18	11
361	Killin, . . . . .	c. 1817	1681	11	21	32	2	2	4	12	12	24	6
362	Kilmadock, . . . . .	3659	3312	33	32	65	5	2	7	27	32	59	9
363	Kilspindie, . . . . .	684	665	8	12	20	—	2	2	3	6	9	4
364	Kincardine, . . . . .	1993	1778	9	21	30	2	1	3	11	16	27	14
365	Kinclaven, . . . . .	881	758	10	9	19	2	1	3	6	3	9	6
366	Kinfauns, . . . . .	650	659	12	10	22	2	1	3	4	3	7	6
367	Kinloch-Rannoch, . . . . .	c. 1303	1147	14	15	29	2	3	5	7	4	11	2
368	Kinnaird, . . . . .	370	318	4	8	12	—	2	2	2	2	4	2
369	Kinnoull, . . . . .	771	796	16	6	22	2	—	2	7	6	13	4
370	Kirkmichael—												
	(1) Kirkmichael, . . . . .	c. 849	812	13	8	21	1	1	2	6	8	14	1
	(2) Glenshee, . . . . .	c. 349	334	3	4	7	—	—	—	1	2	3	1
371	Lecropt, . . . . .	442	538	11	7	18	—	—	—	7	3	10	8
372	Lethendy and Kinloch—												
	(1) Lethendy, . . . . .	c. 544	{c.210	1	2	3	—	1	1	1	2	3	—
	(2) Kinloch, . . . . .		{c.320	2	3	5	—	—	—	—	2	2	—
373	Little Dunkeld, . . . . .	c. 2140	2089	34	34	68	4	1	5	24	19	43	13
374	Logie (including part of STIRLING), . . . . .	2551	3483	56	48	104	5	9	14	41	27	68	23
375	Logiealmond, . . . . .	c. 959	815	13	5	18	2	—	2	9	4	13	—
376	Logierait, . . . . .	c. 2109	1902	26	23	49	8	2	10	14	23	37	2
377	Longforgan, . . . . .	1787	1823	31	30	61	3	2	5	14	15	29	10
378	Madderty, . . . . .	593	536	6	7	13	—	1	1	—	5	5	4
379	Meikle, . . . . .	978	1122	16	21	37	2	2	4	2	5	7	9
380	Methven, . . . . .	c. 2394	2290	39	22	61	3	4	7	15	21	36	17
381	Moneydie, . . . . .	321	252	5	3	8	—	1	1	4	3	7	1
382	Monzie, . . . . .	c. 569	461	3	5	8	—	—	—	2	3	5	—
383	Monzievaird, . . . . .	790	782	6	12	18	1	1	2	8	4	12	2
384	Moulin, . . . . .	c. 1772	1605	21	15	36	2	3	5	16	11	27	6
385	Muckhart, . . . . .	685	615	6	7	13	1	—	1	8	1	9	3
a386	Muthill, . . . . .	c. 2972	2008	38	47	85	6	11	17	24	28	52	17
b386	Persie, . . . . .	c. 814	839	14	9	23	3	1	4	9	4	13	3
387	PERTH (incl. Burgh),	24670	26094	443	398	841	42	35	77	315	311	626	222
388	Port of Menteith, . . . . .	1419	1375	17	14	31	3	3	6	4	9	13	2
389	Ratray, . . . . .	c. 2308	2234	33	26	59	5	2	7	15	24	39	9
390	Redgorton, . . . . .	c. 1955	1596	19	14	33	1	2	3	9	19	28	8
391	Rhynd, . . . . .	338	297	4	6	10	—	—	—	2	—	2	—
392	St Madoes, . . . . .	288	280	3	6	9	—	—	—	2	3	5	—
393	St Martins, . . . . .	983	904	11	7	18	1	1	2	4	12	16	—
a394	Scone, . . . . .	2332	2153	29	30	59	2	2	4	21	14	35	19
b394	Strathfillan, . . . . .	c. 435	411	10	3	13	—	—	—	2	2	4	2

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
c394	Tenandry, . . . .	c. 681	595	3	3	6	—	—	—	4	2	6	1
395	Tibbermore, . . . .	1469	1182	16	14	30	1	—	1	3	8	11	6
396	Trinity-Gask, . . . .	597	488	8	6	14	—	—	—	2	5	7	1
397	Tulliallan (including KINCARDINE), . . . .	3043	2410	42	39	81	5	4	9	23	31	54	16
398	Weem, . . . .	c. 230	215	5	2	7	—	1	1	3	1	4	—
	Total, 14. FIFE.	137369	133198	1946	1801	3747	221	190	411	1188	1231	2419	760
399	Abbotshall, . . . .	688	808	8	9	17	—	2	2	3	6	9	3
400	Abdie, . . . .	c. 1353	1257	16	21	37	1	2	3	6	4	10	4
401	Aberdour, . . . .	1945	1874	31	27	58	1	3	4	13	13	26	15
402	ANSTRUTHER-EASTER (pt. of Burgh),	1161	1155	19	28	47	—	1	1	8	9	17	6
403	ANSTRUTHER-WESTER (incl. Burgh),	443	438	8	14	22	2	—	2	2	3	5	—
404	Arngask, . . . .	689	705	10	9	19	1	—	1	5	6	11	5
405	Auchterderran, . . . .	3210	3457	91	91	182	9	13	22	36	43	79	29
406	AUCHTERMUCHTY (incl. Burgh),	3704	3285	51	44	95	7	5	12	31	28	59	20
407	Auchtertool, . . . .	517	609	9	7	16	1	2	3	8	7	15	2
408	Ballingry, . . . .	568	736	27	14	41	3	4	7	8	9	17	3
409	Balmerino, . . . .	945	815	10	8	18	1	1	2	4	2	6	6
410	Beath, . . . .	1252	2390	76	71	147	5	2	7	39	24	63	15
411	BURNTISLAND (incl. Burgh),	3158	3670	60	70	130	5	6	11	45	34	79	17
412	Cameron, . . . .	1207	1362	20	14	34	4	—	4	3	4	7	7
413	Carnbee, . . . .	1129	1157	23	14	37	3	—	3	1	5	6	4
414	Carnock, . . . .	3191	2925	31	47	78	1	3	4	20	18	38	9
415	Ceres, . . . .	2833	2723	47	34	81	3	4	7	19	26	45	14
416	Collessie, . . . .	1520	1530	22	21	43	2	2	4	9	13	22	8
417	CRAIL (incl. Burgh),	1903	1931	36	24	60	3	2	5	17	13	30	12
418	Creich, . . . .	386	377	7	7	14	—	—	—	2	6	8	1
419	Cults, . . . .	915	800	14	13	27	3	2	5	7	5	12	6
420	CUPAR (incl. Burgh),	7427	6750	101	105	206	6	21	27	60	87	147	41
421	Dairsie, . . . .	708	638	12	8	20	—	—	—	2	4	6	4
422	Dalgetty, . . . .	1513	1569	29	28	57	2	3	5	17	14	31	10
423	Dunbog, . . . .	c. 409	414	10	5	15	1	1	2	1	—	1	1
424	DUNFERMLINE—												
	(1) Burgh, . . . .	13836	13506	227	241	468	21	15	36	148	143	291	134
	(2) Landward, . . . .	c. 7602	7609	173	143	316	20	3	23	64	79	143	32
425	Dunino, . . . .	289	370	6	4	10	—	—	—	1	—	1	4
426	DYSART (incl. Burgh),	8739	8842	177	156	333	12	11	23	103	103	206	56
427	Elie, . . . .	843	826	14	5	19	—	—	—	7	7	14	1
428	FALKLAND (incl. Burgh)	3102	2937	33	47	80	5	3	8	19	31	50	16
429	Ferry-Port-on-Craig,	2238	2013	50	36	86	5	5	10	37	19	56	16
430	Flisk, . . . .	c. 157	230	1	3	4	—	—	—	—	—	—	—
431	Forgan, . . . .	1125	1326	23	20	43	—	2	2	16	6	22	7
432	INVERKEITHING (incl. Burgh),	c. 2748	3196	48	52	100	2	9	11	28	26	54	12
433	Kemback, . . . .	956	896	15	14	29	1	1	2	8	9	17	7
434	Kennoway, . . . .	2257	2012	23	21	44	5	2	7	16	18	34	3
435	Kettle, . . . .	2601	2474	47	43	90	3	2	5	14	23	37	16
436	Kilconquhar (including EARLSFERRY),	2489	2431	29	39	68	—	7	7	24	16	40	16
437	Kilmany, . . . .	662	656	7	8	15	—	—	—	8	3	11	5
438	KILRENNY (incl. Burgh and part of ANSTRUTHER-EASTER),	2194	2534	60	50	110	3	2	5	31	24	55	10
439	KINGHORN (incl. Burgh)	2455	2349	40	34	74	3	2	5	23	20	43	17



No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
440	Kinglassie, . . . . .	1186	1266	30	26	56	1	2	3	5	7	12	9
441	Kingsbarns, . . . . .	893	937	15	14	29	—	1	1	6	9	15	7
442	KIRKCALDY (including Burgh), . . . . .	10636	11117	231	223	454	19	17	36	113	114	227	94
443	Largo, . . . . .	2800	2626	42	35	77	5	5	10	24	20	44	12
444	LESLIE (incl. Town), . .	3800	4332	65	59	124	8	13	21	43	35	78	32
445	Leuchars, . . . . .	1991	1903	28	20	48	4	2	6	10	17	27	10
446	Logie, . . . . .	467	410	5	6	11	1	—	1	2	3	5	3
447	Markinch, . . . . .	5843	5375	86	84	170	5	8	13	58	42	100	42
448	Monimail, . . . . .	1102	1054	19	17	36	1	2	3	5	8	13	9
449	Moonzie, . . . . .	198	179	2	—	2	—	—	—	—	—	—	1
450	NEWBURGH (including Burgh), . . . . .	2986	2693	51	49	100	4	5	9	23	18	41	11
451	Newburn, . . . . .	375	374	9	6	15	1	1	2	6	3	9	3
452	PITTENWEEM (incl. Burgh), . . . . .	1473	1710	26	24	50	1	4	5	8	16	24	6
453	ST ANDREWS and St Leonards (incl. Burgh of St Andrews), . . .	7327	7605	107	105	212	6	9	15	53	68	121	40
454	St Monance (or Aber- crombie), . . . . .	1241	1498	31	34	65	3	1	4	13	11	24	8
455	Saline, . . . . .	1792	1610	25	20	45	5	2	7	10	9	19	7
456	Scoonie (incl. LEVEN), .	3115	3257	46	49	95	3	2	5	29	43	72	20
457	Strathmiglo, . . . . .	2509	2261	46	32	78	4	2	6	8	13	21	31
458	Torryburn, . . . . .	1341	1229	10	19	29	—	1	1	4	9	13	9
459	Wemyss, . . . . .	5647	6003	128	124	252	4	7	11	59	64	123	48
	Total, . . . . .	153789	155021	2743	2595	5338	219	227	446	1392	1419	2811	996
	15. KINROSS.												
460	Cleish, . . . . .	659	649	9	9	18	—	1	1	3	5	8	3
461	Fossoway and Tulliebole,	1621	1584	19	15	34	5	1	6	15	11	26	7
462	KINROSS (incl. Town), .	3227	2649	31	26	57	1	4	5	23	18	41	10
463	Orwell, . . . . .	2569	2399	35	30	65	6	3	9	14	21	35	10
464	Portmoak, . . . . .	1550	1450	16	18	34	2	2	4	7	10	17	7
	Total, . . . . .	9626	8731	110	98	208	14	11	25	62	65	127	37
	16. CLACKMANNAN.												
465	ALLOA (incl. Town), . .	9493	8867	197	147	344	20	7	27	137	140	277	62
466	Clackmannan, . . . . .	5802	4425	93	96	189	14	10	24	46	47	93	26
467	Dollar, . . . . .	1574	1776	24	25	49	4	—	4	12	27	39	11
468	TILlicOUNTRY (including Town), . . . . .	4686	5054	74	65	139	9	7	16	42	59	101	28
	Total, . . . . .	21555	20122	388	333	721	47	24	71	237	273	510	127
	V. WEST-MIDLAND.												
	17. STIRLING.												
469	Airth, . . . . .	1319	1194	25	21	46	3	2	5	18	12	30	7
470	ALVA (incl. Town), . .	3204	3283	82	83	165	10	8	18	26	40	66	19
471	Baldernock, . . . . .	801	718	11	7	18	1	—	1	11	6	17	4
472	Balfroun, . . . . .	1900	1517	31	17	48	3	1	4	18	17	35	9
473	Bothkennar, . . . . .	1179	1722	65	51	116	2	3	5	25	16	41	16
474	Buchanan, . . . . .	632	705	7	10	17	—	1	1	7	1	8	—
475	Campsie (including LEN- NOXTOWN), . . . . .	6918	6483	106	108	214	4	5	9	81	82	163	39
476	DENNY (incl. Town), . .	4754	4988	101	91	192	11	11	22	52	52	104	31
477	Drymen, . . . . .	1481	1619	13	13	26	—	2	2	10	7	17	5
478	Dunipace, . . . . .	1472	1731	29	33	62	2	1	3	10	16	26	9
479	FALKIRK—(1) Burgh, .	8752	9030	208	168	376	12	5	17	123	137	260	47
	(2) Landward, . . . . .	7686	7996	185	141	326	13	10	23	82	78	160	64

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
480	Fintry, . . . . .	823	685	14	7	21	2	3	5	6	6	12	4
481	Gargunnoch, . . . . .	754	728	9	8	17	—	2	2	2	5	7	2
482	Killearn, . . . . .	1176	1171	17	10	27	1	2	3	7	6	13	11
483	KILSYTH (incl. Town), . . . . .	5346	6112	147	150	297	17	19	36	65	65	130	51
484	Kippen, . . . . .	1892	1722	22	22	44	3	3	6	10	16	26	7
485	Larbert, . . . . .	4606	4999	110	76	186	7	6	13	42	48	90	34
486	Muiravonside, . . . . .	2647	2660	56	51	107	2	2	4	21	17	38	14
487	Polmont, . . . . .	3764	4111	80	79	159	6	6	12	50	41	91	25
488	St Ninians (includ. BAN- NOCKBURN, Town), . . . . .	7630	6648	132	115	247	9	4	13	71	83	154	40
489	Slamannan, . . . . .	1655	2916	107	88	195	10	1	11	36	32	68	29
490	STIRLING (incl. Burgh), . . . . .	12401	14012	233	288	521	30	31	61	185	201	386	118
491	Strathblane, . . . . .	1010	1388	22	22	44	—	2	2	11	9	20	8
Total,		83802	88138	1812	1659	3471	148	130	278	969	993	1962	593
18. DUMBARTON.													
492	Arrochar, . . . . .	562	629	3	4	7	—	1	1	8	5	13	1
493	BONHILL (includ. Town, & ALEXANDRIA, Town), . . . . .	7819	9059	190	150	340	9	10	19	111	95	206	88
494	Cardross (incl. RENTON), . . . . .	3402	4168	80	89	169	11	9	20	46	39	85	20
495	Cumbernauld, . . . . .	3778	3513	84	66	150	8	5	13	35	33	68	20
496	DUMBARTON (incl. Burgh), . . . . .	5445	8268	249	227	476	19	12	31	162	156	318	80
497	Kilmaronock, . . . . .	1033	1085	14	14	28	1	3	4	5	11	16	4
498	KIRKINTILLOCH (incl. Town), . . . . .	8426	8179	160	170	330	18	18	36	120	91	211	38
499	Luss, . . . . .	907	831	9	8	17	—	—	—	6	5	11	4
500	New, or East, Kilpatrick, . . . . .	4286	4910	105	112	217	8	7	15	57	55	112	32
501	Old, or West, Kilpatrick (incl. DUNTOCHER, Town), . . . . .	5921	5577	106	87	193	8	4	12	53	49	102	24
502	Roseneath, . . . . .	1044	1626	23	21	44	1	—	1	15	11	26	5
503	Row (incl. HELENSBURGH), . . . . .	4372	6334	120	99	219	8	2	10	69	53	122	48
Total,		46995	54179	1143	1047	2190	91	71	162	687	603	1290	364
19. ARGYLL.													
Mainland.													
504	Ardehatten, . . . . .	1525	1381	14	14	28	1	2	3	9	13	22	10
505	Ardnamurchan—												
	(1) Aharacle, . . . . .	c. 1791	1544	17	17	34	1	2	3	3	5	8	6
	(2) Arisaig, . . . . .	c. 1555	1343	13	20	33	1	1	2	9	13	22	2
	(3) Sunart (or Strontian), . . . . .	c. 875	759	3	10	13	—	—	—	3	5	8	2
	(4) Western District, . . . . .	c. 1225	1054	17	7	24	1	—	1	11	12	23	3
506	Ballachulish and Corran of Ardgour, . . . . .	c. 1125	919	10	7	17	—	—	—	5	12	17	3
507	CAMPBELTOWN (incl. Burgh), . . . . .	9381	8149	136	126	262	9	8	17	88	88	176	38
508	Craignish, . . . . .	756	618	7	7	14	—	—	—	5	4	9	2
509	Cumlodden, . . . . .	1095	1033	16	20	36	—	—	—	4	3	7	2
510	DUNOON and KILMUN (incl. DUNOON & KIRN), . . . . .	4518	5461	83	90	173	4	3	7	58	60	118	32
511	Glassary, . . . . .	c. 1860	1769	22	35	57	2	3	5	7	10	17	4
512	Glenorchy and Inishail, . . . . .	1450	1307	13	2	15	1	—	1	9	11	20	6
513	INVERARAY (including Burgh), . . . . .	1755	1650	16	14	30	—	2	2	16	13	29	6
514	Inverchaolain, . . . . .	474	424	10	6	16	—	—	—	6	1	7	1
515	Kilbrandon & Kilchattan, . . . . .	c. 2571	2053	23	29	52	2	2	4	29	14	43	9
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell, . . . . .	c. 930	742	3	4	7	—	—	—	6	7	13	1
	(2) Kilberry, . . . . .	689	583	7	7	14	—	—	—	3	1	4	1
517	Kilchrenan, etc.—												
	(1) Kilchrenan, . . . . .	494	385	4	3	7	1	2	3	3	1	4	1
	(2) Dalavich, . . . . .	282	230	4	6	10	1	1	2	3	1	4	—



No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
518	Kilfinan, . . . . .	1695	1891	40	27	67	1	—	1	12	11	23	13
519	Killeen and Kilchenzie, .	2219	1890	19	23	42	1	—	1	8	11	19	9
520	Kilmalie, . . . . .	c. 4110	3353	26	43	69	2	7	9	21	29	50	10
521	Kilmartin, . . . . .	1144	949	13	9	22	1	—	1	12	10	22	4
522	Kilmodan, . . . . .	500	433	4	3	7	1	—	1	4	2	6	2
523	Kilmore and Kilbride (incl. Burgh of OBAN),	3131	2962	41	38	79	5	4	9	42	30	72	29
524	Kilninver, etc.— (1) Kilninver, . . . . .	449	314	3	6	9	—	1	1	3	1	4	—
	(2) Kilmelford, . . . . .	265	486	10	8	18	—	—	—	3	2	5	—
525	Lismore, etc.— (1) Lismore, . . . . .	c. 1167	1023	10	5	15	1	—	1	10	7	17	5
	(2) Appin, . . . . .	c. 940	825	8	7	15	—	—	—	6	3	9	3
	(3) Glencoe & Ballachu- lish, . . . . .	c. 1510	1324	21	15	36	—	—	—	11	16	27	4
	(4) Duror, . . . . .	c. 480	423	2	8	10	—	—	—	2	1	3	3
526	Lochgilphead, . . . . .	c. 3263	3312	66	60	126	4	3	7	42	35	77	18
527	Lochgoilhead, etc.— (1) Lochgoilhead, . . . . .	446	418	5	6	11	—	1	1	1	1	2	1
	(2) Kilmorich, . . . . .	388	284	3	6	9	—	—	—	5	2	7	—
528	Morvern, . . . . .	1547	1226	14	14	28	—	1	1	8	8	16	1
529	Muckairn, . . . . .	788	729	6	10	16	2	—	2	4	2	6	3
530	North Knapdale, . . . . .	1666	1327	8	14	22	—	—	—	6	15	21	5
531	Saddell, etc.— (1) Saddell, . . . . .	791	739	13	8	21	1	—	1	4	6	10	3
	(2) Skipness, . . . . .	c. 705	533	5	7	12	—	—	—	5	2	7	2
532	Southend, . . . . .	1406	1214	16	9	25	2	—	2	5	6	11	10
533	South Knapdale, . . . . .	565	654	8	6	14	—	1	1	6	5	11	1
534	Stralachlan, etc.— (1) Stralachlan, . . . . .	397	309	9	6	15	—	—	—	4	—	4	—
	(2) Strachur, . . . . .	518	563	6	3	9	1	—	1	3	6	9	5
535	Tarbert, . . . . .	c. 1828	1661	35	31	66	3	2	5	9	11	20	10
	<i>Insular.</i>												
536	Bowmore (or Kilarrow), .	3469	2701	22	26	48	3	4	7	20	24	44	6
537	Gigha, . . . . .	547	467	6	7	13	—	2	2	3	4	7	—
538	Iona, . . . . .	c. 900	743	12	8	20	1	2	3	3	3	6	2
539	Jura, etc.—(1) Jura, . . . . .	c. 868	858	7	7	14	—	1	1	6	6	12	3
	(2) Colonsay, . . . . .	837	598	5	11	16	2	1	3	5	5	10	3
540	Kilchoman, . . . . .	c. 2865	2377	21	19	40	4	1	5	28	15	43	5
541	Kildalton, . . . . .	c. 2450	2187	26	32	58	5	7	12	23	24	47	6
542	Kilfinichen & Kilvickeon, .	c. 2171	1792	29	16	45	6	—	6	12	12	24	10
543	Kilmeny, . . . . .	1413	1268	16	18	34	4	3	7	7	9	16	2
544	Kilninian and Kilmore, .	c. 1890	1641	9	7	16	1	2	3	10	12	22	3
545	Kinlochspelve, . . . . .	c. 420	428	7	3	10	1	—	1	4	1	5	2
546	Oa, . . . . .	c. 860	769	4	6	10	—	—	—	1	4	5	1
547	Portnahaven, . . . . .	c. 1277	1059	14	17	31	1	—	1	11	12	23	4
548	Salen, . . . . .	c. 634	604	4	5	9	—	—	—	3	3	6	2
549	Tobermory, . . . . .	c. 1804	1566	21	20	41	—	1	1	16	18	34	5
550	Torosay, . . . . .	c. 550	557	5	8	13	—	—	—	5	2	7	1
551	Tyree, etc.—(1) Tyree, .	3709	3217	36	28	64	4	4	8	24	14	38	6
	(2) Coll, . . . . .	1109	781	14	6	20	1	—	1	7	6	13	3
	Total,	94042	83859	1067	1040	2107	82	74	156	701	670	1371	334
	20. BUTE.												
552	Cumraes, . . . . .	1275	1256	14	23	42	—	—	—	13	21	34	10
553	Kilbride, part of— (1) Brodick, . . . . .	c. 2340	{ c1253 c1000	12	6	18	1	—	1	9	12	21	5
	(2) Kilbride, . . . . .			17	7	24	—	1	1	17	13	30	3
554	Kilmory, . . . . .	c. 2724	2515	21	16	37	—	1	1	21	31	52	10

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
555	Kingarth, . . . .	1007	905	11	15	26	1	1	2	9	4	13	5
556	Lochranza, . . . .	c. 883	824	4	6	10	—	—	—	6	10	16	2
557	North Bute, . . . .	c. 1235	1351	16	14	30	2	2	4	13	14	27	5
558	ROTHESAY, . . . .	c. 7144	7227	108	103	211	12	9	21	92	119	211	38
	Total,	16608	16331	203	195	398	16	14	30	180	224	404	78
VI. SOUTH-WESTERN.													
21. RENFREW.													
559	ABBEY—												
	(1) Part of PAISLEY,	16351	15889	268	296	564	26	24	50	176	206	382	140
	(2) Landward (including part of BARRHEAD),	c. 4867	5670	101	110	211	9	10	19	68	66	134	33
	(3) JOHNSTONE (including Town), . . . .	c. 7363	8142	165	160	325	6	9	15	109	105	214	70
560	Cathcart, . . . .	2916	3782	99	100	199	1	5	6	52	76	128	47
561	Eaglesham, . . . .	2524	2328	23	20	43	1	—	1	18	15	33	18
562	EASTWOOD, . . . .	9243	11314	236	237	473	19	18	37	135	164	299	82
563	Erskine, . . . .	1232	1457	32	18	50	1	3	4	23	11	34	8
564	GREENOCK—												
	(1) New, or Middle, . . . .	9414	9446	226	203	429	23	28	51	162	151	313	33
	(2) East, . . . .	7704	12135	372	369	741	15	9	24	253	202	455	123
	(3) Old, or West, . . . .	20318	22313	636	590	1226	40	28	68	467	423	890	277
565	Houston and Killellan, . . . .	2753	2490	45	27	72	8	6	14	22	25	47	31
566	Inchinnan, . . . .	649	619	10	5	15	—	—	—	7	2	9	3
567	Innerkip—												
	(1) Innerkip, . . . .	c. 1026	1188	20	22	42	2	—	2	9	11	20	3
	(2) GOUROCK (including Town), . . . .	c. 1992	2307	44	50	94	3	3	6	28	28	56	16
568	KILBARCHAN, . . . .	5474	6348	109	102	211	6	8	14	68	59	127	41
569	Kilmalcolm, . . . .	1399	1455	26	31	57	4	4	8	14	17	31	15
570	Lochwinnoch, . . . .	4153	3821	69	52	121	4	9	13	29	40	69	36
571	Mearns, . . . .	3704	3547	68	60	128	5	5	10	36	21	57	15
572	Neilston—(1) Neilston, } (2) Barrhead, }	12233 } c. 3013 c. 8000	71 77 113	77 103	148 216	14 7	16 10	30 17	46 79	72 77	118 156	33 29	
573	PAISLEY—												
	(1) High, . . . .	14643	14900	312	271	583	27	14	41	179	198	377	125
	(2) Low, . . . .	7205	6712	130	113	243	13	8	21	101	97	198	47
	(3) Middle, . . . .	9904	9926	195	171	366	26	13	39	132	132	264	82
574	PORT-GLASGOW (incl. Burgh), . . . .	7017	7294	203	254	457	19	19	38	123	129	252	82
575	RENFREW (incl. Burgh), . . . .	3866	4650	110	103	213	4	2	6	69	66	135	23
	Total,	157950	168746	3683	3544	7227	283	251	534	2405	2393	4798	1412
22. AYR.													
576	ARDROSSAN—												
	(1) Old (including part of SALTCOATS), . . . .	c. 3434	3530	58	46	104	5	4	9	28	33	61	37
	(2) New (including ARDROSSAN), . . . .	c. 2147	3246	82	71	153	4	5	9	37	24	61	17
577	Auchinleck, . . . .	3697	4213	125	136	261	9	8	17	64	53	117	30
578	AYR (incl. Burgh), . . . .	18845	19659	322	309	631	38	39	77	205	218	423	165
579	Ballantrae, . . . .	1801	1483	23	26	49	4	4	8	5	10	15	6
580	Barr, . . . .	907	910	15	7	22	—	—	—	3	4	7	4
581	BEITH (incl. Town), . . . .	6425	5775	114	109	223	9	3	12	57	48	105	38
582	Colmonell, . . . .	2934	2588	29	42	71	1	7	8	15	14	29	15
583	Coylton, . . . .	1542	1604	25	17	42	3	—	3	11	9	20	7
584	Craigie, . . . .	793	730	10	13	23	—	1	1	8	3	11	6
585	Dailly, . . . .	2413	2050	39	39	78	5	6	11	14	23	37	17



No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
586	Dalmellington, . . . . .	2910	4194	147	117	264	6	9	15	55	38	93	33
587	DALRY (incl. Town), . . . . .	8865	11156	254	224	478	22	15	37	125	110	235	73
588	Dalrymple, . . . . .	1096	1325	26	30	56	4	2	6	14	16	30	10
589	Dreghorn, . . . . .	1828	3283	64	56	120	2	4	6	20	19	39	20
590	Dundonald (incl. TROON), . . . . .	4555	4694	65	82	147	5	5	10	48	40	88	31
591	Dunlop, . . . . .	1115	1038	14	24	38	—	1	1	13	6	19	8
592	Fenwick, . . . . .	1741	1532	13	15	28	1	—	1	10	4	14	4
593	GALSTON (incl. Town), . . . . .	4392	5254	145	120	265	10	12	22	52	65	117	37
594	GIRVAN (incl. Town), . . . . .	8588	7053	109	76	185	24	14	38	61	57	118	36
595	IRVINE (incl. Burgh), . . . . .	8463	8607	193	147	340	13	18	31	97	117	214	61
596	KILBIRNIE (incl. Town), . . . . .	5484	5265	109	107	216	12	9	21	37	40	77	41
597	KILMARNOCK (incl. part of Burgh), . . . . .	21287	23556	531	503	1034	45	45	90	254	258	512	200
598	Kilmaurs, . . . . .	3144	3526	74	67	141	6	2	8	35	22	57	34
599	KILWINNING (incl. Town), . . . . .	6359	7717	141	150	291	5	24	29	73	61	134	38
600	Kirkmichael, . . . . .	3262	2823	29	26	55	4	6	10	16	15	31	25
601	Kirkoswald, . . . . .	2242	2060	34	30	64	5	6	11	9	13	22	11
602	LARGS (incl. Town), . . . . .	3715	3620	59	62	121	4	2	6	45	35	80	27
603	Loudoun (incl. NEW-MILNS), . . . . .	4720	4840	125	127	252	9	9	18	40	47	87	41
604	Mauchline, . . . . .	2470	2303	44	37	81	7	5	12	27	28	55	19
605	MAYBOLE (incl. Town), . . . . .	7615	6713	99	100	199	12	18	30	56	45	101	33
606	Monkton and Prestwick, . . . . .	1960	1937	28	30	58	1	5	6	18	15	33	12
607	MUIRKIRK (incl. Town), . . . . .	3423	3270	64	62	126	8	8	16	35	25	60	20
608	New Cumnock, . . . . .	2759	2891	57	72	129	10	6	16	29	34	63	30
609	Ochiltree, . . . . .	1787	1676	21	13	34	3	—	3	14	11	25	11
610	Old Cumnock (including Town), . . . . .	3777	3721	67	67	134	10	8	18	34	46	80	24
611	Riccarton (incl. part of KILMARNOCK), . . . . .	4583	5629	134	143	277	9	13	22	51	47	98	51
612	St Quivox and Newton-upon-Ayr, . . . . .	2231	1870	25	17	42	4	4	8	13	13	26	14
613	Sorn (incl. CATRINE), . . . . .	4174	4042	78	66	144	9	4	13	43	34	77	36
614	Stair, . . . . .	820	743	9	10	19	—	—	—	3	5	8	4
615	STEVENSTON (incl. Town and part of SALTCOATS), . . . . .	3811	5452	106	123	229	11	7	18	47	46	93	28
616	STEWARTON (incl. Town), . . . . .	4572	4449	85	80	165	15	7	22	43	44	87	28
617	Straiton, . . . . .	1540	1544	19	22	41	4	1	5	11	13	24	17
618	Symington, . . . . .	902	855	8	9	17	—	1	1	13	6	19	2
619	Tarbolton, . . . . .	2824	2669	83	61	144	7	5	12	25	30	55	19
620	West Kilbride, . . . . .	2021	1968	18	26	44	1	1	2	22	17	39	9
Total,		189973	199063	3919	3716	7635	366	353	719	1935	1861	3796	1429
23. LANARK.													
621	Avondale (incl. STRATH-AVEN), . . . . .	6451	6125	80	93	173	7	3	10	38	59	97	61
622	Barony—												
	(1) MARYHILL (incl. Town and part of GLASGOW), . . . . .	c. 4007	6734	150	151	301	7	6	13	105	88	193	54
	(2) Springburn (incl. pt. of GLASGOW), . . . . .	c. 6386	8911	258	259	517	28	32	60	305	282	587	60
	(3) Shettleston, . . . . .	c. 6564	6914	122	134	256	11	14	25	85	80	165	33
623	Biggar, . . . . .	2049	1999	37	18	55	7	1	8	12	15	27	15
624	Blantyre, . . . . .	2848	3092	55	59	114	7	7	14	26	33	59	36
625	Bothwell—												
	(1) Bothwell (including BELLSHILL), . . . . .	c. 5583	7059	173	157	330	4	7	11	97	87	184	45
	(2) Holytown, . . . . .	c. 9700	10844	243	246	489	17	17	34	119	105	224	49

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
626	Cadder—												
	(1) Western District, . .	c. 2550	3023	66	54	120	7	2	9	36	35	71	19
	(2) Eastern District, . .	c. 2464	2925	72	68	140	7	6	13	31	31	62	17
626	Calderhead, . . . . .	c. 2140	3789	97	90	187	5	3	8	51	49	100	27
627	Cambuslang, . . . . .	3306	3647	45	75	120	3	5	8	43	34	77	25
628	Cambusnethan (including WISHAW) (part of), .	c. 8571	c.13377	459	407	866	17	31	48	166	162	328	136
629	CARLUKE (incl. Town), .	6283	6176	155	123	278	17	11	28	52	67	119	48
630	Carmichael, . . . . .	805	836	8	13	21	1	2	3	7	6	13	4
631	Carmunnock, . . . . .	710	734	8	11	19	1	—	1	10	7	17	6
632	Carnwath, . . . . .	3551	3584	104	97	201	8	8	16	47	31	78	32
633	Carstairs, . . . . .	1066	1345	29	27	56	2	3	5	14	10	24	6
634	Covington & Thankerton,	548	532	9	3	12	2	1	3	1	—	1	6
635	Crawford—												
	(1) Crawford, . . . . .	c. 730	694	8	16	24	—	2	2	8	6	14	5
	(2) Leadhills, . . . . .	c. 940	896	18	23	41	2	1	3	11	5	16	3
636	Crawfordjohn, . . . . .	1111	980	9	15	24	3	2	5	6	11	17	7
637	Culter, . . . . .	472	665	6	2	8	—	1	1	6	3	9	4
638	Dalserf—												
	(1) LARKHALL (including Town), . . . .	c. 2670	3629	107	130	237	12	7	19	41	51	92	35
	(2) Dalserf, . . . . .	c. 913	1247	43	52	95	3	1	4	19	17	36	11
639	Dalziel (incl. MOTHERWELL), . . . . .	2262	5438	205	211	416	6	3	9	88	97	185	37
640	Dolphington, . . . . .	305	260	3	3	6	—	—	—	3	1	4	2
641	Douglas, . . . . .	2611	2490	45	36	81	6	6	12	19	24	43	20
642	Dunsyre, . . . . .	312	312	3	2	5	—	—	—	1	1	2	1
643	East Kilbride, . . . . .	3760	4064	76	69	145	4	3	7	33	38	71	24
644	GLASGOW—												
	(1) Central District, . .	c. 43270	49678	1400	1275	2675	262	253	515	1167	1148	2315	421
	(2) High, . . . . .	c. 42005	48119	1175	1050	2225	127	104	231	1237	997	2234	471
	(3) Bridgeton, . . . . .	c. 38385	45485	1125	1073	2198	85	70	155	804	809	1613	385
	(4) Calton, . . . . .	c. 33310	36625	800	767	1567	80	78	158	645	613	1258	326
	(5) Clyde, . . . . .	c. 32800	29975	529	508	1037	79	80	159	456	468	924	161
	(6) Blythswood, . . . . .	c. 21405	28697	478	465	943	32	36	68	296	307	603	487
	(7) Milton, . . . . .	c. 26240	33360	876	843	1719	64	64	128	517	584	1101	314
	(8) Anderston, . . . . .	c. 30035	40945	1062	1033	2095	68	58	126	581	588	1169	373
	(9) Tradeston, . . . . .	c. 27163	38600	978	919	1897	71	68	139	628	574	1202	571
	(10) Hutchesontown, . .	c. 34484	44019	1144	1107	2251	75	64	139	708	705	1413	305
645	Glassford, . . . . .	1955	1938	25	21	46	3	3	6	21	21	42	12
646	GOVAN—												
	(1) GOVAN (incl. Town),	c. 6238	13725	490	493	983	17	19	36	270	215	485	186
	(2) PARTICK (incl. Town)	c. 7852	14859	412	386	798	18	9	27	205	242	447	174
647	HAMILTON (incl. Burgh),	11740	14047	341	287	628	21	17	38	164	147	311	106
648	LANARK (incl. Burgh),	8243	7891	119	132	251	17	26	43	74	89	163	51
649	Lesmahagow, . . . . .	7746	9266	185	174	359	19	23	42	73	76	149	67
650	Libberton, . . . . .	800	836	11	13	24	2	2	4	5	1	6	6
651	New Monkland—												
	(1) AIRDRIE, . . . . .	14435	12922	244	251	495	27	23	50	163	161	324	124
	(2) Landward, . . . . .	8766	7632	155	180	335	16	18	34	113	93	206	42
652	Old Monkland—												
	(1) Western District, . .	c. 6646	6932	182	151	333	16	4	20	101	89	190	20
	(2) Middle District (incl. COATBRIDGE), . .	c. 13168	15303	413	365	778	16	21	37	187	174	361	115
	(3) Eastern District (incl. CALDERBANK),	c. 7519	7308	172	151	323	8	6	14	87	72	159	28
653	Pettinain, . . . . .	428	407	11	8	19	—	1	1	4	1	5	1
654	RUTHERGLEN (incl. Burgh), . . . . .	7954	9335	214	207	421	9	9	18	141	144	285	84
655	Shotts (part of), . . . .	c. 892	c. 4778	104	111	215	4	6	10	59	40	99	22



No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
656	STONEHOUSE (incl. Town),	2781	3267	72	79	151	5	9	14	25	29	54	
657	Symington, . . . . .	536	528	10	10	20	3	1	4	8	1	9	
658	Walston, . . . . .	497	480	6	8	14	2	2	4	4	3	7	
659	Wandell and Lamington,	369	380	7	6	13	1	—	1	1	1	2	
660	Wiston and Robertson, .	839	786	8	10	18	1	3	4	4	4	8	
	Total,	533169	640444	15441	14727	30168	1342	1262	2604	10228	9831	20059	572
	VII. SOUTH-EASTERN.												
	24. LINLITHGOW.												
661	Abercorn, . . . . .	977	965	19	7	26	3	1	4	6	3	9	4
662	BATHGATE—(1) BATHGATE	4533	c. 5434	170	139	309	15	10	25	77	70	147	69
	(2) ARMADALE		c. 4700	111	115	226	5	5	10	37	32	69	23
663	BORROWSTOUNNESS (incl. Town), . . . . .	5192	5698	118	109	227	8	11	19	66	56	122	39
664	Carriiden, . . . . .	1724	1821	36	41	77	3	6	9	16	28	44	12
665	Dalmeny, . . . . .	768	804	13	14	27	2	—	2	5	9	14	7
666	Ecclesmachan, . . . . .	289	309	5	7	12	1	1	2	1	2	3	5
667	Kirkliston, . . . . .	2029	1907	44	37	81	3	3	6	13	17	30	7
668	LINLITHGOW—												
	(1) Burgh, . . . . .	4213	3843	60	68	128	5	5	10	33	40	73	28
	(2) Landward, . . . . .	1902	1941	32	32	64	3	6	9	19	23	42	13
669	Livingstone, . . . . .	1289	1366	32	25	57	4	7	11	9	16	25	8
670	QUEENSFERRY (incl. Burgh), . . . . .	1195	1391	36	34	70	2	2	4	9	10	19	9
671	Torphichen, . . . . .	1356	1848	34	27	61	—	3	3	13	11	24	9
672	Uphall, . . . . .	1331	1507	50	42	92	4	—	4	27	23	50	12
673	Whitburn, . . . . .	3792	5511	174	181	355	11	12	23	48	56	104	40
	Total,	30590	39045	934	878	1812	69	72	141	379	396	775	285
	25. EDINBURGH.												
674	Borthwick, . . . . .	1614	1742	33	32	65	3	2	5	19	9	28	9
675	Carrington, . . . . .	710	681	15	7	22	1	—	1	4	1	5	5
676	Cockpen, . . . . .	3228	2902	74	62	136	5	2	7	34	42	76	20
677	Colinton, . . . . .	2676	2656	54	39	93	7	2	9	39	29	68	20
678	Corstorphine, . . . . .	1499	1579	27	17	44	2	—	2	12	16	28	11
679	Cramond, . . . . .	2547	2695	49	49	98	4	3	7	27	26	53	13
680	Cranston, . . . . .	1235	1035	15	12	27	3	1	4	12	8	20	8
681	Crichton, . . . . .	1387	1304	26	11	37	5	1	6	11	10	21	9
682	Currie, . . . . .	2190	2248	28	39	67	1	3	4	23	18	41	11
683	DALKEITH (incl. Town),	6521	7114	166	140	306	16	7	23	110	100	210	62
684	Duddingston—												
	(1) PORTOBELLO, . . . . .	3559	4366	90	84	174	4	4	8	45	52	97	49
	(2) Landward, . . . . .	904	857	16	18	34	2	1	3	7	11	18	4
685	EDINBURGH—												
	(1) St George (incl. Landward of St Cuth- bert), . . . . .	c. 38540	42068	854	798	1652	50	54	104	588	601	1189	351
	(2) St Andrew, . . . . .	c. 37435	38731	523	501	1024	41	29	70	352	352	704	380
	(3) Canongate (incl. Landward), . . . . .	c. 29230	30169	693	655	1348	61	64	125	739	575	1314	343
	(4) St Giles, . . . . .	c. 29245	29679	666	627	1293	138	134	272	350	380	730	281
	(5) Newington, . . . . .	c. 27198	29797	660	663	1323	41	38	79	394	450	844	410
686	Fala and Soutra, . . . . .	434	382	9	6	15	2	1	3	1	4	5	1
687	Glencross, . . . . .	1138	1217	16	18	34	3	2	5	8	10	18	5
688	Heriot, . . . . .	352	407	5	6	11	—	1	1	2	2	4	3
689	Inveresk (incl. MUSSEL- BURGH), . . . . .	8653	9518	167	165	332	17	13	30	96	127	223	52

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Totl.	Mal.	Fem.	Total.	
690	Kirknewton and East-Calder, . . . .	1630	1549	23	33	56	3	3	6	18	10	28	14
691	Lasswade, . . . .	5821	5688	121	127	248	6	10	16	39	66	105	42
692	LEITH—												
	(1) North Leith, . . . .	c. 9494	11562	317	300	617	18	9	27	171	163	334	129
	(2) South Leith, . . . .	c. 22725	24467	589	554	1143	46	37	83	337	302	639	281
693	Liberton, . . . .	3528	3510	71	60	131	11	7	18	45	39	84	23
694	Mid-Calder, . . . .	1474	1389	33	28	61	7	1	8	11	3	14	6
695	Newbattle, . . . .	2518	2837	71	61	132	4	5	9	31	35	66	24
696	Newton, . . . .	1780	1553	18	11	29	1	1	2	10	15	25	12
697	Penicuik, . . . .	3003	3249	67	71	138	10	2	12	19	31	50	26
698	Ratho, . . . .	1718	1659	34	29	63	3	3	6	20	21	41	10
699	Stow, . . . .	1973	2171	33	32	65	5	1	6	16	8	24	17
700	Temple, . . . .	1414	1385	39	30	69	2	3	5	16	14	30	10
701	West-Calder, . . . .	2120	1927	180	138	318	8	7	15	72	51	123	35
	Total,	259493	274093	5782	5423	11205	530	451	981	3678	3581	7259	2676
	26. HADDINGTON.												
702	Aberlady, . . . .	1099	1019	19	16	35	4	1	5	7	9	16	4
703	Athelstaneford, . . . .	971	902	11	10	21	—	—	—	5	5	10	2
704	Bolton, . . . .	373	332	8	4	12	1	—	1	—	1	1	5
705	Dirleton, . . . .	1634	1540	13	18	31	—	3	3	7	14	21	8
706	DUNBAR (incl. Burgh),	4415	4944	79	60	139	8	8	16	51	51	102	33
707	Garvald, . . . .	869	891	12	14	26	—	2	2	3	6	9	3
708	Gladsmuir, . . . .	1780	1945	50	31	81	4	2	6	7	9	16	7
709	HADDINGTON (incl. Burgh), . . . .	5525	5548	109	80	189	8	6	14	49	58	107	44
710	Humble, . . . .	925	997	21	11	32	4	—	4	8	8	16	10
711	Innerwick, . . . .	1012	937	9	9	18	1	—	1	10	7	17	4
712	Morham, . . . .	249	281	1	1	2	—	1	1	1	2	3	1
713	NORTH BERWICK (incl. Burgh), . . . .	1643	2071	47	30	77	2	1	3	23	18	41	12
714	Oldhamstocks, . . . .	692	615	5	10	15	—	3	3	3	3	6	—
715	Ormiston, . . . .	811	915	14	23	37	1	5	6	7	8	15	8
716	Pencaitland, . . . .	1175	1187	21	28	49	1	2	3	10	9	19	8
717	Prestonkirk, . . . .	1894	1960	26	25	51	1	3	4	18	25	43	12
718	Prestonpans, . . . .	2123	2080	46	34	80	1	4	5	26	15	41	13
719	Salton, . . . .	697	712	10	11	21	—	—	—	6	2	8	5
720	Spott, . . . .	595	555	7	11	18	2	2	4	4	3	7	4
721	Stenton, . . . .	719	692	9	9	18	1	—	1	7	5	12	2
722	TRANENT (incl. Town), . . . .	4158	4647	105	95	200	9	6	15	51	53	104	41
723	Whitekirk & Tynninghame	1131	1113	18	14	32	2	1	3	5	7	12	3
724	Whittinghame, . . . .	671	710	11	9	20	2	1	3	5	4	9	6
725	Yester (or Gifford), . . . .	1202	1033	16	13	29	2	1	3	8	4	12	6
	Total,	36363	37626	667	566	1233	54	52	106	321	326	647	241
	27. BERWICK.												
726	Abbey St Bathans, . . . .	155	179	2	4	6	—	—	—	—	1	1	1
727	Ayton, . . . .	1959	2014	24	36	60	3	1	4	13	13	26	19
728	Bunkle and Preston, . . . .	715	756	15	17	32	3	1	4	5	3	8	3
729	Channelkirk, . . . .	728	671	18	7	25	3	2	5	6	10	16	2
730	Chirnside, . . . .	1384	1502	21	23	44	3	4	7	14	11	25	7
731	Cockburnspath, . . . .	1196	1194	19	20	39	1	1	2	10	9	19	7
732	Coldingham, . . . .	3188	3241	55	64	119	5	9	14	18	24	42	14
733	Coldstream, . . . .	3245	2823	27	54	81	5	10	15	18	26	44	7
734	Cranshaws, . . . .	127	134	3	4	7	—	1	1	—	—	—	1
735	DUNSE (incl. Town), . . . .	3407	3595	57	56	113	4	6	10	35	33	68	18
736	Earlston, . . . .	1819	1825	24	41	65	4	4	8	22	11	33	7



No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
737	Eccles, . . . .	1892	1861	31	23	54	3	2	5	12	8	20	8
738	Edrom, . . . .	1474	1592	20	20	40	1	4	5	7	12	19	8
739	Eyemouth, . . . .	1488	1804	53	58	111	4	3	7	17	9	26	9
740	Fogo, . . . .	604	559	5	10	15	1	1	2	2	2	4	3
741	Foulden, . . . .	430	431	2	3	5	—	—	—	2	2	4	3
742	Gordon, . . . .	983	931	22	16	38	1	2	3	11	7	18	8
743	Greenlaw, . . . .	1378	1370	27	26	53	4	2	6	9	15	24	13
744	Hume, . . . .	406	420	3	6	9	—	—	—	2	4	6	3
745	Hutton, . . . .	1102	1067	12	13	25	—	1	1	2	3	5	6
746	Ladykirk, . . . .	561	564	10	9	19	1	2	3	5	3	8	5
747	Langton, . . . .	484	502	10	11	21	1	3	4	3	2	5	5
748	LAUDER (incl. Burgh),	2154	2198	41	46	87	9	6	15	25	21	46	8
749	Legerwood, . . . .	587	599	7	12	19	2	—	2	3	4	7	2
750	Longformacus, . . . .	411	448	6	10	16	—	—	—	1	1	2	2
751	Merton, . . . .	692	729	7	12	19	1	1	2	5	6	11	5
752	Mordington, . . . .	427	377	5	4	9	1	—	1	3	2	5	1
753	Nenthorn, . . . .	441	461	8	1	9	1	—	1	2	2	4	—
754	Polwarth, . . . .	331	251	2	3	5	—	1	1	2	2	4	—
755	Swinton, . . . .	994	964	10	13	23	2	3	5	8	5	13	1
756	Westruther, . . . .	791	786	9	11	20	1	2	3	3	2	5	2
757	Whitsome, . . . .	612	640	13	7	20	4	—	4	1	3	4	3
	Total,	36165	36488	568	640	1208	68	72	140	266	256	522	181
	28. PEEBLES.												
758	Broughton, . . . .	284	297	7	2	9	1	—	1	—	1	1	1
759	Drumelzier, . . . .	244	209	1	2	3	—	—	—	2	—	2	—
760	Eddlestone, . . . .	790	753	15	8	23	—	—	—	8	5	13	4
761	Glenholm, . . . .	252	198	4	2	6	—	—	—	1	—	1	1
762	Innerleithen, . . . .	1236	1823	43	45	88	2	2	4	19	14	33	15
763	Kilbucho, . . . .	345	228	8	2	10	—	—	—	1	1	2	2
764	Kirkurd, . . . .	326	362	1	4	5	—	—	—	—	1	1	4
765	Lyne, etc.—(1) Lyne,	95	81	3	—	3	2	—	2	—	—	—	1
	(2) Meggat,	63	53	1	1	2	1	—	1	1	—	1	—
766	Manor, . . . .	256	247	8	10	18	2	1	3	2	1	3	—
767	Newlands, . . . .	950	987	11	19	30	—	—	—	7	7	14	5
768	PEEBLES (incl. Burgh),	2673	2850	38	38	76	4	5	9	39	26	65	16
769	Skirling, . . . .	316	317	5	5	10	—	—	—	2	2	4	—
770	Stobo, . . . .	478	478	13	11	24	1	—	1	3	—	3	—
771	Traquair, . . . .	646	687	9	14	23	1	1	2	2	3	5	5
772	Tweedsmuir, . . . .	220	196	2	1	3	—	—	—	—	—	—	3
773	West Linton, . . . .	1630	1534	23	24	47	2	—	2	13	14	27	5
	Total,	10804	11300	192	188	380	16	9	25	100	75	175	62
	29. SELKIRK.												
774	Ettrick, . . . .	477	454	4	8	12	1	1	2	5	2	7	4
775	GALASHIELS (incl. part of Town), . . . .	3014	3379	118	87	205	9	8	17	61	66	127	38
776	Kirkhope, . . . .	c. 600	555	11	10	21	1	—	1	3	4	7	4
777	Roberton, . . . .	670	640	10	14	24	2	2	4	4	5	9	6
778	SELKIRK (incl. Burgh),	4347	4739	93	98	191	6	9	15	46	55	101	26
779	Yarrow, . . . .	c. 694	643	9	10	19	2	—	2	5	5	10	3
	Total,	9802	10410	245	227	472	21	20	41	124	137	261	81
	VIII. SOUTHERN.												
	30. ROXBURGH.												
780	Ancrum, . . . .	1554	1511	25	20	45	1	5	6	7	10	17	6
781	Ashkirk, . . . .	578	578	12	9	21	—	—	—	4	1	5	1

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
782	Bedrule, . . . . .	240	222	3	5	8	1	—	1	1	1	2	—
783	Bowden, . . . . .	981	864	14	10	24	1	—	1	5	8	13	1
784	Castleton, . . . . .	2130	3688	36	31	67	5	4	9	13	14	27	11
785	Cavers, . . . . .	1495	1824	31	31	62	5	7	12	8	17	25	9
786	Crailing, . . . . .	734	673	8	7	15	—	—	—	3	6	9	8
787	Eckford, . . . . .	1073	957	12	18	30	2	2	4	5	10	15	2
787	Edgerston, . . . . .	c. 373	359	4	8	12	—	1	1	2	3	5	1
788	Ednam, . . . . .	658	599	13	13	26	2	—	2	2	2	4	3
789	HAWICK (incl. part of Town), . . . . .	7801	8726	168	163	331	13	22	35	100	85	185	50
790	Hobkirk, . . . . .	720	771	12	15	27	2	2	4	1	1	2	6
791	Hownam, . . . . .	252	289	5	4	9	1	—	1	1	3	4	4
792	JEDBURGH (incl. Burgh), . . . . .	c. 5220	5011	96	79	175	8	11	19	72	80	152	34
793	KELSO (incl. Town), . . . . .	5634	5192	64	88	152	1	9	10	66	67	133	28
794	Kirktown, . . . . .	282	421	6	5	11	2	1	3	1	3	4	2
795	Lilliesleaf, . . . . .	798	772	11	11	22	3	1	4	6	10	16	5
796	Linton, . . . . .	630	608	13	7	20	2	1	3	1	2	3	7
797	Makerston, . . . . .	345	380	6	5	11	1	1	2	2	2	4	2
798	Maxton, . . . . .	550	497	9	10	19	1	3	4	2	3	5	5
799	Melrose—												
	(1) Melrose, . . . . .	3592	3557	53	55	108	6	8	14	22	35	57	19
	(2) Ladhope (incl. part of GALASHIELS), . . . . .	3773	4154	96	72	168	14	5	19	54	53	107	47
800	Minto, . . . . .	467	430	4	2	6	—	1	1	5	2	7	—
801	Morebattle, . . . . .	997	1031	16	23	39	2	4	6	10	12	22	8
802	Oxnam, . . . . .	c. 632	592	15	7	22	1	1	2	7	5	12	1
803	Roxburgh, . . . . .	1141	1178	22	15	37	2	2	4	7	3	10	9
804	St Boswells, . . . . .	884	865	10	13	23	—	—	—	6	8	14	4
805	Smailholm, . . . . .	617	554	3	9	12	—	1	1	4	4	8	4
806	Southdean, . . . . .	c. 765	687	13	8	21	2	1	3	3	3	6	4
807	Sprouston, . . . . .	1424	1305	24	18	42	4	2	6	7	8	15	8
808	Stitchel, . . . . .	426	425	6	4	10	—	1	1	—	2	2	3
809	Teviothead, . . . . .	550	438	5	9	14	1	—	1	2	—	2	4
810	WILTON (incl. Town and part of HAWICK), . . . . .	2557	3357	64	85	149	10	9	19	20	30	50	22
811	Yetholm, . . . . .	1352	1207	19	18	37	1	3	4	11	12	23	3
	Total,	51225	53722	898	877	1775	94	108	202	460	505	965	321
	31. DUMFRIES.												
812	ANNAN (incl. part of Burgh), . . . . .	c. 5128	5113	97	92	189	12	14	26	60	54	114	25
813	Applegarth, . . . . .	918	935	15	15	30	1	1	2	5	5	10	3
813	Brydekirk (incl. part of ANNAN), . . . . .	c. 864	779	7	16	23	1	3	4	6	4	10	4
814	Canonbie, . . . . .	3163	3219	55	63	118	5	8	13	28	28	56	15
815	Carlaverock, . . . . .	1418	1248	11	13	24	3	1	4	7	14	21	5
816	Closeburn, . . . . .	1732	1651	22	33	55	2	6	8	6	15	21	6
817	Cummertrees, . . . . .	c. 1334	1184	15	12	27	1	—	1	2	9	11	4
818	Dalton, . . . . .	761	679	8	9	17	2	1	3	2	4	6	3
819	Dornock, . . . . .	936	856	15	15	30	3	2	5	8	9	17	6
820	Dryfesdale, . . . . .	2409	2509	47	42	89	6	4	10	22	23	45	15
821	DUMFRIES (incl. part of Burgh), . . . . .	12298	13523	224	239	463	33	38	71	174	194	368	103
822	Dunscore, . . . . .	1578	1554	16	25	41	3	4	7	12	11	23	8
823	Durrisdeer, . . . . .	1795	1320	15	25	40	3	4	7	11	11	22	9
824	Eskdalemuir, . . . . .	672	590	6	4	10	—	—	—	3	2	5	2
825	Ewes, . . . . .	354	356	7	4	11	—	1	1	8	1	9	3
826	Glencairn, . . . . .	1980	1867	24	43	67	6	5	11	13	18	31	12



No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
827	Graitney (or Gretna), . . .	1830	1620	14	13	27	2	3	5	6	15	21	6
828	Halfmorton, . . .	687	713	6	4	10	—	2	2	3	6	9	3
829	Hoddam, . . .	c. 1705	1568	20	25	45	7	6	13	8	17	25	7
830	Holywood, . . .	1060	1115	13	13	26	1	3	4	7	9	16	10
831	Hutton, . . .	836	876	15	9	24	2	2	4	5	6	11	6
832	Johnstone, . . .	1261	1149	18	16	34	1	1	2	4	7	11	9
833	Keir, . . .	960	849	8	18	26	—	3	3	7	6	13	4
834	Kirkconnel, . . .	1245	996	17	19	36	1	1	2	4	10	14	6
835	Kirkmahoe, . . .	1553	1462	17	15	32	2	2	4	18	9	27	3
836	Kirkmichael, . . .	1124	1026	19	11	30	2	2	4	10	5	15	8
837	Kirkpatrick-Fleming— (1) Northern Dist., } (2) Southern Dist., }	1829	{ c. 483 c. 1442	4 19	10 24	14 43	— 5	3 8	3 13	2 16	4 16	6 32	3 12
838	Kirkpatrick-Juxta, . . .	1097	1025	25	12	37	3	1	4	10	8	18	6
839	Langholm, . . .	2990	2979	51	59	110	6	7	13	27	38	65	14
840	LOCHMABEN (includ. Burgh), . . .	3127	3087	61	55	116	11	11	22	18	20	38	27
841	Middlebie, . . .	2163	2004	28	30	58	4	7	11	16	19	35	15
842	Moffat, . . .	2304	2232	26	28	54	3	4	7	19	29	48	14
843	Morton, . . .	2482	2253	35	31	66	8	1	9	30	35	65	12
844	Mousewald, . . .	686	633	11	8	19	1	1	2	3	5	8	1
845	Penpont, . . .	1411	1326	21	24	45	5	1	6	7	9	16	12
846	Ruthwell, . . .	1110	1046	15	10	25	3	2	5	10	15	25	1
847	St Mungo, . . .	645	686	10	12	22	3	5	8	5	—	5	2
848	SANQUHAR (including Burgh), . . .	c. 3155	2758	43	27	70	9	4	13	21	19	40	19
849	Tinwald, . . .	1080	1079	21	17	38	5	3	8	9	6	15	5
850	Torthorwald, . . .	1313	1254	27	20	47	12	5	17	18	11	29	9
851	Tundergarth, . . .	577	507	11	7	18	1	1	2	6	7	13	2
852	Tynron, . . .	482	446	4	7	11	1	—	1	3	3	6	5
a853	Wamphray, . . .	523	559	5	9	14	1	3	4	2	5	7	2
b853	Wanlockhead, . . .	c. 916	811	9	21	30	1	1	2	8	10	18	6
854	Westerkirk, . . .	658	537	7	6	13	1	1	2	—	3	3	8
Total,		78149	75904	1164	1210	2374	182	186	368	669	754	1423	460
32. KIRKCUDBRIGHT.													
855	Anwoth, . . .	900	899	16	17	33	2	1	3	9	13	22	3
856	Balmaclellan, . . .	c. 938	890	14	8	22	3	—	3	7	5	12	2
a857	Balmaghie, . . .	1217	1225	18	16	34	3	4	7	6	11	17	5
b857	Bargrennan, . . .	c. 500	c. 500	5	6	11	1	—	1	3	3	6	1
858	Borgue, . . .	1043	1162	15	19	34	3	3	6	8	8	16	3
859	Buittle, . . .	1042	1165	20	20	40	3	6	9	11	10	21	10
860	Carsphairn, . . .	855	553	6	7	13	2	—	2	1	5	6	2
861	Colvend, . . .	1398	1366	23	27	50	5	3	8	15	14	29	8
862	Corsock-Bridge, . . .	a. 550	544	8	6	14	1	1	2	3	2	5	4
863	Crossmichael, . . .	1362	1536	25	20	45	3	4	7	12	8	20	7
864	Dalbeattie, . . .	c. 1927	2054	53	48	101	7	6	13	45	45	90	21
865	Dalry, . . .	1238	1149	22	13	35	7	3	10	6	13	19	8
866	Girthon, . . .	1787	1702	24	22	46	2	2	4	24	27	51	8
867	Irongray, . . .	918	913	16	12	28	4	2	6	6	7	13	5
868	Kells (incl. NEW GAL- LOWAY), . . .	1091	1170	16	13	29	4	2	6	6	4	10	5
869	Kelton, . . .	3186	3436	58	54	112	15	14	29	33	42	75	17
870	Kirkbean, . . .	982	942	11	7	18	—	3	3	10	10	20	—
871	KIRKCUDBRIGHT (in- cluding Burgh), . . .	3555	3407	57	54	111	12	10	22	36	44	80	18
872	Kirkgunzeon, . . .	734	793	14	16	30	2	2	4	7	9	16	4
873	Kirkmabreck, . . .	2266	1851	30	31	61	5	5	10	11	14	25	11
874	Kirkpatrick-Durham, . . .	c. 1349	1323	17	14	31	2	2	4	4	12	16	7

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
875	Lochrutton, . . . .	726	677	6	13	19	3	3	6	5	7	12	6
876	Minnigaff, . . . .	c. 1804	c. 1554	13	22	35	5	4	9	6	18	24	7
877	New Abbey, . . . .	1098	1063	11	16	27	—	4	4	5	7	12	8
878	Parton, . . . .	c. 547	572	6	6	12	1	1	2	5	4	9	—
879	Rerrick, . . . .	1725	1738	28	28	56	8	5	13	15	20	35	5
880	Terregles (incl. part of DUMFRIES), . . . .	566	580	5	6	11	—	—	—	3	4	7	4
881	Tongland, . . . .	924	892	10	12	22	1	3	4	7	6	13	2
882	Troqueer (incl. part of DUMFRIES), . . . .	4925	4743	97	83	180	10	12	22	65	53	118	22
883	Twynholm, . . . .	782	815	11	12	23	3	4	7	8	9	17	4
884	Urr, . . . .	c. 1436	1531	25	24	49	4	4	8	16	30	46	7
	Total,	43121	42495	680	652	1332	121	113	234	398	464	862	214
	33. WIGTOWN.												
885	Glasserton, . . . .	1487	1472	20	23	43	7	5	12	5	10	15	13
886	Inch, . . . .	2579	2460	30	38	68	1	6	7	28	19	47	13
887	Kirkcolm, . . . .	2018	1860	21	23	44	6	1	7	13	15	28	11
888	Kirkcowan, . . . .	1541	1434	22	19	41	5	4	9	14	11	25	10
889	Kirkinner, . . . .	1914	1716	26	22	48	5	2	7	12	13	25	10
890	Kirkmaiden, . . . .	2681	2333	38	43	81	7	9	16	15	13	28	11
891	Leswalt, . . . .	1703	1417	16	15	31	1	—	1	5	9	14	5
892	Mochrum, . . . .	2946	2694	37	43	80	9	6	15	18	27	45	11
893	New Luce, . . . .	791	731	9	14	23	3	6	9	13	4	17	5
894	Old Luce (or Glenluce), . . . .	2841	2800	44	32	76	5	5	10	15	18	33	16
895	Penninghame (incl. NEW-TON-STEWART), . . . .	4155	4061	57	50	107	5	7	12	26	20	46	13
896	Portpatrick, . . . .	1963	2189	18	20	38	3	1	4	23	13	36	8
897	Sorbie, . . . .	1886	1814	25	21	46	5	7	12	11	20	31	10
898	Stoneykirk, . . . .	3321	3228	48	54	102	10	9	19	25	31	56	13
899	STRANRAER (incl. Burgh), . . . .	5738	6315	96	97	193	19	14	33	125	139	264	25
900	WHITHORN (incl. Burgh), . . . .	3001	2934	36	48	84	8	3	11	24	30	54	15
901	WIGTOWN (incl. Burgh), . . . .	2824	2637	38	23	61	5	2	7	21	30	51	6
	Total,	43389	42095	581	585	1166	104	87	191	393	422	815	195

SUMMARY.

DISTRICTS.	POPULATION.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	Mal.	Fem.	Total.	
INSULAR, . . . .	166,487	160,733	2218	2084	4302	129	131	260	1156	1355	2511	707
MAINLAND-RURAL, . . . .	1,711,717	1,762,576	31319	29668	60987	3279	3076	6355	15993	16191	32184	10458
TOWN, . . . .	1,010,538	1,138,985	25685	24540	50225	2439	2300	4739	17513	17208	34721	10690
SCOTLAND, . . . .	2,888,742	3,062,294	59222	56292	115514	5847	5507	11354	34662	34754	69416	21855



MARRIAGES registered in SCOTLAND in 1868 according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.		TOTAL MARRIAGES.	Regular Marriages, according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Register by Marks.	
			Established Church.	Free Church.	United Presby- terian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND .....		21855	9786	5015	3244	467	1872	1403	58	60	18609	484	1966	671	125	2143	4154
INSULAR DISTRICTS .....		707	307	287	55	—	19	35	3	1	597	9	72	18	11	178	288
MAINLAND-RURAL DIST.		10458	5609	2365	1445	122	510	386	19	2	9074	176	875	225	108	770	1407
TOWN DISTRICTS .....		10690	3820	2363	1744	345	1343	982	36	57	8938	299	1019	428	6	1195	2455
DIVISIONS.																	
I.	NORTHERN .....	553	209	243	57	—	—	40	3	1	485	5	51	9	3	34	81
II.	NORTH-WESTERN .....	707	185	452	21	3	36	10	—	—	610	8	58	10	21	228	344
III.	NORTH-EASTERN .....	2436	1438	597	140	84	44	133	—	—	2128	51	199	48	10	59	170
IV.	EAST-MIDLAND .....	3508	1752	749	596	92	175	135	9	—	3029	60	309	90	20	157	444
V.	WEST-MIDLAND .....	1369	681	282	198	12	118	77	—	1	1169	22	121	38	19	177	274
VI.	SOUTH-WESTERN .....	8566	3242	1670	1394	179	1196	821	38	26	7160	240	779	366	21	1220	2399
VII.	SOUTH-EASTERN .....	3526	1582	796	643	90	249	130	6	30	3003	82	338	84	19	218	370
VIII.	SOUTHERN .....	1190	647	226	195	7	54	57	2	2	1025	16	111	26	12	50	60
COUNTIES.																	
1	Shetland .....	149	92	24	10	—	—	20	3	—	129	1	17	1	1	16	40
2	Orkney .....	154	64	42	39	—	—	8	—	1	134	—	14	6	—	2	6
3	Caithness .....	170	44	106	8	—	—	12	—	—	150	3	14	2	1	11	13
4	Sutherland .....	80	9	71	—	—	—	—	—	—	72	1	6	—	1	5	10
5	Ross & Cromarty .....	365	56	294	5	2	4	4	—	—	304	4	34	7	16	144	200
6	Inverness .....	342	129	158	16	1	32	6	—	—	306	4	24	3	5	84	140
7	Nairn .....	48	17	20	6	—	2	3	—	—	41	1	5	1	—	6	11
8	Elgin .....	244	115	90	25	2	3	9	—	—	210	6	19	5	4	12	23
9	Banff .....	300	175	84	16	2	12	11	—	—	271	4	23	1	1	8	21
10	Aberdeen .....	1614	958	363	83	74	27	109	—	—	1411	36	127	35	5	27	98
11	Kincardine .....	230	173	40	10	6	—	1	—	—	195	4	25	6	—	6	15
12	Forfar .....	1588	701	326	274	69	144	74	—	—	1348	38	151	51	—	94	320
13	Perth .....	760	355	228	112	17	23	18	7	—	674	9	57	14	6	27	48
14	Fife .....	996	616	162	172	3	8	33	2	—	863	12	84	23	14	28	63
15	Kinross .....	37	22	7	8	—	—	—	—	—	33	—	3	1	—	—	—
16	Clackmannan .....	127	58	26	30	3	—	10	—	—	111	1	14	1	—	8	11
17	Stirling .....	593	296	93	108	1	43	51	—	1	515	10	46	14	8	83	100
18	Dumbarton .....	364	154	60	66	4	66	14	—	—	309	4	36	12	3	58	100
19	Argyll .....	334	202	90	20	7	7	8	—	—	283	8	27	9	7	33	58
20	Bute .....	78	29	39	4	—	2	4	—	—	62	—	12	3	1	3	10
21	Renfrew .....	1412	566	310	187	34	231	82	1	1	1189	29	116	68	10	228	411
22	Ayr .....	1429	838	264	143	19	83	81	1	—	1183	54	133	57	2	167	331
23	Lanark .....	5725	1838	1096	1064	126	882	658	36	25	4788	157	530	241	9	825	1657
24	Linlithgow .....	285	137	53	51	3	34	7	—	—	240	12	21	1	11	38	63
25	Edinburgh .....	2676	1120	645	476	85	204	110	6	30	2268	61	261	80	6	150	263
26	Haddington .....	241	148	52	25	1	11	4	—	—	203	5	30	2	1	25	36
27	Berwick .....	181	98	29	50	—	—	4	—	—	162	3	15	—	1	4	2
28	Peebles .....	62	37	9	15	—	—	1	—	—	55	—	7	—	—	1	—
29	Selkirk .....	81	42	8	26	1	—	4	—	—	75	1	4	1	—	—	—
30	Roxburgh .....	321	170	45	74	4	13	14	1	—	283	4	26	6	2	7	9
31	Dumfries .....	460	236	83	82	3	21	33	—	2	395	7	46	5	7	17	21
32	Kirkcudbright .....	214	133	51	18	—	8	4	—	—	185	4	15	7	3	8	16
33	Wigtown .....	195	108	47	21	—	12	6	1	—	162	1	24	8	—	18	20

## CONDITION and AGE of PERSONS married in SCOTLAND in 1868.

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1868.

CONDITION.	TOTAL.	AGES.																			Age not stated.	
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80		85
BACHELORS with SPINSTERS.	18609	—	—	1	19	122	449	852	7052	6339	2240	861	375	172	71	24	9	6	2	—	—	—
	18609	—	9	68	300	824	1406	1748	7597	4746	1249	444	128	54	9	1	—	—	—	—	—	—
BACHELORS with WIDOWS.	484	—	—	—	—	1	2	7	79	132	109	61	45	23	17	8	—	—	—	—	—	—
	484	—	—	—	—	—	1	1	36	126	140	88	50	28	10	3	1	—	—	—	—	—
WIDOWERS with SPINSTERS.	1966	—	—	—	—	—	—	—	39	257	348	374	350	212	178	98	56	37	8	6	—	3
	1966	—	—	1	9	14	25	38	286	517	433	308	191	95	35	7	3	—	—	—	—	4
WIDOWERS with WIDOWS.	671	—	—	—	—	—	—	—	5	34	83	107	120	121	74	60	32	23	11	1	—	—
	671	—	—	—	—	—	—	1	7	69	138	145	140	92	50	20	7	—	1	—	—	1
{ MEN. Condition not stated. WOMEN.	125	—	—	—	—	—	2	4	34	39	24	7	6	1	2	2	2	2	—	—	—	—
	125	—	—	3	3	5	2	5	50	28	18	6	2	—	1	1	—	—	—	—	—	1
TOTAL MEN.....	21855	—	—	1	19	123	453	863	7209	6801	2804	1410	896	529	342	192	99	68	21	7	—	18
TOTAL WOMEN .....	21855	—	9	72	312	843	1434	1793	7976	5486	1978	991	511	269	105	32	11	—	1	—	—	32



AGES of MALES married in Scotland in 1868.

AGES OF MALES MARRIED IN SCOTLAND IN 1868.																						
TOTAL MALES.	Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	-	-	1	19	123	453	863	7209	6801	2804	1410	896	529	342	192	99	68	21	7	-	-	18
DISTRICTS.																						
INSULAR . .	-	-	-	-	3	3	8	127	276	135	66	37	19	11	10	4	4	3	-	-	-	1
MAINLAND-RURAL	-	-	1	8	64	203	453	3467	3215	1327	702	423	239	172	78	40	38	11	5	-	-	12
TOWN . . .	-	-	-	11	56	247	402	3615	3310	1342	642	436	271	159	104	55	26	7	2	-	-	5
DIVISIONS.																						
1. NORTHERN . .	-	-	-	-	4	5	11	117	196	89	58	35	9	8	9	6	1	4	-	-	-	1
2. NORTH-WESTERN	-	-	-	1	-	4	6	115	263	159	68	44	17	14	7	3	5	1	-	-	-	-
3. NORTH-EASTERN	-	-	-	-	14	36	97	688	797	354	171	105	71	57	21	14	8	1	2	-	-	-
4. EAST-MIDLAND .	-	-	-	5	20	70	140	1252	1084	405	200	123	76	64	36	16	12	2	1	-	-	2
5. WEST-MIDLAND	-	-	1	-	12	23	53	393	476	168	100	68	36	22	6	3	3	1	-	-	-	4
6. SOUTH-WESTERN	-	-	-	10	48	221	358	3092	2555	992	511	329	214	92	71	35	23	8	1	-	-	6
7. SOUTH-EASTERN	-	-	-	3	18	75	130	1168	1090	486	216	132	75	63	30	20	10	3	3	-	-	4
8. SOUTHERN . .	-	-	-	-	7	19	68	384	340	151	86	60	31	22	12	2	6	1	-	-	-	1
COUNTIES.																						
Shetland . .	-	-	-	-	2	-	2	32	60	22	17	5	1	3	2	2	-	1	-	-	-	-
Orkney . .	-	-	-	-	1	2	5	33	50	24	13	10	6	2	3	1	1	2	-	-	-	1
Caithness . .	-	-	-	-	1	2	3	38	60	25	20	14	1	-	3	2	-	1	-	-	-	-
Sutherland . .	-	-	-	-	-	1	1	14	26	18	8	6	1	3	1	1	-	-	-	-	-	-
Ross and Cromarty	-	-	-	-	-	2	1	51	139	82	37	28	6	10	3	2	4	-	-	-	-	-
Inverness . .	-	-	-	1	-	2	5	64	124	77	31	16	11	4	4	1	1	1	-	-	-	-







AGES of FEMALES married in Scotland in 1868.

Nairn .	48	-	-	-	-	1	4	4	5	12	14	4	7	1	-	-	-	-	-
Elgin .	244	-	-	3	8	11	24	71	81	81	71	23	11	5	6	1	-	-	-
Banff .	300	-	-	2	1	7	24	94	106	106	94	26	11	9	3	-	-	-	-
Aberdeen .	1614	-	-	2	31	58	141	399	570	570	399	159	83	37	20	3	1	-	-
Kincardine .	230	-	-	-	5	9	13	67	67	67	67	25	8	6	4	1	-	-	-
Forfar .	1588	-	2	1	16	53	116	399	590	590	399	144	70	37	18	1	1	-	-
Perth .	760	-	-	1	8	17	40	202	282	282	202	83	36	15	15	2	-	-	-
Fife .	996	-	-	1	7	19	46	271	390	390	271	91	40	21	15	1	-	-	-
Kinross .	37	-	-	-	-	2	3	11	12	12	11	4	1	2	-	-	-	-	-
Clackmannan .	127	-	-	1	1	7	2	29	58	58	29	11	1	1	1	-	-	-	-
Stirling .	593	-	1	4	11	32	42	137	228	228	137	37	21	11	10	-	1	-	-
Dumbarton .	364	-	-	-	4	19	25	100	131	131	100	32	18	7	1	-	-	-	-
Argyll .	334	-	-	2	3	5	15	114	112	112	114	37	14	7	3	-	-	-	-
Bute .	78	-	-	-	-	-	1	15	30	30	15	17	4	7	-	-	-	-	-
Renfrew .	1412	-	1	6	13	49	92	334	534	534	334	128	49	29	26	4	1	-	-
Ayr .	1429	-	1	9	23	89	105	320	500	500	320	118	54	42	12	4	1	-	-
Lanark .	5725	-	1	20	110	270	439	1303	2136	2136	1303	439	247	126	71	11	3	1	-
Linlithgow .	285	-	-	6	9	22	27	64	96	96	64	17	14	5	1	-	-	-	-
Edinburgh .	2676	-	2	7	47	86	186	681	952	952	681	252	150	73	41	3	-	-	-
Haddington .	241	-	-	1	3	8	12	67	90	90	67	25	9	8	1	-	-	-	-
Berwick .	181	-	-	-	-	6	6	51	76	76	51	17	5	6	-	-	-	-	-
Peebles .	62	-	-	-	1	2	5	15	24	24	15	5	1	1	1	-	-	-	-
Selkirk .	81	-	-	1	-	3	5	24	36	36	24	4	2	1	-	-	-	-	-
Roxburgh .	321	-	-	-	3	10	30	76	119	119	76	36	13	9	1	-	-	-	-
Dumfries .	460	-	-	1	5	9	36	113	165	165	113	54	21	11	7	-	2	-	-
Kirkcudbright .	214	-	-	1	1	11	10	62	78	78	62	14	16	3	1	-	-	-	-
Wigtown .	195	-	-	3	1	7	15	46	70	70	46	19	14	2	1	-	1	-	-



DEATHS at Different Ages in SCOTLAND during the YEAR 1868.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
				MONTHS.			2	3	4	5	10	15	20	25	30
	1851.	1861.	3	6	12										
SCOTLAND . .	2888742	3062294	69416	6523	2456	4621	6129	3021	2084	1521	3431	1830	2237	2569	2414
Insular . . .	166487	160733	2511	199	41	72	88	54	39	28	74	62	79	93	97
Mainland-Rural	1711717	1762576	32184	3064	1027	1769	2204	1094	814	589	1489	899	1108	1216	1041
Towns . . .	1010538	1138985	34721	3260	1388	2780	3837	1873	1231	904	1868	869	1050	1260	1276
Shetland . .	31078	31670	433	25	8	8	4	10	5	4	8	7	16	7	10
Orkney . . .	31455	32395	430	21	3	2	12	5	4	2	12	12	19	13	14
Caithness . .	39782	42200	617	45	15	21	18	7	4	7	15	12	28	41	21
Sutherland . .	24720	24157	331	24	6	4	9	6	4	3	8	11	6	12	9
Ross & Cromarty	83781	82427	1123	81	19	43	40	25	17	11	26	28	31	47	41
Inverness . .	91954	84902	1441	150	36	51	56	23	25	19	32	22	37	65	51
Nairn . . .	8076	8347	123	12	7	4	2	4	2	—	2	4	4	5	4
Elgin . . .	40532	44218	705	72	28	26	34	13	9	7	16	17	23	24	18
Banff . . .	51353	56020	1008	68	32	50	68	38	35	27	59	31	38	28	29
Aberdeen . .	213461	223344	4271	452	147	241	268	169	96	76	178	104	145	149	146
Kincardine . .	34944	34854	527	43	13	14	30	8	9	3	16	12	10	26	21
Forfar . . .	193627	206750	5156	575	224	372	467	203	129	89	205	102	142	167	170
Perth . . .	137369	133198	2419	181	68	91	133	64	33	24	79	46	72	67	106
Fife . . .	153789	155021	2811	267	99	174	213	91	81	46	122	48	83	91	75
Kinross . . .	9626	8731	127	8	3	7	5	—	3	—	7	2	4	4	3
Clackmannan . .	21555	20122	510	47	23	33	42	33	19	19	32	8	24	19	12
Stirling . . .	83802	88138	1962	201	61	127	159	82	51	47	75	59	57	87	56
Dumbarton . .	46995	54179	1290	116	52	79	104	71	47	37	87	52	44	58	39
Argyll . . .	94042	83859	1371	82	32	30	61	38	15	18	54	25	52	70	50
Bute . . .	16608	16331	404	22	9	15	19	13	6	4	9	18	14	15	16
Renfrew . . .	157950	168746	4798	400	181	364	531	269	219	116	310	128	189	180	177
Ayr . . .	189973	199063	3796	367	124	239	318	145	107	65	183	146	147	161	134
Lanark . . .	533169	640444	20059	1886	799	1797	2519	1206	773	590	1185	573	641	714	728
Linlithgow . .	30590	39045	775	96	43	78	87	31	24	9	24	16	15	31	19
Edinburgh . .	259493	274093	7259	690	263	481	620	312	219	196	398	184	182	269	271
Haddington . .	36363	37626	647	82	20	22	30	14	20	5	19	24	30	17	18
Berwick . . .	36165	36488	522	56	17	30	14	7	9	2	12	15	23	22	12
Peebles . . .	10804	11300	175	19	2	6	12	2	2	2	8	2	7	4	11
Selkirk . . .	9802	10410	261	38	6	14	22	6	11	5	13	6	7	15	16
Roxburgh . .	51225	53722	965	99	30	53	64	42	30	24	61	27	25	37	21
Dumfries . .	78149	75904	1423	144	42	75	71	43	22	18	57	35	54	58	53
Kirkcudbright	43121	42495	862	93	24	35	44	16	22	20	55	35	37	29	41
Wigtown . .	43389	42095	815	61	20	35	53	25	32	26	64	19	31	34	22

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1868.—BOTH SEXES.

Glasgow . . .	329097	395503	13832	1242	572	1313	1818	918	585	442	834	369	401	492	512
Edinburgh . .	161648	170444	4781	409	163	298	394	211	130	130	245	121	130	198	190
Dundee . . .	80027	91664	2917	364	146	241	328	127	77	49	102	58	69	95	101
Aberdeen . .	71973	73900	2029	203	78	159	169	96	61	36	78	45	71	66	73
Paisley . . .	48071	47427	1221	93	56	73	81	68	52	25	76	32	60	50	43
Greenock . .	37436	43894	1658	144	67	158	246	100	90	45	89	40	46	64	57
Leith . . .	32219	36029	973	119	40	71	89	47	42	32	85	29	16	28	35
Perth . . .	24670	26094	626	39	23	35	60	26	10	8	32	7	15	20	31
Inverness . .	16496	16162	420	38	21	23	18	11	4	7	10	6	12	16	11
Arbroath . .	17238	17831	421	44	15	23	28	18	9	6	21	10	14	13	11
Forfar . . .	11009	10838	235	24	6	15	26	6	5	3	16	4	7	8	11
Montrose . .	16037	15668	410	25	11	32	30	13	15	13	25	10	16	10	12
Dunfermline .	13836	13506	291	29	12	20	31	14	11	6	13	5	15	15	11
Kirkcaldy . .	10636	11117	227	22	10	19	20	10	9	2	8	4	4	6	8
Stirling . . .	12401	14012	386	35	16	17	25	19	4	10	17	5	13	23	16
Ayr . . .	18845	19659	423	39	16	26	22	11	9	5	12	9	15	17	13
Kilmarnock .	21287	23556	512	68	15	26	46	20	10	8	27	22	27	30	24
Barony . . .	16050	22559	945	68	33	71	115	42	22	28	64	25	40	32	30
Govan . . .	14996	28584	932	86	40	67	128	49	38	22	50	27	25	35	44
Hamilton . .	11740	14047	311	39	10	14	40	16	9	4	19	10	8	8	7
Airdrie . . .	14435	12922	324	36	8	21	38	18	8	8	12	7	18	11	5
Coatbridge, etc.	13168	13303	361	35	12	31	50	22	15	10	22	16	7	10	10
Dumfries . .	17223	18266	486	59	18	27	35	11	16	5	11	8	21	13	21

## DEATHS at Different Ages in SCOTLAND during the YEAR 1868.—BOTH SEXES.

	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
SCOTLAND . . . .	2194	2155	2075	2208	2306	2479	3005	3205	3225	3115	2535	1320	493	165	38	62	
Insular . . . .	77	54	71	70	86	90	146	157	192	223	195	117	59	24	11	13	
Mainland-Rural . .	948	890	845	935	1016	1163	1513	1759	1891	1884	1658	896	315	102	21	34	
Towns . . . .	1169	1211	1159	1203	1204	1226	1346	1289	1142	1008	682	307	119	39	6	15	
Shetland . . . .	14	10	20	9	16	21	31	32	31	45	48	26	12	3	—	3	
Orkney . . . .	11	8	8	14	18	19	25	33	41	52	38	27	13	1	1	2	
Caithness . . . .	17	20	15	12	16	29	30	36	53	44	50	35	18	5	2	1	
Sutherland . . . .	6	10	7	8	6	7	15	31	35	44	26	25	7	1	—	1	
Ross and Cromarty .	28	23	29	24	40	45	61	74	87	101	102	49	34	9	6	2	
Inverness . . . .	46	44	45	30	51	56	83	83	108	113	107	57	26	14	8	3	
Nairn . . . .	3	3	6	4	6	4	5	8	12	11	6	2	2	1	—	—	
Elgin . . . .	25	20	26	21	25	20	39	44	52	55	47	30	11	3	—	—	
Banff . . . .	24	28	28	30	27	31	51	57	60	58	45	51	9	6	—	—	
Aberdeen . . . .	142	124	108	131	130	157	200	230	237	242	212	119	50	11	4	3	
Kincairdine . . . .	23	22	17	13	10	16	28	38	38	51	38	17	9	2	—	—	
Forfar . . . .	189	187	148	181	178	192	238	245	241	215	174	78	29	11	2	3	
Perth . . . .	62	69	67	70	84	108	130	197	199	182	170	87	20	6	3	1	
Fife . . . .	82	71	79	92	103	114	134	148	198	167	144	67	9	6	—	4	
Kinross . . . .	1	2	5	1	5	7	8	18	11	10	9	1	3	—	—	—	
Clackmannan . . . .	5	16	10	17	20	20	19	17	25	22	16	9	2	—	—	1	
Stirling . . . .	51	64	54	67	85	79	87	114	97	81	73	30	10	3	—	5	
Dumbarton . . . .	42	40	44	46	42	45	50	57	43	38	31	18	5	2	—	1	
Argyll . . . .	44	37	28	42	49	53	74	79	107	106	129	41	25	19	2	9	
Bute . . . .	20	9	14	21	11	9	25	20	30	35	28	15	5	2	—	—	
Renfrew . . . .	142	154	136	147	167	167	176	157	165	128	113	58	15	5	1	3	
Ayr . . . .	126	117	106	112	116	122	171	169	175	168	146	85	30	11	5	1	
Lanark . . . .	696	641	626	678	646	629	651	628	480	457	304	136	47	18	3	8	
Linlithgow . . . .	19	20	24	19	19	23	30	38	25	44	21	11	6	1	—	2	
Edinburgh . . . .	240	241	264	255	254	268	352	345	338	294	175	93	43	8	—	4	
Haddington . . . .	17	16	14	21	19	35	40	41	41	46	27	27	—	2	—	—	
Berwick . . . .	12	8	19	18	14	35	27	32	40	37	34	16	7	3	—	1	
Peebles . . . .	3	8	5	9	3	1	13	16	9	16	10	5	—	—	—	—	
Selkirk . . . .	4	10	6	14	4	6	16	13	12	6	8	3	—	—	—	—	
Roxburgh . . . .	17	36	27	30	33	36	50	54	49	55	45	11	8	1	—	—	
Dumfries . . . .	43	46	47	37	55	52	69	76	92	97	78	41	12	5	1	—	
Kirkeudbright . . .	21	26	24	20	26	35	37	35	55	50	43	24	11	2	—	2	
Wigtown . . . .	19	25	19	15	28	38	40	40	39	45	38	26	15	4	—	2	

## DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1868.—BOTH SEXES.

Glasgow . . . .	488	455	441	486	460	427	428	386	281	231	154	53	27	11	3	3
Edinburgh . . . .	170	176	198	177	176	194	226	244	210	180	115	61	28	7	—	—
Dundee . . . .	116	117	97	118	116	121	129	110	87	82	41	10	11	3	1	1
Aberdeen . . . .	56	70	54	63	73	81	95	100	95	85	66	35	15	3	1	2
Paisley . . . .	37	35	52	37	42	49	53	44	62	51	28	16	5	1	—	—
Greenock . . . .	47	64	41	57	54	48	51	37	37	28	32	13	2	—	—	1
Leith . . . .	25	29	24	33	32	29	42	28	33	32	18	11	3	1	—	—
Perth . . . .	14	18	25	24	30	24	35	40	42	29	30	6	1	2	—	—
Inverness . . . .	14	16	18	13	16	19	21	26	25	35	27	9	2	1	—	1
Arbroath . . . .	11	18	10	14	12	8	23	22	29	25	22	8	3	3	—	1
Forfar . . . .	7	6	7	2	8	8	10	14	16	10	13	2	1	—	—	—
Montrose . . . .	12	12	4	16	7	24	20	24	24	16	19	14	5	1	—	—
Dunfermline . . . .	4	4	8	8	10	12	13	12	11	9	12	6	—	—	—	—
Kirkcaldy . . . .	7	8	6	6	12	12	11	10	14	8	4	6	1	—	—	—
Stirling . . . .	9	15	9	19	18	19	20	22	20	16	10	6	1	1	—	1
Ayr . . . .	15	21	21	12	19	17	27	22	24	23	11	13	2	1	—	1
Kilmarnock . . . .	19	21	16	16	12	12	20	19	20	21	7	4	—	2	—	—
Barony . . . .	38	38	31	25	38	37	33	42	32	30	11	15	2	1	—	2
Govan . . . .	44	34	33	32	16	35	24	23	27	30	13	7	2	1	—	—
Hamilton . . . .	8	5	14	7	6	10	18	12	13	16	13	2	2	—	—	1
Airdrie . . . .	7	16	13	7	17	14	7	17	13	14	8	1	—	—	—	—
Coatbridge, etc. . .	8	10	15	14	9	10	18	15	5	9	6	1	1	—	—	—
Dumfries . . . .	13	23	22	17	21	16	22	20	22	28	22	8	5	—	1	1



MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1868.—MALES.

	MALE POPULATION.		ALL AGES.	MALES.											
				AGE UNDER											
				MONTHS.			2	3	4	5	10	15	20	25	30
	1851.	1861.		3	6	12									
SCOTLAND . . .	1375479	1449848	34662	3706	1335	2486	3158	1549	1036	779	1757	878	1130	1321	1154
Insular . . .	76760	73409	1156	113	20	35	47	27	20	18	39	27	38	55	54
Mainland-Rural	828852	848998	15993	1721	543	953	1139	546	406	281	754	438	571	646	502
Towns . . .	469867	527441	17513	1872	772	1498	1972	976	610	480	964	413	521	620	598
Shetland . . .	13145	13053	196	14	4	6	2	7	3	3	5	5	6	4	9
Orkney . . .	14350	14924	177	11	2	—	8	—	3	1	6	5	12	7	5
Caithness . .	18809	19846	327	30	8	11	9	4	—	5	9	10	21	32	6
Sutherland . .	11437	11058	149	12	4	2	4	2	2	1	5	6	4	7	3
Ross & Cromarty	39489	38462	523	45	8	17	24	13	7	8	15	14	12	29	23
Inverness . .	42814	39479	706	84	26	25	28	17	13	7	16	11	18	40	30
Nairn . . .	3831	3976	64	7	2	3	1	1	2	—	—	3	2	3	1
Elgin . . .	18943	20737	358	44	21	16	20	6	5	4	6	9	10	13	11
Banff . . .	24195	26401	491	39	16	32	36	18	19	18	32	15	24	7	12
Aberdeen . . .	100935	105322	2143	257	79	132	147	90	46	35	91	51	80	67	71
Kincardine . .	17188	16939	258	25	6	12	19	2	5	1	5	7	4	14	10
Forfar . . .	89408	93280	2498	316	123	201	220	106	79	46	99	41	61	73	77
Perth . . .	65697	63169	1188	109	34	46	69	26	15	12	36	17	35	34	42
Fife . . .	73305	72714	1392	153	57	95	113	46	39	21	64	26	45	44	40
Kinross . . .	4660	4150	62	5	—	2	2	—	—	—	4	—	2	4	1
Clackmannan .	10634	9742	237	24	11	19	18	16	6	10	17	5	12	9	6
Stirling . . .	41113	43487	969	112	32	67	75	45	21	24	43	23	29	47	29
Dumbarton . .	23340	26455	687	74	26	46	54	38	28	18	47	24	22	27	16
Argyll . . .	46197	40914	701	45	19	17	25	19	7	10	28	11	32	46	32
Bute . . .	7518	7208	180	9	5	9	10	6	2	4	4	7	6	8	5
Renfrew . . .	74224	79380	2405	230	103	194	277	147	99	56	150	61	92	85	78
Ayr . . .	92933	97035	1935	205	70	123	159	72	58	32	100	71	65	90	66
Lanark . . .	258449	308263	10228	1077	432	991	1304	633	389	300	595	279	319	354	342
Linlithgow . .	15422	20069	379	50	26	39	47	14	10	4	12	7	7	19	3
Edinburgh . .	119428	126429	3678	406	138	243	318	146	99	108	227	90	107	145	144
Haddington . .	17592	17866	321	53	6	9	16	9	8	3	12	10	14	7	9
Berwick . . .	17367	17354	266	34	8	19	8	5	4	2	8	8	12	11	6
Peebles . . .	5400	5603	100	11	2	3	6	1	2	1	5	1	4	4	7
Selkirk . . .	4836	5069	124	18	4	5	9	5	6	4	5	4	4	7	9
Roxburgh . . .	25002	26593	460	49	16	24	31	19	14	12	31	13	13	19	10
Dumfries . . .	37200	35687	669	75	25	44	41	16	13	6	29	19	19	35	21
Kirkcudbright	20223	19789	398	54	12	16	26	8	12	11	22	17	20	17	19
Wigtown . . .	20335	19395	393	29	10	18	32	12	20	12	29	8	17	13	11

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1868.—MALES.

Glasgow . . .	154930	185556	7039	691	320	729	945	479	294	235	415	177	202	247	239
Edinburgh . .	72067	76013	2423	241	91	148	194	106	58	80	143	54	73	108	101
Dundee . . .	36364	40395	1420	200	84	127	156	69	46	30	51	26	29	36	46
Aberdeen . . .	31746	32554	979	111	40	84	92	49	26	16	42	22	38	28	30
Paisley . . .	22608	21913	588	54	33	40	48	40	25	11	38	14	27	20	15
Greenock . . .	17905	21567	882	92	34	83	125	48	39	28	46	20	28	39	32
Leith . . .	15482	17894	508	66	21	36	52	21	20	15	48	16	12	14	19
Perth . . .	11689	11947	315	23	11	21	28	8	5	5	17	3	7	9	14
Inverness . .	7401	7261	228	23	18	12	9	8	3	2	3	3	5	11	6
Arbroath . . .	7866	7770	196	28	6	10	12	9	5	3	8	2	5	5	3
Forfar . . .	5017	4735	123	13	5	11	12	4	3	2	6	3	6	4	5
Montrose . . .	7061	6736	184	11	6	17	11	6	11	4	12	3	6	6	5
Dunfermline .	6901	6447	148	20	9	11	18	7	5	3	6	2	7	5	6
Kirkcaldy . .	4906	5074	113	16	4	9	10	6	2	—	4	1	2	3	5
Stirling . . .	5908	6814	185	19	9	10	10	15	2	5	10	2	8	13	12
Ayr . . .	8675	9094	205	20	9	13	12	3	4	4	8	5	5	8	4
Kilmarnock . .	10163	11398	254	39	7	16	21	10	5	4	10	10	14	18	9
Barony . . .	8090	11221	495	42	17	42	62	22	8	11	38	16	20	12	13
Govan . . .	7286	13603	475	58	23	33	72	32	21	11	28	15	9	9	15
Hamilton . . .	5576	6798	164	22	4	5	19	9	6	3	9	7	3	6	3
Airdrie . . .	7333	6242	163	22	5	10	15	9	6	4	4	2	5	5	4
Coatbridge, etc.	7084	8155	187	22	6	19	26	11	6	2	12	6	3	6	3
Dumfries . . .	7809	8254	239	39	10	12	23	5	10	2	6	4	7	8	9

## MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1868.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . . .	1046	1042	1020	1185	1167	1271	1494	1550	1451	1353	1023	494	174	54	11	38
Insular . . . .	37	27	35	25	35	47	57	72	76	90	79	43	17	9	3	11
Mainland-Rural . .	461	432	413	496	509	608	753	864	874	837	721	353	112	37	7	16
Towns . . . .	548	583	572	664	623	616	684	614	501	426	223	98	45	8	1	11
Shetland . . . .	8	4	10	3	7	11	12	17	12	14	17	5	4	1	—	3
Orkney . . . .	4	2	6	2	5	9	11	11	19	21	16	7	3	—	—	1
Caithness . . . .	11	9	8	5	8	15	17	14	26	19	20	18	8	3	—	1
Sutherland . . . .	5	4	2	4	2	1	10	17	16	19	5	6	6	—	—	—
Ross and Cromarty .	12	10	14	11	18	20	30	39	26	44	46	18	11	4	4	1
Inverness . . . .	22	25	28	12	24	25	39	43	37	50	44	24	7	7	2	2
Nairn . . . .	2	2	3	4	2	—	3	6	7	4	4	1	1	—	—	—
Elgin . . . .	12	11	15	11	8	13	22	17	28	27	18	10	—	1	—	—
Banff . . . .	11	9	11	14	14	12	25	31	26	26	27	14	3	—	—	—
Aberdeen . . . .	64	59	45	64	62	85	112	121	130	95	95	43	16	4	—	2
Kincairdine . . . .	7	8	9	9	5	9	15	22	18	22	17	2	4	1	—	—
Forfar . . . .	87	86	64	81	85	102	127	112	114	91	57	35	9	3	2	1
Perth . . . .	32	36	37	38	44	65	64	93	98	85	74	37	6	2	1	1
Fife . . . .	36	29	40	43	54	56	62	63	99	68	61	26	6	3	—	3
Kinross . . . .	1	1	2	1	2	4	4	12	5	5	4	—	1	—	—	—
Clackmannan . . . .	3	5	8	7	7	8	8	6	12	9	6	4	1	—	—	—
Stirling . . . .	31	29	29	38	40	43	44	49	40	35	32	9	2	—	—	1
Dumbarton . . . .	26	23	24	23	21	30	21	29	27	17	18	5	1	1	—	1
Argyll . . . .	26	18	9	27	26	29	33	47	48	53	52	18	8	7	1	8
Bute . . . .	12	7	5	9	5	5	7	6	17	12	11	7	2	—	—	—
Renfrew . . . .	71	83	68	76	87	81	87	77	70	58	46	17	7	3	—	2
Ayr . . . .	71	54	47	70	71	67	97	82	82	72	61	34	12	2	1	1
Lanark . . . .	290	304	303	406	341	330	335	312	191	213	104	55	20	4	—	5
Linlithgow . . . .	13	11	13	9	10	10	11	17	15	20	6	3	1	1	—	1
Edinburgh . . . .	137	129	147	132	140	125	166	163	137	121	55	35	16	2	—	2
Haddington . . . .	10	9	5	14	11	19	17	18	18	20	16	7	—	1	—	—
Berwick . . . .	3	8	8	9	8	16	12	17	19	16	13	8	4	—	—	—
Peebles . . . .	1	2	3	7	3	1	7	9	6	6	5	3	—	—	—	—
Selkirk . . . .	2	5	1	6	—	3	6	5	5	4	7	—	—	—	—	—
Roxburgh . . . .	5	14	12	17	15	16	23	26	20	23	30	6	2	—	—	—
Dumfries . . . .	15	25	22	20	20	25	31	36	39	45	27	16	4	1	—	—
Kirkcudbright . . . .	10	10	11	8	13	16	13	16	23	18	12	8	3	2	—	1
Wigtown . . . .	6	11	11	5	9	20	23	17	21	21	17	13	6	1	—	1
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1868.—MALES.																
Glasgow . . . .	203	212	214	291	240	205	217	189	111	110	44	16	11	1	—	2
Edinburgh . . . .	103	94	111	94	89	97	104	112	89	68	35	17	12	1	—	—
Dundee . . . .	47	50	41	51	56	69	70	47	38	30	10	6	3	—	1	1
Aberdeen . . . .	25	38	22	34	34	38	47	44	50	28	22	10	6	1	—	2
Paisley . . . .	19	14	26	17	16	19	31	25	23	19	9	2	2	1	—	—
Greenock . . . .	28	35	21	36	31	29	26	16	17	12	14	3	—	—	—	—
Leith . . . .	11	15	14	16	23	12	20	14	15	16	5	5	1	1	—	—
Perth . . . .	10	7	13	16	17	15	23	14	23	15	10	—	—	1	—	—
Inverness . . . .	8	12	13	7	6	9	12	15	11	16	11	4	—	—	—	1
Arbroath . . . .	5	9	3	6	8	5	13	12	17	8	8	2	2	2	—	—
Forfar . . . .	4	3	4	1	3	2	7	4	7	7	5	1	1	—	—	—
Montrose . . . .	6	6	1	7	4	12	7	12	9	8	6	6	2	—	—	—
Dunfermline . . . .	—	2	3	4	5	4	5	7	7	5	5	2	—	—	—	—
Kirkcaldy . . . .	3	—	5	2	6	5	4	4	11	4	3	3	1	—	—	—
Stirling . . . .	2	4	2	10	10	9	8	11	5	6	2	1	—	—	—	—
Ayr . . . .	10	9	8	7	10	9	16	9	10	10	5	5	1	—	—	1
Kilmarnock . . . .	12	7	10	6	9	8	10	9	10	8	1	1	—	—	—	—
Barony . . . .	15	21	9	17	21	20	20	23	16	16	4	7	1	—	—	2
Govan . . . .	20	14	16	15	8	24	11	14	9	12	4	2	—	—	—	—
Hamilton . . . .	4	3	9	5	2	5	12	7	8	5	5	1	1	—	—	1
Airdrie . . . .	3	9	6	4	10	11	5	10	3	7	4	—	—	—	—	—
Coatbridge, etc. . . .	4	8	8	10	6	4	7	9	1	3	4	1	—	—	—	—
Dumfries . . . .	6	11	13	8	9	5	9	7	11	13	7	3	1	—	—	1



FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1868.—FEMALES.

	FEMALE POPULATION.		FEMALES.													
			ALL AGES.	AGE UNDER												
				MONTHS.			2	3	4	5	10	15	20	25	30	
	3	6		12												
1851.	1861.															
SCOTLAND .	1513263	1612446	34754	2817	1121	2185	2971	1472	1048	742	1674	952	1107	1248	1260	
Insular . .	89727	87324	1355	86	21	37	41	27	19	10	35	35	41	38	43	
Mainland-Rural	882865	913578	16191	1343	484	816	1065	548	408	308	735	461	537	570	539	
Towns . .	540671	611544	17208	1388	616	1282	1865	897	621	424	904	456	529	640	678	
Shetland . .	17933	18617	237	11	4	2	2	3	2	1	3	2	10	3	1	
Orkney . .	17105	17471	253	10	1	2	4	5	1	1	6	7	7	6	9	
Caithness . .	20973	22354	290	15	7	10	9	3	4	2	6	2	7	9	15	
Sutherland . .	13283	13099	182	12	2	2	5	4	2	2	3	5	2	5	6	
Ross & Cromarty	44292	43965	600	36	11	26	16	12	10	3	11	14	19	18	18	
Inverness .	49140	45523	735	66	10	26	28	6	12	12	16	11	19	25	21	
Nairn . .	4245	4371	59	5	5	1	1	3	—	—	2	1	2	2	3	
Elgin . .	21589	23481	347	28	7	10	14	7	4	3	10	8	13	11	7	
Banff . .	27158	29619	517	29	16	18	32	20	16	9	27	16	14	21	17	
Aberdeen . .	112526	118022	2128	195	68	109	121	79	50	41	87	53	65	82	75	
Kincardine . .	17756	17915	269	18	7	2	11	6	4	2	11	5	6	12	11	
Forfar . .	104219	113470	2658	259	101	171	247	97	50	43	106	61	81	94	93	
Perth . .	71672	70029	1231	72	34	45	64	38	18	12	43	29	37	33	64	
Fife . .	80484	82307	1419	114	42	79	100	45	42	25	58	22	38	50	35	
Kinross . .	4966	4581	65	3	3	5	3	—	3	—	3	2	2	—	2	
Clackmannan . .	10921	10380	273	23	12	14	24	17	13	9	15	3	12	10	6	
Stirling . .	42689	44651	993	89	29	60	84	37	30	23	32	36	28	40	27	
Dumbarton . .	23655	27724	603	42	26	33	50	33	19	19	40	28	22	31	23	
Argyll . .	47845	42945	670	37	13	13	36	19	8	8	26	14	20	24	18	
Bute . .	9090	9123	224	13	4	6	9	7	4	—	5	11	8	7	11	
Renfrew . .	83726	89366	2393	170	78	170	254	122	120	60	160	67	97	95	99	
Ayr . .	96980	102028	1861	162	54	116	159	73	49	33	83	75	82	71	68	
Lanark . .	274420	332181	9831	809	367	806	1215	573	384	290	590	294	322	360	386	
Linlithgow . .	15168	18976	396	46	17	39	40	17	14	5	12	9	8	12	16	
Edinburgh . .	140065	147664	3581	284	125	238	302	166	120	88	171	94	75	124	127	
Haddington . .	18771	19760	326	29	14	13	14	5	12	2	7	14	16	10	9	
Berwick . .	18798	19134	256	22	9	11	6	2	5	—	4	7	11	11	6	
Peebles . .	5404	5697	75	8	—	3	6	1	—	1	3	1	3	—	4	
Selkirk . .	4966	5341	137	20	2	9	13	1	5	1	8	2	3	8	7	
Roxburgh . .	26223	27129	505	50	14	29	33	23	16	12	30	14	12	18	11	
Dumfries . .	40949	42217	754	69	17	31	30	27	9	12	28	16	35	23	32	
Kirkcudbright . .	22898	22706	464	39	12	19	18	8	10	9	33	18	17	12	22	
Wigtown . .	23054	22700	422	32	10	17	21	13	12	14	35	11	14	21	11	
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1868.—FEMALES.																
Glasgow . .	174167	209947	6793	551	252	584	873	439	291	207	419	192	199	245	273	
Edinburgh . .	89581	94431	2358	168	72	150	200	105	72	50	102	67	57	90	89	
Dundee . .	43663	51269	1497	164	62	114	172	58	31	19	51	32	40	59	55	
Aberdeen . .	40227	41346	1050	92	38	75	77	47	35	20	36	23	33	38	43	
Paisley . .	25463	25514	633	39	23	33	33	28	27	14	38	18	33	30	28	
Greenock . .	19531	22327	776	52	33	75	121	52	51	17	43	20	18	25	25	
Leith . .	16737	18135	465	53	19	35	37	26	22	17	37	13	4	14	16	
Perth . .	12981	14147	311	16	12	14	32	18	5	3	15	4	8	11	17	
Inverness . .	9095	8901	192	15	3	11	9	3	1	5	7	3	7	5	5	
Arbroath . .	9372	10061	225	16	9	13	16	9	4	3	13	8	9	8	8	
Forfar . .	5992	6103	112	11	1	4	14	2	2	1	10	1	1	4	6	
Montrose . .	8976	8932	226	14	5	15	19	7	4	9	13	7	10	4	7	
Dunfermline . .	6935	7059	143	9	3	9	13	7	6	3	7	3	8	10	5	
Kirkcaldy . .	5730	6043	114	6	6	10	10	4	7	2	4	3	2	3	3	
Stirling . .	6493	7198	201	16	7	7	15	4	2	5	7	3	5	10	4	
Ayr . .	10170	10565	218	19	7	13	10	8	5	1	4	4	10	9	9	
Kilmarnock . .	11124	12158	258	29	8	10	25	10	5	4	17	12	13	12	15	
Barony . .	7960	11338	450	26	16	29	53	20	14	17	26	9	20	20	17	
Govan . .	7710	14981	457	28	17	34	56	17	17	11	22	12	16	26	29	
Hamilton . .	6164	7249	147	17	6	9	21	7	3	1	10	3	5	2	4	
Airdrie . .	7102	6680	161	14	3	11	23	9	2	4	8	5	13	6	1	
Coatbridge, etc.	6084	7148	174	13	6	12	24	11	9	8	10	10	4	4	7	
Dumfries . .	9411	10012	247	20	8	15	12	6	6	3	5	4	14	5	12	

## FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1868.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1148	1113	1055	1023	1139	1208	1511	1655	1774	1762	1512	826	319	111	27	24
Insular . . .	40	27	36	45	51	43	89	85	116	133	116	74	42	15	8	2
Mainland-Rural . .	487	458	432	439	507	555	760	895	1017	1047	937	543	203	65	14	18
Towns . . .	621	628	587	539	581	610	662	675	641	582	459	209	74	31	5	4
Shetland . . .	6	6	10	6	9	10	19	15	19	31	31	21	8	2	—	—
Orkney . . .	7	6	2	12	13	10	14	22	22	31	22	20	10	1	1	1
Caithness . . .	6	11	7	7	8	14	13	22	27	25	30	17	10	2	2	—
Sutherland . . .	1	6	5	4	4	6	5	14	19	25	21	19	1	1	—	1
Ross and Cromarty .	16	13	15	13	22	25	31	35	61	57	56	31	23	5	2	1
Inverness . . .	24	19	17	18	27	31	44	40	71	63	63	33	19	7	6	1
Nairn . . .	1	1	3	—	4	4	2	2	5	7	2	1	1	1	—	—
Elgin . . .	13	9	11	10	17	7	17	27	24	28	29	20	11	2	—	—
Banff . . .	13	19	17	16	13	19	26	26	34	32	18	37	6	6	—	—
Aberdeen . . .	78	65	63	67	68	72	88	109	107	147	117	76	34	7	4	1
Kincardine . . .	16	14	8	4	5	7	13	16	20	29	21	15	5	1	—	—
Forfar . . .	102	101	84	100	93	90	111	133	127	124	117	43	20	8	—	2
Perth . . .	30	33	30	32	40	43	66	104	101	97	96	50	14	4	2	—
Fife . . .	46	42	39	49	49	58	72	85	99	99	83	41	3	3	—	1
Kinross . . .	—	1	3	—	3	3	4	6	6	5	5	1	2	—	—	—
Clackmannan . . .	2	11	2	10	13	12	11	11	13	13	10	5	1	—	—	1
Stirling . . .	20	35	25	29	45	36	43	65	57	46	41	21	8	3	—	4
Dumbarton . . .	16	17	20	23	21	15	29	28	16	21	13	13	4	1	—	—
Argyll . . .	18	19	19	15	23	24	41	32	59	53	77	23	17	12	1	1
Bute . . .	8	2	9	12	6	4	18	14	13	23	17	8	3	2	—	—
Renfrew . . .	71	71	68	71	80	86	89	80	95	70	67	41	8	2	1	1
Ayr . . .	55	63	59	42	45	55	74	87	93	96	85	51	18	9	4	—
Lanark . . .	406	337	323	272	305	299	316	316	289	244	200	81	27	14	3	3
Linlithgow . . .	6	9	11	10	9	13	19	21	10	24	15	8	5	—	—	1
Edinburgh . . .	103	112	117	123	114	143	186	182	201	173	120	58	27	6	—	2
Haddington . . .	7	7	9	7	8	16	23	23	23	26	11	20	—	1	—	—
Berwick . . .	9	—	11	9	6	19	15	15	21	21	21	8	3	3	—	1
Peebles . . .	2	6	2	2	—	—	6	7	3	10	5	2	—	—	—	—
Selkirk . . .	2	5	5	8	4	3	10	8	7	2	1	3	—	—	—	—
Roxburgh . . .	12	22	15	13	18	20	27	28	29	32	15	5	6	1	—	—
Dumfries . . .	28	21	25	17	35	27	38	40	53	52	51	25	8	4	1	—
Kirkcudbright . . .	11	16	13	12	13	19	24	19	32	32	31	16	8	—	—	1
Wigtown . . .	13	14	8	10	19	18	17	23	18	24	21	13	9	3	—	1
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1868.—FEMALES.																
Glasgow . . .	285	243	227	195	220	222	211	197	170	121	110	37	16	10	3	1
Edinburgh . . .	67	82	87	83	87	97	122	132	121	112	80	44	16	6	—	—
Dundee . . .	69	67	56	67	60	52	59	63	49	52	31	4	8	3	—	—
Aberdeen . . .	31	32	32	29	39	43	48	56	45	57	44	25	9	2	1	—
Paisley . . .	18	21	26	20	26	30	22	19	39	32	19	14	3	—	—	—
Greenock . . .	19	29	20	21	23	19	25	21	20	16	18	10	2	—	—	1
Leith . . .	14	14	10	17	9	17	22	14	18	16	13	6	2	—	—	—
Perth . . .	4	11	12	8	13	9	12	26	19	14	20	6	1	1	—	—
Inverness . . .	6	4	5	6	10	10	9	11	14	19	16	5	2	1	—	—
Arbroath . . .	6	9	7	8	4	3	10	10	12	17	14	6	1	1	—	1
Forfar . . .	3	3	3	1	5	6	3	10	9	3	8	1	—	—	—	—
Montrose . . .	6	6	3	9	3	12	13	12	15	8	13	8	3	1	—	—
Dunfermline . . .	4	2	5	4	5	8	8	5	4	4	7	4	—	—	—	—
Kirkcaldy . . .	4	8	1	4	6	7	7	6	3	4	1	3	—	—	—	—
Stirling . . .	7	11	7	9	8	10	12	11	15	10	8	5	1	1	—	1
Ayr . . .	5	12	13	5	9	8	11	13	14	13	6	8	1	1	—	—
Kilmarnock . . .	7	14	6	10	3	4	10	10	10	13	6	3	—	2	—	—
Barony . . .	23	17	22	8	17	17	13	19	16	14	7	8	1	1	—	—
Govan . . .	24	20	17	17	8	11	13	9	18	18	9	5	2	1	—	—
Hamilton . . .	4	2	5	2	4	5	6	5	5	11	8	1	1	—	—	—
Airdrie . . .	4	7	7	3	7	3	2	7	10	7	4	1	—	—	—	—
Coatbridge, etc. . .	4	2	7	4	3	6	11	6	4	6	2	—	1	—	—	—
Dumfries . . .	7	12	9	9	12	11	13	13	11	15	15	5	4	—	1	—



DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES.

SMALL TOWNS.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Total Small Towns . . . . .	11392	1105	411	761	964	491	366	270	649	321	381	415	345
Lerwick . . . . .	75	5	2	4	1	4	2	—	4	1	2	2	1
Kirkwall and St. Ola . . . . .	86	3	2	1	5	1	2	—	4	2	4	1	4
Thurso . . . . .	97	2	4	2	5	2	—	—	5	—	6	2	2
Wick . . . . .	224	22	7	12	7	4	1	3	5	3	10	19	9
Nairn . . . . .	79	8	5	4	2	3	1	—	1	2	3	3	3
Elgin . . . . .	169	16	12	8	7	5	—	—	5	5	4	9	6
Forres . . . . .	99	5	5	3	8	2	2	2	1	1	—	4	2
Banff . . . . .	211	13	4	15	19	12	6	7	8	6	4	7	7
Cullen . . . . .	41	—	2	2	6	1	3	—	4	1	1	1	1
Seafeld . . . . .	23	1	—	—	—	1	2	1	—	3	2	—	1
Fraserburgh . . . . .	104	12	4	8	10	4	5	4	2	5	3	1	3
Huntly . . . . .	64	4	2	3	1	2	—	—	5	1	—	3	5
Peterhead . . . . .	202	36	9	12	12	4	3	5	12	5	7	5	4
Dunnottar . . . . .	29	3	1	2	4	—	—	—	1	—	—	2	1
Fetteresso . . . . .	70	8	—	1	6	—	1	—	1	1	2	5	2
Cookney . . . . .	22	1	1	1	—	—	—	1	2	1	1	3	1
Brechin . . . . .	204	14	10	18	12	9	5	7	9	2	7	6	5
Kirriemuir . . . . .	126	12	6	7	1	1	1	2	6	1	1	—	2
Monifieth . . . . .	120	17	7	7	6	3	1	4	6	2	3	6	3
Blairgowrie . . . . .	94	16	3	7	6	1	2	—	4	1	3	1	5
Crieff . . . . .	69	6	2	3	3	1	1	—	2	2	2	2	4
Burntisland . . . . .	79	7	4	4	8	1	2	1	5	2	—	5	—
Cupar . . . . .	147	17	4	3	5	2	2	—	6	—	5	6	6
Dysart . . . . .	206	22	7	13	30	12	6	10	14	5	5	—	1
St. Andrews, etc. . . . .	121	10	2	4	6	2	2	—	4	3	1	4	3
Alloa . . . . .	277	21	10	18	24	25	12	16	25	6	9	9	5
Tillicoultry . . . . .	101	8	4	6	5	2	2	1	5	—	11	7	6
Alva . . . . .	66	9	3	2	3	2	3	1	5	1	3	4	2
Campsie . . . . .	163	11	3	16	15	6	7	8	12	3	6	6	6
Falkirk (Burgh) . . . . .	260	30	8	25	25	8	6	4	10	5	4	4	3
„ (Landward) . . . . .	160	22	4	17	13	6	4	3	4	6	3	7	4
Kilsyth . . . . .	130	18	2	7	13	7	7	2	5	9	4	4	4
Bonhill . . . . .	206	21	12	9	8	11	7	2	15	9	10	12	3
Dumbarton . . . . .	318	27	13	25	43	27	20	11	21	10	6	12	9
Kirkintilloch . . . . .	211	24	5	11	20	11	11	10	23	7	9	6	7
Row . . . . .	122	15	1	10	4	6	1	4	8	5	3	5	4
Campbeltown . . . . .	176	7	5	10	11	8	2	3	8	5	9	9	4
Rothsay . . . . .	211	9	7	12	13	12	4	3	5	7	3	4	10

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES.

SMALL TOWNS.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Total Small Towns .	340	302	309	328	362	384	472	560	574	510	419	230	93	18	5	7
Lerwick . . . .	—	2	4	3	2	4	2	11	5	6	5	2	1	—	—	—
Kirkwall and St. Ola .	3	3	2	1	3	6	3	4	6	9	8	5	4	—	—	—
Thurso . . . .	5	1	3	1	5	6	8	5	7	9	5	7	5	—	—	—
Wick . . . .	5	10	6	8	3	7	10	11	17	14	15	8	6	—	1	1
Nairn . . . .	1	3	5	1	2	1	4	5	9	7	3	1	1	1	—	—
Elgin . . . .	13	2	5	4	9	2	10	9	13	8	8	5	4	—	—	—
Forres . . . .	3	5	8	1	1	1	4	9	5	7	10	7	2	1	—	—
Banff . . . .	4	5	6	4	7	8	10	14	11	14	8	9	3	—	—	—
Cullen . . . .	1	1	1	—	1	3	—	2	3	2	4	1	—	—	—	—
Seafeld . . . .	—	—	—	2	1	2	1	1	1	3	—	1	—	—	—	—
Fraserburgh . . .	2	1	3	—	1	3	4	4	7	10	4	4	—	—	—	—
Huntly . . . .	2	3	2	3	2	2	3	1	5	9	3	2	1	—	—	—
Peterhead . . . .	8	7	4	4	3	8	6	12	8	12	7	6	3	—	—	—
Dunnottar . . . .	2	—	1	1	—	1	—	1	3	2	2	2	—	—	—	—
Fetteresso . . . .	3	4	2	2	1	—	3	3	7	8	6	2	2	—	—	—
Cookney . . . .	—	1	—	—	—	—	1	2	2	1	2	—	1	—	—	—
Brechin . . . .	5	7	9	4	4	3	7	15	18	11	10	3	3	1	—	—
Kirriemuir . . . .	6	6	2	5	3	6	6	10	13	12	11	5	—	1	—	—
Monifieth . . . .	9	1	2	2	3	2	6	5	8	7	5	3	2	—	—	—
Blairgowrie . . .	5	—	4	5	2	5	1	6	4	6	3	3	1	—	—	—
Crieff . . . .	—	2	1	2	4	2	6	5	5	4	5	1	3	1	—	—
Burntisland . . .	1	4	4	3	3	2	6	4	5	3	4	1	—	—	—	—
Cupar . . . .	10	2	7	6	2	10	7	8	14	8	13	4	—	—	—	—
Dysart . . . .	3	1	2	6	9	7	9	8	15	9	7	4	—	1	—	—
St. Andrews, etc. .	6	4	4	5	6	5	4	11	10	11	8	4	1	1	—	—
Alloa . . . .	2	6	7	9	10	10	12	7	13	11	5	5	—	—	—	—
Tillicoultry . . .	2	5	1	5	7	5	3	4	5	2	3	1	1	—	—	—
Alva . . . .	4	—	3	1	4	2	2	2	4	1	2	3	—	—	—	—
Campsie . . . .	4	6	1	3	8	4	7	9	6	7	4	4	1	—	—	—
Falkirk (Burgh) . .	5	5	9	9	12	13	14	14	12	11	13	4	2	1	—	4
„ (Landward) . .	6	2	8	3	7	8	9	7	7	5	4	1	—	—	—	—
Kilsyth . . . .	5	3	4	1	8	2	4	5	9	2	5	—	—	—	—	—
Bonhill . . . .	6	7	7	8	10	10	5	10	4	9	4	5	2	—	—	—
Dumbarton . . . .	12	13	13	6	7	8	10	5	9	5	3	—	2	1	—	—
Kirkintilloch . . .	6	4	9	2	7	3	5	10	7	7	4	3	—	—	—	—
Row . . . .	2	2	3	8	3	5	8	8	6	5	3	2	—	—	1	—
Campbeltown . . .	4	5	4	5	7	3	8	11	13	11	17	5	—	1	—	1
Rothsay . . . .	13	5	3	14	7	7	12	11	12	20	9	7	2	—	—	—



DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

SMALL TOWNS.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Abbey (Landward) . . . . .	134	8	3	5	13	14	11	5	19	3	6	1	3
Johnstone . . . . .	214	24	9	16	24	14	10	6	15	9	11	8	5
Eastwood . . . . .	299	22	12	28	30	10	9	6	15	9	12	13	12
Neilston . . . . .	118	11	1	10	11	6	7	8	16	3	3	6	4
Barrhead . . . . .	156	10	4	3	14	5	15	4	21	5	6	10	8
Port-Glasgow . . . . .	252	25	7	25	44	16	8	2	8	9	9	13	12
Renfrew . . . . .	135	10	3	6	12	11	5	2	8	1	7	2	5
Old Ardrossan . . . . .	61	9	1	2	3	2	—	—	5	4	1	1	1
New Ardrossan . . . . .	61	10	2	3	6	3	3	1	1	4	2	3	2
Beith . . . . .	105	10	2	6	12	5	3	—	5	6	6	1	7
Dalry . . . . .	235	17	11	21	30	13	11	3	15	9	12	6	4
Galston . . . . .	117	12	6	13	16	1	5	1	2	6	6	4	3
Girvan . . . . .	118	9	2	8	3	4	2	1	9	6	6	5	5
Irvine . . . . .	214	14	6	9	18	7	6	4	10	6	6	9	3
Kilbirnie . . . . .	77	7	4	6	12	4	2	5	2	5	3	3	3
Kilwinning . . . . .	134	12	9	10	9	7	2	5	6	4	6	6	8
Maybole . . . . .	101	6	1	4	12	3	—	3	4	6	2	7	4
Riccarton . . . . .	98	20	4	3	14	2	2	2	8	2	4	5	2
Stevenston . . . . .	93	9	2	7	9	7	2	2	6	2	1	4	3
Stewarton . . . . .	87	7	4	9	3	3	4	4	6	3	1	3	7
Avondale . . . . .	97	9	2	9	8	4	1	2	6	8	2	4	3
Cambusnethan . . . . .	328	38	19	37	42	16	8	6	19	15	17	10	14
Carluke . . . . .	119	15	5	10	9	2	4	2	7	4	6	2	4
Lanark . . . . .	163	18	4	10	10	1	6	5	5	5	6	9	4
Rutherglen . . . . .	285	29	9	31	23	20	13	12	21	6	17	11	10
Stonehouse . . . . .	54	9	2	7	1	1	1	—	3	2	1	2	3
Bathgate . . . . .	147	20	8	18	11	8	4	—	4	5	4	8	1
Armadales . . . . .	69	14	5	8	12	2	3	3	4	2	—	—	1
Borrowstounness . . . . .	122	19	10	14	25	7	5	2	4	—	2	3	4
Linlithgow . . . . .	115	13	4	5	7	3	3	1	3	2	2	6	1
Dalkeith . . . . .	210	23	11	19	18	11	5	7	9	2	4	4	7
Portobello . . . . .	97	7	3	3	8	2	3	5	6	1	3	1	3
Inveresk . . . . .	223	21	10	12	24	10	8	3	4	2	4	—	2
Dunbar . . . . .	102	12	2	1	5	1	2	—	3	3	7	3	1
Haddington . . . . .	107	11	3	3	7	6	4	1	4	4	3	2	4
Galashiels . . . . .	127	20	4	6	15	4	9	1	7	4	3	8	6
Selkirk . . . . .	101	14	2	6	7	2	2	3	5	1	3	4	7
Hawick . . . . .	185	29	10	15	15	8	2	5	10	2	1	3	2
Jedburgh . . . . .	152	13	2	8	12	8	9	10	25	7	6	3	2
Kelso . . . . .	133	7	4	4	6	6	6	4	6	2	3	7	5
Ladhope . . . . .	107	6	4	7	8	6	6	3	6	4	4	10	2
Annan . . . . .	114	11	6	7	10	6	2	1	3	2	8	8	3
Stranraer . . . . .	264	10	7	15	19	12	17	15	42	8	9	11	7

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES. (*Continued.*)

SMALL TOWNS.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Abbey (Landward) . . .	4	—	7	4	5	4	4	2	5	3	2	2	—	—	1	—	
Johnstone . . . . .	1	7	2	4	10	7	3	7	8	4	7	1	1	1	—	—	
Eastwood . . . . .	12	8	10	8	12	14	12	17	12	5	7	3	1	—	—	—	
Neilston . . . . .	3	1	4	1	2	5	3	6	3	2	2	—	—	—	—	—	
Barrhead . . . . .	8	4	2	6	7	4	6	5	4	2	—	2	1	—	—	—	
Port-Glasgow . . . . .	6	10	5	4	10	10	9	7	5	2	4	2	—	—	—	—	
Renfrew . . . . .	8	2	1	10	7	6	7	3	7	5	3	3	—	1	—	—	
Old Ardrossan . . . . .	2	2	3	2	1	2	3	2	5	2	4	4	—	—	—	—	
New Ardrossan . . . . .	1	2	1	2	1	3	4	2	1	3	1	—	—	—	—	—	
Beith . . . . .	2	—	2	2	3	3	4	5	4	6	5	3	2	1	—	—	
Dalry . . . . .	3	9	6	9	6	5	9	6	8	11	6	3	2	—	—	—	
Galston . . . . .	6	3	3	1	3	3	3	6	3	4	2	4	1	—	—	—	
Girvan . . . . .	—	2	1	1	5	9	6	9	5	4	8	3	2	1	2	—	
Irvine . . . . .	10	4	11	8	5	9	10	10	13	8	17	7	4	—	—	—	
Kilbirnie . . . . .	4	1	3	—	—	2	1	3	2	—	3	—	2	—	—	—	
Kilwinning . . . . .	3	3	2	4	4	1	3	7	10	3	5	3	2	—	—	—	
Maybole . . . . .	5	1	2	1	1	6	8	7	5	3	5	4	1	—	—	—	
Riccarton . . . . .	2	2	1	6	1	2	6	2	3	—	4	1	—	—	—	—	
Stevenston . . . . .	3	2	2	4	3	3	5	2	6	3	4	2	—	—	—	—	
Stewarton . . . . .	1	1	3	—	1	1	5	6	3	4	3	3	2	—	—	—	
Avondale . . . . .	6	3	1	2	1	3	4	7	2	5	2	2	1	—	—	—	
Cambusnethan . . . . .	12	6	6	11	13	11	3	8	4	8	3	2	—	—	—	—	
Carluke . . . . .	4	1	1	1	3	3	4	6	6	6	7	5	1	1	—	—	
Lanark . . . . .	5	9	3	4	2	5	10	10	6	11	9	6	—	—	—	—	
Rutherglen . . . . .	3	7	7	13	7	10	8	7	7	5	5	2	1	1	—	—	
Stonehouse . . . . .	1	1	1	—	3	2	—	5	3	3	1	—	2	—	—	—	
Bathgate . . . . .	1	6	7	2	7	2	8	6	6	6	3	1	1	—	—	—	
Armadales . . . . .	3	3	1	—	—	2	3	3	—	—	—	—	—	—	—	—	
Borrowstounness . . . . .	3	4	6	1	2	2	1	2	3	1	1	—	1	—	—	—	
Linlithgow . . . . .	3	3	2	5	2	7	4	11	4	11	8	5	—	—	—	—	
Dalkeith . . . . .	7	3	5	7	8	3	18	6	13	11	1	6	2	—	—	—	
Portobello . . . . .	2	2	1	4	2	5	5	12	5	9	3	—	1	—	—	1	
Inveresk . . . . .	6	6	9	8	10	12	9	15	23	12	7	3	3	—	—	—	
Dunbar . . . . .	4	4	1	5	4	1	8	9	9	5	6	6	—	—	—	—	
Haddington . . . . .	2	3	2	1	2	12	5	6	9	8	3	2	—	—	—	—	
Galashiels . . . . .	2	6	4	7	2	1	6	3	4	2	2	1	—	—	—	—	
Selkirk . . . . .	2	4	2	5	2	3	5	9	5	3	4	1	—	—	—	—	
Hawick . . . . .	4	9	3	6	4	11	9	9	9	12	6	—	1	—	—	—	
Jedburgh . . . . .	2	3	3	5	1	1	5	6	4	8	6	1	2	—	—	—	
Kelso . . . . .	2	2	2	6	8	5	10	13	11	7	6	1	—	—	—	—	
Ladhope . . . . .	2	6	6	5	5	1	3	4	3	1	4	—	1	—	—	—	
Annan . . . . .	3	2	1	3	1	2	5	7	9	7	1	1	—	2	—	—	
Stranraer . . . . .	9	7	5	3	12	5	8	13	9	7	7	5	2	—	—	—	



DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—MALES.

SMALL TOWNS.	MALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
Total Small Towns . . . . .	5640	623	225	409	492	249	183	135	332	150	188	217	159	
Lerwick . . . . .	40	2	2	3	—	2	1	—	4	1	1	1	1	
Kirkwall and St. Ola . . . . .	37	3	2	—	3	—	1	—	1	—	3	—	3	
Thurso . . . . .	48	—	2	2	3	—	—	—	3	—	3	2	2	
Wick . . . . .	122	15	4	7	4	4	—	2	3	2	7	15	1	
Nairn . . . . .	41	5	1	3	1	1	1	—	—	1	1	3	1	
Elgin . . . . .	82	6	9	6	3	3	—	—	2	3	1	6	3	
Forres . . . . .	46	1	5	—	5	—	1	2	1	—	—	2	1	
Banff . . . . .	95	8	1	10	10	7	3	6	4	3	1	1	3	
Cullen . . . . .	24	—	1	2	3	—	2	—	2	1	1	1	—	
Seafield . . . . .	11	1	—	—	—	—	2	1	—	—	—	—	1	
Fraserburgh . . . . .	56	7	1	3	5	2	3	2	1	1	2	—	1	
Huntly . . . . .	31	1	1	2	1	2	—	—	3	—	—	2	4	
Peterhead . . . . .	115	26	5	10	6	2	2	3	5	3	5	1	3	
Dunnottar . . . . .	13	1	1	1	3	—	—	—	—	—	—	2	—	
Fetteresso . . . . .	40	5	—	1	6	—	—	—	—	1	—	4	1	
Cookney . . . . .	16	1	—	1	—	—	—	—	—	1	1	3	1	
Brechin . . . . .	100	7	3	10	7	4	3	4	5	2	5	3	1	
Kirriemuir . . . . .	62	5	4	5	—	—	1	—	3	—	—	—	2	
Monifieth . . . . .	64	11	5	5	3	2	1	—	3	1	1	4	2	
Blairgowrie . . . . .	48	9	2	3	3	1	2	—	—	—	2	—	2	
Crieff . . . . .	34	5	2	2	1	—	—	—	1	—	1	2	3	
Burntisland . . . . .	45	4	3	3	4	1	1	—	3	2	—	3	—	
Cupar . . . . .	60	2	2	1	2	1	1	—	2	—	3	2	3	
Dysart . . . . .	103	11	5	8	18	8	4	5	11	3	2	—	1	
St. Andrews, etc. . . . .	53	4	2	2	3	1	2	—	2	1	—	1	1	
Alloa . . . . .	137	13	5	13	8	12	5	8	12	4	3	4	2	
Tillicoultry . . . . .	42	3	2	1	3	2	—	1	4	—	6	3	3	
Alva . . . . .	26	5	2	1	—	—	1	—	3	—	1	2	—	
Campsie . . . . .	81	6	2	7	9	2	3	6	7	1	2	2	3	
Falkirk (Burgh) . . . . .	123	15	2	14	10	4	4	1	5	1	2	2	2	
„ (Landward) . . . . .	82	12	2	10	6	2	2	1	3	1	2	3	4	
Kilsyth . . . . .	65	13	1	4	4	2	1	2	2	4	1	3	2	
Bonhill . . . . .	111	12	7	5	5	10	3	2	8	4	4	6	1	
Dumbarton . . . . .	162	18	6	12	25	11	13	3	13	1	3	5	2	
Kirkintilloch . . . . .	120	13	1	8	12	6	7	8	10	3	5	5	5	
Row . . . . .	69	10	1	5	3	2	—	1	5	3	3	3	1	
Campbeltown . . . . .	88	2	2	5	4	5	—	2	7	4	5	8	3	
Rothsay . . . . .	92	2	4	8	7	5	1	3	1	4	—	2	2	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—MALES.

SMALL TOWNS.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Total Small Towns .	172	146	145	176	179	203	221	258	264	225	168	79	32	7	—	3
Lerwick . . . .	—	1	3	1	1	2	—	6	3	2	2	1	—	—	—	—
Kirkwall and St. Ola .	—	1	1	—	—	2	1	1	4	4	4	1	2	—	—	—
Thurso . . . .	1	1	—	1	3	3	4	1	5	7	1	3	1	—	—	—
Wick . . . .	5	4	4	4	2	3	6	3	7	8	4	3	4	—	—	1
Nairn . . . .	1	2	2	1	—	—	3	4	5	2	1	1	1	—	—	—
Elgin . . . .	5	1	4	1	2	2	6	2	9	6	1	1	—	—	—	—
Forres . . . .	2	5	4	1	1	1	2	4	1	2	4	1	—	—	—	—
Banff . . . .	1	1	4	1	3	4	4	10	3	3	3	1	—	—	—	—
Cullen . . . .	—	—	—	—	—	2	—	1	2	2	4	—	—	—	—	—
Seafeld . . . .	—	—	—	—	1	—	1	1	1	1	—	1	—	—	—	—
Fraserburgh . . .	1	1	2	—	—	3	3	2	6	6	3	1	—	—	—	—
Huntly . . . .	1	1	—	—	—	—	1	1	2	5	2	1	1	—	—	—
Peterhead . . . .	5	3	2	3	1	6	2	7	5	5	1	3	1	—	—	—
Dunnottar . . . .	1	—	—	1	—	—	—	1	—	2	—	—	—	—	—	—
Fetteresso . . . .	2	1	—	2	1	—	2	2	3	5	3	1	—	—	—	—
Cookney . . . .	—	1	—	—	—	—	1	1	2	1	1	—	1	—	—	—
Brechin . . . .	3	3	4	2	1	1	4	9	9	4	4	1	—	1	—	—
Kirriemuir . . . .	4	3	1	5	2	5	1	5	6	4	4	2	—	—	—	—
Monifieth . . . .	6	1	1	2	2	—	4	—	5	4	—	1	—	—	—	—
Blairgowrie . . . .	3	—	1	3	—	3	1	3	3	3	2	2	—	—	—	—
Crieff . . . .	—	1	1	1	2	—	4	2	1	2	2	—	1	—	—	—
Burntisland . . . .	—	2	3	3	1	1	3	1	3	2	2	—	—	—	—	—
Cupar . . . .	10	1	3	3	1	5	2	4	5	3	2	2	—	—	—	—
Dysart . . . .	2	—	—	2	4	2	3	2	5	2	2	2	—	1	—	—
St. Andrews, etc. .	1	4	3	2	3	4	2	3	4	3	2	2	—	1	—	—
Alloa . . . .	1	4	5	2	4	5	4	5	7	5	4	2	—	—	—	—
Tillicoultry . . . .	1	—	1	4	2	—	2	1	1	1	—	—	1	—	—	—
Alva . . . .	2	—	1	1	—	—	1	1	3	—	1	1	—	—	—	—
Campsie . . . .	3	1	—	1	4	4	3	5	1	6	1	2	—	—	—	—
Falkirk (Burgh) . .	4	3	6	7	6	9	7	3	7	1	6	1	—	—	—	1
„ (Landward) . .	5	—	7	1	2	4	6	4	3	1	1	—	—	—	—	—
Kilsyth . . . .	3	2	3	—	5	1	2	3	2	1	4	—	—	—	—	—
Bonhill . . . .	3	3	3	3	6	7	3	3	1	7	4	1	—	—	—	—
Dumbarton . . . .	9	8	8	1	3	5	5	3	5	1	1	—	—	1	—	—
Kirkintilloch . . .	4	3	5	2	3	3	1	3	7	3	2	1	—	—	—	—
Row . . . .	1	1	1	6	1	4	3	7	4	1	2	1	—	—	—	—
Campbeltown . . .	2	2	2	3	5	1	2	7	7	6	3	—	—	—	—	1
Rothsay . . . .	6	3	1	8	4	4	5	4	6	5	3	3	1	—	—	—



DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—MALES. (Continued.)

SMALL TOWNS.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Abbey (Landward) . . . . .	68	6	—	2	9	7	8	3	10	2	2	—	1
Johnstone . . . . .	109	12	5	11	11	9	7	3	4	2	7	4	1
Eastwood . . . . .	135	7	3	12	20	8	2	1	3	7	6	4	3
Neilston . . . . .	46	3	1	6	5	3	1	2	8	—	—	2	2
Barrhead . . . . .	79	8	4	2	8	2	7	2	7	5	3	4	3
Port-Glasgow . . . . .	123	13	6	13	17	10	3	2	8	3	5	7	6
Renfrew . . . . .	69	7	2	2	6	8	2	2	6	1	4	1	1
Old Ardrossan . . . . .	28	2	1	—	—	2	—	—	3	—	1	1	—
New Ardrossan . . . . .	37	7	—	2	3	—	3	1	1	3	1	1	2
Beith . . . . .	57	7	1	2	7	2	2	—	3	3	2	1	5
Dalry . . . . .	125	11	6	10	17	6	8	1	8	4	5	3	2
Galston . . . . .	52	5	2	6	9	—	3	1	—	2	5	1	2
Girvan . . . . .	61	4	1	4	3	1	—	—	6	6	2	4	3
Irvine . . . . .	97	11	5	5	6	4	2	1	5	2	2	1	2
Kilbirnie . . . . .	37	4	2	4	3	3	1	2	1	2	—	2	2
Kilwinning . . . . .	73	10	5	2	4	5	2	3	4	1	3	3	5
Maybole . . . . .	56	4	1	4	6	1	—	—	3	5	—	4	2
Riccarton . . . . .	51	10	2	1	4	1	—	1	3	2	2	5	2
Stevenston . . . . .	47	6	1	4	5	4	—	1	4	1	—	2	3
Stewarton . . . . .	43	5	3	3	2	1	2	2	4	2	1	1	4
Avondale . . . . .	38	2	—	6	3	1	1	—	2	2	1	3	2
Cambusnethan . . . . .	166	28	7	15	20	7	4	2	10	10	9	4	5
Carluke . . . . .	52	6	4	7	6	1	2	—	2	1	1	1	3
Lanark . . . . .	74	13	2	5	5	—	3	4	2	1	5	2	1
Rutherglen . . . . .	141	16	6	15	12	9	8	8	13	2	9	3	3
Stonehouse . . . . .	25	4	—	4	1	1	1	—	1	—	—	1	—
Bathgate . . . . .	77	17	4	12	6	3	1	—	2	—	2	6	—
Armadale . . . . .	37	6	5	3	7	2	—	1	1	1	—	—	—
Borrowstounness . . . . .	66	13	7	7	12	5	3	1	3	—	1	1	1
Linlithgow . . . . .	52	6	1	2	4	2	—	—	2	2	1	4	—
Dalkeith . . . . .	110	16	7	10	10	2	2	3	6	—	4	2	4
Portobello . . . . .	45	4	1	2	6	1	2	3	5	1	1	1	1
Inveresk . . . . .	96	13	4	7	10	1	4	1	3	2	3	—	1
Dunbar . . . . .	51	7	2	—	3	1	1	—	2	1	4	2	—
Haddington . . . . .	49	8	1	2	3	5	—	1	2	2	2	1	2
Galashiels . . . . .	61	11	2	2	6	4	6	—	2	3	2	5	1
Selkirk . . . . .	46	6	2	2	3	1	—	3	2	—	1	2	5
Hawick . . . . .	100	16	6	9	10	4	—	1	6	2	1	2	—
Jedburgh . . . . .	72	4	1	3	3	5	6	5	13	4	2	3	1
Kelso . . . . .	66	6	1	1	3	3	2	3	4	—	3	5	3
Ladhope . . . . .	54	3	2	4	5	3	3	2	1	3	—	3	—
Annan . . . . .	60	6	6	6	6	1	2	—	—	—	5	6	1
Stranraer . . . . .	125	6	3	7	13	6	8	6	18	4	3	3	3

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland Rural Districts.—MALES. (*Continued.*)

SMALL TOWNS.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Abbey (Landward)	2	—	2	2	4	1	1	2	—	2	2	—	—	—	—	—	
Johnstone	—	4	—	2	5	4	1	5	5	1	4	1	—	1	—	—	
Eastwood	5	6	5	5	8	7	5	6	6	3	1	1	1	—	—	—	
Neilston	—	1	3	—	2	2	—	3	1	1	—	—	—	—	—	—	
Barrhead	5	3	1	1	5	2	1	3	2	—	—	—	1	—	—	—	
Port-Glasgow	3	4	2	2	5	3	3	3	1	2	1	1	—	—	—	—	
Renfrew	2	1	1	4	3	5	3	—	4	3	1	—	—	—	—	—	
Old Ardrossan	2	1	1	1	—	1	1	1	4	1	1	4	—	—	—	—	
New Ardrossan	1	1	—	2	—	3	4	1	1	—	—	—	—	—	—	—	
Beith	1	—	—	1	3	2	3	3	3	3	1	—	2	—	—	—	
Dalry	1	3	4	7	6	3	4	5	1	6	2	1	1	—	—	—	
Galston	—	—	—	—	2	1	2	2	1	3	2	2	1	—	—	—	
Girvan	—	—	—	1	2	5	4	6	2	2	2	3	—	—	—	—	
Irvine	3	3	4	5	3	4	6	5	4	2	8	3	1	—	—	—	
Kilbirnie	3	1	1	—	—	2	1	1	1	—	—	—	1	—	—	—	
Kilwinning	1	2	1	4	3	—	1	2	7	—	3	1	1	—	—	—	
Maybole	1	—	—	—	1	2	6	5	2	1	4	4	—	—	—	—	
Riccarton	2	1	—	5	—	2	4	1	1	—	2	—	—	—	—	—	
Stevenston	1	—	1	4	1	1	1	1	2	2	2	—	—	—	—	—	
Stewarton	1	1	—	—	1	—	3	2	1	1	2	—	1	—	—	—	
Avondale	4	—	1	—	—	2	2	4	1	1	—	—	—	—	—	—	
Cambusnethan	5	1	4	7	8	8	1	3	2	3	1	2	—	—	—	—	
Carluke	1	—	—	1	1	2	3	1	1	4	1	2	—	1	—	—	
Lanark	—	5	—	1	—	2	7	6	2	3	3	2	—	—	—	—	
Rutherglen	—	3	3	8	2	7	4	1	2	3	2	1	1	—	—	—	
Stonehouse	1	1	—	—	1	2	—	3	—	2	1	—	1	—	—	—	
Bathgate	1	3	4	1	1	1	1	1	5	4	2	—	—	—	—	—	
Armadales	3	2	1	—	—	1	2	2	—	—	—	—	—	—	—	—	
Borrowstounness	2	2	2	—	2	1	—	1	—	1	—	—	1	—	—	—	
Linlithgow	3	2	1	3	2	2	—	5	2	5	2	1	—	—	—	—	
Dalkeith	5	2	2	4	5	—	10	2	5	6	—	3	—	—	—	—	
Portobello	2	—	—	1	2	3	1	2	2	3	1	—	—	—	—	—	
Inveresk	—	4	3	2	6	4	4	7	8	3	3	1	2	—	—	—	
Dunbar	1	2	—	3	3	1	5	4	4	2	3	—	—	—	—	—	
Haddington	1	2	—	—	1	5	—	2	4	3	2	—	—	—	—	—	
Galashiels	2	2	1	3	—	1	2	1	2	2	1	—	—	—	—	—	
Selkirk	—	3	—	2	—	1	2	3	2	2	4	—	—	—	—	—	
Hawick	1	3	3	4	1	8	5	6	2	5	4	—	1	—	—	—	
Jedburgh	—	—	—	3	1	1	3	3	2	4	5	—	—	—	—	—	
Kelso	1	1	—	3	6	1	4	7	4	3	1	1	—	—	—	—	
Ladhope	2	3	4	3	2	1	1	1	2	1	4	—	1	—	—	—	
Annan	1	2	—	2	1	1	—	4	5	3	1	—	—	1	—	—	
Stranraer	4	3	4	1	4	2	6	7	5	3	3	2	1	—	—	—	



DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—FEMALES.

SMALL TOWNS.	FEMALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
		3	6	12										
Total Small Towns . . . . .	5752	482	186	352	472	242	183	135	317	171	193	198	186	
Lerwick . . . . .	35	3	—	1	1	2	1	—	—	—	1	1	—	
Kirkwall and St. Ola . . . . .	49	—	—	1	2	1	1	—	3	2	1	1	1	
Thurso . . . . .	49	2	2	—	2	2	—	—	2	—	3	—	—	
Wick . . . . .	102	7	3	5	3	—	1	1	2	1	3	4	8	
Nairn . . . . .	38	3	4	1	1	2	—	—	1	1	2	—	2	
Elgin . . . . .	87	10	3	2	4	2	—	—	3	2	3	3	3	
Forres . . . . .	53	4	—	3	3	2	1	—	—	1	—	2	1	
Banff . . . . .	116	5	3	5	9	5	3	1	4	3	3	6	4	
Cullen . . . . .	17	—	1	—	3	1	1	—	2	—	—	—	1	
Seafield . . . . .	12	—	—	—	—	1	—	—	—	3	2	—	—	
Fraserburgh . . . . .	48	5	3	5	5	2	2	2	1	4	1	1	2	
Huntly . . . . .	33	3	1	1	—	—	—	—	2	1	—	1	1	
Peterhead . . . . .	87	10	4	2	6	2	1	2	7	2	2	4	1	
Dunnottar . . . . .	16	2	—	1	1	—	—	—	1	—	—	—	1	
Fetteresso . . . . .	30	3	—	—	—	—	1	—	1	—	2	1	1	
Cookney . . . . .	6	—	1	—	—	—	—	1	2	—	—	—	—	
Brechin . . . . .	104	7	7	8	5	5	2	3	4	—	2	3	4	
Kirriemuir . . . . .	64	7	2	2	1	1	—	2	3	1	1	—	—	
Monifieth . . . . .	56	6	2	2	3	1	—	4	3	1	2	2	1	
Blairgowrie . . . . .	46	7	1	4	3	—	—	—	4	1	1	1	3	
Crieff . . . . .	35	1	—	—	2	1	1	—	1	2	1	—	1	
Burntisland . . . . .	34	3	1	1	4	—	1	1	2	—	—	2	—	
Cupar . . . . .	87	15	2	2	3	1	1	—	4	—	2	4	3	
Dysart . . . . .	103	11	2	5	12	4	2	5	3	2	3	—	—	
St. Andrews, etc. . . . .	68	6	—	2	3	1	—	—	2	2	1	3	2	
Alloa . . . . .	140	8	5	5	16	13	7	8	13	2	6	5	3	
Tillicoultry . . . . .	59	5	2	5	2	—	2	—	1	—	5	4	3	
Alva . . . . .	40	4	1	1	3	2	2	1	2	1	2	2	2	
Campsie . . . . .	82	5	1	9	6	4	4	2	5	2	4	4	3	
Falkirk (Burgh) . . . . .	137	15	6	11	15	4	2	3	5	4	2	2	1	
„ (Landward) . . . . .	78	10	2	7	7	4	2	2	1	5	1	4	—	
Kilsyth . . . . .	65	5	1	3	9	5	6	—	3	5	3	1	2	
Bonhill . . . . .	95	9	5	4	3	1	4	—	7	5	6	6	2	
Dumbarton . . . . .	156	9	7	13	18	16	7	8	8	9	3	7	7	
Kirkintilloch . . . . .	91	11	4	3	8	5	4	2	13	4	4	1	2	
Row . . . . .	53	5	—	5	1	4	1	3	3	2	—	2	3	
Campbeltown . . . . .	88	5	3	5	7	3	2	1	1	1	4	1	1	
Rothsay . . . . .	119	7	3	4	6	7	3	—	4	3	3	2	8	

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—FEMALES.

SMALL TOWNS.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Total Small Towns .	168	156	164	152	183	181	251	302	310	285	251	151	61	11	5	4	
Lerwick . . .	—	1	1	2	1	2	2	5	2	4	3	1	1	—	—	—	
Kirkwall and St. Ola .	3	2	1	1	3	4	2	3	2	5	4	4	2	—	—	—	
Thurso . . .	4	—	3	—	2	3	4	4	2	2	4	4	4	—	—	—	
Wick . . .	—	6	2	4	1	4	4	8	10	6	11	5	2	—	1	—	
Nairn . . .	—	1	3	—	2	1	1	1	4	5	2	—	—	1	—	—	
Elgin . . .	8	1	1	3	7	—	4	7	4	2	7	4	4	—	—	—	
Forres . . .	1	—	4	—	—	—	2	5	4	5	6	6	2	1	—	—	
Banff . . .	3	4	2	3	4	4	6	4	8	11	5	8	3	—	—	—	
Cullen . . .	1	1	1	—	1	1	—	1	1	—	—	1	—	—	—	—	
Seafeld . . .	—	—	—	2	—	2	—	—	—	2	—	—	—	—	—	—	
Fraserburgh . .	1	—	1	—	1	—	1	2	1	4	1	3	—	—	—	—	
Huntly . . .	1	2	2	3	2	2	2	—	3	4	1	1	—	—	—	—	
Peterhead . . .	3	4	2	1	2	2	4	5	3	7	6	3	2	—	—	—	
Dunnottar . . .	1	—	1	—	—	1	—	—	3	—	2	2	—	—	—	—	
Fetteresso . . .	1	3	2	—	—	—	1	1	4	3	3	1	2	—	—	—	
Cookney . . .	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
Brechin . . .	2	4	5	2	3	2	3	6	9	7	6	2	3	—	—	—	
Kirriemuir . . .	2	3	1	—	1	1	5	5	7	8	7	3	—	1	—	—	
Monifieth . . .	3	—	1	—	1	2	2	5	3	3	5	2	2	—	—	—	
Blairgowrie . .	2	—	3	2	2	2	—	3	1	3	1	1	1	—	—	—	
Crieff . . .	—	1	—	1	2	2	2	3	4	2	3	1	2	1	—	—	
Burntisland . .	1	2	1	—	2	1	3	3	2	1	2	1	—	—	—	—	
Cupar . . .	—	1	4	3	1	5	5	4	9	5	11	2	—	—	—	—	
Dysart . . .	1	1	2	4	5	5	6	6	10	7	5	2	—	—	—	—	
St. Andrews, etc.	5	—	1	3	3	1	2	8	6	8	6	2	1	—	—	—	
Alloa . . .	1	2	2	7	6	5	8	2	6	6	1	3	—	—	—	—	
Tillicoultry . .	1	5	—	1	5	5	1	3	4	1	3	1	—	—	—	—	
Alva . . .	2	—	2	—	4	2	1	1	1	1	1	2	—	—	—	—	
Campsie . . .	1	5	1	2	4	—	4	4	5	1	3	2	1	—	—	—	
Falkirk (Burgh) .	1	2	3	2	6	4	7	11	5	10	7	3	2	1	—	3	
„ (Landward) .	1	2	1	2	5	4	3	3	4	4	3	1	—	—	—	—	
Kilsyth . . .	2	1	1	1	3	1	2	2	7	1	1	—	—	—	—	—	
Bonhill . . .	3	4	4	5	4	3	2	7	3	2	—	4	2	—	—	—	
Dumbarton . . .	3	5	5	5	4	3	5	2	4	4	2	—	2	—	—	—	
Kirkintilloch . .	2	1	4	—	4	—	4	7	—	4	2	2	—	—	—	—	
Row . . .	1	1	2	2	2	1	5	1	2	4	1	1	—	—	1	—	
Campbeltown . .	2	3	2	2	2	2	6	4	6	5	14	5	—	1	—	—	
Rothsay . . .	7	2	2	6	3	3	7	7	6	15	6	4	1	—	—	—	



DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

SMALL TOWNS.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2.	3	4	5	10	15	20	25	30
		3	6	12									
Abbey (Landward) . . . . .	66	2	3	3	4	7	3	2	9	1	4	1	2
Johnstone . . . . .	105	12	4	5	13	5	3	3	11	7	4	4	4
Eastwood . . . . .	164	15	9	16	10	2	7	5	12	2	6	9	9
Neilston . . . . .	72	8	—	4	6	3	6	6	8	3	3	4	2
Barrhead . . . . .	77	2	—	1	6	3	8	2	14	—	3	6	5
Port-Glasgow . . . . .	129	12	1	12	27	6	5	—	—	6	4	6	6
Renfrew . . . . .	66	3	1	4	6	3	3	—	2	—	3	1	4
Old Ardrossan . . . . .	33	7	—	2	3	—	—	—	2	4	—	—	1
New Ardrossan . . . . .	24	3	2	1	3	3	—	—	—	1	1	2	—
Beith . . . . .	48	3	1	4	5	3	1	—	2	3	4	—	2
Dalry . . . . .	110	6	5	11	13	7	3	2	7	5	7	3	2
Galston . . . . .	65	7	4	7	7	1	2	—	2	4	1	3	1
Girvan . . . . .	57	5	1	4	—	3	2	1	3	—	4	1	2
Irvine . . . . .	117	3	1	4	12	3	4	3	5	4	4	8	1
Kilbirnie . . . . .	40	3	2	2	9	1	1	3	1	3	3	1	1
Kilwinning . . . . .	61	2	4	8	5	2	—	2	2	3	3	3	3
Maybole . . . . .	45	2	—	—	6	2	—	3	1	1	2	3	2
Riccarton . . . . .	47	10	2	2	10	1	2	1	5	—	2	—	—
Stevenston . . . . .	46	3	1	3	4	3	2	1	2	1	1	2	—
Stewarton . . . . .	44	2	1	6	1	2	2	2	2	1	—	2	3
Avondale . . . . .	59	7	2	3	5	3	—	2	4	6	1	1	1
Cambusnethan . . . . .	162	10	12	22	22	9	4	4	9	5	8	6	9
Carluke . . . . .	67	9	1	3	3	1	2	2	5	3	5	1	1
Lanark . . . . .	89	5	2	5	5	1	3	1	3	4	1	7	3
Rutherglen . . . . .	144	13	3	16	11	11	5	4	8	4	8	8	7
Stonehouse . . . . .	29	5	2	3	—	—	—	—	2	2	1	1	3
Bathgate . . . . .	70	3	4	6	5	5	3	—	2	5	2	2	1
Armadale . . . . .	32	8	—	5	5	—	3	2	3	1	—	—	1
Borrowstounness . . . . .	56	6	3	7	13	2	2	1	1	—	1	2	3
Linlithgow . . . . .	63	7	3	3	3	1	3	1	1	—	1	2	1
Dalkeith . . . . .	100	7	4	9	8	9	3	4	3	2	—	2	3
Portobello . . . . .	52	3	2	1	2	1	1	2	1	—	2	—	2
Inveresk . . . . .	127	8	6	5	14	9	4	2	1	—	1	—	1
Dunbar . . . . .	51	5	—	1	2	—	1	—	1	2	3	1	1
Haddington . . . . .	58	3	2	1	4	1	4	—	2	2	1	1	2
Galashiels . . . . .	66	9	2	4	9	—	3	1	5	1	1	3	5
Selkirk . . . . .	55	8	—	4	4	1	2	—	3	1	2	2	2
Hawick . . . . .	85	13	4	6	5	4	2	4	4	—	—	1	2
Jedburgh . . . . .	80	9	1	5	9	3	3	5	12	3	4	—	1
Kelso . . . . .	67	1	3	3	3	3	4	1	2	2	—	2	2
Ladhope . . . . .	53	3	2	3	3	3	3	1	5	1	4	7	2
Annan . . . . .	54	8	—	1	4	5	—	1	3	2	3	2	2
Stranraer . . . . .	139	4	4	8	6	6	9	9	24	4	6	8	4

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

SMALL TOWNS.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Abbey (Landward) .	2	—	5	2	1	3	3	—	5	1	—	2	—	—	1	—
Johnstone . . .	1	3	2	2	5	3	2	2	3	3	3	—	1	—	—	—
Eastwood . . .	7	2	5	3	4	7	7	11	6	2	6	2	—	—	—	—
Neilston . . .	3	—	1	1	—	3	3	3	2	1	2	—	—	—	—	—
Barrhead . . .	3	1	1	5	2	2	5	2	2	2	—	2	—	—	—	—
Port-Glasgow . .	3	6	3	2	5	7	6	4	4	—	3	1	—	—	—	—
Renfrew . . .	6	1	—	6	4	1	4	3	3	2	2	3	—	1	—	—
Old Ardrossan . .	—	1	2	1	1	1	2	1	1	1	3	—	—	—	—	—
New Ardrossan . .	—	1	1	—	1	—	—	1	—	3	1	—	—	—	—	—
Beith . . .	1	—	2	1	—	1	1	2	1	3	4	3	—	1	—	—
Dalry . . .	2	6	2	2	—	2	5	1	7	5	4	2	1	—	—	—
Galston . . .	6	3	3	1	1	2	1	4	2	1	—	2	—	—	—	—
Girvan . . .	—	2	1	—	3	4	2	3	3	2	6	—	2	1	2	—
Irvine . . .	7	1	7	3	2	5	4	5	9	6	9	4	3	—	—	—
Kilbirnie . . .	1	—	2	—	—	—	—	2	1	—	3	—	1	—	—	—
Kilwinning . . .	2	1	1	—	1	1	2	5	3	3	2	2	1	—	—	—
Maybole . . .	4	1	2	1	—	4	2	2	3	2	1	—	1	—	—	—
Riccarton . . .	—	1	1	1	1	—	2	1	2	—	2	1	—	—	—	—
Stevenston . . .	2	2	1	—	2	2	4	1	4	1	2	2	—	—	—	—
Stewarton . . .	—	—	3	—	—	1	2	4	2	3	1	3	1	—	—	—
Avondale . . .	2	3	—	2	1	1	2	3	1	4	2	2	1	—	—	—
Cambusnethan . .	7	5	2	4	5	3	2	5	2	5	2	—	—	—	—	—
Carluke . . .	3	1	1	—	2	1	1	5	5	2	6	3	1	—	—	—
Lanark . . .	5	4	3	3	2	3	3	4	4	8	6	4	—	—	—	—
Rutherglen . . .	3	4	4	5	5	3	4	6	5	2	3	1	—	1	—	—
Stonehouse . . .	—	—	1	—	2	—	—	2	3	1	—	—	1	—	—	—
Bathgate . . .	—	3	3	1	6	1	7	5	1	2	1	1	1	—	—	—
Armadales . . .	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—
Borrowstounness .	1	2	4	1	—	1	1	1	3	—	1	—	—	—	—	—
Linlithgow . . .	—	1	1	2	—	5	4	6	2	6	6	4	—	—	—	—
Dalkeith . . .	2	1	3	3	3	3	8	4	8	5	1	3	2	—	—	—
Portobello . . .	—	2	1	3	—	2	4	10	3	6	2	—	1	—	—	1
Inveresk . . .	6	2	6	6	4	8	5	8	15	9	3	2	1	—	—	—
Dunbar . . .	3	2	1	2	1	—	3	5	5	3	4	6	—	—	—	—
Haddington . . .	1	1	2	1	1	7	5	4	5	5	1	2	—	—	—	—
Galashiels . . .	—	4	3	4	2	—	4	2	2	—	1	1	—	—	—	—
Selkirk . . .	2	1	2	3	2	2	3	6	3	1	—	1	—	—	—	—
Hawick . . .	3	6	—	2	3	3	4	3	7	7	2	—	—	—	—	—
Jedburgh . . .	2	3	3	2	—	—	2	3	2	4	1	1	2	—	—	—
Kelso . . .	1	1	2	3	2	4	6	6	7	4	5	—	—	—	—	—
Ladhope . . .	—	3	2	2	3	—	2	3	1	—	—	—	—	—	—	—
Annan . . .	2	—	1	1	—	1	5	3	4	4	—	1	—	1	—	—
Stranraer . . .	5	4	1	2	8	3	2	6	4	4	4	3	1	—	—	—



## CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES . . . . .	69416	433	430	617	331	1123	1441	123	705	1008	4271	527	5156	2419	2811	1277
SPECIFIED CAUSES . . . . .	66463	331	388	528	282	953	1238	117	636	958	4072	506	5034	2335	2655	1222
I. Zymotic Class . . . . .	15170	18	32	96	29	163	186	17	83	215	808	65	1195	373	570	222
II. Diseases of Uncer. Seat . . . . .	2344	16	23	19	12	39	36	5	23	46	189	30	193	111	120	77
III. Tubercular Class . . . . .	11487	46	59	78	35	129	176	14	113	129	701	84	831	379	368	155
IV. Brain and Nervous Sys. . . . .	5460	12	25	27	17	60	81	22	68	96	380	45	439	221	241	100
V. Organs of Circulation . . . . .	3274	5	18	25	7	27	39	5	48	36	210	39	278	158	136	63
VI. Respiratory Organs . . . . .	9450	15	33	50	23	90	132	11	51	117	524	54	740	232	369	200
VII. Organs of Digestion . . . . .	4822	22	30	27	15	39	103	16	61	87	317	37	330	192	174	63
VIII. Urinary Organs . . . . .	1024	5	8	10	10	15	16	3	16	24	97	11	59	57	43	22
IX. Organs of Generation . . . . .	531	—	5	4	4	10	15	1	5	16	29	6	39	17	20	11
X. Organs of Locomotion . . . . .	450	7	3	3	2	5	13	—	9	5	39	3	33	14	18	11
XI. Skin, etc. . . . .	82	—	—	—	1	2	4	—	2	1	6	1	6	1	5	—
XII. Malformation . . . . .	183	—	—	—	—	—	2	2	1	—	17	4	20	6	7	—
XIII. Premature Debility . . . . .	3251	2	4	20	4	8	39	1	31	29	194	23	311	111	116	41
XIV. Atrophy . . . . .	559	1	2	5	—	2	9	1	7	2	34	2	37	15	19	—
XV. Age . . . . .	5944	167	132	142	113	328	343	16	104	122	413	79	374	358	319	222
XVI. Sudden Deaths . . . . .	185	3	1	—	1	4	2	—	—	—	7	1	15	14	18	1
XVII. Violent Deaths . . . . .	2247	12	13	22	9	32	42	3	14	33	107	22	134	76	112	55
I. Small Pox . . . . .	15	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—
Measles . . . . .	1149	4	5	9	2	19	5	—	3	3	143	5	250	19	21	21
Scarlatina . . . . .	3141	—	—	7	—	—	1	—	4	45	55	2	87	25	68	—
Diphtheria . . . . .	749	—	1	4	1	5	3	—	4	27	88	2	51	30	43	—
Hooping Cough . . . . .	2490	—	—	—	3	40	56	—	20	31	109	6	101	66	102	1
Croup . . . . .	939	—	1	11	7	36	15	1	12	28	36	3	72	31	64	1
Thrush . . . . .	25	—	—	—	—	—	3	—	1	—	5	—	3	—	—	—
Diarrhoea . . . . .	2017	4	7	5	2	4	21	10	12	17	113	8	194	60	73	33
Dysentery . . . . .	263	1	—	4	—	3	1	2	1	5	27	1	34	11	15	3
Cholera . . . . .	204	—	—	1	—	—	—	—	2	1	5	1	25	4	9	—
Influenza . . . . .	140	—	6	9	1	5	5	—	2	5	14	3	7	3	4	—
Purpura . . . . .	30	—	—	1	—	1	2	—	—	—	2	—	2	—	—	—
Ague . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	18	—	—	—	1	—	1	—	—	1	—	—	—	—	2	1
Typhus . . . . .	1561	5	7	22	4	20	27	—	4	14	45	8	189	43	61	21
Enteric Fever . . . . .	1404	—	2	15	3	10	31	2	15	21	83	15	91	37	72	6
Relapsing Fever . . . . .	45	—	—	—	—	5	—	—	—	2	—	1	2	—	1	1
Simple Cont. Fever . . . . .	100	2	—	—	1	4	1	—	1	1	3	—	7	9	4	—
Infantile Remittent . . . . .	132	—	—	—	—	1	—	—	—	1	9	4	9	4	3	—
Metria . . . . .	140	—	—	—	—	2	3	—	—	1	8	2	11	7	4	—
Rheumatic Fever . . . . .	122	1	2	5	1	2	4	1	—	2	12	—	10	6	5	1
Erysipelas . . . . .	258	1	1	—	2	4	7	—	1	7	33	2	23	12	12	1
Pyæmia . . . . .	29	—	—	—	—	—	—	1	—	2	3	—	5	—	1	—
Syphilis . . . . .	185	—	—	3	1	2	—	—	1	1	12	1	21	5	5	—
Noma . . . . .	13	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	69	2	—	—	—	—	1	—	—	—	4	3	4	6	—	—
Dropsy . . . . .	643	7	11	5	5	17	14	1	2	5	23	2	67	37	49	3
Abscess . . . . .	132	1	3	—	—	—	1	—	1	5	10	1	9	1	6	—
Ulcer . . . . .	38	1	—	1	—	1	—	—	1	—	5	—	4	1	4	—
Fistula . . . . .	14	—	—	—	—	—	—	—	—	1	1	1	—	—	1	—
Mortification . . . . .	109	—	1	1	1	1	2	1	1	—	7	2	6	5	3	—
Cancer . . . . .	1327	5	8	12	6	20	18	3	18	33	135	21	103	60	57	4
Gout . . . . .	12	—	—	—	—	—	—	—	—	2	4	—	—	1	—	—
III. Scrofula . . . . .	688	6	1	7	1	9	6	—	7	16	66	2	32	13	18	1
Tabes Mesenterica . . . . .	902	1	2	—	1	3	9	1	2	7	41	2	51	23	21	2
Phthisis . . . . .	8154	34	54	64	32	110	144	12	90	91	492	64	605	297	266	9
Hydrocephalus . . . . .	1743	5	2	7	1	7	17	1	14	15	102	16	143	46	63	3

## CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—BOTH SEXES.

DISEASES.	Clack- mann.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	510	1962	1290	1371	404	4798	3796	20059	775	7259	647	522	175	261	965	1423	862	815
SPECIFIED CAUSES . . .	490	1806	1213	1234	387	4544	3670	19647	742	7124	622	509	173	260	945	1326	826	790
Zymotic Class . . .	156	433	310	200	43	1297	741	5179	187	1680	113	48	28	49	256	190	155	233
Uncertain Seat . . .	19	61	55	57	19	134	124	505	21	267	21	25	9	7	37	59	36	19
Tubercular Class . . .	73	241	265	196	93	807	773	3655	131	1146	84	74	38	63	158	247	172	114
Brain, etc. . . . .	27	139	81	97	35	358	308	1399	56	712	56	57	9	23	93	133	75	58
Heart, etc. . . . .	26	101	54	72	24	186	181	679	40	490	50	61	13	18	75	82	43	42
Respiratory Organs . . .	57	254	131	109	45	623	458	3571	103	977	83	50	17	25	85	200	108	90
Digestive Organs . . .	16	175	84	91	32	329	266	1407	51	460	48	59	15	32	67	100	68	66
Urinary Organs . . .	6	17	7	20	5	50	56	232	12	159	10	8	5	3	10	26	10	12
Generative Organs . . .	6	12	7	10	4	33	27	141	2	75	5	7	—	3	6	10	5	6
Locomotive Organs . . .	2	14	3	7	6	38	34	113	2	48	1	2	3	—	3	10	4	5
Skin . . . . .	1	3	2	2	—	7	4	16	2	12	—	—	—	—	1	1	—	2
Malformation . . . . .	—	3	4	1	2	8	15	46	4	23	6	2	—	2	4	1	3	—
Premature Debility . . .	29	95	54	26	10	209	178	1055	52	370	48	26	12	19	52	64	33	22
Atrophy . . . . .	12	20	17	4	1	62	31	181	4	57	4	4	—	1	9	6	4	6
Age . . . . .	50	160	79	288	51	247	313	758	40	373	75	65	18	7	68	151	81	88
Sudden Deaths . . . .	—	6	3	1	—	16	2	74	4	8	1	—	—	—	—	2	—	1
Violent Deaths . . . .	10	72	54	53	17	140	159	636	31	267	17	21	6	8	21	44	29	26
Small Pox . . . . .	—	—	—	—	—	4	3	3	—	—	—	—	—	—	—	1	—	—
Measles . . . . .	7	22	11	3	—	56	24	444	3	39	—	—	—	—	20	7	1	22
Scarlatina . . . . .	72	46	78	20	5	406	79	1172	8	559	4	4	11	26	141	34	60	122
Diphtheria . . . . .	2	17	32	5	2	39	65	163	46	86	8	3	—	—	2	4	15	1
Whooping Cough . . . .	30	71	50	49	7	214	98	1134	17	193	13	4	1	3	18	37	6	10
Croup . . . . .	7	27	13	19	5	85	72	229	13	108	10	2	—	2	4	13	6	6
Thrush . . . . .	—	1	1	—	—	1	1	5	—	1	—	—	—	—	—	1	1	1
Diarrhoea . . . . .	19	63	44	29	9	161	117	660	32	257	16	13	4	5	13	19	12	11
Dysentery . . . . .	1	6	5	5	1	12	17	48	4	37	2	4	1	2	—	7	2	1
Cholera . . . . .	1	9	2	4	1	29	10	48	5	38	1	1	—	—	4	2	1	—
Influenza . . . . .	—	5	2	3	1	6	13	23	—	3	1	1	1	—	1	5	2	9
Purpura . . . . .	—	2	—	1	1	5	1	7	—	1	—	—	—	—	2	1	1	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	1	1	7	—	—	—	—	—	—	—	—	1	2
Erysipelas . . . . .	7	90	20	20	—	131	64	580	16	136	13	3	2	—	14	4	2	8
Enteric Fever . . . . .	4	40	33	33	6	81	115	383	26	116	34	10	6	7	15	31	34	27
Relapsing Fever . . . .	1	3	—	—	—	6	5	9	—	1	—	—	2	—	—	4	—	2
Simple Cont. Fever . . .	—	3	1	2	—	4	6	23	6	10	—	—	—	—	5	2	3	2
Infantile Remittent . . .	—	5	1	1	—	11	5	63	1	6	2	—	—	—	2	2	1	1
Metritis . . . . .	1	7	2	2	—	12	9	37	1	16	5	—	—	2	3	3	—	2
Rheumatic Fever . . . .	1	5	2	2	1	6	11	19	—	9	1	1	—	—	2	4	5	1
Erysipelas . . . . .	2	6	5	—	1	11	15	55	3	34	2	2	—	1	7	6	1	1
Pyæmia . . . . .	—	2	—	1	1	2	1	4	—	2	—	—	—	1	—	2	1	—
Syphilis . . . . .	1	3	7	1	2	13	8	57	5	27	1	—	—	—	3	1	—	4
Toma . . . . .	—	—	1	—	—	1	1	6	1	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	1	3	3	2	—	4	1	16	1	9	—	1	2	—	2	1	3	—
Dropsy . . . . .	10	15	20	25	1	50	41	162	2	37	6	3	—	1	5	5	10	2
Abscess . . . . .	—	3	1	2	—	10	13	43	—	18	—	—	—	—	—	2	1	1
Fleer . . . . .	—	—	—	1	—	2	3	11	—	1	—	—	—	—	1	—	—	1
Fistula . . . . .	—	—	1	—	—	—	—	6	—	3	—	—	—	—	—	—	—	—
Portification . . . . .	—	3	4	2	1	5	6	16	1	21	5	3	—	1	1	4	4	1
Cancer . . . . .	8	37	26	25	17	63	60	249	17	175	10	18	7	5	28	47	18	14
Cout . . . . .	—	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	—	—
Erofula . . . . .	5	17	11	12	2	47	58	193	18	88	4	6	—	2	4	15	13	8
Abes Mesenterica . . . .	3	13	12	6	10	56	83	347	9	117	8	7	5	5	16	19	11	9
Thlisis . . . . .	57	166	188	163	67	573	529	2545	76	716	58	55	26	45	117	194	123	92
Hydrocephalus . . . . .	8	45	54	15	14	131	103	570	28	225	14	6	7	11	21	19	25	5



CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—BOTH SEXES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincairdine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	383	—	2	1	1	8	9	2	3	1	22	2	21	7	20	1
Apoplexy . . .	1190	3	9	3	—	8	18	8	15	18	83	11	100	57	51	4
Paralysis . . .	1653	2	10	12	13	30	26	4	16	30	97	21	139	103	94	4
Delirium Tremens . .	71	—	—	—	—	—	1	—	1	—	5	—	9	2	3	—
Chorea . . .	5	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—
Epilepsy . . .	213	2	1	4	—	2	3	2	3	8	14	2	16	12	12	—
Tetanus . . .	42	—	—	—	—	2	4	—	—	—	1	—	—	1	2	—
Insanity . . .	46	—	—	—	—	—	3	—	1	1	4	—	—	2	3	—
Convulsions . . .	856	3	—	1	3	3	6	2	14	14	80	1	89	15	24	1
Brain Disease . . .	1001	2	3	6	—	7	11	4	15	24	74	8	63	22	32	—
V. Pericarditis . . .	66	—	—	1	—	—	1	—	—	3	6	1	6	3	4	—
Aneurism . . .	96	—	—	2	—	2	—	—	1	3	5	2	11	3	4	—
Heart Disease . . .	3112	5	18	22	7	25	38	5	47	30	199	36	261	152	128	6
VI. Laryngitis . . .	142	—	—	—	—	1	3	2	—	4	17	1	7	4	5	1
Bronchitis . . .	6261	8	18	38	11	31	52	5	31	67	319	29	516	148	227	7
Pleurisy . . .	206	1	—	1	—	6	21	—	1	6	15	3	16	7	12	1
Pneumonia . . .	2098	1	10	7	3	18	20	2	14	33	130	20	140	53	100	10
Asthma . . .	415	5	2	2	7	33	31	1	2	4	23	1	34	17	18	1
Lung Disease . . .	328	—	3	2	2	1	5	1	3	3	20	—	27	3	7	—
VII. Teething . . .	937	2	2	—	1	1	10	4	8	19	58	2	111	32	35	—
Quinsey . . .	56	—	—	1	—	—	1	—	—	4	1	—	3	2	5	—
Gastritis . . .	159	—	1	1	—	—	2	3	1	2	7	1	8	4	4	1
Enteritis . . .	783	2	1	4	3	5	19	3	9	10	39	8	31	22	24	—
Peritonitis . . .	325	—	1	2	2	3	9	—	1	4	23	2	16	8	8	2
Ascites . . .	71	—	—	—	1	1	2	1	1	1	3	1	5	1	3	1
Ulceration of Intestines	185	2	1	1	—	—	2	1	6	6	20	5	13	6	6	—
Hernia . . .	99	3	—	1	—	1	5	1	2	4	6	2	9	6	4	—
Ileus . . .	292	1	2	3	1	7	9	1	9	12	39	2	18	7	12	—
Intussusception . .	30	—	—	1	—	—	1	—	—	—	2	—	1	2	3	—
Stricture of Intestines	31	—	2	—	—	1	—	—	—	—	4	—	1	3	2	1
Stomach Disease . .	751	3	12	5	4	9	18	1	13	9	47	4	45	44	27	—
Pancreas Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	146	3	2	2	—	2	3	—	2	2	5	1	7	4	3	1
Jaundice . . .	176	1	—	—	2	3	8	1	3	4	19	5	17	6	5	—
Liver Disease . . .	759	5	5	6	1	6	13	—	6	9	42	4	45	42	30	—
Spleen Disease . . .	22	—	1	—	—	—	1	—	—	1	2	—	—	3	3	—
VIII. Nephritis . . .	79	—	1	—	—	—	—	—	1	2	1	1	4	4	2	—
Nephria . . .	300	—	—	1	3	5	1	—	4	4	23	3	19	22	9	2
Addison's Disease . .	4	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Ischuria . . .	41	—	—	—	—	1	—	—	1	—	3	1	1	4	2	—
Diabetes . . .	91	—	1	1	1	1	1	—	1	3	8	1	4	5	6	—
Stone . . .	48	1	3	2	2	4	4	—	—	—	9	—	6	1	1	—
Cystitis . . .	174	1	1	4	2	3	5	1	4	6	24	2	8	10	10	—
Stricture of Urethra .	21	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—
Kidney Disease . . .	266	3	1	2	2	—	5	1	5	9	29	2	17	10	13	—
IX. Paramenia . . .	33	—	1	—	—	1	—	—	1	2	—	—	—	3	2	1
Ovarian Dropsy . . .	65	—	—	—	1	1	3	1	—	2	8	1	4	3	3	—
Childbirth . . .	354	—	3	4	3	6	8	—	3	8	15	3	30	9	12	—
Organs of Generation	79	—	1	—	—	2	4	—	1	4	6	2	5	2	3	—
X. Arthritis . . .	107	—	2	—	—	—	1	—	—	1	12	—	8	2	6	—
Rheumatism . . .	177	5	1	3	1	5	10	—	5	2	12	3	13	7	9	1
Joint and Bone Disease	166	2	—	—	1	—	2	—	4	2	15	—	12	5	3	—
XI. Carbuncle . . .	17	—	—	—	—	1	2	—	—	1	1	1	—	1	2	—
Phlegmon . . .	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	57	—	—	—	1	1	2	—	2	—	5	—	6	—	3	—
XVII. Intemperance . .	82	—	—	2	—	1	—	—	1	1	1	—	9	4	3	—
Privation . . .	6	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—
Want of Breast Milk .	87	—	—	2	—	—	—	—	—	—	9	—	9	—	5	—
Neglect . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . .	33	2	1	1	—	1	5	—	1	1	—	—	—	1	—	—
Poison . . .	53	—	—	—	—	1	—	—	—	—	2	—	2	—	3	—
Poisoned Wounds . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . .	220	2	2	1	2	5	4	—	—	3	11	2	11	8	13	1
Hanging, etc. . .	58	—	1	—	—	—	—	1	—	—	—	2	3	3	8	—
Suffocation . . .	128	—	—	1	—	—	—	1	—	1	11	1	13	1	2	—
Drowning . . .	515	5	4	8	3	14	11	—	3	19	23	11	26	19	19	2
Fracture and Contusion	929	3	4	7	3	10	17	1	8	6	41	5	53	31	50	2
Gunshot Wounds . .	19	—	1	—	—	—	1	—	—	—	1	1	1	1	1	—
Cuts and Stabs . . .	22	—	—	—	—	—	1	—	—	—	3	—	1	3	1	—
Other Violent Causes	93	—	—	—	1	—	3	—	1	2	5	—	5	4	6	—
Not Specified . . .	2953	102	42	89	49	170	203	6	69	50	199	21	122	84	156	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—BOTH SEXES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis . . . .	3	11	5	4	1	34	21	109	5	52	2	4	1	3	3	13	8	4
Apoplexy . . . .	4	29	17	16	7	106	68	264	7	166	11	11	2	3	17	40	17	17
Paralysis . . . .	12	44	25	36	17	92	76	337	24	202	25	20	4	8	36	46	27	21
Delirium Tremens . .	—	2	2	1	—	4	6	16	2	13	1	—	—	—	1	2	—	—
Chorea . . . .	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . .	3	3	4	12	3	8	13	40	2	27	2	2	—	2	2	3	5	1
Tetanus . . . .	—	2	—	4	—	1	4	10	—	9	—	1	—	—	—	1	—	—
Insanity . . . .	—	2	2	2	—	10	—	3	1	8	—	—	—	—	—	4	—	—
Convulsions . . . .	2	18	11	15	—	44	43	309	9	113	2	7	—	1	13	7	4	2
Brain Disease . . . .	3	28	15	7	7	59	77	308	6	122	13	12	2	6	21	17	14	13
Pericarditis . . . .	1	3	1	1	—	3	1	11	1	11	—	—	—	—	3	4	1	—
Aneurism . . . .	—	—	1	—	—	9	4	21	—	19	—	—	1	2	1	3	1	1
Heart Disease . . . .	25	98	52	71	24	174	176	647	39	460	50	61	12	16	71	75	41	41
Laryngitis . . . .	1	5	4	2	—	9	10	34	2	17	3	1	—	—	2	1	5	1
Bronchitis . . . .	44	143	91	65	26	403	309	2523	72	656	59	23	13	13	54	134	72	54
Pleurisy . . . .	1	4	3	7	1	6	12	33	—	27	3	2	—	2	4	7	4	—
Pneumonia . . . .	10	55	22	21	16	160	80	773	22	203	16	19	4	10	21	53	25	27
Asthma . . . .	1	13	7	11	2	23	31	99	2	28	2	1	—	—	4	4	1	5
Lung Disease . . . .	—	34	7	3	—	22	16	109	5	46	—	4	—	—	—	1	1	3
Teething . . . .	3	37	24	11	3	99	36	326	14	57	5	7	4	7	1	8	2	8
Quinsey . . . .	—	1	1	1	—	7	3	16	—	7	—	—	—	1	—	1	1	—
Gastritis . . . .	—	13	3	4	3	2	14	54	—	11	2	1	—	—	5	4	8	—
Enteritis . . . .	2	29	9	6	4	52	50	284	14	59	8	14	—	4	18	12	23	15
Peritonitis . . . .	2	11	4	3	1	23	17	82	10	54	4	7	1	4	7	4	7	3
Ascites . . . .	1	2	1	1	—	6	2	23	—	5	3	1	1	1	—	1	—	3
Ulceration of Intestines	—	2	11	4	1	4	11	24	3	30	2	4	—	1	4	7	2	6
Hernia . . . .	1	1	2	—	1	7	7	20	—	12	—	1	—	—	1	1	—	1
Ileus . . . .	—	10	3	8	6	16	12	64	1	23	3	2	1	2	6	7	4	1
Intussusception . . .	—	2	—	3	—	1	5	4	—	1	—	1	—	—	1	2	—	—
Stricture of Intestines	—	1	—	—	—	3	1	5	—	3	—	1	—	—	—	3	—	—
Stomach Disease . . .	2	26	11	24	3	32	49	215	3	78	5	8	4	7	9	18	8	8
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . .	2	3	3	4	—	12	12	42	1	12	5	1	1	—	3	5	1	2
Jaundice . . . .	—	7	1	4	—	9	13	30	—	17	4	4	—	—	2	—	3	8
Liver Disease . . . .	3	30	11	18	10	54	34	217	5	86	7	6	3	5	9	27	9	11
Spleen Disease . . . .	—	—	—	—	—	2	—	1	—	5	—	1	—	1	1	—	—	—
Nephritis . . . .	—	4	—	—	—	8	3	35	1	5	1	—	—	1	1	4	—	—
Nephria . . . .	3	—	2	10	3	11	15	54	4	77	5	2	1	1	—	9	3	4
Addison's Disease . .	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Ischuria . . . .	—	—	—	2	—	2	5	12	—	4	—	1	—	—	—	2	—	—
Diabetes . . . .	—	5	1	—	—	5	7	20	4	11	2	—	—	—	2	—	—	1
Stone . . . .	—	1	—	3	—	1	3	2	—	4	—	—	—	—	—	1	—	—
Cystitis . . . .	—	1	2	1	1	6	10	30	—	27	—	—	2	1	3	5	2	2
Stricture of Urethra .	—	—	—	—	—	2	1	8	—	4	—	—	1	—	—	—	1	1
Kidney Disease . . . .	3	6	2	4	1	15	11	70	3	27	2	5	1	—	4	5	4	4
Paramenia . . . .	1	1	—	1	—	2	4	7	—	3	—	—	—	—	—	2	—	1
Ovarian Dropsy . . . .	—	2	—	—	2	3	5	12	1	9	1	—	—	—	1	1	1	—
Childbirth . . . .	5	6	6	6	2	25	16	104	1	51	1	7	—	3	5	5	3	4
Organs of Generation .	—	3	1	3	—	3	2	18	—	12	3	—	—	—	—	2	1	1
Arthritis . . . .	2	1	—	2	2	8	5	32	—	16	—	—	1	—	—	1	2	3
Rheumatism . . . .	—	8	1	2	4	14	11	37	—	11	—	1	—	—	3	6	1	1
Joint Disease . . . .	—	5	2	3	—	16	18	44	2	21	1	1	2	—	—	3	1	1
Carbuncle . . . .	—	—	—	1	—	3	1	—	1	2	—	—	—	—	—	—	—	—
Phlegmon . . . .	—	1	—	—	—	1	—	3	1	2	—	—	—	—	—	—	—	—
Skin Disease . . . .	1	2	2	1	—	3	3	13	—	8	—	—	—	—	1	1	—	2
Intemperance . . . .	—	2	1	—	2	7	3	29	—	11	—	—	1	2	—	—	2	—
Privation . . . .	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk .	—	—	—	—	—	1	3	37	3	15	—	—	—	—	—	—	2	1
Neglect . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—
Cold . . . .	1	2	—	4	—	1	4	6	—	—	1	—	—	—	—	—	—	1
Poison . . . .	—	1	—	1	—	3	5	22	—	8	—	—	—	1	1	3	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	—	13	7	3	2	11	17	55	4	24	4	6	1	—	—	2	5	1
Hanging, etc. . . .	—	1	1	—	—	3	3	18	—	10	—	1	—	—	—	3	—	—
Suffocation . . . .	—	1	3	3	—	7	9	45	—	18	3	1	2	—	—	2	—	3
Drowning . . . .	3	21	22	28	10	41	22	111	7	29	4	6	1	4	2	15	9	13
Fracture and Contusion	6	26	18	11	3	58	87	276	16	134	5	4	—	1	13	17	7	6
Gunshot Wounds . . .	—	2	—	2	—	—	2	1	—	2	—	1	—	—	1	—	1	—
Cuts and Stabs . . . .	—	—	1	—	—	1	1	6	—	1	—	1	—	—	1	1	—	—
Other Violent Causes .	—	3	1	1	—	7	3	27	1	14	—	1	1	—	2	1	3	1
Not Specified . . . .	20	156	77	137	17	254	126	412	33	135	25	13	2	1	20	97	36	25



CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES . . . . .	34662	196	177	327	149	523	706	64	358	491	2143	258	2498	1188	1392	62
SPECIFIED CAUSES . . . . .	33068	146	158	272	125	445	607	63	314	465	2045	246	2435	1139	1302	61
I. Zymotic Class . . . . .	7439	7	8	45	16	84	97	10	40	114	385	27	607	154	273	13
II. Diseases of Uncer. Seat . . . . .	884	6	12	7	6	17	16	2	9	12	72	10	69	41	48	4
III. Tubercular Class . . . . .	5562	22	25	50	18	61	94	7	63	54	341	38	373	182	181	7
IV. Brain and Nervous Sys. . . . .	2902	9	8	15	7	31	44	13	40	54	189	27	221	113	123	4
V. Organs of Circulation . . . . .	1696	5	9	9	3	12	25	3	24	17	102	24	128	89	72	4
VI. Respiratory Organs . . . . .	4953	8	16	26	13	40	71	8	23	65	280	31	365	135	192	8
VII. Organs of Digestion . . . . .	2441	14	13	17	7	22	57	9	27	41	186	13	160	100	78	3
VIII. Urinary Organs . . . . .	698	5	6	9	6	12	13	2	12	18	75	8	38	38	36	1
IX. Organs of Generation . . . . .	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion . . . . .	231	1	2	—	1	3	4	—	5	2	21	2	19	6	8	—
XI. Skin, etc. . . . .	49	—	—	—	—	—	4	—	2	1	4	1	4	1	4	—
XII. Malformation . . . . .	111	—	—	—	—	—	2	2	1	—	10	3	11	3	5	—
XIII. Premature Debility . . . . .	1816	—	3	13	3	6	22	—	19	17	120	16	176	66	59	3
XIV. Atrophy . . . . .	235	1	—	2	—	—	2	—	4	—	12	2	21	4	5	—
XV. Age . . . . .	2220	55	44	60	39	127	122	6	34	43	168	26	139	140	125	11
XVI. Sudden Deaths . . . . .	106	1	1	—	1	3	1	—	—	—	1	1	10	8	9	1
XVII. Violent Deaths . . . . .	1723	12	11	19	5	27	32	1	11	27	79	17	94	59	84	2
I. Small Pox . . . . .	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	596	2	1	4	1	14	3	—	3	1	70	4	129	7	7	1
Scarlatina . . . . .	1596	—	—	4	—	—	—	—	4	26	25	1	47	15	40	—
Diphtheria . . . . .	354	—	—	3	—	3	2	—	2	14	43	—	27	13	22	—
Hooping Cough . . . . .	1165	—	—	—	2	21	26	—	8	18	56	3	44	26	45	1
Croup . . . . .	491	—	—	7	5	18	11	—	6	14	17	1	47	14	29	—
Thrush . . . . .	14	—	—	—	—	—	2	—	—	—	1	—	2	—	—	—
Diarrhœa . . . . .	998	1	2	1	1	—	15	5	8	10	57	3	98	26	34	1
Dysentery . . . . .	115	—	—	1	—	1	1	2	1	2	11	1	15	3	7	2
Cholera . . . . .	102	—	—	1	—	—	—	—	—	1	1	—	14	3	6	—
Influenza . . . . .	68	—	2	5	1	5	2	—	1	2	6	1	4	—	—	—
Purpura . . . . .	14	—	—	—	—	1	1	—	—	—	1	—	1	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	9	—	—	—	1	—	—	—	—	1	—	—	—	—	1	1
Typhus . . . . .	831	2	2	10	1	10	15	—	2	7	21	3	103	19	31	1
Enteric Fever . . . . .	654	—	—	7	3	4	14	1	4	10	36	6	40	14	35	3
Relapsing Fever . . . . .	18	—	—	—	—	3	—	—	—	1	—	—	2	—	—	1
Simple Cont. Fever . . . . .	35	1	—	—	—	—	—	—	1	—	1	—	1	1	2	—
Infantile Remittent . . . . .	67	—	—	—	—	1	—	—	—	1	5	2	5	1	1	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	60	1	1	2	1	1	1	1	—	—	9	—	4	4	4	1
Erysipelas . . . . .	139	—	—	—	—	2	4	—	—	6	20	2	10	4	7	1
Pyæmia . . . . .	14	—	—	—	—	—	—	1	—	—	1	—	3	—	1	—
Syphilis . . . . .	90	—	—	—	—	—	—	—	—	—	4	—	11	4	1	—
Noma . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	45	1	—	—	—	—	1	—	—	—	3	1	2	6	—	—
Dropsy . . . . .	262	3	5	1	2	6	5	—	2	1	14	1	23	15	23	1
Abscess . . . . .	55	—	3	—	—	—	—	—	—	2	4	1	3	1	2	—
Ulcer . . . . .	18	—	—	—	—	1	—	—	1	—	—	—	3	—	3	—
Fistula . . . . .	12	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—
Mortification . . . . .	49	—	1	—	—	—	2	1	—	—	4	2	4	—	1	—
Cancer . . . . .	436	2	3	6	4	10	8	1	6	8	44	4	34	19	19	3
Gout . . . . .	7	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
III. Scrofula . . . . .	386	1	1	7	—	5	5	—	3	6	38	1	15	8	10	1
Tabes Mesenterica . . . . .	493	—	2	—	—	3	2	1	2	2	26	—	29	10	11	1
Phthisis . . . . .	3724	17	21	39	17	48	80	6	47	42	228	25	259	136	121	3
Hydrocephalus . . . . .	959	4	1	4	1	5	7	—	11	4	49	12	70	28	39	2

## CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—MALES.

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	237	969	687	701	180	2405	1935	10228	379	3678	321	266	100	124	460	669	398	393
SPECIFIED CAUSES . . .	229	868	644	624	165	2267	1871	10008	364	3596	305	258	98	123	451	619	374	381
Zymotic Class . . .	75	219	151	92	18	640	348	2575	90	837	43	25	15	27	138	84	60	122
Uncertain Seat . . .	7	22	22	23	7	50	46	188	6	96	7	14	6	3	15	19	13	9
Tubercular Class . . .	40	107	138	116	35	377	384	1732	66	594	45	38	23	36	68	116	85	46
Brain, etc. . . . .	13	75	46	53	10	195	176	782	27	363	33	32	6	12	47	65	39	30
Heart, etc. . . . .	13	60	30	36	12	97	98	384	18	252	25	27	5	3	34	36	20	29
Respiratory Organs . . .	22	133	73	47	19	316	271	1899	58	505	40	27	12	10	41	103	50	46
Digestive Organs . . .	9	85	44	58	16	175	126	725	23	212	27	31	8	13	23	50	30	34
Urinary Organs . . .	3	11	3	13	4	28	44	145	5	106	6	6	3	1	7	20	6	8
Generative Organs . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	1	5	3	4	2	20	21	62	—	30	1	—	2	—	—	4	1	1
Skin . . . . .	1	—	2	2	—	4	2	8	1	6	—	—	—	—	—	1	—	1
Malformation . . . . .	—	2	4	1	1	2	9	30	1	15	3	1	—	1	2	1	1	—
Premature Debility . . .	15	44	36	12	5	123	99	589	27	203	29	18	7	5	25	31	18	7
Atrophy . . . . .	6	7	7	—	—	27	12	86	1	22	3	—	—	1	3	2	2	3
Age . . . . .	16	45	38	120	20	94	109	269	13	148	26	24	7	5	31	56	26	34
Sudden Deaths . . . . .	—	3	2	1	—	14	2	39	1	5	1	—	—	—	—	1	—	—
Violent Deaths . . . . .	8	50	45	46	16	105	124	494	22	202	16	15	4	6	17	30	23	20
Small Pox . . . . .	—	—	—	—	—	2	2	1	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	4	14	6	1	—	29	11	227	1	24	—	—	—	—	12	6	1	13
Scarlatina . . . . .	33	24	36	6	3	207	40	579	3	305	3	2	6	13	69	12	28	65
Diphtheria . . . . .	1	8	18	2	1	16	30	80	22	36	1	2	—	—	1	1	6	—
Hooping Cough . . . . .	18	35	24	23	3	87	48	556	7	77	4	2	—	1	10	12	3	5
Croup . . . . .	3	17	6	10	2	49	36	115	9	52	6	1	—	2	3	5	2	4
Thrush . . . . .	—	1	—	—	—	1	—	4	—	1	—	—	—	—	—	1	—	1
Diarrhoea . . . . .	6	36	24	17	5	71	55	333	15	126	8	6	4	4	6	8	4	8
Dysentery . . . . .	—	1	1	2	1	5	9	23	—	14	2	2	—	2	—	5	—	1
Cholera . . . . .	1	2	1	—	—	16	4	28	3	15	1	—	—	—	3	2	—	—
Influenza . . . . .	—	2	2	3	—	4	2	13	—	—	1	—	—	—	1	4	1	6
Purpura . . . . .	—	—	—	1	—	3	1	3	—	1	—	—	—	—	—	1	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	—	1	—
Typhus . . . . .	4	50	10	9	—	84	42	294	8	77	6	3	1	—	11	—	2	3
Enteric Fever . . . . .	3	18	15	15	1	39	48	192	15	63	8	6	4	5	8	17	10	10
Relapsing Fever . . . . .	—	1	—	—	—	2	2	3	—	—	—	—	—	—	—	1	—	2
Simple Cont. Fever . . . . .	—	—	1	1	—	2	2	10	3	3	—	—	—	—	2	2	1	1
Infantile Remittent . . . . .	—	2	1	1	—	7	2	31	1	3	1	—	—	—	2	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	1	2	2	1	—	2	3	12	—	3	—	—	—	—	1	2	1	—
Erysipelas . . . . .	—	4	—	—	—	7	7	30	2	21	2	1	—	—	6	3	—	—
Pyæmia . . . . .	—	—	—	—	1	—	1	3	—	2	—	—	—	—	—	1	—	—
Syphilis . . . . .	1	2	3	—	1	6	3	32	1	14	—	—	—	—	3	1	—	3
Noma . . . . .	—	—	1	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	1	1	2	1	—	2	1	11	—	4	—	1	2	—	1	1	3	—
Dropsy . . . . .	3	7	9	9	1	23	15	58	1	20	3	2	—	1	1	4	3	—
Abscess . . . . .	—	2	1	2	—	4	2	16	—	9	—	—	—	—	—	1	1	1
Ulcer . . . . .	—	—	—	—	—	—	3	6	—	1	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	1	—	—	—	—	6	—	2	—	—	—	—	—	—	—	—
Mortification . . . . .	—	1	3	—	1	2	1	8	1	8	2	3	—	—	1	1	1	1
Cancer . . . . .	3	11	6	11	5	19	24	81	4	49	2	8	4	2	12	12	5	7
Gout . . . . .	—	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	—	—
Scrofula . . . . .	2	7	6	9	4	26	35	107	12	54	1	2	—	1	2	8	8	4
Tabes Mesenterica . . . . .	1	4	7	6	6	35	42	193	2	67	3	4	4	4	7	9	6	4
Phthisis . . . . .	32	70	96	94	23	245	244	1103	35	359	33	28	16	26	51	88	56	36
Hydrocephalus . . . . .	5	26	29	7	5	71	63	329	17	114	8	4	3	5	8	11	15	2



CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—MALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . .	225	-	2	1	1	6	6	1	2	1	12	-	13	5	6	-
Apoplexy . . .	605	2	4	2	-	6	9	6	10	10	36	8	48	31	23	-
Paralysis . . .	802	2	2	5	5	13	12	1	9	12	39	14	61	47	44	4
Delirium Tremens . . .	60	-	-	-	-	-	1	-	1	-	4	-	7	2	3	-
Chorea . . .	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Epilepsy . . .	118	1	-	3	-	1	3	2	1	5	9	1	7	8	6	-
Tetanus . . .	30	-	-	-	-	2	4	-	-	-	-	-	-	-	2	-
Insanity . . .	13	-	-	-	-	-	1	-	-	-	1	-	-	-	3	-
Convulsions . . .	479	3	-	-	1	-	1	1	8	11	39	-	51	8	17	-
Brain Disease . . .	568	1	-	4	-	3	7	2	9	15	49	4	33	12	19	-
V. Pericarditis . . .	37	-	-	1	-	-	-	-	-	2	3	-	3	2	3	-
Aneurism . . .	72	-	-	2	-	1	-	-	1	1	4	1	8	2	3	-
Heart Disease . . .	1587	5	9	6	3	11	25	3	23	14	95	23	117	85	66	4
VI. Laryngitis . . .	83	-	-	-	-	1	2	1	-	1	11	-	3	2	3	-
Bronchitis . . .	3077	4	8	16	6	13	25	3	14	35	156	17	234	78	111	-
Pleurisy . . .	139	1	-	1	-	6	14	-	1	4	10	1	10	6	9	1
Pneumonia . . .	1232	1	5	6	1	8	13	2	7	20	78	13	79	35	55	6
Asthma . . .	226	2	1	1	4	12	14	1	1	4	10	-	22	12	8	1
Lung Disease . . .	196	-	2	2	2	-	3	1	-	1	15	-	17	2	6	-
VII. Teething . . .	493	2	1	-	-	-	5	3	3	11	34	1	53	16	19	-
Quinsey . . .	30	-	-	1	-	-	1	-	-	3	-	-	1	1	3	-
Gastritis . . .	74	-	1	1	-	-	-	2	-	1	3	-	2	-	1	1
Enteritis . . .	431	-	-	3	3	3	15	1	3	5	25	4	18	12	13	-
Peritonitis . . .	132	-	1	-	2	2	2	-	1	-	12	-	7	3	4	1
Ascites . . .	27	-	-	-	-	1	1	1	-	1	2	-	2	-	-	1
Ulceration of Intestines	89	2	-	1	-	-	1	-	3	3	11	3	5	4	4	-
Hernia . . .	48	2	-	1	-	-	5	1	-	1	2	-	4	4	1	-
Ileus . . .	152	1	2	2	-	5	6	-	6	4	21	2	9	5	2	-
Intussusception . . .	20	-	-	1	-	-	1	-	-	-	2	-	-	2	1	-
Stricture of Intestines	14	-	-	-	-	-	-	-	-	-	4	-	-	1	1	-
Stomach Disease . . .	355	2	4	2	1	4	6	-	7	4	30	1	23	20	12	-
Pancreas Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis . . .	72	1	1	-	-	1	2	-	1	1	5	-	3	4	1	-
Jaundice . . .	90	1	-	-	-	1	4	1	1	2	9	1	9	4	1	-
Liver Disease . . .	402	3	2	5	1	5	7	-	2	5	24	1	24	22	13	-
Spleen Disease . . .	12	-	1	-	-	-	1	-	-	-	2	-	-	2	2	-
VIII. Nephritis . . .	51	-	1	-	-	-	-	-	-	1	-	1	4	3	2	-
Nephria . . .	173	-	-	1	1	3	1	-	4	3	18	2	6	10	8	1
Addison's Disease . . .	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Ischuria . . .	32	-	-	-	-	1	-	-	-	-	2	1	1	4	2	-
Diabetes . . .	60	-	-	1	1	-	-	-	1	1	8	1	3	3	5	-
Stone . . .	45	1	2	2	2	4	4	-	-	-	9	-	4	1	1	-
Cystitis . . .	156	1	1	4	1	3	4	1	4	6	24	2	7	10	9	-
Stricture of Urethra . . .	19	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Kidney Disease . . .	159	3	1	1	1	-	4	-	3	7	14	1	13	6	9	-
IX. Paramenia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
X. Arthritis . . .	68	-	2	-	-	-	-	-	-	1	8	-	5	2	3	-
Rheumatism . . .	69	-	-	-	-	3	2	-	4	1	4	2	7	1	3	-
Joint and Bone Disease	94	1	-	-	1	-	2	-	1	-	9	-	7	3	2	-
XI. Carbuncle . . .	12	-	-	-	-	-	2	-	-	1	-	1	-	1	1	-
Phlegmon . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease . . .	35	-	-	-	-	-	2	-	2	-	4	-	4	-	3	-
XVII. Intemperance . . .	51	-	-	2	-	-	-	-	1	1	1	-	4	3	1	-
Privation . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Want of Breast Milk	54	-	-	2	-	-	-	-	-	-	4	-	7	-	4	-
Neglect . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold . . .	24	2	1	1	-	1	2	-	1	-	-	-	-	1	-	-
Poison . . .	34	-	-	-	-	1	-	-	-	-	2	-	-	-	3	-
Poisoned Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . . .	127	2	1	-	-	4	3	-	-	1	4	-	8	4	7	-
Hanging, etc. . .	43	-	1	-	-	-	-	-	-	-	-	1	-	3	6	-
Suffocation . . .	75	-	-	-	-	-	-	-	-	1	8	1	7	1	2	-
Drowning . . .	440	5	4	8	2	12	10	-	3	18	20	10	23	14	17	1
Fracture and Contusion	769	3	3	6	2	9	13	1	5	6	32	4	40	26	38	1
Gunshot Wounds . . .	17	-	1	-	-	-	1	-	-	-	1	1	1	1	1	-
Cuts and Stabs . . .	19	-	-	-	-	-	1	-	-	-	3	-	-	2	-	-
Other Violent Causes	67	-	-	-	1	-	2	-	1	-	4	-	4	3	5	-
Not Specified . . .	1594	50	19	55	24	78	99	1	44	26	98	12	63	49	90	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—MALES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis . . .	2	8	4	2	1	21	15	60	3	29	1	3	1	2	2	7	5	3
Apoplexy . . .	1	15	9	8	1	62	41	149	5	73	7	7	1	—	9	18	5	8
Paralysis . . .	7	18	13	20	5	47	36	185	8	101	14	8	2	4	16	23	15	10
Delirium Tremens . . .	—	2	1	1	—	3	5	12	1	13	1	—	—	—	1	2	—	—
Chorea . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	1	2	2	7	—	5	5	20	2	18	1	—	—	1	1	2	4	—
Tetanus . . .	—	2	—	2	—	—	3	5	—	8	—	1	—	—	—	1	—	—
Insanity . . .	—	1	2	—	—	3	—	1	—	1	—	—	—	—	—	—	—	—
Convulsions . . .	2	12	9	8	—	24	22	175	6	63	1	4	—	1	4	4	3	1
Brain Disease . . .	—	15	6	5	3	30	49	183	2	57	8	9	2	4	14	8	7	8
Pericarditis . . .	1	1	1	—	—	3	1	6	—	6	—	—	—	—	2	2	—	—
Aneurism . . .	—	—	1	—	—	6	2	16	—	19	—	—	—	—	1	2	1	1
Heart Disease . . .	12	59	28	36	12	88	95	362	18	227	25	27	5	3	31	32	19	19
Laryngitis . . .	—	4	4	—	—	5	8	18	1	11	1	1	—	—	2	—	3	1
Bronchitis . . .	15	69	46	27	9	192	173	1283	35	316	29	14	9	4	22	65	28	21
Pleurisy . . .	1	4	—	4	1	2	7	25	—	20	2	1	—	—	2	2	4	—
Pneumonia . . .	6	31	10	11	8	96	52	453	15	116	7	9	3	6	11	33	15	21
Asthma . . .	—	9	6	4	1	9	20	58	2	16	1	—	—	—	4	2	—	1
Lung Disease . . .	—	16	7	1	—	12	11	62	5	26	—	2	—	—	—	1	—	2
Teething . . .	1	19	12	5	2	49	16	181	11	25	4	4	3	4	—	4	—	5
Quinsey . . .	—	—	1	1	—	5	2	7	—	3	—	—	—	—	—	1	—	—
Gastritis . . .	—	5	1	1	2	1	9	26	—	5	1	—	—	—	3	2	6	—
Enteritis . . .	1	14	6	3	1	31	27	158	8	32	4	9	—	1	7	7	11	6
Peritonitis . . .	1	7	2	2	1	13	8	28	4	20	2	2	—	1	1	1	2	2
Ascites . . .	—	1	—	1	—	1	—	9	—	2	2	1	—	—	—	—	—	1
Ulceration of Intestines . . .	—	2	4	2	—	3	6	11	2	11	—	2	—	—	1	4	—	4
Hernia . . .	1	1	1	—	1	4	1	7	—	9	—	1	—	—	—	1	—	—
Ileus . . .	—	5	2	7	1	8	4	37	1	9	3	1	1	—	2	3	2	1
Intussusception . . .	—	2	—	2	—	1	3	1	—	—	—	1	—	—	1	2	—	—
Stricture of Intestines . . .	—	1	—	—	—	2	—	2	—	—	—	1	—	—	—	2	—	—
Stomach Disease . . .	2	9	5	15	1	18	20	113	1	29	1	3	2	4	2	9	2	3
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	1	1	3	2	—	8	5	18	—	7	2	—	—	—	—	3	1	1
Jaundice . . .	—	5	—	4	—	3	10	16	—	8	4	1	—	—	—	—	2	3
Liver Disease . . .	2	13	7	13	7	27	15	111	1	49	4	5	2	3	6	11	4	8
Spleen Disease . . .	—	—	—	—	—	1	—	—	—	3	—	—	—	—	—	—	—	—
Nephritis . . .	—	1	—	—	—	4	3	23	—	4	1	—	—	—	1	2	—	—
Nephria . . .	1	—	1	5	2	6	10	28	2	44	3	2	1	—	—	6	2	2
Addison's Disease . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	—	—	2	—	1	3	10	—	2	—	1	—	—	—	2	—	—
Diabetes . . .	—	3	—	—	—	2	5	12	2	8	2	—	—	—	2	—	—	—
Stone . . .	—	1	—	3	—	1	3	2	—	4	—	—	—	—	—	1	—	—
Cystitis . . .	—	1	1	1	1	5	10	24	—	24	—	—	1	1	1	5	2	2
Stricture of Urethra . . .	—	—	—	—	—	2	1	7	—	4	—	—	1	—	—	—	1	1
Kidney Disease . . .	2	5	1	2	1	7	8	39	1	16	—	3	—	—	3	4	1	3
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Arthritis . . .	1	1	—	1	1	3	4	22	—	11	—	—	1	—	—	1	—	1
Rheumatism . . .	—	1	1	1	1	8	6	15	—	6	—	—	—	—	—	3	—	—
Joint Disease . . .	—	3	2	2	—	9	11	25	—	13	1	—	1	—	—	—	1	—
Carbuncle . . .	—	—	—	1	—	2	1	—	1	1	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	1	—	2	1	—	1	1	7	—	5	—	—	—	—	—	1	—	1
Intemperance . . .	—	1	—	—	2	3	2	22	—	5	—	—	1	1	—	—	1	—
Privation . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	1	2	19	3	11	—	—	—	—	—	—	1	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Cold . . .	1	—	—	3	—	1	2	6	—	—	1	—	—	—	—	—	—	1
Poison . . .	—	1	—	1	—	1	2	13	—	6	—	—	—	1	1	2	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	—	6	4	3	2	7	9	37	—	13	3	4	1	—	—	1	3	—
Hanging, etc. . .	—	1	—	—	—	3	3	13	—	9	—	1	—	—	—	2	—	—
Suffocation . . .	—	—	3	2	—	—	7	25	—	9	3	1	1	—	—	1	—	3
Drowning . . .	3	16	20	27	9	36	14	94	4	23	4	5	1	3	2	12	8	12
Fracture and Contusion . . .	4	21	16	7	3	47	79	233	14	116	5	2	—	1	11	11	7	3
Gunshot Wounds . . .	—	2	—	2	—	—	2	1	—	2	—	—	—	—	—	—	1	—
Cuts and Stabs . . .	—	—	1	—	—	1	1	6	—	1	—	1	—	—	1	—	—	—
Other Violent Causes . . .	—	2	1	1	—	5	1	24	1	7	—	1	—	—	1	—	2	1
Not Specified . . .	8	101	43	77	15	138	64	220	15	82	16	8	2	1	9	50	24	12



CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES . . . .	34754	237	253	290	182	600	735	59	347	518	2128	269	2658	1231	1419	65
SPECIFIED CAUSES . .	33395	185	230	256	157	508	631	54	322	493	2027	260	2599	1196	1353	61
I. Zymotic Class . .	7731	11	24	51	13	79	89	7	43	101	423	38	588	219	297	9
II. Diseases of Uncer. Seat	1460	10	11	12	6	22	20	3	14	34	117	20	124	70	72	3
III. Tubercular Class .	5925	24	34	28	17	60	82	7	50	75	360	46	458	197	187	8
IV. Brain and Nervous Sys.	2558	3	17	12	10	29	37	9	28	42	191	18	218	108	118	6
V. Organs of Circulation	1578	—	9	16	4	15	14	2	24	19	108	15	150	69	64	2
VI. Respiratory Organs .	4497	7	17	24	10	50	61	3	28	52	244	23	375	97	177	12
VII. Organs of Digestion .	2381	8	17	10	8	17	46	7	34	46	131	24	170	92	96	3
VIII. Urinary Organs .	326	—	2	1	4	3	3	1	4	6	22	3	21	19	7	1
IX. Organs of Generation	529	—	5	4	4	10	14	1	5	16	29	6	39	17	20	1
X. Organs of Locomotion	219	6	1	3	1	2	9	—	4	3	18	1	14	8	10	1
XI. Skin, etc. . . .	33	—	—	—	1	2	—	—	—	—	2	—	2	—	1	—
XII. Malformation . .	72	—	—	—	—	—	—	—	—	—	7	1	9	3	2	—
XIII. Premature Debility .	1435	2	1	7	1	2	17	1	12	12	74	7	135	45	57	1
XIV. Atrophy . . . .	324	—	2	3	—	2	7	1	3	2	22	—	16	11	14	—
XV. Age . . . . .	3724	112	88	82	74	201	221	10	70	79	245	53	235	218	194	11
XVI. Sudden Deaths . .	79	2	—	—	—	1	1	—	—	—	6	—	5	6	9	—
XVII. Violent Deaths . .	524	—	2	3	4	5	10	2	3	6	28	5	40	17	28	3
I. Small Pox . . . .	10	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—
Measles . . . . .	553	2	4	5	1	5	2	—	—	2	73	1	121	12	14	1
Scarlatina . . . . .	1545	—	—	3	—	—	1	—	—	19	30	1	40	10	28	—
Diphtheria . . . . .	395	—	1	1	1	2	1	—	2	13	45	2	24	17	21	—
Hooping Cough . . . .	1325	—	—	—	1	19	30	—	12	13	53	3	57	40	57	—
Croup . . . . .	448	—	1	4	2	18	4	1	6	14	19	2	25	17	35	1
Thrush . . . . .	11	—	—	—	—	—	1	—	1	—	4	—	1	—	—	—
Diarrhœa . . . . .	1019	3	5	4	1	4	6	5	4	7	56	5	96	34	39	2
Dysentery . . . . .	148	1	—	3	—	2	—	—	—	3	16	—	19	8	8	1
Cholera . . . . .	102	—	—	—	—	—	—	—	2	—	4	1	11	1	3	—
Influenza . . . . .	72	—	4	4	—	—	3	—	1	3	8	2	3	3	4	—
Purpura . . . . .	16	—	—	1	—	—	1	—	—	—	1	—	1	—	—	—
Ague . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	9	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
Typhus . . . . .	730	3	5	12	3	10	12	—	2	7	24	5	86	24	30	1
Enteric Fever . . . . .	750	—	2	8	—	6	17	1	11	11	47	9	51	23	37	3
Relapsing Fever . . . .	27	—	—	—	—	2	—	—	—	1	—	1	—	—	1	—
Simple Cont. Fever . . .	65	1	—	—	1	4	1	—	—	1	2	—	6	8	2	—
Infantile Remittent . .	65	—	—	—	—	—	—	—	—	—	4	2	4	3	2	—
Metria . . . . .	140	—	—	—	—	2	3	—	—	1	8	2	11	7	4	—
Rheumatic Fever . . . .	62	—	1	3	—	1	3	—	—	2	3	—	6	2	1	—
Erysipelas . . . . .	119	1	1	—	2	2	3	—	1	1	13	—	13	8	5	—
Pyæmia . . . . .	15	—	—	—	—	—	—	—	—	2	2	—	2	—	—	—
Syphilis . . . . .	95	—	—	3	1	2	—	—	1	1	8	1	10	1	4	—
Noma . . . . .	9	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . .	24	1	—	—	—	—	—	—	—	—	1	2	2	—	—	—
Dropsy . . . . .	381	4	6	4	3	11	9	1	—	4	9	1	44	22	26	2
Abscess . . . . .	77	1	—	—	—	—	1	—	1	3	6	—	6	—	4	—
Ulcer . . . . .	20	1	—	1	—	—	—	—	—	—	5	—	1	1	1	—
Fistula . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Mortification . . . . .	60	—	—	1	1	1	—	—	1	—	3	—	2	5	2	—
Cancer . . . . .	891	3	5	6	2	10	10	2	12	25	91	17	69	41	38	1
Gout . . . . .	5	—	—	—	—	—	—	—	—	2	2	—	—	1	—	—
III. Scrofula . . . . .	302	5	—	—	1	4	1	—	4	10	28	1	17	5	8	—
Tabes Mesenterica . . .	409	1	—	—	1	—	7	—	—	5	15	2	22	13	10	1
Phthisis . . . . .	4430	17	33	25	15	62	64	6	43	49	264	39	346	161	145	6
Hydrocephalus . . . . .	784	1	1	3	—	2	10	1	3	11	53	4	73	18	24	1

## CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—FEMALES.

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
ALL CAUSES . . .	273	993	603	670	224	2393	1861	9831	396	3581	326	256	75	137	505	754	464	422
SPECIFIED CAUSES . . .	261	938	569	610	222	2277	1799	9639	378	3528	317	251	75	137	494	707	452	409
Zymotic Class . . .	81	214	159	108	25	657	393	2604	97	843	70	23	13	22	118	106	95	111
Uncertain Seat . . .	12	39	33	34	12	84	78	317	15	171	14	11	3	4	22	40	23	10
Tubercular Class . . .	33	134	127	80	58	430	389	1923	65	552	39	36	15	27	90	131	87	68
Brain, etc. . . . .	14	64	35	44	25	163	132	617	29	349	23	25	3	11	46	68	36	28
Heart, etc. . . . .	13	41	24	36	12	89	83	295	22	238	25	34	8	15	41	46	23	22
Respiratory Organs . . .	35	121	61	62	26	307	187	1672	45	472	43	23	5	15	44	97	58	44
Digestive Organs . . .	7	90	40	33	16	154	140	682	23	248	21	28	7	19	44	50	38	32
Urinary Organs . . .	3	6	4	7	1	22	12	87	7	53	4	2	2	2	3	6	4	4
Generative Organs . . .	6	12	7	10	4	33	27	140	2	75	5	7	—	3	6	10	5	6
Locomotive Organs . . .	1	9	—	3	4	18	13	51	2	18	—	2	1	—	3	6	3	4
Skin . . . . .	—	3	—	—	—	3	2	8	1	6	—	—	—	—	1	—	—	1
Malformation . . . . .	—	1	—	—	1	6	6	16	3	8	3	1	—	1	2	—	2	—
Premature Debility . . .	14	51	18	14	5	86	79	466	25	167	19	8	5	14	27	33	15	15
Atrophy . . . . .	6	13	10	4	1	35	19	95	3	35	1	4	—	—	6	4	2	3
Age . . . . .	34	115	41	168	31	153	204	489	27	225	49	41	11	2	37	95	55	54
Sudden Deaths . . . .	—	3	1	—	—	2	—	35	3	3	—	—	—	—	—	1	—	1
Violent Deaths . . . .	2	22	9	7	1	35	35	142	9	65	1	6	2	2	4	14	6	6
Small Pox . . . . .	—	—	—	—	—	2	1	2	—	—	—	—	—	—	—	1	—	—
Measles . . . . .	3	8	5	2	—	27	13	217	2	15	—	—	—	—	8	1	—	9
Scarlatina . . . . .	39	22	42	14	2	199	39	593	5	254	1	2	5	13	72	22	32	57
Diphtheria . . . . .	1	9	14	3	1	23	35	83	24	50	7	1	—	—	1	3	9	1
Hooping Cough . . . .	12	36	26	26	4	127	50	578	10	116	9	2	1	2	8	25	3	5
Croup . . . . .	4	10	7	9	3	36	36	114	4	56	4	1	—	—	1	8	4	2
Thrush . . . . .	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—
Diarrhoea . . . . .	13	27	20	12	4	90	62	327	17	131	8	7	—	1	7	11	8	3
Dysentery . . . . .	1	5	4	3	—	7	8	25	4	23	—	2	1	—	—	2	2	—
Cholera . . . . .	—	7	1	4	1	13	6	20	2	23	—	1	—	—	1	—	1	—
Influenza . . . . .	—	3	—	—	1	2	11	10	—	3	—	1	1	—	—	1	1	3
Purpura . . . . .	—	2	—	—	1	2	—	4	—	—	—	—	—	—	2	—	1	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	2
Typhus . . . . .	3	40	10	11	—	47	22	286	8	59	7	—	1	—	3	4	—	5
Enteric Fever . . . . .	1	22	18	18	5	42	67	191	11	53	26	4	2	2	7	14	24	17
Relapsing Fever . . . .	1	2	—	—	—	4	3	6	—	1	—	—	2	—	—	3	—	—
Simple Cont. Fever . . .	—	3	—	1	—	2	4	13	3	7	—	—	—	—	3	—	2	1
Infantile Remittent . . .	—	3	—	—	—	4	3	32	—	3	1	—	—	—	—	2	1	1
Metria . . . . .	1	7	2	2	—	12	9	37	1	16	5	—	—	2	3	3	—	2
Rheumatic Fever . . . .	—	3	—	1	1	4	8	7	—	6	1	1	—	—	1	2	4	1
Erysipelas . . . . .	2	2	5	—	1	4	8	25	1	13	—	1	—	1	1	3	1	1
Pyæmia . . . . .	—	2	—	1	—	2	—	1	—	—	—	—	—	1	—	1	1	—
Syphilis . . . . .	—	1	4	1	1	7	5	25	4	13	1	—	—	—	—	—	—	1
Noma . . . . .	—	—	—	—	—	1	1	3	1	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	—	2	1	1	—	2	—	5	1	5	—	—	—	—	1	—	—	—
Dropsy . . . . .	7	8	11	16	—	27	26	104	1	17	3	1	—	—	4	1	7	2
Abscess . . . . .	—	1	—	—	—	6	11	27	—	9	—	—	—	—	—	1	—	—
Ulcer . . . . .	—	—	—	1	—	2	—	5	—	—	—	—	—	—	1	—	—	1
Fistula . . . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Mortification . . . . .	—	2	1	2	—	3	5	8	—	13	3	—	—	1	—	3	3	—
Cancer . . . . .	5	26	20	14	12	44	36	168	13	126	8	10	3	3	16	35	13	7
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula . . . . .	3	10	5	3	1	21	23	86	6	34	3	4	—	1	2	7	5	4
Tabes Mesenterica . . . .	2	9	5	—	4	21	41	154	7	50	5	3	1	1	9	10	5	5
Phthisis . . . . .	25	96	92	69	44	328	285	1442	41	357	25	27	10	19	66	106	67	56
Hydrocephalus . . . . .	3	19	25	8	9	60	40	241	11	111	6	2	4	6	13	8	10	3



CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—FEMALES. (Continued.)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis . . . .	158	-	-	-	-	2	3	1	1	-	10	2	8	2	14	1
Apoplexy . . . .	585	1	5	1	-	2	9	2	5	8	47	3	52	26	28	4
Paralysis . . . .	851	-	8	7	8	17	14	3	7	18	58	7	78	56	50	-
Delirium Tremens . . .	11	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
Chorea . . . .	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Epilepsy . . . .	95	1	1	1	-	1	-	-	2	3	5	1	9	4	6	-
Tetanus . . . .	12	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Insanity . . . .	33	-	-	-	-	-	2	-	1	1	3	-	-	2	-	-
Convulsions . . . .	377	-	-	1	2	3	5	1	6	3	41	1	38	7	7	1
Brain Disease . . . .	433	1	3	2	-	4	4	2	6	9	25	4	30	10	13	-
V. Pericarditis . . . .	29	-	-	-	-	-	1	-	-	1	3	1	3	1	1	-
Aneurism . . . .	24	-	-	-	-	1	-	-	-	2	1	1	3	1	1	-
Heart Disease . . . .	1525	-	9	16	4	14	13	2	24	16	104	13	144	67	62	2
VI. Laryngitis . . . .	59	-	-	-	-	-	1	1	-	3	6	1	4	2	2	1
Bronchitis . . . .	3184	4	10	22	5	18	27	2	17	32	163	12	282	70	116	7
Pleurisy . . . .	67	-	-	-	-	-	7	-	-	2	5	2	6	1	3	-
Pneumonia . . . .	866	-	5	1	2	10	7	-	7	13	52	7	61	18	45	4
Asthma . . . .	189	3	1	1	3	21	17	-	1	-	13	1	12	5	10	-
Lung Disease . . . .	132	-	1	-	-	1	2	-	3	2	5	-	10	1	1	-
VII. Teething . . . .	444	-	1	-	1	1	5	1	5	8	24	1	58	16	16	-
Quinsey . . . .	26	-	-	-	-	-	-	-	-	1	1	-	2	1	2	-
Gastritis . . . .	85	-	-	-	-	-	2	1	1	1	4	1	6	4	3	-
Enteritis . . . .	352	2	1	1	-	2	4	2	6	5	14	4	13	10	11	-
Peritonitis . . . .	193	-	-	2	-	1	7	-	-	4	11	2	9	5	4	1
Ascites . . . .	44	-	-	-	1	-	1	-	1	-	1	1	3	1	3	-
Ulceration of Intestines	96	-	1	-	-	-	1	1	3	3	9	2	8	2	2	-
Hernia . . . .	51	1	-	-	-	1	-	-	2	3	4	2	5	2	3	-
Ileus . . . .	140	-	-	1	1	2	3	1	3	8	18	-	9	2	10	-
Intussusception . . . .	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-
Stricture of Intestines	17	-	2	-	-	1	-	-	-	-	-	-	1	2	1	1
Stomach Disease . . . .	396	1	8	3	3	5	12	1	6	5	17	3	22	24	15	-
Pancreas Disease . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis . . . .	74	2	1	2	-	1	1	-	1	1	-	1	4	-	2	1
Jaundice . . . .	86	-	-	-	2	2	4	-	2	2	10	4	8	2	4	-
Liver Disease . . . .	357	2	3	1	-	1	6	-	4	4	18	3	21	20	17	-
Spleen Disease . . . .	10	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
VIII. Nephritis . . . .	28	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-
Nephria . . . .	127	-	-	-	2	2	-	-	-	1	5	1	13	12	1	1
Addison's Disease . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria . . . .	9	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Diabetes . . . .	31	-	1	-	-	1	1	-	-	2	-	-	1	2	1	-
Stone . . . .	3	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-
Cystitis . . . .	18	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-
Stricture of Urethra . .	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Kidney Disease . . . .	107	-	-	1	1	-	1	1	2	2	15	1	4	4	4	-
IX. Paramenia . . . .	33	-	1	-	-	1	-	-	1	2	-	-	-	3	2	1
Ovarian Dropsy . . . .	65	-	-	-	1	1	3	1	-	2	8	1	4	3	3	-
Childbirth . . . .	354	-	3	4	3	6	8	-	3	8	15	3	30	9	12	-
Organs of Generation . .	77	-	1	-	-	2	3	-	1	4	6	2	5	2	3	-
X. Arthritis . . . .	39	-	-	-	-	-	1	-	-	-	4	-	3	-	3	-
Rheumatism . . . .	108	5	1	3	1	2	8	-	1	1	8	1	6	6	6	1
Joint and Bone Disease	72	1	-	-	-	-	-	-	3	2	6	-	5	2	1	-
XI. Carbuncle . . . .	5	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-
Phlegmon . . . .	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease . . . .	22	-	-	-	1	1	-	-	-	-	1	-	2	-	-	-
XVII. Intemperance . . .	31	-	-	-	-	1	-	-	-	-	-	-	5	1	2	-
Privation . . . .	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Want of Breast Milk . . .	33	-	-	-	-	-	-	-	-	-	5	-	2	-	1	-
Neglect . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold . . . .	9	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-
Poison . . . .	19	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Poisoned Wounds . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . . . .	93	-	1	1	2	1	1	-	-	2	7	2	3	4	6	1
Hanging, etc. . . .	15	-	-	-	-	-	-	1	-	-	-	1	3	-	2	-
Suffocation . . . .	53	-	-	1	-	-	-	1	-	-	3	-	6	-	-	-
Drowning . . . .	75	-	-	-	1	2	1	-	-	1	3	1	3	5	2	1
Fracture and Contusion . .	160	-	1	1	1	1	4	-	3	-	9	1	13	5	12	1
Gunshot Wounds . . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cuts and Stabs . . . .	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Other Violent Causes . . .	26	-	-	-	-	-	1	-	-	2	1	-	1	1	1	-
Not Specified . . . .	1359	52	23	34	25	92	104	5	25	24	101	9	59	35	66	4

## CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1868.—FEMALES. (Continued.)

DISEASES.	Clack- mannan.	Stirling.	Dum- barton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlith- gow.	Edin- burgh.	Hadding- ton.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcud- bright.	Wigtown.
Cephalitis . . .	1	3	1	2	—	13	6	49	2	23	1	1	—	1	1	6	3	1
Apoplexy . . .	3	14	8	8	6	44	27	124	2	93	4	4	1	3	8	22	12	9
Paralysis . . .	5	26	12	16	12	45	40	152	16	101	11	12	2	4	20	23	12	11
Delirium Tremens . . .	—	—	1	—	—	1	1	4	1	—	—	—	—	—	—	—	—	—
Chorea . . .	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	2	1	2	5	3	3	8	20	—	9	1	2	—	1	1	1	1	1
Tetanus . . .	—	—	—	2	—	1	1	5	—	1	—	—	—	—	—	—	—	—
Insanity . . .	—	1	—	2	—	7	—	2	1	7	—	—	—	—	—	4	—	—
Convulsions . . .	—	6	2	7	—	20	21	134	3	50	1	3	—	—	9	3	1	1
Brain Disease . . .	3	13	9	2	4	29	28	125	4	65	5	3	—	2	7	9	7	5
Pericarditis . . .	—	2	—	1	—	—	—	5	1	5	—	—	—	—	1	2	1	—
Aneurism . . .	—	—	—	—	—	3	2	5	—	—	—	—	1	2	—	1	—	—
Heart Disease . . .	13	39	24	35	12	86	81	285	21	233	25	34	7	13	40	43	22	22
Laryngitis . . .	1	1	—	2	—	4	2	16	1	6	2	—	—	—	—	1	2	—
Bronchitis . . .	29	74	45	38	17	211	136	1240	37	340	30	9	4	9	32	69	44	33
Pleurisy . . .	—	—	3	3	—	4	5	8	—	7	1	1	—	2	2	5	—	—
Pneumonia . . .	4	24	12	10	8	64	28	320	7	87	9	10	1	4	10	20	10	6
Asthma . . .	1	4	1	7	1	14	11	41	—	12	1	1	—	—	—	2	—	4
Lung Disease . . .	—	18	—	2	—	10	5	47	—	20	—	2	—	—	—	—	1	1
Teething . . .	2	18	12	6	1	50	20	145	3	32	1	3	1	3	1	4	2	3
Quinsey . . .	—	1	—	—	—	2	1	9	—	4	—	—	—	1	—	—	1	—
Gastritis . . .	—	8	2	3	1	1	5	28	—	6	1	1	—	—	2	2	2	—
Enteritis . . .	1	15	3	3	3	21	23	126	6	27	4	5	—	3	11	5	12	9
Peritonitis . . .	1	4	2	1	—	10	9	54	6	34	2	5	1	3	6	3	5	1
Ascites . . .	1	1	1	—	—	5	2	14	—	3	1	—	1	—	—	1	—	2
Ulceration of Intestines . . .	—	—	7	2	1	1	5	13	1	19	2	2	—	1	3	3	2	2
Hernia . . .	—	—	1	—	—	3	6	13	—	3	—	—	—	—	1	—	—	1
Ileus . . .	—	5	1	1	5	8	8	27	—	14	—	1	—	2	4	4	2	—
Intussusception . . .	—	—	—	1	—	—	2	3	—	1	—	—	—	—	—	—	—	—
Stricture of Intestines . . .	—	—	—	—	—	1	1	3	—	3	—	—	—	—	—	1	—	—
Stomach Disease . . .	—	17	6	9	2	14	29	102	2	49	4	5	2	3	7	9	6	5
Pancreas Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	1	2	—	2	—	4	7	24	1	5	3	1	1	—	3	2	—	1
Jaundice . . .	—	2	1	—	—	6	3	14	—	9	—	3	—	—	2	—	1	5
Liver Disease . . .	1	17	4	5	3	27	19	106	4	37	3	1	1	2	3	16	5	3
Spleen Disease . . .	—	—	—	—	—	1	—	1	—	2	—	1	—	1	1	—	—	—
Nephritis . . .	—	3	—	—	—	4	—	12	1	1	—	—	—	1	—	2	—	—
Nephria . . .	2	—	1	5	1	5	5	26	2	33	2	—	—	1	—	3	1	2
Addison's Disease . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	—	—	—	—	1	2	2	—	2	—	—	—	—	—	—	—	—
Diabetes . . .	—	2	1	—	—	3	2	8	2	3	—	—	—	—	—	—	—	1
Stone . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . .	—	—	1	—	—	1	—	6	—	3	—	—	1	—	2	—	—	—
Stricture of Urethra . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	1	1	1	2	—	8	3	31	2	11	2	2	1	—	1	1	3	—
Paramenia . . .	1	1	—	1	—	2	4	7	—	3	—	—	—	—	—	2	—	1
Ovarian Dropsy . . .	—	2	—	—	2	3	5	12	1	9	1	—	—	—	—	1	1	—
Childbirth . . .	5	6	6	6	2	25	16	104	1	51	1	7	—	3	5	5	3	4
Organs of Generation . . .	—	3	1	3	—	3	2	17	—	12	3	—	—	—	—	2	1	1
Arthritis . . .	1	—	—	1	1	5	1	10	—	5	—	—	—	—	—	—	2	2
Rheumatism . . .	—	7	—	1	3	6	5	22	—	5	—	1	—	—	3	3	1	1
Joint Disease . . .	—	2	—	1	—	7	7	19	2	8	—	1	1	—	—	3	—	1
Carbuncle . . .	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Phlegmon . . .	—	1	—	—	—	—	—	2	1	2	—	—	—	—	—	—	—	—
Skin Disease . . .	—	—	—	—	—	2	2	6	—	3	—	—	—	—	1	—	—	1
Intemperance . . .	—	1	1	—	—	4	1	7	—	6	—	—	—	1	—	—	1	—
Privation . . .	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk . . .	—	—	—	—	—	—	1	18	—	4	—	—	—	—	—	—	1	1
Neglect . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cold . . .	—	2	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Poison . . .	—	—	—	—	—	2	3	9	—	2	—	—	—	—	—	1	—	—
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . .	—	7	3	—	—	4	8	18	4	11	1	2	—	—	—	1	2	1
Hanging, etc. . .	—	—	1	—	—	—	—	5	—	1	—	—	—	—	—	1	—	—
Suffocation . . .	—	1	—	1	—	7	2	20	—	9	—	—	1	—	—	1	—	—
Drowning . . .	—	5	2	1	1	5	8	17	3	6	—	1	—	1	—	3	1	1
Fracture and Contusion . . .	2	5	2	4	—	11	8	43	2	18	—	2	—	—	2	6	—	3
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—
Cuts and Stabs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . .	—	1	—	—	—	2	2	3	—	7	—	—	1	—	1	1	1	—
Not Specified . . .	12	55	34	60	2	116	62	192	18	53	9	5	—	—	11	47	12	13



CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES . . . . .	13832	945	932	4781	2917	2029	1221	1658	973	626
SPECIFIED CAUSES . . . . .	13672	932	914	4757	2874	2006	1186	1534	969	621
I. Zymotic Class . . . . .	3759	271	199	1096	706	436	314	493	250	130
II. Diseases of Uncertain Seat	341	20	20	189	87	83	44	37	27	30
III. Tubercular Class . . . . .	2578	188	192	808	517	370	228	241	143	100
IV. Brain and Nervous System	951	61	84	500	229	200	104	122	85	55
V. Organs of Circulation . . . . .	442	43	30	311	128	102	38	75	48	49
VI. Respiratory Organs . . . . .	2657	140	135	655	474	280	159	213	149	80
VII. Organs of Digestion . . . . .	923	45	82	287	183	132	81	95	66	36
VIII. Urinary Organs . . . . .	166	10	9	111	33	42	14	15	24	18
IX. Organs of Generation . . . . .	103	4	8	56	20	12	14	6	11	2
X. Organs of Locomotion . . . . .	75	8	10	40	18	18	9	11	2	3
XI. Skin, etc. . . . .	8	—	1	10	3	4	2	2	—	1
XII. Malformation . . . . .	29	1	2	12	6	10	—	3	4	1
XIII. Premature Debility . . . . .	710	41	48	241	202	87	51	74	59	31
XIV. Atrophy . . . . .	105	19	11	31	31	21	11	34	13	7
XV. Age . . . . .	377	54	46	240	148	145	85	52	37	53
XVI. Sudden Deaths . . . . .	59	1	1	2	10	5	4	8	2	3
XVII. Violent Deaths . . . . .	389	26	36	163	79	59	28	53	49	22
I. Small Pox . . . . .	3	—	—	—	1	1	—	2	—	1
Measles . . . . .	348	15	18	34	177	118	6	33	1	8
Scarlatina . . . . .	918	73	31	342	40	48	111	84	131	19
Diphtheria . . . . .	106	13	10	61	24	6	10	14	6	2
Hooping Cough . . . . .	926	58	37	118	49	70	23	140	23	33
Croup . . . . .	149	9	20	77	37	11	22	34	13	9
Thrush . . . . .	3	—	1	1	1	2	—	—	—	—
Diarrhœa . . . . .	450	25	31	163	119	58	38	74	27	19
Dysentery . . . . .	30	1	1	28	19	15	6	2	4	2
Cholera . . . . .	27	1	3	23	20	4	4	8	3	1
Influenza . . . . .	16	2	1	2	4	3	2	2	—	—
Purpura . . . . .	4	—	—	1	1	—	2	1	—	—
Ague . . . . .	—	—	—	1	—	—	—	—	—	—
Worms . . . . .	3	1	—	—	—	—	—	—	—	—
Typhus . . . . .	367	42	19	116	132	26	34	66	11	18
Enteric Fever . . . . .	229	18	16	56	30	33	30	18	16	3
Relasing Fever . . . . .	5	—	—	1	—	—	3	2	—	—
Simple Continued Fever . . . . .	16	1	—	2	4	1	3	—	6	4
Infantile Remittent . . . . .	41	1	3	3	9	4	5	1	1	—
Metria . . . . .	27	2	1	12	6	1	2	4	2	2
Rheumatic Fever . . . . .	13	—	1	9	7	9	2	2	—	2
Erysipelas . . . . .	35	4	3	21	9	12	3	2	5	4
Pyæmia . . . . .	3	—	—	2	—	1	—	—	—	—
Syphilis . . . . .	36	5	3	23	17	11	8	3	1	3
Noma . . . . .	4	—	—	—	—	2	—	1	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	10	—	2	5	1	3	3	—	2	3
Dropsy . . . . .	103	2	7	21	42	13	20	15	7	6
Abscess . . . . .	30	1	3	13	4	4	1	5	2	1
Ulcer . . . . .	6	1	—	—	3	2	—	1	1	—
Fistula . . . . .	3	1	—	2	—	1	—	—	1	—
Mortification . . . . .	12	3	—	16	1	3	—	3	—	3
Cancer . . . . .	176	12	8	129	36	54	20	13	14	16
Gout . . . . .	1	—	—	3	—	3	—	—	—	1
III. Scrofula . . . . .	132	7	10	61	22	35	16	16	11	7
Tabes Mesenterica . . . . .	211	20	20	58	37	23	21	8	18	9
Phthisis . . . . .	1804	137	141	532	363	250	150	176	76	70
Hydrocephalus . . . . .	431	24	21	157	95	62	41	41	38	14

## CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	420	421	235	410	291	227	386	423	512	311	324	361	486
SPECIFIED CAUSES .	417	415	230	401	272	227	377	411	509	291	314	357	467
Zymotic Class . . .	80	91	50	111	81	71	94	48	104	64	77	85	54
Uncertain Seat . . .	11	18	12	17	8	8	14	10	10	5	11	10	13
Tubercular Class . . .	60	76	45	60	42	31	55	85	130	50	43	72	92
Brain, etc. . . . .	37	46	22	41	32	9	31	36	45	27	24	25	50
Heart, etc. . . . .	24	31	12	29	15	12	28	27	28	22	12	5	27
Respiratory Organs . . .	51	48	29	49	38	29	40	61	76	43	58	68	106
Digestive Organs . . .	46	25	16	27	13	11	36	46	27	14	25	36	25
Urinary Organs . . . .	8	2	4	6	1	4	2	4	9	9	4	5	9
Generative Organs . . .	1	3	3	5	3	4	3	4	3	—	—	2	3
Locomotive Organs . . .	3	1	—	4	2	—	1	4	5	2	1	3	5
Skin . . . . .	1	—	—	—	2	1	—	—	1	—	—	—	—
Malformation . . . . .	1	2	1	1	2	1	1	2	2	2	1	—	—
Premature Debility . . .	16	30	17	6	14	8	25	19	28	17	19	15	26
Atrophy . . . . .	2	2	—	2	—	3	8	9	1	2	3	6	4
Age . . . . .	57	31	16	36	14	28	29	47	25	29	23	7	41
Sudden Deaths . . . .	—	—	—	1	—	1	1	—	—	—	1	—	—
Violent Deaths . . . .	19	9	3	6	5	6	9	9	15	5	12	18	12
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	1	9	7	25	—	3	4	—	1	16	2	11	1
Scarlatina . . . . .	—	4	—	34	1	5	2	1	2	6	9	11	2
Diphtheria . . . . .	—	1	6	4	7	4	—	1	14	1	1	3	1
Hooping Cough . . . .	26	12	—	6	25	17	14	9	16	6	28	6	11
Croup . . . . .	8	3	14	3	13	6	5	2	6	2	6	7	7
Thrush . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Diarrhoea . . . . .	13	10	11	12	13	11	24	18	18	20	10	7	8
Dysentery . . . . .	—	2	1	2	1	2	—	—	5	—	—	2	1
Cholera . . . . .	—	—	—	—	1	1	—	1	—	1	1	3	1
Influenza . . . . .	—	1	—	—	—	—	1	—	—	—	—	—	—
Purpura . . . . .	—	1	—	—	—	—	—	—	1	1	—	1	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Typhus . . . . .	2	19	4	14	4	7	33	7	11	3	10	13	—
Enteric Fever . . . . .	22	20	2	6	10	7	2	7	20	4	6	7	9
Relapsing Fever . . . .	—	—	—	1	—	—	1	1	—	—	—	—	3
Simple Cont. Fever . . .	1	1	—	—	1	1	—	—	—	—	—	—	—
Infantile Remittent . . .	—	—	—	—	—	2	1	—	2	—	1	12	3
Metria . . . . .	2	—	—	1	—	1	1	—	3	1	1	—	1
Rheumatic Fever . . . .	—	—	—	1	—	1	—	—	1	1	1	—	2
Erysipelas . . . . .	3	4	2	—	4	1	5	—	4	—	—	1	3
Pyæmia . . . . .	—	1	2	2	—	—	—	—	—	—	1	—	—
Syphilis . . . . .	—	3	1	—	1	2	1	1	—	2	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	—	1	—	—	—	—	—	—	—	—	1	—	1
Dropsy . . . . .	3	4	6	2	2	—	4	3	1	1	4	7	3
Abscess . . . . .	—	—	1	3	—	1	1	—	1	2	1	—	—
Ulcer . . . . .	—	—	—	1	—	—	—	—	—	—	1	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	1	—
Mortification . . . . .	1	—	—	—	—	1	2	—	1	—	—	—	—
Cancer . . . . .	7	13	5	11	6	6	7	7	7	2	4	2	9
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula . . . . .	3	2	—	3	—	2	7	8	10	3	3	4	6
Tabes Mesenterica . . .	2	1	6	1	2	—	2	14	7	5	7	18	4
Phthisis . . . . .	47	58	33	42	33	25	43	61	94	30	28	39	77
Hydrocephalus . . . . .	8	15	6	14	7	4	3	2	19	12	5	11	5



CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—BOTH SEXES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis . . . . .	69	5	3	32	11	11	6	14	7	1
Apoplexy . . . . .	171	18	15	131	53	42	28	29	10	21
Paralysis . . . . .	212	17	21	127	56	47	41	21	29	16
Delirium Tremens . . . . .	13	1	—	8	3	3	2	2	4	1
Chorea . . . . .	3	—	—	—	2	—	—	—	—	—
Epilepsy . . . . .	22	1	3	19	11	7	3	2	3	1
Tetanus . . . . .	7	—	1	7	—	—	—	1	—	—
Insanity . . . . .	2	—	—	8	—	3	7	3	—	2
Convulsions . . . . .	245	8	14	79	68	55	4	22	19	6
Brain Disease . . . . .	207	11	27	89	25	32	13	28	13	7
V. Pericarditis . . . . .	7	—	—	6	4	3	1	1	1	—
Aneurism . . . . .	16	2	2	15	1	3	2	4	—	2
Heart Disease . . . . .	419	41	28	290	123	96	35	70	47	47
VI. Laryngitis . . . . .	26	—	2	11	2	8	3	1	1	3
Bronchitis . . . . .	1921	88	92	445	329	178	120	144	97	55
Pleurisy . . . . .	18	1	2	17	6	10	3	1	2	1
Pneumonia . . . . .	561	44	31	129	102	62	29	50	39	16
Asthma . . . . .	62	6	4	17	24	10	4	8	5	3
Lung Disease . . . . .	69	1	4	36	11	12	—	9	5	2
VII. Teething . . . . .	237	15	18	27	90	32	23	34	16	9
Quinsey . . . . .	12	—	3	3	2	—	—	3	1	—
Gastritis . . . . .	34	1	5	6	4	3	1	—	1	—
Enteritis . . . . .	177	2	18	33	14	16	16	12	10	1
Peritonitis . . . . .	30	5	2	36	6	7	2	10	10	1
Ascites . . . . .	16	2	—	4	2	1	2	2	—	—
Ulceration of Intestines . . . . .	15	2	2	19	7	2	2	1	1	1
Hernia . . . . .	14	—	2	10	3	3	1	3	1	—
Ileus . . . . .	42	3	7	13	8	18	1	3	2	1
Intussusception . . . . .	2	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	4	—	—	3	1	1	2	1	—	2
Stomach Disease . . . . .	155	9	6	59	16	19	6	7	8	8
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	23	—	5	8	5	1	7	3	1	1
Jaundice . . . . .	17	—	5	10	11	11	1	1	3	—
Liver Disease . . . . .	144	6	9	54	14	18	17	13	11	12
Spleen Disease . . . . .	1	—	—	2	—	—	—	2	1	—
VIII. Nephritis . . . . .	27	1	1	3	3	1	2	1	1	1
Nephria . . . . .	40	4	1	60	12	11	3	4	14	9
Addison's Disease . . . . .	1	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	8	1	—	3	—	3	1	—	—	1
Diabetes . . . . .	12	2	1	7	2	3	—	2	1	1
Stone . . . . .	1	—	1	4	4	2	—	1	—	1
Cystitis . . . . .	18	1	3	16	3	6	4	1	4	4
Stricture of Urethra . . . . .	7	—	1	4	—	—	2	—	—	—
Kidney Disease . . . . .	52	1	1	14	9	16	2	6	4	1
IX. Paramenia . . . . .	7	—	—	1	—	—	2	—	1	—
Ovarian Dropsy . . . . .	9	1	—	8	1	4	2	—	1	1
Childbirth . . . . .	73	3	8	36	17	6	10	5	9	—
Organs of Generation . . . . .	14	—	—	11	2	2	—	1	—	1
X. Arthritis . . . . .	21	3	4	13	4	3	2	2	—	—
Rheumatism . . . . .	25	3	4	9	8	7	5	3	1	—
Joint and Bone Disease . . . . .	29	2	2	18	6	8	2	6	1	3
XI. Carbuncle . . . . .	—	—	—	1	—	—	1	—	—	1
Phlegmon . . . . .	3	—	—	2	—	—	—	1	—	—
Skin Disease . . . . .	5	—	1	7	3	4	1	1	—	—
XVII. Intemperance . . . . .	23	1	1	9	7	—	1	4	1	2
Privation . . . . .	1	1	—	1	1	—	—	—	—	—
Want of Breast Milk . . . . .	31	—	2	9	9	8	—	1	6	—
Neglect . . . . .	—	1	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	1	—	—	—
Poison . . . . .	15	—	2	6	2	—	1	—	1	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	25	2	4	13	9	4	4	3	6	4
Hanging, etc. . . . .	12	1	—	5	1	—	2	—	3	2
Suffocation . . . . .	28	1	2	14	5	8	1	6	4	—
Drowning . . . . .	73	12	3	7	14	7	6	9	7	5
Fracture and Contusion . . . . .	160	7	21	93	28	25	12	27	20	6
Gunshot Wounds . . . . .	1	—	—	2	—	—	—	—	—	1
Cuts and Stabs . . . . .	4	—	—	1	—	2	—	—	—	1
Other Violent Causes . . . . .	16	—	1	8	3	5	—	3	1	1
Not Specified . . . . .	160	13	18	24	43	23	35	124	4	5

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—BOTH SEXES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis . . . . .	3	5	—	1	3	1	2	3	1	1	1	1	4
Apoplexy . . . . .	8	11	6	10	10	1	3	6	4	6	4	9	11
Paralysis . . . . .	9	16	4	12	9	4	10	15	12	12	7	5	22
Delirium Tremens . . . . .	1	—	1	1	1	—	2	3	—	—	—	—	1
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	2	—	—	1	1	—	—	1	1	—	3	1	2
Tetanus . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	1
Insanity . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	4
Convulsions . . . . .	5	8	3	4	6	1	5	5	7	6	2	5	2
Brain Disease . . . . .	6	6	8	12	2	2	9	3	19	2	7	4	3
Pericarditis . . . . .	—	1	1	—	1	—	—	—	1	—	1	—	1
Aneurism . . . . .	—	4	1	—	—	—	—	—	1	—	—	—	1
Heart Disease . . . . .	24	26	10	29	14	12	28	27	26	22	11	5	25
Laryngitis . . . . .	1	—	—	—	—	1	3	1	4	1	3	—	2
Bronchitis . . . . .	24	37	21	41	21	19	22	31	54	34	36	50	81
Pleurisy . . . . .	5	1	—	2	1	2	1	—	2	3	4	2	3
Pneumonia . . . . .	8	5	6	5	10	5	6	15	9	4	7	13	18
Asthma . . . . .	11	4	2	1	5	2	—	14	2	1	3	2	2
Lung Disease . . . . .	2	1	—	—	1	—	8	—	5	—	5	1	—
Teething . . . . .	6	9	3	2	4	3	7	13	—	—	1	—	1
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	—	—	—	—	—	—	3	3	—	—	4	4	3
Enteritis . . . . .	12	3	—	3	4	1	6	5	7	1	6	9	2
Peritonitis . . . . .	4	2	2	2	1	2	2	4	3	5	—	4	—
Ascites . . . . .	—	—	—	—	—	—	—	—	—	—	—	2	—
Ulceration of Intestines . . . . .	—	—	1	3	2	—	—	2	—	—	1	1	—
Hernia . . . . .	4	1	1	1	—	1	—	1	1	1	1	—	—
Ileus . . . . .	3	2	—	2	—	—	2	1	—	—	2	1	1
Intussusception . . . . .	1	—	—	—	—	—	—	—	2	—	—	—	1
Stricture of Intestines . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	1
Stomach Disease . . . . .	7	3	2	3	1	2	7	6	7	3	3	2	8
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	1	—	—	—	—	—	—	3	—	—	2	5	2
Jaundice . . . . .	1	—	—	2	—	—	1	1	3	—	—	2	—
Liver Disease . . . . .	7	5	7	9	—	2	8	7	4	4	5	6	6
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . . . .	—	—	—	—	—	—	—	2	—	1	—	2	2
Nephria . . . . .	1	1	1	4	—	2	—	1	4	3	1	1	4
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	1	—	1
Diabetes . . . . .	1	—	—	—	—	1	2	—	2	—	1	2	—
Stone . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	4	1	—	—	—	1	—	1	2	—	1	—	2
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	1	—	3	2	1	—	—	—	1	5	—	—	—
Paramenia . . . . .	—	—	—	—	—	—	—	2	1	—	—	—	2
Ovarian Dropsy . . . . .	1	1	—	—	2	—	—	1	—	—	—	—	—
Childbirth . . . . .	—	2	3	3	1	2	3	1	2	—	—	—	1
Organs of Generation . . . . .	—	—	—	2	—	2	—	—	—	—	—	2	—
Arthritis . . . . .	1	—	—	3	—	—	—	1	—	—	—	1	2
Rheumatism . . . . .	2	—	—	—	1	—	—	—	2	1	—	1	1
Joint Disease . . . . .	—	1	—	1	1	—	1	3	3	1	1	1	2
Carbuncle . . . . .	1	—	—	—	—	1	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	—	2	—	—	—	1	—	—	—	—
Intemperance . . . . .	—	1	1	—	1	2	—	1	—	—	1	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	1	—	—	—	1	1	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—
Poison . . . . .	—	—	—	—	—	—	—	—	—	1	1	1	1
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	2	1	1	—	2	—	3	1	5	—	3	3	1
Hanging, etc. . . . .	—	—	1	—	—	2	—	—	—	—	1	1	1
Suffocation . . . . .	—	2	—	1	—	1	—	—	2	1	1	1	1
Drowning . . . . .	6	1	—	2	—	—	2	1	1	—	—	3	—
Fracture and Contusion . . . . .	10	4	—	2	1	1	2	6	6	2	5	9	5
Gunshot Wounds . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	2
Not Specified . . . . .	3	6	5	9	19	—	9	12	3	20	10	4	19



CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES . . . . .	7039	495	475	2423	1420	979	588	882	508	315
SPECIFIED CAUSES . . . . .	6950	486	461	2409	1397	966	567	818	505	312
I. Zymotic Class . . . . .	1874	136	116	563	361	204	152	267	121	61
II. Diseases of Uncertain Seat	124	6	8	65	24	32	15	17	11	9
III. Tubercular Class . . . . .	1264	85	70	420	227	176	110	197	77	48
IV. Brain and Nervous System	536	40	48	265	117	107	62	65	43	27
V. Organs of Circulation . . . . .	247	22	17	160	61	46	18	42	28	29
VI. Respiratory Organs . . . . .	1382	77	66	335	227	136	73	119	83	49
VII. Organs of Digestion . . . . .	475	33	43	122	88	71	39	61	36	19
VIII. Urinary Organs . . . . .	102	8	5	82	21	27	8	6	14	14
IX. Organs of Generation . . . . .	1	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion . . . . .	41	3	6	23	11	9	5	7	2	1
XI. Skin, etc. . . . .	2	—	—	5	2	3	1	2	—	1
XII. Malformation . . . . .	19	1	—	9	6	5	—	1	1	1
XIII. Premature Debility . . . . .	389	24	35	132	115	50	30	47	29	15
XIV. Atrophy . . . . .	47	8	6	12	20	6	3	18	4	1
XV. Age . . . . .	125	22	14	90	53	52	27	15	19	21
XVI. Sudden Deaths . . . . .	31	1	—	1	7	—	4	6	1	2
XVII. Violent Deaths . . . . .	291	20	27	125	57	42	20	38	36	14
I. Small Pox . . . . .	1	—	—	—	—	—	—	2	—	—
Measles . . . . .	164	10	12	20	94	58	4	21	—	2
Scarlatina . . . . .	440	39	19	192	23	23	54	49	70	12
Diphtheria . . . . .	50	8	6	27	13	3	2	9	2	1
Hooping Cough . . . . .	457	34	24	49	22	33	8	57	6	14
Croup . . . . .	79	4	10	43	24	6	16	18	4	6
Thrush . . . . .	3	—	1	1	—	—	—	—	—	—
Diarrhœa . . . . .	237	10	16	81	55	25	17	34	16	10
Dysentery . . . . .	15	—	1	10	10	5	2	2	3	1
Cholera . . . . .	15	1	1	10	10	1	4	4	—	1
Influenza . . . . .	10	1	1	—	2	2	1	1	—	—
Purpura . . . . .	2	—	—	1	1	—	—	1	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	2	—	—	—	—	—	—	—	—	—
Typhus . . . . .	195	16	11	64	71	13	19	50	7	9
Enteric Fever . . . . .	125	10	8	31	16	14	13	14	8	1
Relapsing Fever . . . . .	1	—	—	—	—	—	1	1	—	—
Simple Continued Fever . . . . .	6	—	—	2	1	—	2	—	—	—
Infantile Remittent . . . . .	20	—	1	2	5	3	3	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	8	—	1	3	2	7	—	2	—	1
Erysipelas . . . . .	18	2	3	14	4	7	2	1	4	1
Pyæmia . . . . .	2	—	—	2	—	—	—	—	—	—
Syphilis . . . . .	22	1	1	11	8	4	4	1	1	2
Noma . . . . .	2	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	8	—	—	2	—	2	1	—	1	3
Dropsy . . . . .	37	1	2	10	9	9	9	11	5	1
Abscess . . . . .	12	—	1	7	1	1	—	1	1	1
Ulcer . . . . .	4	—	—	—	2	—	—	—	1	—
Fistula . . . . .	3	1	—	1	—	1	—	—	1	—
Mortification . . . . .	7	1	—	6	1	1	—	1	—	—
Cancer . . . . .	52	3	5	36	11	16	5	4	2	4
Gout . . . . .	1	—	—	3	—	2	—	—	—	—
III. Scrofula . . . . .	74	6	4	35	11	21	10	9	9	2
Tabes Mesenterica . . . . .	126	7	12	32	24	16	15	3	12	5
Phthisis . . . . .	817	59	43	269	144	106	61	75	36	35
Hydrocephalus . . . . .	247	13	11	84	48	33	24	20	20	6

## CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge etc.	Dumfries.
ALL CAUSES . . .	228	196	123	184	148	113	185	205	254	164	163	187	239
SPECIFIED CAUSES . . .	225	194	122	180	137	113	178	198	254	149	157	186	225
Zymotic Class . . .	44	44	27	55	39	34	49	28	44	35	29	38	19
Uncertain Seat . . .	6	10	4	8	4	4	2	5	4	2	6	4	5
Tubercular Class . . .	34	29	22	22	20	11	24	41	68	25	12	34	47
Brain, etc. . . . .	22	24	16	20	18	5	19	18	25	13	13	11	26
Heart, etc. . . . .	16	14	6	13	6	8	17	17	12	13	7	5	16
Respiratory Organs . . .	25	18	17	24	17	17	24	30	47	22	38	43	55
Digestive Organs . . .	25	14	9	11	7	5	16	18	14	9	16	13	8
Urinary Organs . . .	6	1	3	3	1	3	1	3	6	3	3	3	6
Generative Organs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . .	—	—	—	3	1	—	1	3	1	—	1	2	3
Skin . . . . .	1	—	—	—	2	—	—	—	—	—	—	—	—
Malformation . . . . .	1	1	1	1	1	1	—	1	1	1	1	—	—
Premature Debility . . .	11	19	8	3	9	5	12	8	16	8	12	10	17
Atrophy . . . . .	—	1	—	—	—	2	4	2	—	1	1	3	2
Age . . . . .	18	13	8	11	7	15	5	18	4	13	8	3	14
Sudden Deaths . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—
Violent Deaths . . . . .	16	6	1	6	5	2	4	6	12	4	10	17	7
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	1	4	5	11	—	—	3	—	—	11	1	4	1
Scarlatina . . . . .	—	3	—	14	—	2	1	1	1	4	4	7	—
Diphtheria . . . . .	—	—	1	3	3	2	—	1	6	1	1	2	1
Hooping Cough . . . . .	13	4	—	2	14	8	4	7	8	2	6	1	2
Croup . . . . .	6	1	7	3	7	4	2	1	4	—	4	6	2
Thrush . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Diarrhœa . . . . .	9	6	7	5	6	7	12	9	4	10	5	1	4
Dysentery . . . . .	—	2	—	—	1	—	—	—	4	—	—	—	—
Cholera . . . . .	—	—	—	—	1	1	—	—	—	1	1	1	1
Influenza . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	1	10	2	11	—	5	21	4	7	1	5	5	—
Enteric Fever . . . . .	10	8	1	4	4	2	1	3	5	4	—	3	5
Relapsing Fever . . . . .	—	—	—	1	—	—	—	1	—	—	—	—	1
Simple Cont. Fever . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—
Infantile Remittent . . . . .	—	—	—	—	—	1	1	—	2	—	—	7	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	—	—	—	—	—	—	—	—	—	1	1	—	—
Erysipelas . . . . .	3	2	2	—	3	—	4	—	2	—	—	1	1
Pyæmia . . . . .	—	1	1	1	—	—	—	—	—	—	1	—	—
Syphilis . . . . .	—	2	1	—	—	1	—	1	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	—	1	—	—	—	—	—	—	—	—	1	—	1
Dropsy . . . . .	1	3	3	1	1	—	—	1	1	—	2	2	1
Abscess . . . . .	—	—	—	2	—	1	1	—	1	—	1	—	—
Ulcer . . . . .	—	—	—	1	—	—	—	—	—	—	1	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	1	—
Mortification . . . . .	1	—	—	—	—	1	1	—	1	—	—	—	—
Cancer . . . . .	4	6	1	4	3	2	—	4	1	2	1	1	3
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula . . . . .	3	1	—	—	—	—	3	6	9	2	2	2	3
Tabes Mesenterica . . . . .	1	—	2	1	1	—	—	10	5	1	4	9	3
Phthisis . . . . .	27	21	18	16	15	9	19	24	43	18	5	15	38
Hydrocephalus . . . . .	3	7	2	5	4	2	2	1	11	4	1	8	3



CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—MALES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis . . . . .	42	2	2	17	7	8	4	10	5	1
Apoplexy . . . . .	88	13	8	59	23	21	19	18	3	8
Paralysis . . . . .	119	11	12	69	24	19	23	7	15	9
Delirium Tremens . . . . .	9	1	—	8	2	3	1	2	4	1
Chorea . . . . .	1	—	—	—	1	—	—	—	—	—
Epilepsy . . . . .	12	—	2	14	6	5	2	1	2	—
Tetanus . . . . .	3	—	1	7	—	—	—	—	—	—
Insanity . . . . .	—	—	—	1	—	—	2	1	—	—
Convulsions . . . . .	139	5	8	45	41	28	2	12	11	4
Brain Disease . . . . .	123	8	15	45	13	23	9	14	3	4
V. Pericarditis . . . . .	5	—	—	5	1	2	1	1	—	—
Aneurism . . . . .	13	1	1	15	1	3	1	4	—	1
Heart Disease . . . . .	229	21	16	140	59	41	16	37	28	28
VI. Laryngitis . . . . .	14	—	1	7	1	5	3	—	1	2
Bronchitis . . . . .	948	48	44	216	146	79	52	79	49	32
Pleurisy . . . . .	14	1	2	13	3	6	—	—	2	1
Pneumonia . . . . .	332	25	16	71	54	34	18	33	25	11
Asthma . . . . .	32	3	2	8	15	3	—	3	4	2
Lung Disease . . . . .	42	—	1	20	8	9	—	4	2	1
VII. Teething . . . . .	135	10	7	12	41	18	13	20	9	5
Quinsey . . . . .	5	—	2	—	1	—	—	2	1	—
Gastritis . . . . .	18	1	1	2	—	1	1	—	—	—
Enteritis . . . . .	97	2	12	17	9	11	8	5	6	—
Peritonitis . . . . .	12	2	1	11	3	4	—	8	3	1
Ascites . . . . .	7	1	—	2	1	1	—	1	—	—
Ulceration of Intestines . . . . .	6	2	—	6	3	2	1	1	—	1
Hernia . . . . .	4	—	1	7	2	—	—	3	1	—
Ileus . . . . .	22	2	5	6	4	6	1	2	1	1
Intussusception . . . . .	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	2	—	—	—	—	1	1	1	—	1
Stomach Disease . . . . .	77	8	3	19	7	13	3	5	6	3
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	9	—	3	5	2	1	4	2	1	1
Jaundice . . . . .	9	—	3	5	6	5	1	1	1	—
Liver Disease . . . . .	71	5	6	29	9	8	6	9	6	6
Spleen Disease . . . . .	—	—	—	1	—	—	—	1	1	—
VIII. Nephritis . . . . .	19	1	—	2	3	—	1	—	1	1
Nephria . . . . .	22	2	—	36	4	7	1	1	7	5
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	6	1	—	2	—	2	—	—	—	1
Diabetes . . . . .	6	2	1	6	2	3	—	1	1	1
Stone . . . . .	1	—	1	4	2	2	—	1	—	1
Cystitis . . . . .	15	1	2	16	2	6	3	1	3	4
Stricture of Urethra . . . . .	6	—	1	4	—	—	2	—	—	—
Kidney Disease . . . . .	27	1	—	12	8	7	1	2	2	1
IX. Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	1	—	—	—	—	—	—	—	—	—
X. Arthritis . . . . .	14	2	2	8	3	2	1	1	—	—
Rheumatism . . . . .	10	1	3	5	5	2	3	2	1	—
Joint and Bone Disease . . . . .	17	—	1	10	3	5	1	4	1	1
XI. Carbuncle . . . . .	—	—	—	—	—	—	1	—	—	1
Phlegmon . . . . .	1	—	—	—	—	—	—	1	—	—
Skin Disease . . . . .	1	—	—	5	2	3	—	1	—	—
XVII. Intemperance . . . . .	16	1	1	3	3	—	—	2	1	1
Privation . . . . .	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	16	—	1	9	7	3	—	1	2	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	1	—	—	—
Poison . . . . .	8	—	1	4	—	—	1	—	1	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	16	—	3	5	7	—	3	2	3	3
Hanging, etc. . . . .	10	1	—	4	—	—	2	—	3	2
Suffocation . . . . .	13	1	1	8	2	5	—	—	1	—
Drowning . . . . .	62	11	3	5	14	6	4	7	7	3
Fracture and Contusion . . . . .	131	5	16	81	21	22	9	24	17	3
Gunshot Wounds . . . . .	1	—	—	2	—	—	—	—	—	1
Cuts and Stabs . . . . .	4	—	—	1	—	2	—	—	—	—
Other Violent Causes . . . . .	14	—	1	3	3	4	—	2	1	1
Not Specified . . . . .	89	9	14	14	23	13	21	64	3	3

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—MALES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis . . . . .	2	3	—	1	—	—	2	2	1	1	—	—	4
Apoplexy . . . . .	5	6	4	4	4	1	2	3	3	3	2	5	4
Paralysis . . . . .	6	8	3	6	6	2	3	8	5	4	5	3	11
Delirium Tremens . . . . .	1	—	—	1	1	—	2	2	—	—	—	—	1
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	2	—	—	—	—	—	—	1	—	—	1	—	2
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	1
Insanity . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	1	4	3	2	5	1	3	1	4	3	1	2	1
Brain Disease . . . . .	4	3	6	6	2	1	7	1	12	2	4	1	2
Pericarditis . . . . .	—	1	1	—	1	—	—	—	1	—	1	—	—
Aneurism . . . . .	—	3	1	—	—	—	—	—	1	—	—	—	1
Heart Disease . . . . .	16	10	4	13	5	8	17	17	10	13	6	5	15
Laryngitis . . . . .	1	—	—	—	—	—	2	1	3	1	1	—	1
Bronchitis . . . . .	11	12	12	20	9	13	13	15	30	18	23	31	43
Pleurisy . . . . .	4	1	—	2	1	1	1	—	2	1	4	1	2
Pneumonia . . . . .	4	2	4	2	4	3	4	7	7	2	5	9	8
Asthma . . . . .	4	3	1	—	3	—	—	7	1	—	2	2	1
Lung Disease . . . . .	1	1	—	—	—	—	4	—	4	—	3	—	—
Teething . . . . .	3	6	3	—	2	—	4	6	—	—	—	—	1
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	—	—	—	—	—	—	1	3	—	—	2	3	1
Enteritis . . . . .	9	1	—	2	2	1	4	2	4	1	5	4	1
Peritonitis . . . . .	1	—	2	—	—	2	1	1	1	2	—	2	—
Ascites . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	—	—	1	—	2	—	—	—	—	—	1	—	—
Hernia . . . . .	4	—	—	—	—	—	—	—	—	1	1	—	—
Ileus . . . . .	2	1	—	—	—	—	—	1	—	—	1	—	—
Intussusception . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	1
Stricture of Intestines . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	2	3	—	2	—	1	3	1	3	3	1	1	1
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	1	—	—	—	—	—	—	1	—	—	2	—	2
Jaundice . . . . .	1	—	—	1	—	—	1	—	3	—	—	1	—
Liver Disease . . . . .	1	3	3	6	—	1	2	3	2	2	3	2	1
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . . . .	—	—	—	—	—	—	—	2	—	—	—	2	1
Nephria . . . . .	1	—	—	2	—	2	—	—	2	—	1	—	2
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	1	—	1
Diabetes . . . . .	—	—	—	—	—	1	1	—	1	—	1	1	—
Stone . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	3	1	—	—	—	—	—	1	2	—	—	—	2
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	1	—	3	1	1	—	—	—	1	3	—	—	—
Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis . . . . .	—	—	—	2	—	—	—	1	—	—	—	1	1
Rheumatism . . . . .	—	—	—	—	1	—	—	—	1	—	—	—	1
Joint Disease . . . . .	—	—	—	1	—	—	1	2	—	—	1	1	1
Carbuncle . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	—	2	—	—	—	—	—	—	—	—
Intemperance . . . . .	—	1	—	—	1	—	—	—	—	—	1	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	1	—	—	—	—	1	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	—	—	—	—	—	—	—	—	—	—	1	1	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	1	—	1	—	2	—	2	—	4	—	3	2	1
Hanging, etc. . . . .	—	—	—	—	—	1	—	—	—	—	—	1	1
Suffocation . . . . .	—	1	—	1	—	1	—	—	1	1	1	1	1
Drowning . . . . .	6	1	—	2	—	—	—	1	1	—	—	3	—
Fracture and Contusion . . . . .	8	3	—	2	1	—	1	5	6	2	4	9	3
Gunshot Wounds . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	3	2	1	4	11	—	7	7	—	15	6	1	14



## CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES . . . . .	6793	450	457	2358	1497	1050	633	776	465	311
SPECIFIED CAUSES . . . . .	6722	446	453	2348	1477	1040	619	716	464	309
I. Zymotic Class . . . . .	1885	135	83	533	345	232	162	226	129	69
II. Diseases of Uncertain Seat	217	14	12	124	63	51	29	20	16	21
III. Tubercular Class . . . . .	1314	103	122	388	290	194	118	134	66	52
IV. Brain and Nervous System	415	21	36	235	112	93	42	57	42	28
V. Organs of Circulation . . . . .	195	21	13	151	67	56	20	33	20	20
VI. Respiratory Organs . . . . .	1275	63	69	320	247	144	86	94	66	31
VII. Organs of Digestion . . . . .	448	12	39	165	95	61	42	34	30	17
VIII. Urinary Organs . . . . .	64	2	4	29	12	15	6	9	10	4
IX. Organs of Generation . . . . .	102	4	8	56	20	12	14	6	11	2
X. Organs of Locomotion . . . . .	34	5	4	17	7	9	4	4	—	2
XI. Skin, etc. . . . .	6	—	1	5	1	1	1	—	—	—
XII. Malformation . . . . .	10	—	2	3	—	5	—	2	3	—
XIII. Premature Debility . . . . .	321	17	13	109	87	37	21	27	30	16
XIV. Atrophy . . . . .	53	11	5	19	11	15	8	16	9	6
XV. Age . . . . .	252	32	32	150	95	93	58	37	18	32
XVI. Sudden Deaths . . . . .	28	—	1	1	3	5	—	2	1	1
XVII. Violent Deaths . . . . .	98	6	9	43	22	17	8	15	13	8
I. Small Pox . . . . .	2	—	—	—	1	1	—	—	—	1
Measles . . . . .	184	5	6	14	83	60	2	12	1	6
Scarlatina . . . . .	478	34	12	150	17	25	57	35	61	7
Diphtheria . . . . .	56	5	4	34	11	3	8	5	4	1
Hooping Cough . . . . .	469	24	13	69	27	37	15	83	17	19
Croup . . . . .	70	5	10	34	13	5	6	16	9	3
Thrush . . . . .	—	—	—	—	1	2	—	—	—	—
Diarrhœa . . . . .	213	15	15	82	64	33	21	40	11	9
Dysentery . . . . .	15	1	—	18	9	10	4	—	1	1
Cholera . . . . .	12	—	2	13	10	3	—	4	3	—
Influenza . . . . .	6	1	—	2	2	1	1	1	—	—
Purpura . . . . .	2	—	—	—	—	—	2	—	—	—
Ague . . . . .	—	—	—	1	—	—	—	—	—	—
Worms . . . . .	1	1	—	—	—	—	—	—	—	—
Typhus . . . . .	172	26	8	52	61	13	15	16	4	9
Enteric Fever . . . . .	104	8	8	25	14	19	17	4	8	2
Relapsing Fever . . . . .	4	—	—	1	—	—	2	1	—	—
Simple Continued Fever . . . . .	10	1	—	—	3	1	1	—	6	4
Infantile Remittent . . . . .	21	1	2	1	4	1	2	1	1	—
Metria . . . . .	27	2	1	12	6	1	2	4	2	2
Rheumatic Fever . . . . .	5	—	—	6	5	2	2	—	—	1
Erysipelas . . . . .	17	2	—	7	5	5	1	1	1	3
Pyæmia . . . . .	1	—	—	—	—	1	—	—	—	—
Syphilis . . . . .	14	4	2	12	9	7	4	2	—	1
Noma . . . . .	2	—	—	—	—	2	—	1	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	2	—	2	3	1	1	2	—	1	—
Dropsy . . . . .	66	1	5	11	33	4	11	4	2	5
Abscess . . . . .	18	1	2	6	3	3	1	4	1	—
Ulcer . . . . .	2	1	—	—	1	2	—	1	—	—
Fistula . . . . .	—	—	—	1	—	—	—	—	—	—
Mortification . . . . .	5	2	—	10	—	2	—	2	—	3
Cancer . . . . .	124	9	3	93	25	38	15	9	12	12
Gout . . . . .	—	—	—	—	—	1	—	—	—	1
III. Scrofula . . . . .	58	1	6	26	11	14	6	7	2	5
Tabes Mesenterica . . . . .	85	13	8	26	13	7	6	5	6	4
Phthisis . . . . .	987	78	98	263	219	144	89	101	40	35
Hydrocephalus . . . . .	184	11	10	73	47	29	17	21	18	8

## CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES . . .	192	225	112	226	143	114	201	218	258	147	161	174	247
SPECIFIED CAUSES . . .	192	221	108	221	135	114	199	213	255	142	157	171	242
Zymotic Class . . .	36	47	23	56	42	37	45	20	60	29	48	47	35
Uncertain Seat . . .	5	8	8	9	4	4	12	5	6	3	5	6	8
Tubercular Class . . .	26	47	23	38	22	20	31	44	62	25	31	38	45
Brain, etc. . . . .	15	22	6	21	14	4	12	18	20	14	11	14	24
Heart, etc. . . . .	8	17	6	16	9	4	11	10	16	9	5	—	11
Respiratory Organs . . .	26	30	12	25	21	12	16	31	29	21	20	25	51
Digestive Organs . . .	21	11	7	16	6	6	20	28	13	5	9	23	17
Urinary Organs . . .	2	1	1	3	—	1	1	1	3	6	1	2	3
Generative Organs . . .	1	3	3	5	3	4	3	4	3	—	—	2	3
Locomotive Organs . . .	3	1	—	1	1	—	—	1	4	2	—	1	2
Skin . . . . .	—	—	—	—	—	1	—	—	1	—	—	—	—
Malformation . . . . .	—	1	—	—	1	—	1	1	1	1	—	—	—
Premature Debility . . .	5	11	9	3	5	3	13	11	12	9	7	5	9
Atrophy . . . . .	2	1	—	2	—	1	4	7	1	1	2	3	2
Age . . . . .	39	18	8	25	7	13	24	29	21	16	15	4	27
Sudden Deaths . . . . .	—	—	—	1	—	—	1	—	—	—	1	—	—
Violent Deaths . . . . .	3	3	2	—	—	4	5	3	3	1	2	1	5
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	—	5	2	14	—	3	1	—	1	5	1	7	—
Scarlatina . . . . .	—	1	—	20	1	3	1	—	1	2	5	4	2
Diphtheria . . . . .	—	1	5	1	4	2	—	—	8	—	—	1	—
Hooping Cough . . . . .	13	8	—	4	11	9	10	2	8	4	22	5	9
Croup . . . . .	2	2	7	—	6	2	3	1	2	2	2	1	5
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa . . . . .	4	4	4	7	7	4	12	9	14	10	5	6	4
Dysentery . . . . .	—	—	1	2	—	2	—	—	1	—	—	2	1
Cholera . . . . .	—	—	—	—	—	—	—	1	—	—	—	2	—
Influenza . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—
Purpura . . . . .	—	1	—	—	—	—	—	—	—	1	—	1	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Typhus . . . . .	1	9	2	3	4	2	12	3	4	2	5	8	—
Enteric Fever . . . . .	12	12	1	2	6	5	1	4	15	—	6	4	4
Relapsing Fever . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	2
Simple Cont. Fever . . . . .	1	1	—	—	1	—	—	—	—	—	—	—	—
Infantile Remittent . . . . .	—	—	—	—	—	1	—	—	—	—	1	5	3
Metria . . . . .	2	—	—	1	—	1	1	—	3	1	1	—	1
Rheumatic Fever . . . . .	—	—	—	1	—	1	—	—	1	—	—	—	2
Erysipelas . . . . .	—	2	—	—	1	1	1	—	2	—	—	—	2
Pyæmia . . . . .	—	—	1	1	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	—	1	—	—	1	1	1	—	—	2	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	2	1	3	1	1	—	4	2	—	1	2	5	2
Abscess . . . . .	—	—	1	1	—	—	—	—	—	2	—	—	—
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—
Cancer . . . . .	3	7	4	7	3	4	7	3	6	—	3	1	6
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula . . . . .	—	1	—	3	—	2	4	2	1	1	1	2	3
Tabes Mesenterica . . . . .	1	1	4	—	1	—	2	4	2	4	3	9	1
Phthisis . . . . .	20	37	15	26	18	16	24	37	51	12	23	24	39
Hydrocephalus . . . . .	5	8	4	9	3	2	1	1	8	8	4	3	2



CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—FEMALES. (Contd.)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis . . . . .	27	3	1	15	4	3	2	4	2	—
Apoplexy . . . . .	83	5	7	72	30	21	9	11	7	13
Paralysis . . . . .	93	6	9	58	32	28	18	14	14	7
Delirium Tremens . . . . .	4	—	—	—	1	—	1	—	—	—
Chorea . . . . .	2	—	—	—	1	—	—	—	—	—
Epilepsy . . . . .	10	1	1	5	5	2	1	1	1	1
Tetanus . . . . .	4	—	—	—	—	—	—	1	—	—
Insanity . . . . .	2	—	—	—	—	3	5	2	—	2
Convulsions . . . . .	106	3	6	34	27	27	2	10	8	2
Brain Disease . . . . .	84	3	12	44	12	9	4	14	10	3
V. Pericarditis . . . . .	2	—	—	1	3	1	—	—	1	—
Aneurism . . . . .	3	1	1	—	—	—	1	—	—	1
Heart Disease . . . . .	190	20	12	150	64	55	19	33	19	19
VI. Laryngitis . . . . .	12	—	1	4	1	3	—	1	—	1
Bronchitis . . . . .	973	40	48	229	183	99	68	65	48	23
Pleurisy . . . . .	4	—	—	4	3	4	3	1	—	—
Pneumonia . . . . .	229	19	15	58	48	28	11	17	14	5
Asthma . . . . .	30	3	2	9	9	7	4	5	1	1
Lung Disease . . . . .	27	1	3	16	3	3	—	5	3	1
VII. Teething . . . . .	102	5	11	15	49	14	10	14	7	4
Quinsey . . . . .	7	—	1	3	1	—	—	1	—	—
Gastritis . . . . .	16	—	4	4	4	2	—	—	1	—
Enteritis . . . . .	80	—	6	16	5	5	8	7	4	1
Peritonitis . . . . .	18	3	2	25	3	3	2	2	7	—
Ascites . . . . .	9	1	—	2	1	—	2	1	—	—
Ulceration of Intestines . . . . .	9	—	2	13	4	—	1	—	1	—
Hernia . . . . .	10	—	1	3	1	3	1	—	—	—
Ileus . . . . .	20	1	2	7	4	12	—	1	1	—
Intussusception . . . . .	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	2	—	—	3	1	—	1	—	—	1
Stomach Disease . . . . .	78	1	3	40	9	6	3	2	2	5
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	14	—	2	3	3	—	3	1	—	—
Jaundice . . . . .	8	—	2	5	5	6	—	—	2	—
Liver Disease . . . . .	73	1	3	25	5	10	11	4	5	6
Spleen Disease . . . . .	1	—	—	1	—	—	—	1	—	—
VIII. Nephritis . . . . .	8	—	1	1	—	1	1	1	—	—
Nephria . . . . .	18	2	1	24	8	4	2	3	7	4
Addison's Disease . . . . .	1	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	2	—	—	1	—	1	1	—	—	—
Diabetes . . . . .	6	—	—	1	—	—	—	1	—	—
Stone . . . . .	—	—	—	—	2	—	—	—	—	—
Cystitis . . . . .	3	—	1	—	1	—	1	—	1	—
Stricture of Urethra . . . . .	1	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	25	—	1	2	1	9	1	4	2	—
IX. Paramenia . . . . .	7	—	—	1	—	—	2	—	1	—
Ovarian Dropsy . . . . .	9	1	—	8	1	4	2	—	1	1
Childbirth . . . . .	73	3	8	36	17	6	10	5	9	—
Organs of Generation . . . . .	13	—	—	11	2	2	—	1	—	1
X. Arthritis . . . . .	7	1	2	5	1	1	1	1	—	—
Rheumatism . . . . .	15	2	1	4	3	5	2	1	—	—
Joint and Bone Disease . . . . .	12	2	1	8	3	3	1	2	—	2
XI. Carbuncle . . . . .	—	—	—	1	—	—	—	—	—	—
Phlegmon . . . . .	2	—	—	2	—	—	—	—	—	—
Skin Disease . . . . .	4	—	1	2	1	1	1	—	—	—
XVII. Intemperance . . . . .	7	—	—	6	4	—	1	2	—	1
Privation . . . . .	1	—	—	1	1	—	—	—	—	—
Want of Breast Milk . . . . .	15	—	1	—	2	5	—	—	4	—
Neglect . . . . .	—	1	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	7	—	1	2	2	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	9	2	1	8	2	4	1	1	3	1
Hanging, etc. . . . .	2	—	—	1	1	—	—	—	—	—
Suffocation . . . . .	15	—	1	6	3	3	1	6	3	—
Drowning . . . . .	11	1	—	2	—	1	2	2	—	2
Fracture and Contusion . . . . .	29	2	5	12	7	3	3	3	3	3
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	1
Other Violent Causes . . . . .	2	—	—	5	—	1	—	1	—	—
Not Specified . . . . .	71	4	4	10	20	10	14	60	1	2

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1868.—FEMALES. (Contd.)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis . . . .	1	2	—	—	3	1	—	1	—	—	1	1	—
Apoplexy . . . .	3	5	2	6	6	—	1	3	1	3	2	4	7
Paralysis . . . .	3	8	1	6	3	2	7	7	7	8	2	2	11
Delirium Tremens . .	—	—	1	—	—	—	—	1	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	—	—	—	1	1	—	—	—	1	—	2	1	—
Tetanus . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—
Insanity . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	4
Convulsions . . . .	4	4	—	2	1	—	2	4	3	3	1	3	1
Brain Disease . . .	2	3	2	6	—	1	2	2	7	—	3	3	1
Pericarditis . . . .	—	—	—	—	—	—	—	—	—	—	—	—	1
Aneurism . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . .	8	16	6	16	9	4	11	10	16	9	5	—	10
Laryngitis . . . . .	—	—	—	—	—	1	1	—	1	—	2	—	1
Bronchitis . . . . .	13	25	9	21	12	6	9	16	24	16	13	19	38
Pleurisy . . . . .	1	—	—	—	—	1	—	—	—	2	—	1	1
Pneumonia . . . . .	4	3	2	3	6	2	2	8	2	2	2	4	10
Asthma . . . . .	7	1	1	1	2	2	—	7	1	1	1	—	1
Lung Disease . . . .	1	1	—	—	1	—	4	—	1	—	2	1	—
Teething . . . . .	3	3	—	2	2	3	3	7	—	—	1	—	—
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	—	—	—	—	—	—	2	—	—	—	2	1	2
Enteritis . . . . .	3	2	—	1	2	—	2	3	3	—	1	5	1
Peritonitis . . . . .	3	2	—	2	1	—	1	3	2	3	—	2	—
Ascites . . . . .	—	—	—	—	—	—	—	—	—	—	—	2	—
Ulceration of Intestines	—	—	—	3	—	—	—	2	—	—	—	1	—
Hernia . . . . .	—	1	1	1	—	1	—	1	1	—	—	—	—
Ileus . . . . .	1	1	—	2	—	—	2	—	—	—	1	1	1
Intussusception . . .	—	—	—	—	—	—	—	—	1	—	—	—	—
Stricture of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	1
Stomach Disease . . .	5	—	2	1	1	1	4	5	4	—	2	1	7
Pancreas Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	—	—	—	—	—	—	—	2	—	—	—	5	—
Jaundice . . . . .	—	—	—	1	—	—	—	1	—	—	—	1	—
Liver Disease . . . .	6	2	4	3	—	1	6	4	2	2	2	4	5
Spleen Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . . . .	—	—	—	—	—	—	—	—	—	1	—	—	1
Nephria . . . . .	—	1	1	2	—	—	—	1	2	3	—	1	2
Addison's Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	1	—	—	—	—	—	1	—	1	—	—	1	—
Stone . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	1	—	—	—	—	1	—	—	—	—	1	—	—
Stricture of Urethra .	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	—	—	—	1	—	—	—	—	—	2	—	—	—
Paramenia . . . . .	—	—	—	—	—	—	—	2	1	—	—	—	2
Ovarian Dropsy . . .	1	1	—	—	2	—	—	1	—	—	—	—	—
Childbirth . . . . .	—	2	3	3	1	2	3	1	2	—	—	—	1
Organs of Generation .	—	—	—	2	—	2	—	—	—	—	—	2	—
Arthritis . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	1
Rheumatism . . . . .	2	—	—	—	—	—	—	—	1	1	—	1	—
Joint Disease . . . .	—	1	—	—	1	—	—	1	3	1	—	—	1
Carbuncle . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—
Intemperance . . . .	—	—	1	—	—	2	—	1	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk .	—	—	—	—	—	—	—	—	1	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—
Poison . . . . .	—	—	—	—	—	—	—	—	—	1	—	—	1
Poisoned Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . .	1	1	—	—	—	—	1	1	1	—	—	1	—
Hanging, etc. . . . .	—	—	1	—	—	1	—	—	—	—	1	—	—
Suffocation . . . . .	—	1	—	—	—	—	—	—	1	—	—	—	—
Drowning . . . . .	—	—	—	—	—	—	2	—	—	—	—	—	—
Fracture and Contusion	2	1	—	—	—	1	1	1	—	—	1	—	2
Gunshot Wounds . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes .	—	—	—	—	—	—	—	—	—	—	—	—	2
Not Specified . . . .	—	4	4	5	8	—	2	5	3	5	4	3	5



CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES.

DISEASES.	SMALL TOWNS.	Lerwick.	Kirkwall & St. Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnotar.	Fetteresso.	Cookney.	Brechin.
ALL CAUSES . . . . .	11392	75	86	97	224	79	169	99	211	41	23	104	64	202	29	70	22	204
SPECIFIED CAUSES . . . . .	10796	62	81	92	163	77	158	96	204	40	22	102	63	146	28	70	21	193
I. Zymotic Class . . . . .	2631	6	12	27	30	13	17	10	50	12	3	28	7	23	6	4	4	41
II. Diseases of Uncert. Seat	393	5	2	2	7	3	7	3	10	1	—	4	3	7	—	3	—	11
III. Tubercular Class . . . . .	1867	6	13	13	19	10	33	20	29	3	4	12	10	20	5	15	3	21
IV. Brain and Nervous Syst.	873	5	4	7	6	14	23	14	27	8	2	7	2	13	2	6	—	14
V. Organs of Circulation . . . . .	541	3	4	2	11	5	14	5	10	—	2	12	4	4	1	2	1	11
VI. Respiratory Organs . . . . .	1310	4	14	7	22	6	16	10	28	3	3	10	7	21	2	3	3	34
VII. Organs of Digestion . . . . .	818	3	7	3	6	9	19	8	13	6	3	13	5	9	3	2	1	16
VIII. Urinary Organs . . . . .	152	3	—	4	3	2	6	2	2	1	—	2	3	2	—	1	—	2
IX. Organs of Generation . . . . .	70	—	—	2	—	1	2	—	3	—	—	1	2	—	1	1	—	1
X. Organs of Locomotion . . . . .	72	3	—	—	2	—	3	1	2	—	—	3	—	1	—	—	2	1
XI. Skin, etc. . . . .	12	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—
XII. Malformation . . . . .	28	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	1	—
XIII. Premature Debility . . . . .	577	—	1	3	9	1	8	3	4	—	1	2	5	12	1	8	1	11
XIV. Atrophy . . . . .	126	—	—	—	4	1	—	1	—	1	—	—	5	—	—	1	—	—
XV. Age . . . . .	942	21	22	20	41	9	8	17	26	5	3	4	10	26	7	18	3	27
XVI. Sudden Deaths . . . . .	26	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3
XVII. Violent Deaths . . . . .	358	3	1	2	3	1	1	2	—	—	1	3	—	7	—	5	2	—
I. Small Pox . . . . .	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	133	1	4	3	3	—	—	1	1	2	—	5	1	—	2	3	—	12
Scarlatina . . . . .	743	—	—	—	3	—	—	—	3	1	—	—	—	1	—	—	—	1
Diphtheria . . . . .	165	—	1	1	1	—	—	—	3	8	1	5	2	2	—	—	—	1
Hooping Cough . . . . .	310	—	—	—	—	—	4	1	18	—	1	1	—	3	1	—	—	8
Croup . . . . .	159	—	1	4	1	—	4	1	10	—	1	5	2	3	—	—	—	1
Thrush . . . . .	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	326	1	4	1	2	10	4	5	3	—	—	7	1	2	—	—	1	9
Dysentery . . . . .	38	1	—	2	—	—	1	—	—	—	—	—	—	2	—	—	—	4
Cholera . . . . .	48	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	1
Influenza . . . . .	24	—	—	5	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Purpura . . . . .	5	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	239	1	1	5	15	—	1	—	4	—	—	2	—	3	—	—	—	2
Enteric Fever . . . . .	251	—	1	3	4	1	2	1	5	—	—	1	—	4	1	—	1	1
Relapsing Fever . . . . .	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	23	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent . . . . .	18	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—
Metria . . . . .	24	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
Rheumatic Fever . . . . .	20	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—
Erysipelas . . . . .	42	—	—	—	—	—	—	—	1	1	—	1	1	1	—	—	—	—
Pyæmia . . . . .	8	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	35	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	11	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Dropsy . . . . .	122	—	1	—	3	—	2	—	—	—	—	—	1	1	—	—	—	1
Abscess . . . . .	14	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Ulcer . . . . .	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Cancer . . . . .	222	2	1	2	4	3	5	3	9	1	—	3	1	5	—	3	—	8
Gout . . . . .	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	118	1	—	1	1	—	2	2	4	—	2	—	—	6	—	2	—	1
Tabes Mesenterica . . . . .	172	—	1	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1
Phthisis . . . . .	1296	2	12	12	15	8	27	16	21	2	2	9	9	8	4	12	3	15
Hydrocephalus . . . . .	281	3	—	—	3	1	4	2	4	1	—	1	1	6	1	1	—	4

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES.

DISEASES.	Kirriemuir.	Monifeth.	Blaigowrie.	Crieff.	Burntisland.	Cupar.	Dysart.	St. Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	" (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothsay.
ALL CAUSES . . .	126	120	94	69	79	147	206	121	277	101	66	163	260	160	130	206	318	211	122	176	211
SPECIFIED CAUSES . . .	121	119	88	68	75	130	173	120	273	93	60	152	237	147	112	194	292	194	120	170	200
Zymotic Class . . .	18	29	18	4	16	12	63	9	107	12	11	49	68	46	24	39	103	64	24	39	24
Uncertain Seat . . .	10	4	4	2	2	2	19	8	13	1	1	5	5	4	5	7	18	2	4	4	7
Tubercular Class . . .	13	16	21	12	12	19	8	11	33	26	16	17	24	13	15	40	67	39	25	31	57
Brain, etc. . . . .	14	12	12	6	2	7	5	14	15	8	7	10	21	10	7	15	12	11	6	8	20
Heart, etc. . . . .	9	5	3	3	5	9	3	10	13	6	6	6	6	3	4	16	9	6	6	18	13
Respiratory Organs . . .	8	16	7	8	4	13	18	24	24	10	3	17	41	25	18	22	37	16	9	22	26
Digestive Organs . . .	10	7	7	5	5	11	10	6	7	4	4	20	14	20	7	16	14	12	11	12	21
Urinary Organs . . .	4	—	1	3	2	3	—	2	2	2	—	—	—	1	—	1	2	1	1	6	4
Generative Organs . . .	—	—	1	1	—	—	—	2	3	2	—	1	1	—	1	—	5	—	—	—	3
Locomotive Organs . . .	—	—	—	1	—	—	3	1	—	2	1	3	2	—	1	—	1	—	—	1	2
Skin . . . . .	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	—	1	1	—	—	—
Malformation . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	1
Premature Debility . . .	9	12	7	8	5	13	4	7	16	9	5	7	13	7	11	8	4	14	14	2	3
Atrophy . . . . .	—	—	—	1	1	6	1	1	9	2	—	1	2	—	4	3	1	4	4	—	1
Age . . . . .	20	14	6	10	7	33	30	12	22	9	4	10	29	6	9	16	10	14	14	20	15
Sudden Deaths . . . . .	—	—	—	—	3	1	3	3	—	—	—	2	2	—	—	—	—	3	—	—	—
Violent Deaths . . . . .	5	3	1	4	11	1	6	9	8	—	2	4	9	12	5	8	7	7	2	7	3
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	—	4	1	—	—	—	6	—	1	—	—	5	6	2	—	—	7	—	—	—	—
Scarlatina . . . . .	—	4	—	—	4	—	14	1	65	—	—	25	2	—	2	4	18	41	2	3	4
Diphtheria . . . . .	1	2	2	—	1	—	14	1	1	—	1	2	—	5	2	13	9	1	3	1	2
Hooping Cough . . . . .	4	—	—	—	3	2	13	—	13	6	2	4	20	10	1	9	26	2	3	12	5
Croup . . . . .	1	4	3	—	—	2	1	—	3	—	1	—	4	2	1	—	2	3	3	3	3
Thrush . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Diarrhoea . . . . .	1	3	3	—	4	—	—	3	15	—	1	4	9	5	3	3	7	6	6	8	2
Dysentery . . . . .	1	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	2	—	2	—	—
Cholera . . . . .	—	1	—	—	—	—	—	—	1	—	—	—	4	2	1	—	—	—	—	—	—
Influenza . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	2	1	—	—	1	—	—	1	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	3	1	3	3	1	3	14	1	6	1	—	1	17	12	5	1	11	2	1	1	—
Enteric Fever . . . . .	3	7	3	—	—	2	1	2	1	3	3	5	2	6	2	5	14	6	—	8	4
Relapsing Fever . . . . .	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . . . . .	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—
Infantile Remittent . . . . .	—	—	—	—	—	—	—	—	—	—	1	—	2	—	1	—	1	—	—	1	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—
Rheumatic Fever . . . . .	—	1	1	—	—	1	—	—	—	—	—	—	—	—	3	—	—	1	—	—	—
Erysipelas . . . . .	1	—	1	—	1	—	—	—	—	1	—	—	—	—	1	2	1	—	1	—	1
Pyæmia . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
Syphilis . . . . .	—	—	1	1	—	—	—	—	1	—	—	—	—	1	—	1	4	2	—	1	2
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	2	—	—	—	—
Dropsy . . . . .	5	1	—	—	2	2	17	—	6	1	—	—	2	—	3	1	10	1	—	—	—
Abscess . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
Ulcer . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Mortification . . . . .	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1
Cancer . . . . .	5	2	4	2	—	—	2	6	6	—	1	5	2	4	1	5	6	1	3	3	6
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula . . . . .	2	—	1	—	2	—	—	—	1	2	1	1	2	1	1	1	2	—	2	2	—
Tabes Mesenterica . . . . .	—	1	2	—	—	—	1	1	3	—	—	1	2	1	—	—	4	5	—	1	7
Phthisis . . . . .	9	14	13	10	4	19	4	7	25	23	14	11	16	7	10	26	41	31	22	22	38
Hydrocephalus . . . . .	2	1	5	2	6	—	3	3	4	1	1	4	4	4	4	13	20	3	1	6	12



CAUSES OF DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barthead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
ALL CAUSES . . .	134	214	299	118	156	252	135	61	61	105	235	117	118	214	77	134	101	98	93	87	97
SPECIFIED CAUSES . . .	133	210	292	106	155	244	124	57	59	99	228	110	114	204	74	134	90	96	91	82	92
Zymotic Class . . .	49	53	58	44	54	50	35	7	13	24	62	21	20	39	28	35	14	16	23	15	21
Uncertain Seat . . .	6	4	5	2	1	7	4	1	1	3	6	7	10	7	2	6	10	5	1	4	4
Tubercular Class . . .	23	39	67	16	27	48	20	10	13	26	45	28	29	47	16	29	17	12	7	17	12
Brain, etc. . . . .	10	13	29	6	8	14	1	6	8	7	13	11	7	22	3	11	5	5	9	9	8
Heart, etc. . . . .	3	7	16	6	5	8	4	4	—	4	11	1	1	9	2	7	4	4	7	1	4
Respiratory Organs . . .	16	19	60	15	25	39	17	6	2	7	34	4	11	32	8	16	13	21	13	9	17
Digestive Organs . . .	7	29	15	3	10	37	10	4	5	8	15	6	16	12	5	9	6	4	9	10	7
Urinary Organs . . .	—	2	5	1	3	2	2	2	1	3	4	2	3	1	—	2	2	2	3	1	—
Generative Organs . . .	—	1	4	—	2	3	2	1	—	—	—	—	—	2	—	—	—	—	—	1	—
Locomotive Organs . . .	1	4	—	—	1	2	2	1	1	2	1	—	—	3	—	—	2	1	1	1	—
Skin . . . . .	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation . . . . .	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	2	—	1	1	1	—
Premature Debility . . .	4	17	12	3	5	12	8	6	7	—	12	12	2	2	3	5	3	11	5	1	6
Atrophy . . . . .	1	5	3	2	—	1	3	—	—	1	—	2	1	5	—	1	1	—	1	—	1
Age . . . . .	6	16	5	7	5	8	16	6	4	10	11	5	12	18	5	3	10	6	7	8	8
Sudden Deaths . . . . .	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths . . . . .	7	1	12	1	7	10	—	1	4	4	14	11	2	5	2	8	3	8	4	4	4
Small Pox . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
Measles . . . . .	—	1	2	3	—	10	—	1	—	1	2	1	—	—	—	—	—	1	4	—	—
Scarlatina . . . . .	40	28	5	35	43	5	16	—	1	3	28	—	—	16	5	1	1	—	—	2	3
Diphtheria . . . . .	1	1	1	2	2	1	—	—	2	—	7	—	2	2	—	—	5	3	1	—	1
Hooping Cough . . . . .	2	5	9	2	—	7	—	—	3	1	2	7	—	5	2	6	—	1	4	—	—
Croup . . . . .	3	7	1	—	2	6	2	—	2	3	4	2	1	4	2	6	3	2	1	2	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	2	4	13	—	2	4	4	2	1	7	6	3	2	5	11	5	2	1	5	3	4
Dysentery . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	1	—	3	—	2	—	1	—	—
Cholera . . . . .	—	1	6	1	1	2	1	1	1	—	4	—	—	—	—	1	—	—	—	—	—
Influenza . . . . .	—	—	—	—	—	—	—	—	—	1	—	1	1	2	—	1	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Typhus . . . . .	1	3	8	—	—	7	4	1	—	4	3	1	4	1	1	2	1	5	1	1	5
Enteric Fever . . . . .	—	1	9	—	3	2	3	1	2	—	2	3	8	1	3	6	—	2	2	7	4
Relapsing Fever . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	3
Simple Cont. Fever . . . . .	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	—	—	—	—	—
Infantile Remittent . . . . .	—	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Metria . . . . .	—	—	2	1	—	1	—	—	1	—	2	—	—	—	—	—	—	1	1	—	1
Rheumatic Fever . . . . .	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—	1	—	—	—	—	—
Erysipelas . . . . .	—	—	1	—	—	1	2	—	—	—	—	—	—	2	1	2	—	—	1	—	—
Pyæmia . . . . .	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	1	1	3	2	—	3	—	—	—	2	3	4	6	3	1	—	1	3	1	—	2
Abscess . . . . .	1	1	—	—	—	—	—	—	—	—	2	1	—	2	—	—	—	—	—	1	—
Ulcer . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	1	—	—	—	—
Cancer . . . . .	3	2	2	—	1	4	2	1	1	1	1	2	3	2	—	4	8	2	—	3	2
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula . . . . .	1	3	1	—	—	4	—	1	3	5	3	2	—	3	—	4	1	—	1	—	—
Tabes Mesenterica . . . . .	5	2	6	1	3	3	2	—	1	3	6	5	—	2	2	8	5	3	—	4	—
Phthisis . . . . .	11	32	47	13	20	32	17	8	6	15	27	18	27	38	10	16	10	5	6	10	12
Hydrocephalus . . . . .	6	2	13	2	4	9	1	1	3	3	9	3	2	4	4	1	1	4	—	3	—

CAUSES OF DEATH in the SMALL TOWN DISTRICTS OF SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	Cambusnethan.	Carlisle.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armadale.	Borrowstounness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
ALL CAUSES . . .	328	119	163	285	54	147	69	122	115	210	97	223	102	107	127	101	185	152	133	107	114	264
SPECIFIED CAUSES . . .	317	115	163	282	54	147	64	122	108	196	97	223	93	106	127	101	183	151	133	106	100	258
Zymotic Class . . .	83	13	11	108	11	44	13	45	24	45	29	54	12	20	37	9	28	83	34	35	21	119
Uncertain Seat . . .	11	4	3	10	1	4	3	1	4	9	4	9	1	6	3	3	2	5	8	5	2	4
Tubercular Class . . .	64	20	40	42	6	16	14	19	18	35	9	39	10	17	32	26	42	11	26	23	22	37
Brain, etc. . . . .	22	8	22	12	5	15	1	7	12	22	11	23	17	10	9	13	25	4	22	8	6	18
Heart, etc. . . . .	4	4	10	7	—	10	—	2	5	20	10	25	6	9	7	8	17	7	10	6	6	10
Respiratory Organs . . .	40	20	20	22	7	25	16	13	16	20	9	23	11	20	11	10	21	8	9	8	10	26
Digestive Organs . . .	33	15	14	15	11	14	5	7	8	10	11	7	8	7	10	14	13	5	8	5	11	11
Urinary Organs . . .	5	2	1	3	—	1	—	1	2	1	3	2	5	2	—	2	4	—	2	1	3	3
Generative Organs . . .	2	—	1	3	1	—	—	—	—	2	1	—	—	2	3	—	1	—	—	2	—	2
Locomotive Organs . . .	2	2	2	1	—	—	1	—	—	1	—	2	—	1	—	—	—	—	—	—	—	1
Skin . . . . .	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
Malformation . . . . .	1	—	—	1	—	—	—	2	—	—	—	1	—	—	—	2	1	—	1	—	—	—
Premature Debility . . .	19	8	15	23	5	10	5	17	6	10	1	9	6	3	8	9	16	9	4	3	5	2
Atrophy . . . . .	1	—	4	16	—	—	—	1	1	3	1	4	1	—	1	—	2	3	—	2	—	4
Age . . . . .	9	15	19	11	6	4	—	2	8	15	5	18	15	6	2	2	8	15	4	2	6	17
Sudden Deaths . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths . . . . .	21	4	1	8	1	2	6	5	4	3	2	7	1	3	4	3	3	1	4	6	8	4
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Measles . . . . .	3	—	—	4	—	—	—	—	—	3	—	—	—	—	—	—	15	—	1	—	—	11
Scarlatina . . . . .	4	3	—	50	—	4	2	—	1	7	10	2	—	1	20	6	3	75	15	21	2	87
Diphtheria . . . . .	1	—	—	4	—	3	3	24	2	—	—	8	—	2	—	—	—	—	—	—	1	—
Hooping Cough . . . . .	15	—	—	4	3	3	—	4	6	15	2	9	2	3	3	—	2	1	1	6	3	—
Croup . . . . .	5	4	1	1	—	1	1	6	2	—	—	6	—	2	3	2	—	—	—	—	2	1
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa . . . . .	15	1	1	15	—	5	3	6	6	7	8	14	2	2	3	2	1	1	1	4	5	5
Dysentery . . . . .	1	—	1	1	1	1	—	—	1	—	3	1	1	1	—	—	—	—	—	—	—	—
Cholera . . . . .	2	—	1	1	—	—	—	—	—	5	2	2	—	—	—	—	—	—	3	—	—	—
Influenza . . . . .	—	—	1	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	17	4	3	12	—	6	2	—	2	1	—	1	2	2	—	—	3	1	6	—	1	2
Enteric Fever . . . . .	11	—	2	9	4	14	1	3	2	5	1	7	2	5	7	—	—	3	2	2	1	9
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . . . .	3	—	—	—	—	5	—	—	1	—	—	—	—	—	—	—	—	—	4	1	—	—
Infantile Remittent . . . .	—	—	—	—	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Metria . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	1	—	1	1	—	1	—	—	1	1
Rheumatic Fever . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Erysipelas . . . . .	1	1	1	2	—	—	—	1	—	1	1	2	—	1	—	—	1	1	1	1	2	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Syphilis . . . . .	2	—	—	3	—	1	1	1	1	—	1	1	—	—	—	—	1	—	—	—	—	3
Noma . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	6	3	—	5	1	1	—	—	—	2	1	2	—	2	—	—	1	2	—	—	—	—
Abscess . . . . .	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	—	—	—	—	—	—	—	—	1	—	2	—	—	1	1	—	—	—	—	—	—	—
Cancer . . . . .	5	—	2	4	—	3	2	1	3	5	1	7	1	3	2	3	1	2	8	5	2	4
Gout . . . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula . . . . .	5	1	6	1	—	1	1	4	6	5	—	2	1	—	2	—	2	—	1	—	3	2
Tabes Mesenterica . . . . .	5	2	5	2	—	3	2	2	—	10	—	14	—	2	1	4	9	1	1	3	5	6
Phthisis . . . . .	49	15	25	34	6	8	4	9	10	13	8	16	7	12	22	19	25	10	21	19	14	27
Hydrocephalus . . . . .	5	2	4	5	—	4	7	4	2	7	1	7	2	3	7	3	6	—	3	1	—	2



CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	SMALL TOWNS.	Lerwick.	Kirkwall & St. Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnotar.	Fetteresso.	Cookney.	Brechin.
IV. Cephalitis . . . .	62	—	1	1	—	—	2	—	—	—	—	3	—	1	—	—	—	2
Apoplexy . . . .	198	2	3	—	3	6	1	6	7	2	2	—	1	5	—	2	—	4
Paralysis . . . .	284	—	—	2	3	3	5	5	8	1	—	—	—	3	1	4	—	6
Delirium Tremens . . .	11	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Chorea . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . .	33	—	—	—	—	1	2	—	2	1	—	—	—	—	—	—	—	1
Tetanus . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Insanity . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . .	107	2	—	—	—	1	8	1	5	1	—	2	1	2	—	—	—	—
Brain Disease . . . .	170	1	—	4	—	3	5	1	5	3	—	2	—	1	1	—	—	1
V. Pericarditis . . . .	11	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
Aneurism . . . .	18	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	1
Heart Disease . . . .	512	3	4	1	9	5	14	5	9	—	2	11	4	4	1	1	1	10
VI. Laryngitis . . . .	21	—	—	—	—	1	—	—	1	—	—	—	—	3	—	1	—	1
Bronchitis . . . .	807	4	9	5	19	4	9	6	10	1	1	5	5	8	1	—	2	19
Pleurisy . . . .	21	—	—	—	1	—	—	1	1	1	—	—	—	1	—	—	1	2
Pneumonia . . . .	332	—	5	2	1	—	4	3	15	1	1	3	2	8	1	2	—	2
Asthma . . . .	58	—	—	—	—	—	1	—	—	—	1	1	—	1	—	—	—	—
Lung Disease . . . .	71	—	—	—	1	1	2	—	1	—	—	1	—	—	—	—	—	10
VII. Teething . . . .	170	2	2	—	—	4	1	1	4	4	—	2	1	—	1	1	—	1
Quinsey . . . .	10	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Gastritis . . . .	27	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	2
Enteritis . . . .	139	—	—	—	1	1	6	—	—	—	1	2	—	2	—	1	1	1
Peritonitis . . . .	46	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
Ascites . . . .	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	30	—	—	—	—	1	—	3	—	—	—	—	—	2	—	—	—	—
Hernia . . . .	16	—	—	—	—	1	1	—	1	—	—	—	—	—	1	—	—	—
Ileus . . . .	58	—	1	—	2	—	4	1	3	—	—	2	2	—	—	—	—	—
Intussusception . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Stomach Disease . . . .	131	—	—	2	1	—	4	2	1	—	1	1	2	1	—	—	—	12
Pancreas Disease . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . .	30	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
Jaundice . . . .	29	—	—	—	—	1	—	—	—	—	—	1	—	1	1	—	—	—
Liver Disease . . . .	116	1	2	1	—	—	2	1	2	2	—	2	—	3	—	—	—	—
Spleen Disease . . . .	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . .	9	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Nephria . . . .	37	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—
Addison's Disease . . .	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . .	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . .	14	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Stone . . . .	6	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—
Cystitis . . . .	31	—	—	2	2	1	2	—	—	1	—	1	3	—	—	—	—	1
Stricture of Urethra . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . .	47	3	—	2	—	—	1	2	—	—	—	—	—	1	—	—	—	1
IX. Paramenia . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . .	8	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1
Childbirth . . . .	51	—	—	2	—	—	2	—	1	—	—	—	1	—	1	1	—	—
Organs of Generation . .	8	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—
X. Arthritis . . . .	17	—	—	—	—	—	—	—	1	—	—	2	—	1	—	—	—	—
Rheumatism . . . .	27	2	—	—	2	—	1	1	—	—	—	—	—	—	—	—	2	—
Joint and Bone Disease	28	1	—	—	—	—	2	—	1	—	—	1	—	—	—	—	—	1
XI. Carbuncle . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Phlegmon . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . .	8	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance . . .	12	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . .	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . .	10	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . .	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . .	30	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc. . . .	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . .	19	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning . . . .	90	—	—	1	1	—	—	1	—	—	—	2	—	5	—	2	2	—
Fracture and Contusion	145	1	—	—	—	1	1	1	—	—	1	—	—	2	—	2	—	—
Gunshot Wounds . . . .	6	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cuts and Stabs . . . .	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Other Violent Causes . .	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified . . . .	596	13	5	5	61	2	11	3	7	1	1	2	1	56	1	—	1	11

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	Kirriemuir.	Monifeth.	Blaigowrie.	Grieff.	Burntisland.	Cupar.	Dysart.	St. Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	„ (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothesay.
Cephalitis . . . . .	1	—	1	—	—	—	—	2	—	2	1	—	2	1	1	—	3	1	—	1	1
Apoplexy . . . . .	1	3	4	1	—	2	—	3	1	2	2	1	4	3	3	2	1	3	—	3	5
Paralysis . . . . .	10	5	7	2	2	3	4	6	8	3	2	4	9	3	—	5	—	7	5	—	10
Delirium Tremens . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	—	—	—	1	—	1	—	—	2	—	—	—	1	—	—	1	—	—	—	1	1
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
Insanity . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—
Convulsions . . . . .	—	2	—	—	—	1	—	—	1	1	1	—	1	1	1	2	5	—	—	1	—
Brain Disease . . . . .	2	1	—	2	—	—	1	3	3	—	1	5	4	2	1	2	2	—	1	—	3
Pericarditis . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—
Aneurism . . . . .	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
Heart Disease . . . . .	8	5	3	3	5	9	3	9	12	6	6	6	6	3	4	15	9	5	6	18	13
Laryngitis . . . . .	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—
Bronchitis . . . . .	4	11	5	5	2	7	12	17	21	3	1	4	25	16	10	14	23	13	7	19	15
Pleurisy . . . . .	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	2	—	—	—	—
Pneumonia . . . . .	3	4	2	1	1	4	3	7	2	6	2	5	7	5	1	3	9	3	—	1	—
Asthma . . . . .	1	—	—	2	1	—	1	—	1	—	—	1	2	1	5	2	2	—	2	—	—
Lung Disease . . . . .	—	—	—	—	—	1	1	—	—	—	—	7	7	3	1	3	—	—	—	—	—
Teething . . . . .	1	1	3	1	—	—	5	—	—	2	—	10	2	4	3	—	7	4	4	1	2
Quinsey . . . . .	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	1	—	—	—	—
Gastritis . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—	2	—	3	—	—	—	—	—
Enteritis . . . . .	1	—	1	—	—	1	1	—	1	—	—	1	3	7	1	1	2	1	—	1	2
Peritonitis . . . . .	—	—	—	—	—	—	—	1	1	1	1	—	—	—	1	1	—	—	—	—	4
Ascites . . . . .	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
Ulceration of Intestines . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	4	2	—	—	2	—
Hernia . . . . .	1	—	1	—	—	—	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—
Ileus . . . . .	1	1	—	1	—	2	—	—	—	—	1	—	—	1	—	1	1	1	—	1	4
Intussusception . . . . .	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	1	2	—	1	3	5	1	1	1	—	—	6	2	1	—	1	—	2	4	3	2
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	2	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—	2	—	—
Jaundice . . . . .	—	—	1	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—
Liver Disease . . . . .	2	3	—	—	1	1	2	2	2	1	1	2	5	3	—	2	1	2	1	4	7
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria . . . . .	1	—	—	2	—	2	—	—	1	2	—	—	—	—	—	—	1	—	—	4	3
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Stone . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cystitis . . . . .	1	—	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	1	—	1
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	—	—	—	1	1	1	—	—	1	—	—	—	—	1	—	—	1	1	—	1	—
Paramenia . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	1	1	—	—	—	1	3	2	—	1	—	—	—	—	5	—	—	—	2
Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
Arthritis . . . . .	—	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	1
Rheumatism . . . . .	—	—	—	1	—	—	2	—	—	—	—	1	2	—	1	—	—	—	—	—	—
Joint Disease . . . . .	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	1	—	—	1	—
Carbuncle . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	1	—	—	—
Intemperance . . . . .	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
Privation . . . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—
Poison . . . . .	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	—	—	—	—	—	—	—	—	—	—	—	1	3	—	2	2	1	1	—	1	1
Hanging, etc. . . . .	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	3	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	1	—	—	—
Drowning . . . . .	—	—	—	—	3	—	1	2	2	—	—	—	—	7	1	2	3	5	2	1	1
Fracture and Contusion . . . . .	2	2	1	2	3	1	3	3	5	—	—	3	4	1	2	3	2	—	—	2	—
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Other Violent Causes . . . . .	—	1	—	—	1	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—
Not Specified . . . . .	5	1	6	1	4	17	33	1	4	8	6	11	23	13	18	12	26	17	2	6	11



CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrhead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
Cephalitis . . . . .	—	6	2	—	—	1	—	—	—	—	—	2	—	2	—	—	1	—	2	—	2
Apoplexy . . . . .	4	3	10	4	4	4	—	3	1	2	3	2	2	3	1	3	2	—	3	6	3
Paralysis . . . . .	3	2	5	—	2	4	—	—	1	2	1	1	3	5	1	3	1	2	—	—	1
Delirium Tremens . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	—	—	2	—	—	—	—	1	—	—	2	—	—	1	—	—	—	—	—	—	—
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	1	—	6	1	—	2	1	—	2	1	5	3	1	2	—	3	—	—	2	1	1
Brain Disease . . . . .	2	2	4	1	2	3	—	2	4	2	2	3	1	8	1	2	—	3	1	2	—
Pericarditis . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	3	7	15	5	5	7	3	4	—	4	11	1	1	9	2	7	4	4	7	1	4
Laryngitis . . . . .	—	—	1	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Bronchitis . . . . .	6	12	46	6	12	13	10	4	2	4	20	3	7	21	7	16	12	16	7	7	3
Pleurisy . . . . .	—	—	—	—	2	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	1
Pneumonia . . . . .	10	6	8	5	5	21	4	1	—	—	11	1	1	7	1	—	1	1	2	1	13
Asthma . . . . .	—	1	2	2	—	2	2	1	—	2	2	—	2	2	—	—	—	1	1	1	—
Lung Disease . . . . .	—	—	3	—	6	3	1	—	—	1	—	—	1	—	—	—	—	3	2	—	—
Teething . . . . .	—	8	2	2	1	19	1	1	1	3	1	—	2	3	—	—	2	1	1	—	2
Quinsey . . . . .	1	2	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	2	—	—
Enteritis . . . . .	4	9	1	1	3	3	1	1	—	1	2	3	8	—	1	3	2	1	1	2	1
Peritonitis . . . . .	1	3	1	—	1	1	—	—	—	—	1	—	1	2	—	2	—	—	2	1	1
Ascites . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Ulceration of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Hernia . . . . .	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	—	1	3	—	—	1	2	—	1	—	—	—	1	—	1	—	—	—	1	—	—
Intussusception . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	—	3	1	—	1	5	2	1	1	2	5	2	1	1	1	—	—	—	4	2	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	—	1	—	—	—	1	—	—	—	—	—	—	1	3	2	—	1	—	—	—	1
Jaundice . . . . .	—	1	2	—	—	1	1	1	—	—	1	—	1	1	—	—	—	1	1	1	—
Liver Disease . . . . .	1	—	5	—	3	4	3	—	1	—	2	—	1	2	—	4	1	—	1	1	2
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . . . .	—	1	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Nephria . . . . .	—	—	1	1	—	—	—	1	—	—	2	1	—	—	—	—	—	—	1	—	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	1	—
Diabetes . . . . .	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—
Stone . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cystitis . . . . .	—	—	—	—	—	1	—	1	—	2	—	1	1	—	—	—	1	—	1	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Kidney Disease . . . . .	—	—	3	—	3	—	—	—	—	1	1	—	—	—	—	2	1	—	1	—	—
Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	3	—	2	2	2	1	—	—	—	—	—	2	—	—	—	—	—	1	—
Organs of Generation . . . . .	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis . . . . .	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	2	—	—	1	—
Rheumatism . . . . .	—	3	—	—	—	1	1	1	—	1	—	—	—	1	—	—	—	—	—	—	—
Joint Disease . . . . .	—	1	—	—	1	—	1	—	—	1	1	—	—	2	—	—	—	1	1	—	—
Carbuncle . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance . . . . .	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Poison . . . . .	—	—	1	—	1	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	1	—	—	—	1	—	—	—	—	1	1	—	—	1	—	2	1	1	1	—	—
Hanging, etc. . . . .	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	1
Drowning . . . . .	4	—	2	1	2	8	—	—	1	—	1	3	—	1	—	—	—	—	—	—	1
Fracture and Contusion . . . . .	2	1	6	—	1	2	—	1	2	1	7	6	—	3	2	5	2	6	3	2	2
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Not Specified . . . . .	1	4	7	12	1	8	11	4	2	6	7	7	4	10	3	—	11	2	2	5	5

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868. At present included in the Mainland-Rural Districts.—BOTH SEXES. (Continued.)

DISEASES.	Cambusnethan.	Carlisle.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armadale.	Borrowstounness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
Cephalitis . . .	2	3	1	1	—	—	1	—	—	2	—	1	1	—	2	—	1	—	1	—	1	—
Apoplexy . . .	5	1	2	7	1	3	—	1	1	3	2	2	3	—	2	1	2	1	4	1	1	4
Paralysis . . .	3	1	7	—	2	6	—	1	7	9	5	15	7	6	—	8	10	3	9	1	4	6
Delirium Tremens .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . .	1	—	1	—	—	—	—	1	—	1	—	2	1	1	—	2	—	—	2	—	—	—
Tetanus . . .	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Insanity . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . .	4	1	2	4	—	2	—	3	1	2	—	1	—	1	—	1	8	—	3	1	—	—
Brain Disease . . .	7	2	9	—	2	4	—	—	1	4	4	1	5	2	5	1	4	—	3	4	—	7
Pericarditis . . .	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	1	—	—	—
Aneurism . . .	—	—	—	1	—	—	—	—	—	1	—	2	—	—	1	1	1	—	—	—	—	1
Heart Disease . . .	4	4	10	6	—	10	—	2	5	17	9	23	6	9	6	7	15	7	9	6	6	9
Laryngitis . . .	—	—	—	—	—	—	—	1	—	2	—	1	1	—	—	—	—	—	—	—	—	—
Bronchitis . . .	26	16	14	14	4	18	9	6	14	7	9	17	6	17	7	4	10	5	9	7	4	8
Pleurisy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Pneumonia . . .	11	2	5	5	2	7	2	6	1	9	—	3	4	3	4	5	10	2	—	1	5	16
Asthma . . .	1	—	—	2	1	—	—	—	1	2	—	2	—	—	—	—	1	1	—	—	1	1
Lung Disease . . .	2	2	1	1	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Teething . . .	15	1	4	1	3	2	3	1	—	2	1	1	—	2	—	6	—	—	—	—	4	—
Quinsey . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . .	1	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	1	—	—
Enteritis . . .	3	9	4	4	5	9	1	—	—	1	—	1	—	1	2	1	4	1	1	—	2	1
Peritonitis . . .	4	—	—	—	—	2	1	4	2	—	2	1	—	—	—	2	—	1	—	2	—	—
Ascites . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
Ulcer, of Intestines	—	—	1	—	—	1	—	—	—	1	2	1	—	—	1	—	3	—	—	—	—	1
Hernia . . .	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1
Ileus . . .	1	—	—	3	1	—	—	—	1	2	1	—	3	—	—	1	3	—	1	—	—	—
Intussusception . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Strict. of Intestines	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . .	4	2	1	3	1	—	—	—	3	1	1	2	—	2	6	1	—	1	3	1	1	3
Pancreas Disease . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . .	1	—	1	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	—	2	1
Jaundice . . .	1	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	1	—	2
Liver Disease . . .	3	1	2	3	1	—	—	2	1	1	2	1	—	1	—	3	2	1	—	—	2	1
Spleen Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Nephritis . . .	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—
Nephria . . .	—	—	—	2	—	—	—	—	—	—	1	—	3	—	—	1	—	—	—	—	1	2
Addison's Disease .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . .	1	1	—	—	—	—	—	—	1	1	—	—	—	1	—	—	1	—	1	—	—	—
Stone . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Cystitis . . .	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—
Stricture of Urethra	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . .	2	1	1	—	—	1	—	1	1	—	1	2	1	1	—	—	2	—	1	—	1	1
Paramenia . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . .	1	—	1	3	1	—	—	—	—	1	1	—	—	1	3	—	1	—	—	2	—	1
Organs of Generation	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Arthritis . . .	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Rheumatism . . .	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Joint Disease . . .	2	1	1	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
Carbuncle . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Intemperance . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Privation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Cold . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
Poison . . .	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Poisoned Wounds . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . .	2	1	—	—	1	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Hanging, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Suffocation . . .	5	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Drowning . . .	3	—	—	4	—	—	—	2	—	1	2	3	1	—	2	1	1	—	—	1	6	—
Fracture & Contusion	6	2	—	2	—	1	3	3	3	2	—	3	—	—	—	1	1	1	4	3	1	2
Gunshot Wounds . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—
Not Specified . . .	11	4	—	3	—	—	5	—	7	14	—	—	9	1	—	—	2	1	—	1	14	6



CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.  
At present included in the Mainland-Rural Districts.—MALES.

DISEASES.	SMALL TOWNS.	Lerwick.	Kirkwall & St Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnotar.	Fetteresso.	Cookney.	Brechin.
ALL CAUSES . . . . .	5640	40	37	48	122	41	82	46	95	24	11	56	31	115	13	40	16	100
SPECIFIED CAUSES . . . . .	5298	34	33	46	83	41	75	44	90	24	11	56	31	82	12	40	15	92
I. Zymotic Class . . . . .	1302	4	1	14	16	7	9	7	28	7	1	15	6	12	3	3	1	19
II. Diseases of Uncert. Scat	147	1	—	1	2	1	3	1	3	—	—	2	1	2	—	1	—	5
III. Tubercular Class . . . . .	890	4	5	8	12	4	19	10	10	1	1	4	6	9	4	7	3	12
IV. Brain and Nervous Syst.	428	3	2	4	3	7	12	9	15	6	—	3	1	6	1	5	—	5
V. Organs of Circulation . . . . .	261	3	2	2	4	3	5	2	4	—	1	4	1	3	1	1	1	2
VI. Respiratory Organs . . . . .	684	2	6	3	11	5	6	4	15	2	2	9	2	15	1	1	2	20
VII. Organs of Digestion . . . . .	422	2	5	1	4	6	10	2	5	4	2	10	1	6	—	2	1	8
VIII. Urinary Organs . . . . .	109	3	—	3	3	2	5	1	1	1	—	2	3	2	—	1	—	1
IX. Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion . . . . .	35	1	—	—	—	—	1	1	1	—	—	—	—	1	—	—	1	1
XI. Skin, etc. . . . .	7	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation . . . . .	20	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	1	—
XIII. Premature Debility . . . . .	308	—	1	1	7	—	3	1	3	—	1	1	2	8	1	6	1	5
XIV. Atrophy . . . . .	56	—	—	—	2	—	—	1	—	—	—	—	3	—	—	1	—	—
XV. Age . . . . .	335	8	9	8	16	3	—	3	5	3	2	2	5	11	1	7	2	11
XVI. Sudden Deaths . . . . .	15	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	3
XVII. Violent Deaths . . . . .	279	3	1	1	3	1	1	2	—	—	1	3	—	7	—	4	2	—
I. Small Pox . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	67	1	—	2	2	—	—	1	—	1	—	2	1	—	1	3	—	4
Scarlatina . . . . .	379	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1
Diphtheria . . . . .	83	—	—	1	1	—	—	—	2	5	—	5	1	1	—	—	—	1
Whooping Cough . . . . .	149	—	—	—	—	—	1	1	11	—	1	—	—	2	1	—	—	4
Croup . . . . .	78	—	—	3	1	—	3	—	5	—	—	3	2	1	—	—	—	1
Thrush . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	175	—	1	—	1	5	3	4	1	—	—	2	1	1	—	—	—	5
Dysentery . . . . .	17	—	—	1	—	—	1	—	—	—	—	—	—	2	—	—	—	1
Cholera . . . . .	23	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1
Influenza . . . . .	11	—	—	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Purpura . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	130	1	—	2	7	—	1	—	2	—	—	2	—	1	—	—	—	1
Enteric Fever . . . . .	106	—	—	1	2	—	—	1	4	—	—	—	—	3	—	—	—	—
Relapsing Fever . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	10	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent . . . . .	7	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	13	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—
Erysipelas . . . . .	23	—	—	—	—	—	—	—	1	1	—	—	1	1	—	—	—	—
Pyæmia . . . . .	4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	7	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Dropsy . . . . .	51	—	—	—	1	—	2	—	—	—	—	—	1	1	—	—	—	1
Abscess . . . . .	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	74	—	—	1	1	1	1	1	3	—	—	1	—	1	—	1	—	4
Gout . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	59	—	—	1	1	—	1	—	1	—	—	—	—	2	—	1	—	—
Tabes Mesenterica . . . . .	84	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis . . . . .	596	1	4	7	10	3	15	9	8	1	1	4	5	3	3	5	3	10
Hydrocephalus . . . . .	151	3	—	—	1	—	3	1	1	—	—	—	1	4	1	1	—	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.  
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	Kirriemuir.	Monifeth.	Blaigowrie.	Grieff.	Burntisland.	Cupar.	Dysart.	St Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	" (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothesay.
ALL CAUSES . . .	62	64	48	34	45	60	103	53	137	42	26	81	123	82	65	111	162	120	69	88	92
SPECIFIED CAUSES . . .	60	64	46	33	42	50	84	53	137	39	22	76	109	75	50	106	146	108	67	84	82
Zymotic Class . . .	8	15	7	2	7	5	38	3	51	8	3	26	39	25	10	24	46	33	12	22	12
Uncertain Seat . . .	5	1	1	-	1	1	8	4	5	-	1	2	1	2	4	2	7	-	2	3	4
Tubercular Class . . .	8	9	12	6	8	13	3	5	20	12	6	9	12	6	4	21	33	19	14	18	21
Brain, etc. . . . .	6	9	8	3	-	2	2	6	6	4	3	3	8	6	2	6	7	10	4	2	4
Heart, etc. . . . .	6	2	1	-	4	3	1	7	8	2	2	5	3	2	2	10	3	5	4	11	7
Respiratory Organs . . .	6	14	3	2	2	4	8	7	10	5	-	6	19	10	11	14	22	8	3	6	13
Digestive Organs . . .	4	2	4	3	1	4	7	2	6	-	3	11	6	10	3	5	10	7	8	8	9
Urinary Organs . . .	3	-	1	3	1	2	-	2	-	1	-	-	-	1	-	-	2	-	-	3	3
Generative Organs . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotive Organs . . .	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	1	-	-	1	1
Skin . . . . .	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-
Malformation . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	1
Premature Debility . . .	3	7	5	6	2	1	2	3	10	3	2	5	7	2	5	4	3	8	10	-	1
Atrophy . . . . .	-	-	-	-	-	2	-	-	4	1	-	-	1	-	2	2	1	2	1	-	-
Age . . . . .	7	4	3	4	4	12	9	3	10	2	-	3	7	2	4	8	3	7	7	3	3
Sudden Deaths . . . . .	-	-	-	-	1	-	-	1	-	-	-	2	1	-	-	-	-	2	-	-	-
Violent Deaths . . . . .	4	1	1	4	11	1	5	8	6	-	1	3	5	9	3	7	6	6	2	7	3
Small Pox . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles . . . . .	-	2	-	-	-	-	4	-	1	-	-	2	4	1	-	-	2	-	-	-	-
Scarlatina . . . . .	-	2	-	-	3	-	12	-	30	-	-	13	2	-	-	3	5	20	1	2	3
Diphtheria . . . . .	1	1	1	-	-	-	7	1	1	-	-	1	-	2	-	8	6	-	2	1	1
Whooping Cough . . . . .	1	-	-	-	1	-	5	-	7	5	1	4	10	5	1	6	13	-	2	4	3
Croup . . . . .	-	2	1	-	-	-	-	-	-	-	-	2	2	2	1	-	-	2	1	3	1
Thrush . . . . .	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-
Diarrhœa . . . . .	-	2	1	-	2	-	-	1	6	-	1	2	5	4	2	3	3	5	4	6	2
Dysentery . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cholera . . . . .	-	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
Influenza . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-
Purpura . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Ague . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus . . . . .	1	-	1	1	-	3	9	1	3	1	-	-	12	5	3	1	6	1	-	-	-
Enteric Fever . . . . .	2	2	1	-	-	-	1	-	1	2	1	4	1	3	1	2	6	4	-	4	-
Relapsing Fever . . . . .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simple Continued Fever . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Infantile Remittent . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-
Metria . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever . . . . .	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Erysipelas . . . . .	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyæmia . . . . .	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis . . . . .	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	3	-	-	-	1
Noma . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Hydrophobia . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage . . . . .	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Dropsy . . . . .	3	-	-	-	1	1	8	-	2	-	-	-	1	-	2	-	6	-	-	-	-
Abscess . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Ulcer . . . . .	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Fistula . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Mortification . . . . .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Cancer . . . . .	2	-	1	-	-	-	-	3	2	-	1	2	-	2	1	1	-	-	1	2	3
Gout . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula . . . . .	2	-	1	-	1	-	-	-	-	1	-	1	-	1	-	1	-	-	2	2	-
Tabes Mesenterica . . . . .	-	1	-	-	-	-	-	1	1	-	-	1	-	1	-	-	2	2	-	1	4
Phthisis . . . . .	5	7	6	6	2	13	2	3	17	11	5	5	9	2	1	12	20	15	11	13	13
Hydrocephalus . . . . .	1	1	5	-	5	-	1	1	2	-	1	2	3	2	3	8	11	2	1	2	4



CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.  
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barthead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
ALL CAUSES . . .	68	109	135	46	79	123	69	28	37	57	125	52	61	97	37	73	56	51	47	43	38
SPECIFIED CAUSES . . .	68	106	132	44	79	118	61	27	36	53	123	50	59	94	35	73	48	50	46	38	36
Zymotic Class . . .	27	31	23	18	23	19	18	4	4	13	31	9	8	15	15	16	6	8	13	8	4
Uncertain Seat . . .	3	3	1	-	1	1	1	-	1	1	1	4	3	2	-	2	4	2	1	-	2
Tubercular Class . . .	9	18	29	6	16	26	9	5	9	12	21	13	18	17	6	15	5	9	3	8	8
Brain, etc. . . . .	6	4	16	2	3	5	1	4	6	4	8	5	3	12	2	8	3	2	4	4	4
Heart, etc. . . . .	2	3	5	2	3	3	3	2	-	1	8	1	1	5	2	3	3	1	4	-	2
Respiratory Organs . . .	5	8	33	5	16	20	7	1	2	5	25	2	8	19	3	9	9	9	5	6	6
Digestive Organs . . .	4	16	7	1	6	18	7	2	4	4	4	1	8	7	2	6	5	2	3	5	3
Urinary Organs . . . .	-	2	4	1	1	2	-	2	1	3	4	2	2	1	-	1	1	2	3	1	-
Generative Organs . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Locomotive Organs . . .	-	1	-	-	-	-	1	1	1	1	1	-	-	2	-	-	2	1	1	-	-
Skin . . . . .	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Malformation . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-
Premature Debility . . .	3	9	3	3	5	7	6	2	4	-	7	6	1	2	2	4	1	5	3	1	2
Atrophy . . . . .	-	-	1	2	-	-	3	-	-	1	-	-	-	2	-	-	1	-	1	-	-
Age . . . . .	2	11	2	3	1	5	5	2	-	4	4	1	5	6	1	1	6	2	2	1	1
Sudden Deaths . . . .	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths . . . .	7	-	8	1	3	10	-	1	4	4	9	6	2	4	2	6	2	6	2	3	4
Small Pox . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Measles . . . . .	-	1	1	-	-	2	-	1	-	-	2	1	-	-	-	-	-	-	2	-	-
Scarlatina . . . . .	22	14	3	15	21	3	11	-	1	2	14	-	-	6	3	1	1	-	-	2	-
Diphtheria . . . . .	-	-	-	2	-	1	-	-	-	-	3	-	-	-	-	-	2	2	1	-	-
Hooping Cough . . . .	1	2	3	1	-	2	-	-	1	1	1	3	-	3	-	2	-	-	2	-	-
Croup . . . . .	2	6	-	-	-	3	1	-	1	2	1	1	-	1	2	5	-	-	1	-	-
Thrush . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa . . . . .	2	3	5	-	-	2	1	1	1	5	5	2	-	2	6	3	-	1	4	2	-
Dysentery . . . . .	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-
Cholera . . . . .	-	1	4	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
Influenza . . . . .	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Purpura . . . . .	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ague . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Worms . . . . .	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus . . . . .	-	3	4	-	-	2	1	1	-	2	2	-	3	-	1	1	1	4	1	1	2
Enteric Fever . . . . .	-	-	2	-	2	-	2	-	-	-	1	-	4	-	1	1	-	1	1	3	-
Relapsing Fever . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Simple Continued Fever . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Infantile Remittent . . .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metria . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever . . . .	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Erysipelas . . . . .	-	-	1	-	-	1	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-
Pyæmia . . . . .	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Noma . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hæmorrhage . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dropsy . . . . .	-	1	1	-	-	1	-	-	-	-	-	3	2	1	-	-	-	1	1	-	1
Abscess . . . . .	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Fistula . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortification . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer . . . . .	1	1	-	-	1	-	1	-	1	1	1	1	1	1	-	-	4	1	-	-	1
Gout . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scrofula . . . . .	-	1	-	-	-	2	-	1	1	4	1	1	-	1	-	1	-	-	1	-	-
Tabes Mesenterica . . . .	3	1	3	-	2	2	2	-	1	-	3	3	-	1	1	3	3	1	-	2	-
Phthisis . . . . .	4	14	19	5	10	17	6	3	5	7	13	7	16	12	5	10	2	4	2	5	8
Hydrocephalus . . . . .	2	2	7	1	4	5	1	1	2	1	4	2	2	3	-	1	-	4	-	1	-

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.  
At present included in the Mainland-Rural Districts.—MALES. (*Continued.*)

DISEASES.	Cambusnethan.	Carluke.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armadale.	Borrowstouness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
ALL CAUSES . . .	166	52	74	141	25	77	37	66	52	110	45	96	51	49	61	46	100	72	66	54	60	125
SPECIFIED CAUSES .	161	49	74	139	25	77	34	66	50	101	45	96	46	48	61	46	100	71	66	54	51	120
Zymotic Class . . .	40	5	3	55	5	21	7	28	11	21	18	22	6	10	21	4	15	44	19	18	8	59
Uncertain Seat . . .	3	3	2	1	—	1	1	—	1	6	1	5	—	2	—	2	1	1	3	1	1	2
Tubercular Class . . .	24	5	15	16	1	5	6	7	13	20	5	17	4	6	19	14	21	6	12	11	10	13
Brain, etc. . . . .	11	4	9	8	2	6	1	4	7	11	2	2	10	5	5	7	13	2	10	7	4	9
Heart, etc. . . . .	3	2	7	4	—	5	—	1	2	11	4	7	4	4	1	1	9	4	4	3	1	3
Respiratory Organs .	25	12	13	12	4	16	8	9	6	14	5	13	2	11	3	5	11	2	4	3	8	16
Digestive Organs . .	18	4	7	10	7	10	2	2	4	3	5	5	6	4	5	6	7	1	4	1	7	7
Urinary Organs . . .	2	2	1	2	—	1	—	—	1	1	1	1	3	1	—	—	4	—	1	1	3	1
Generative Organs .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs .	2	1	2	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—
Skin . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation . . .	1	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	1	—	1	—	—	—
Premature Debility .	11	3	8	12	2	7	4	11	1	8	1	6	4	1	2	2	9	2	4	1	3	—
Atrophy . . . . .	1	—	2	8	—	—	—	—	—	1	1	3	1	—	1	—	2	—	—	1	—	1
Age . . . . .	3	4	4	4	3	2	—	1	2	4	1	9	5	—	2	1	4	8	1	2	2	7
Sudden Deaths . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	17	4	1	6	1	2	5	3	2	1	1	3	1	3	2	3	3	1	3	5	4	2
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	3	—	—	1	—	—	—	—	—	3	—	—	—	—	—	—	9	—	1	—	—	6
Scarlatina . . . . .	1	2	—	30	—	2	1	—	—	4	7	1	—	1	11	2	—	40	7	10	—	42
Diphtheria . . . . .	—	—	—	3	—	1	1	15	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Hooping Cough . . .	4	—	—	1	2	2	—	1	3	7	1	5	1	2	1	—	2	1	—	3	2	—
Croup . . . . .	—	1	—	1	—	1	1	5	1	—	—	1	2	1	2	—	—	—	—	—	1	1
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	10	1	—	6	—	3	1	5	2	2	6	7	1	—	2	2	—	—	—	3	3	3
Dysentery . . . . .	—	—	—	1	1	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—
Cholera . . . . .	2	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	2	—	—	—
Influenza . . . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	12	1	1	4	—	2	2	—	2	1	—	—	—	2	—	—	2	1	4	—	—	2
Enteric Fever . . . .	3	—	—	5	1	8	1	1	1	1	1	5	1	2	5	—	—	1	2	1	—	3
Relapsing Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	2	—	—	—	1	2	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—
Infantile Remittent .	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Erysipelas . . . . .	1	—	1	—	—	—	—	1	—	—	1	1	—	1	—	—	1	1	1	1	1	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	1	—	—	3	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	2
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	2	2	—	1	—	—	—	—	—	1	—	2	—	1	—	—	—	—	—	—	—	—
Abscess . . . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . .	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	1	—	1	—	—	1	1	—	—	3	—	3	—	1	—	2	1	1	3	1	1	2
Gout . . . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula . . . . .	2	—	4	—	—	1	1	1	5	5	—	1	—	—	1	—	1	—	1	—	2	1
Tabes Mesenterica . .	3	—	2	1	—	—	1	—	—	6	—	8	—	1	1	3	5	—	1	1	2	2
Phthisis . . . . .	17	4	6	11	1	2	1	4	6	6	5	7	2	4	13	10	12	6	10	9	6	10
Hydrocephalus . . . .	2	1	3	4	—	2	3	2	2	3	—	1	2	1	4	1	3	—	—	1	—	—



CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.  
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	SMALL TOWNS.	Lerwick.	Kirkwall & St Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnottar.	Fetteresso.	Cookney.	Brechin.
IV. Cephalitis . . .	31	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	1
Apoplexy . . .	100	1	1	-	2	5	1	5	4	2	-	-	1	3	-	2	-	1
Paralysis . . .	124	-	-	1	1	-	2	3	3	1	-	-	-	1	1	3	-	2
Delirium Tremens . . .	9	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Chorea . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy . . .	18	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-
Tetanus . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Insanity . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions . . .	63	2	-	-	-	-	5	-	3	1	-	1	-	2	-	-	-	-
Brain Disease . . .	80	-	-	2	-	1	2	-	3	2	-	1	-	-	-	-	-	1
V. Pericarditis . . .	8	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Aneurism . . .	13	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Heart Disease . . .	240	3	2	1	2	3	5	2	3	-	1	4	1	3	1	1	1	1
VI. Laryngitis . . .	12	-	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	1
Bronchitis . . .	389	2	5	1	8	3	3	2	6	1	1	5	2	4	1	-	1	10
Pleurisy . . .	13	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	1	1
Pneumonia . . .	190	-	1	2	1	-	3	1	9	-	-	3	-	6	-	1	-	2
Asthma . . .	40	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
Lung Disease . . .	40	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	6
VII. Teething . . .	91	2	1	-	-	3	1	-	2	3	-	2	-	-	-	1	-	-
Quinsey . . .	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Gastritis . . .	16	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Enteritis . . .	81	-	-	-	1	-	2	-	-	-	1	1	-	1	-	1	1	1
Peritonitis . . .	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ascites . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulceration of Intestines . . .	14	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
Hernia . . .	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Ileus . . .	29	-	1	-	2	-	3	-	-	-	-	2	1	-	-	-	-	-
Intussusception . . .	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture of Intestines . . .	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Stomach Disease . . .	59	-	-	-	1	-	3	-	1	-	-	1	-	1	-	-	-	6
Pancreas Disease . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis . . .	16	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Jaundice . . .	16	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
Liver Disease . . .	62	-	1	1	-	-	1	-	2	1	-	1	-	3	-	-	-	-
Spleen Disease . . .	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII. Nephritis . . .	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephria . . .	24	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
Addison's Disease . . .	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria . . .	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes . . .	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Stone . . .	6	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Cystitis . . .	29	-	-	2	2	1	2	-	-	1	-	1	3	-	-	-	-	1
Stricture of Urethra . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease . . .	26	3	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-
IX. Paramenia . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X. Arthritis . . .	11	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
Rheumatism . . .	7	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-
Joint and Bone Disease . . .	17	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
XI. Carbuncle . . .	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease . . .	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
XVII. Intemperance . . .	9	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Privation . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk . . .	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold . . .	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poison . . .	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . . .	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanging, etc. . .	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation . . .	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Drowning . . .	74	-	-	1	1	-	-	1	-	-	-	2	-	5	-	1	2	-
Fracture and Contusion . . .	121	1	-	-	-	1	1	1	-	-	1	-	-	2	-	2	-	-
Gunshot Wounds . . .	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Cuts and Stabs . . .	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Causes . . .	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not Specified . . .	342	6	4	2	30	-	7	2	5	-	-	-	-	33	1	-	1	8

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.  
At present included in the Mainland-Rural Districts.—MALES. (Continued)

DISEASES.	Kirriemuir.	Monifieth.	Blaingowrie.	Grief.	Burntisland.	Cupar.	Dysart.	St Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	" (Landward)	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothsay.
Cephalitis . . . . .	1	-	1	-	-	-	-	-	-	1	1	-	1	1	1	-	2	1	-	-	1
Apoplexy . . . . .	1	3	3	1	-	-	-	2	-	-	-	-	2	2	-	-	1	3	-	1	1
Paralysis . . . . .	4	4	4	1	-	1	1	2	4	2	1	2	2	2	-	1	-	6	3	-	2
Delirium Tremens . . . . .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Chorea . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Epilepsy . . . . .	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	1	-	-	-	1	-
Tetanus . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Insanity . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
Convulsions . . . . .	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	1	4	-	-	-	-
Brain Disease . . . . .	-	1	-	1	-	-	1	2	-	-	-	1	1	-	-	-	-	-	1	-	-
Pericarditis . . . . .	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Aneurism . . . . .	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Heart Disease . . . . .	5	2	1	-	4	3	1	6	7	2	2	5	3	2	2	9	3	4	4	11	7
Laryngitis . . . . .	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Bronchitis . . . . .	2	9	2	-	1	2	6	4	9	1	-	-	12	7	5	8	13	7	1	4	7
Pleurisy . . . . .	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-
Pneumonia . . . . .	3	4	1	1	1	-	1	3	1	3	-	3	2	2	1	1	6	1	-	-	6
Asthma . . . . .	1	-	-	1	-	-	-	-	-	-	-	1	1	-	4	2	2	-	2	-	-
Lung Disease . . . . .	-	-	-	-	-	1	1	-	-	-	-	2	4	1	-	3	-	-	-	-	-
Teething . . . . .	1	-	2	1	-	-	5	-	-	-	-	6	2	1	-	-	3	3	3	1	1
Quinsey . . . . .	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Gastritis . . . . .	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2
Enteritis . . . . .	1	-	1	-	-	-	1	-	1	-	-	-	-	4	1	1	2	-	-	-	1
Peritonitis . . . . .	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
Ascites . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Ulceration of Intestines . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	1	-
Hernia . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
Ileus . . . . .	1	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-
Intussusception . . . . .	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Stricture of Intestines . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stomach Disease . . . . .	-	-	-	-	-	2	1	-	1	-	-	3	-	-	-	-	-	1	2	2	-
Pancreas Disease . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis . . . . .	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	2	-	-
Jaundice . . . . .	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Liver Disease . . . . .	-	1	-	-	-	-	-	-	2	-	1	1	2	1	-	1	1	2	1	3	5
Spleen Disease . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephria . . . . .	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	2	2
Addison's Disease . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ischuria . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stone . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cystitis . . . . .	1	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Stricture of Urethra . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kidney Disease . . . . .	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Paramenia . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovarian Dropsy . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Childbirth . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organs of Generation . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arthritis . . . . .	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1
Rheumatism . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joint Disease . . . . .	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-
Carbuncle . . . . .	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Phlegmon . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Skin Disease . . . . .	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-
Intemperance . . . . .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Privation . . . . .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Want of Breast Milk . . . . .	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Neglect . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cold . . . . .	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Poison . . . . .	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Poisoned Wounds . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and Scalds . . . . .	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	1
Hanging, etc. . . . .	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation . . . . .	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Drowning . . . . .	-	-	-	-	3	-	1	2	2	-	-	-	-	6	1	2	3	-	2	1	1
Fracture and Contusion . . . . .	1	1	1	2	3	1	3	2	3	-	-	2	4	1	1	3	2	4	-	2	-
Gunshot Wounds . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-
Cuts and Stabs . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other Violent Causes . . . . .	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Not Specified . . . . .	2	-	2	1	3	10	19	-	-	3	4	5	14	7	15	5	16	12	2	4	10



CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.  
At present included in the Mainland-Rural Districts.—MALES. (Continued.)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barthead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
Cephalitis . . . . .	—	1	1	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—
Apoplexy . . . . .	4	—	5	2	—	1	—	2	1	1	1	2	1	1	—	2	1	—	1	4	2
Paralysis . . . . .	1	1	2	—	2	2	—	—	1	1	1	—	1	3	1	2	—	1	—	—	1
Delirium Tremens . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	—	—	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	1	—	4	—	—	1	1	—	—	—	4	2	—	2	—	3	—	—	1	—	—
Brain Disease . . . . .	—	2	2	—	1	—	—	1	4	2	1	1	1	4	1	1	—	1	1	—	—
Pericarditis . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	2	3	5	1	3	3	2	2	—	1	8	1	1	5	2	3	3	1	4	—	2
Laryngitis . . . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—
Bronchitis . . . . .	—	3	22	3	9	5	4	1	2	3	12	1	6	13	2	9	8	5	3	5	1
Pleurisy . . . . .	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
Pneumonia . . . . .	5	5	6	2	3	11	2	—	—	—	10	1	1	4	1	—	1	—	—	—	5
Asthma . . . . .	—	—	2	—	—	1	1	—	—	2	2	—	1	1	—	—	—	1	1	—	—
Lung Disease . . . . .	—	—	3	—	2	3	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—
Teething . . . . .	—	5	1	1	1	6	—	—	1	1	—	—	1	2	—	—	1	—	—	—	—
Quinsey . . . . .	—	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
Enteritis . . . . .	3	6	1	—	3	3	1	1	—	—	1	—	4	—	1	3	2	1	—	2	—
Peritonitis . . . . .	1	1	1	—	—	1	—	—	—	—	—	—	1	1	—	1	—	—	1	—	—
Ascites . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Hernia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Intussusception . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	—	1	1	—	1	3	1	1	1	1	—	1	—	1	1	—	—	—	2	1	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	—	1	—	—	—	1	—	—	—	—	—	—	—	2	—	—	1	—	—	—	1
Jaundice . . . . .	—	—	1	—	—	—	—	—	—	—	1	—	1	1	—	—	1	1	—	—	—
Liver Disease . . . . .	—	—	2	—	1	3	3	—	—	—	1	—	—	—	—	2	1	—	—	—	2
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . . . .	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Nephria . . . . .	—	—	1	1	—	—	—	1	—	—	2	1	—	—	—	—	—	—	1	—	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—
Diabetes . . . . .	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—
Stone . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cystitis . . . . .	—	—	—	—	—	1	—	1	—	2	—	1	1	—	—	—	1	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Kidney Disease . . . . .	—	—	2	—	1	—	—	—	—	1	1	—	—	—	—	1	—	—	1	—	—
Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—
Rheumatism . . . . .	—	1	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Joint Disease . . . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	—	1	1	—	—
Carbuncle . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—
Hanging, etc. . . . .	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	1
Drowning . . . . .	4	—	2	1	2	8	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1
Fracture and Contusion . . . . .	2	—	4	—	—	2	—	1	2	1	5	5	—	3	2	5	2	6	2	2	2
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	—	3	3	2	—	5	8	1	1	4	2	2	2	3	2	—	8	1	1	5	2





CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.  
At present included in the Mainland-Rural Districts.—FEMALES.

DISEASES.	SMALL TOWNS.	Lerwick.	Kirkwall & St. Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnottar.	Fetteresso.	Cookney.	Brechin.
ALL CAUSES . . . . .	5752	35	49	49	102	38	87	53	116	17	12	48	33	87	16	30	6	104
SPECIFIED CAUSES . . . . .	5498	28	48	46	80	36	83	52	114	16	11	46	32	64	16	30	6	101
I. Zymotic Class . . . . .	1329	2	11	13	14	6	8	3	22	5	2	13	1	11	3	1	3	22
II. Diseases of Uncert. Seat	246	4	2	1	5	2	4	2	7	1	—	2	2	5	—	2	—	6
III. Tubercular Class . . . . .	977	2	8	5	7	6	14	10	19	2	3	8	4	11	1	8	—	9
IV. Brain and Nervous Syst.	445	2	2	3	3	7	11	5	12	2	2	4	1	7	1	1	—	9
V. Organs of Circulation . . . . .	280	—	2	—	7	2	9	3	6	—	1	8	3	1	—	1	—	9
VI. Respiratory Organs . . . . .	626	2	8	4	11	1	10	6	13	1	1	1	5	6	1	2	1	14
VII. Organs of Digestion . . . . .	396	1	2	2	2	3	9	6	8	2	1	3	4	3	3	—	—	8
VIII. Urinary Organs . . . . .	43	—	—	1	—	—	1	1	1	—	—	—	—	—	—	—	—	1
IX. Organs of Generation . . . . .	70	—	—	2	—	1	2	—	3	—	—	1	2	—	1	1	—	1
X. Organs of Locomotion . . . . .	37	2	—	—	2	—	2	—	1	—	—	3	—	—	—	—	1	—
XI. Skin, etc. . . . .	5	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
XII. Malformation . . . . .	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	269	—	—	2	2	1	5	2	1	—	—	1	3	4	—	2	—	6
XIV. Atrophy . . . . .	70	—	—	—	2	1	—	—	—	1	—	—	2	—	—	—	—	—
XV. Age . . . . .	607	13	13	12	25	6	8	14	21	2	1	2	5	15	6	11	1	16
XVI. Sudden Deaths . . . . .	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths . . . . .	79	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—
I. Small Pox . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	66	—	4	1	1	—	—	—	1	1	—	3	—	—	1	—	—	8
Scarlatina . . . . .	364	—	—	—	2	—	—	—	2	1	—	—	—	1	—	—	—	—
Diphtheria . . . . .	82	—	1	—	—	—	—	—	1	3	1	—	1	1	—	—	—	—
Hooping Cough . . . . .	161	—	—	—	—	—	3	—	7	—	—	1	—	1	—	—	—	4
Croup . . . . .	81	—	1	1	—	—	1	1	5	—	1	2	—	2	—	—	—	—
Thrush . . . . .	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	151	1	3	1	1	5	1	1	2	—	—	5	—	1	—	—	1	4
Dysentery . . . . .	21	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	3
Cholera . . . . .	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Influenza . . . . .	13	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	109	—	1	3	8	—	—	—	2	—	—	—	—	2	—	—	—	1
Enteric Fever . . . . .	145	—	1	2	2	1	2	—	1	—	—	1	—	1	1	—	1	1
Relapsing Fever . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent . . . . .	11	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—
Metria . . . . .	24	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
Rheumatic Fever . . . . .	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas . . . . .	19	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Pyæmia . . . . .	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	18	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	71	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Abscess . . . . .	9	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Ulcer . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
Cancer . . . . .	148	2	1	1	3	2	4	2	6	1	—	2	1	4	—	2	—	4
Gout . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	59	1	—	—	—	—	1	2	3	—	2	—	—	4	—	1	—	1
Tabes Mesenterica . . . . .	88	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Phthisis . . . . .	700	1	8	5	5	5	12	7	13	1	1	5	4	5	1	7	—	5
Hydrocephalus . . . . .	130	—	—	—	2	1	1	1	3	1	—	1	—	2	—	—	—	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.  
At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

DISEASES.	Kirriemuir.	Monifieth.	Blairstown.	Orkney.	Burntisland.	Cupar.	Dysart.	St. Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burgh).	" (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothsay.
ALL CAUSES . . .	64	56	46	35	34	87	103	68	140	59	40	82	137	78	65	95	156	91	53	88	119
SPECIFIED CAUSES . . .	61	55	42	35	33	80	89	67	136	54	38	76	128	72	62	88	146	86	53	86	118
Zymotic Class . . .	10	14	11	2	9	7	25	6	56	4	8	23	29	21	14	15	57	31	12	17	12
Uncertain Seat . . .	5	3	3	2	1	1	11	4	8	1	—	3	4	2	1	5	11	2	2	1	3
Tubercular Class . . .	5	7	9	6	4	6	5	6	13	14	10	8	12	7	11	19	34	20	11	13	36
Brain, etc. . . . .	8	3	4	3	2	5	3	8	9	4	4	7	13	4	5	9	5	1	2	6	16
Heart, etc. . . . .	3	3	2	3	1	6	2	3	5	4	4	1	3	1	2	6	6	1	2	7	6
Respiratory Organs . . .	2	2	4	6	2	9	10	17	14	5	3	11	22	15	7	8	15	8	6	16	13
Digestive Organs . . .	6	5	3	2	4	7	3	4	1	4	1	9	8	10	4	11	4	5	3	4	12
Urinary Organs . . . .	1	—	—	—	1	1	—	—	2	1	—	—	—	—	—	1	—	1	1	3	1
Generative Organs . . .	—	—	1	1	—	—	—	2	3	2	—	1	1	—	1	—	5	—	—	—	3
Locomotive Organs . . .	—	—	—	1	—	—	2	—	—	1	—	2	2	—	1	—	—	—	—	—	1
Skin . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Malformation . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	6	5	2	2	3	12	2	4	6	6	3	2	6	5	6	4	1	6	4	2	2
Atrophy . . . . .	—	—	—	1	1	4	1	1	5	1	—	1	1	—	2	1	—	2	3	—	1
Age . . . . .	13	10	3	6	3	21	21	9	12	7	4	7	22	4	5	8	7	7	7	17	12
Sudden Deaths . . . .	—	—	—	—	2	1	3	2	—	—	—	—	1	—	—	—	—	1	—	—	—
Violent Deaths . . . .	1	2	—	—	—	—	1	1	2	—	1	1	4	3	2	1	1	1	—	—	—
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	—	2	1	—	—	—	2	—	—	—	—	3	2	1	—	—	5	—	—	—	—
Scarlatina . . . . .	—	2	—	—	1	—	2	1	35	—	—	12	—	—	2	1	13	21	1	1	1
Diphtheria . . . . .	—	1	1	—	1	—	7	—	—	—	1	1	—	3	2	5	3	1	1	—	1
Whooping Cough . . . .	3	—	—	—	2	2	8	—	6	1	1	—	10	5	—	3	13	2	1	8	2
Croup . . . . .	1	2	2	—	—	2	1	—	3	—	—	—	2	—	—	—	2	1	2	—	2
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	1	1	2	—	2	—	—	2	9	—	—	2	4	1	1	—	4	1	2	2	—
Dysentery . . . . .	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	2	—	1	—	—
Cholera . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—
Influenza . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	2	1	2	2	1	—	5	—	3	—	—	1	5	7	2	—	5	1	1	1	—
Enteric Fever . . . . .	1	5	2	—	—	2	—	2	—	1	2	1	1	3	1	3	8	2	—	4	4
Relapsing Fever . . . .	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent . . .	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—
Rheumatic Fever . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Erysipelas . . . . .	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	2	1	—	1	—	1
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Syphilis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	1	1
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
Dropsy . . . . .	2	1	—	—	1	1	9	—	4	1	—	—	1	—	1	1	4	1	—	—	—
Abscess . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	3	2	3	2	—	—	2	3	4	—	—	3	2	2	—	4	6	1	2	1	3
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula . . . . .	—	—	—	—	1	—	—	—	1	1	1	—	2	—	1	—	2	—	—	—	—
Tabes Mesenterica . . .	—	—	2	—	—	—	1	—	2	—	—	—	2	—	—	—	2	3	—	—	3
Phthisis . . . . .	4	7	7	4	2	6	2	4	8	12	9	6	7	5	9	14	21	16	11	9	25
Hydrocephalus . . . . .	1	—	—	2	1	—	2	2	2	1	—	2	1	2	1	5	9	1	—	4	8



CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.  
At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barrhead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
ALL CAUSES . . .	66	105	164	72	77	129	66	33	24	48	110	65	57	117	40	61	45	47	46	44	59
SPECIFIED CAUSES . . .	65	104	160	62	76	126	63	30	23	46	105	60	55	110	39	61	42	46	45	44	56
Zymotic Class . . .	22	22	35	26	31	31	17	3	9	11	31	12	12	24	13	19	8	8	10	7	17
Uncertain Seat . . .	3	1	4	2	—	6	3	1	—	2	5	3	7	5	2	4	6	3	—	4	2
Tubercular Class . . .	14	21	38	10	11	22	11	5	4	14	24	15	11	30	10	14	12	3	4	9	4
Brain, etc. . . . .	4	9	13	4	5	9	—	2	2	3	5	6	4	10	1	3	2	3	5	5	4
Heart, etc. . . . .	1	4	11	4	2	5	1	2	—	3	3	—	—	4	—	4	1	3	3	1	2
Respiratory Organs . . .	11	11	27	10	9	19	10	5	—	2	9	2	3	13	5	7	4	12	8	3	11
Digestive Organs . . .	3	13	8	2	4	19	3	2	1	4	11	5	8	5	3	3	1	2	6	5	4
Urinary Organs . . .	—	—	1	—	2	—	2	—	—	—	—	—	1	—	—	1	1	—	—	—	—
Generative Organs . . .	—	1	4	—	2	3	2	1	—	—	—	—	—	2	—	—	—	—	—	1	—
Locomotive Organs . . .	1	3	—	—	1	2	1	—	—	1	—	—	—	1	—	—	—	—	—	1	—
Skin . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation . . . . .	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	1	8	9	—	—	5	2	4	3	—	5	6	1	—	1	1	2	6	2	—	4
Atrophy . . . . .	1	5	2	—	—	1	—	—	—	—	—	2	1	3	—	1	—	—	—	—	1
Age . . . . .	4	5	3	4	4	3	11	4	4	6	7	4	7	12	4	2	4	4	5	7	7
Sudden Deaths . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths . . . . .	—	1	4	—	4	—	—	—	—	—	5	5	—	1	—	2	1	2	2	1	—
Small Pox . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Measles . . . . .	—	—	1	3	—	8	—	—	—	1	—	—	—	—	—	—	—	1	2	—	—
Scarlatina . . . . .	18	14	2	20	22	2	5	—	—	1	14	—	—	10	2	—	—	—	—	—	3
Diphtheria . . . . .	1	1	1	—	2	—	—	—	2	—	4	—	2	2	—	—	3	1	—	—	1
Hooping Cough . . . . .	1	3	6	1	—	5	—	—	2	—	1	4	—	2	2	4	—	1	2	—	—
Croup . . . . .	1	1	1	—	2	3	1	—	1	1	3	1	1	3	—	1	3	2	—	2	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	—	1	8	—	2	2	3	1	—	2	1	1	2	3	5	2	2	—	1	1	4
Dysentery . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—
Cholera . . . . .	—	—	2	1	1	2	—	—	1	—	2	—	—	—	—	1	—	—	—	—	—
Influenza . . . . .	—	—	—	—	—	—	—	—	—	1	—	—	1	2	—	1	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Typhus . . . . .	1	—	4	—	—	5	3	—	—	2	1	1	1	1	—	1	—	1	—	3	—
Enteric Fever . . . . .	—	1	7	—	1	2	1	1	2	—	1	3	4	1	2	5	—	1	1	4	—
Relapsing Fever . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Simple Cont. Fever . . . . .	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent . . . . .	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Metria . . . . .	—	—	2	1	—	1	—	—	1	—	2	—	—	—	—	—	—	1	1	—	1
Rheumatic Fever . . . . .	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Erysipelas . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	1	—	—
Pyæmia . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	1	—	2	2	—	2	—	—	—	2	3	1	4	2	1	—	1	2	—	—	1
Abscess . . . . .	—	—	—	—	—	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—	—
Ulcer . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	1	—	—	—	—
Cancer . . . . .	2	1	2	—	—	4	1	1	—	—	—	1	2	1	—	4	4	1	—	3	1
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula . . . . .	1	2	1	—	—	2	—	—	2	1	2	1	—	2	—	3	1	—	—	—	—
Tabes Mesenterica . . . . .	2	1	3	1	1	1	—	—	—	3	3	2	—	1	1	5	2	2	—	2	—
Phthisis . . . . .	7	18	28	8	10	15	11	5	1	8	14	11	11	26	5	6	8	1	4	5	4
Hydrocephalus . . . . .	4	—	6	1	—	4	—	—	1	2	5	1	—	1	4	—	1	—	—	2	—

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.  
At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

DISEASES.	Cambusnethan.	Carlisle.	Lanark.	Rutherglen.	Stonehouse.	Bathgate.	Armada.	Borrowstounness.	Linlithgow.	Dalkeith.	Portobello.	Inveresk.	Dunbar.	Haddington.	Galashiels.	Selkirk.	Hawick.	Jedburgh.	Kelso.	Ladhope.	Annan.	Stranraer.
ALL CAUSES . . .	162	67	89	144	29	70	32	56	63	100	52	127	51	58	66	55	85	80	67	53	54	139
SPECIFIED CAUSES .	156	66	89	143	29	70	30	56	58	95	52	127	47	58	66	55	83	80	67	52	49	138
Zymotic Class . . .	43	8	8	53	6	23	6	17	13	24	11	32	6	10	16	5	13	39	15	17	13	60
Uncertain Seat . . .	8	1	1	9	1	3	2	1	3	3	3	4	1	4	3	1	1	4	5	4	1	2
Tubercular Class . .	40	15	25	26	5	11	8	12	5	15	4	22	6	11	13	12	21	5	14	12	12	24
Brain, etc. . . . .	11	4	13	4	3	9	—	3	5	11	9	21	7	5	4	6	12	2	12	1	2	9
Heart, etc. . . . .	1	2	3	3	—	5	—	1	3	9	6	18	2	5	6	7	8	3	6	3	5	7
Respiratory Organs .	15	8	7	10	3	9	8	4	10	6	4	10	9	9	8	5	10	6	5	5	2	10
Digestive Organs . .	15	11	7	5	4	4	3	5	4	7	6	2	2	3	5	8	6	4	4	4	4	4
Urinary Organs . . .	3	—	—	1	—	—	—	1	1	—	2	1	2	1	—	2	—	—	1	—	—	2
Generative Organs .	2	—	1	3	1	—	—	—	—	2	1	—	—	2	3	—	1	—	—	2	—	2
Locomotive Organs .	—	1	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
Skin . . . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
Malformation . . .	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Premature Debility .	8	5	7	11	3	3	1	6	5	2	—	3	2	2	6	7	7	7	—	2	2	2
Atrophy . . . . .	—	—	2	8	—	—	—	1	1	2	—	1	—	—	—	—	—	3	—	1	—	3
Age . . . . .	6	11	15	7	3	2	—	1	6	11	4	9	10	6	—	1	4	7	3	—	4	10
Sudden Deaths . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	4	—	—	2	—	—	1	2	2	2	1	4	—	—	2	—	—	—	1	1	4	2
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Measles . . . . .	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	5
Scarlatina . . . . .	3	1	—	20	—	2	1	—	1	3	3	1	—	—	9	4	3	35	8	11	2	45
Diphtheria . . . . .	1	—	—	1	—	2	2	9	1	—	—	7	—	2	—	—	—	—	—	1	—	—
Hooping Cough . . .	11	—	—	3	1	1	—	3	3	8	1	4	1	1	2	—	—	—	1	3	1	—
Croup . . . . .	5	3	1	—	—	—	—	1	1	—	—	5	—	2	—	—	—	—	—	—	1	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	5	—	1	9	—	2	2	1	4	5	2	7	1	2	1	—	1	1	1	1	2	2
Dysentery . . . . .	1	—	1	—	—	1	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—
Cholera . . . . .	—	—	1	1	—	—	—	—	—	3	1	2	—	—	—	—	—	—	1	—	—	—
Influenza . . . . .	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	5	3	2	8	—	4	—	—	—	—	—	1	2	—	—	—	1	—	2	—	1	—
Enteric Fever . . . .	8	—	2	4	3	6	—	2	1	4	—	2	1	3	2	—	—	2	—	1	1	6
Relapsing Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	1	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—
Infantile Remittent . .	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Metria . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	1	—	1	1	—	1	—	—	1	1
Rheumatic Fever . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Erysipelas . . . . .	—	1	—	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Syphilis . . . . .	1	—	—	—	—	1	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—	1
Noma . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	4	1	—	4	1	1	—	—	—	1	1	—	—	1	—	—	1	2	—	—	—	—
Abscess . . . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—
Cancer . . . . .	4	—	1	4	—	2	1	1	3	2	1	4	1	2	2	1	—	1	5	4	1	2
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula . . . . .	3	1	2	1	—	—	—	3	1	—	—	1	1	—	1	—	1	—	—	—	1	1
Tabes Mesenterica . .	2	2	3	1	—	3	1	2	—	4	—	6	—	1	—	1	4	1	—	2	3	4
Phthisis . . . . .	32	11	19	23	5	6	3	5	4	7	3	9	5	8	9	9	13	4	11	10	8	17
Hydrocephalus . . . .	3	1	1	1	—	2	4	2	—	4	1	6	—	2	3	2	3	—	3	—	—	2



CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.  
At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

DISEASES.	SMALL TOWNS.	Lerwick.	Kirkwall & St. Ola.	Thurso.	Wick.	Nairn.	Elgin.	Forres.	Banff.	Cullen.	Seafield.	Fraserburgh.	Huntly.	Peterhead.	Dunnottar.	Fetteresso.	Cookney.	Brechin.
IV. Cephalitis . . . .	31	—	—	—	—	—	1	—	—	—	—	2	—	1	—	—	—	1
Apoplexy . . . .	98	1	2	—	1	1	1	1	3	—	2	—	—	2	—	—	—	3
Paralysis . . . .	160	—	—	1	2	3	3	2	5	—	—	—	—	2	—	1	—	4
Delirium Tremens . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . .	15	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1
Tetanus . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Insanity . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . .	44	—	—	—	—	1	3	1	2	—	—	1	1	—	—	—	—	—
Brain Disease . . . .	90	1	—	2	—	2	3	1	2	1	—	1	—	1	1	—	—	—
V. Pericarditis . . . .	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Aneurism . . . .	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Heart Disease . . . .	272	—	2	—	7	2	9	3	6	—	1	7	3	1	—	—	—	9
VI. Laryngitis . . . .	9	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
Bronchitis . . . .	418	2	4	4	11	1	6	4	4	—	—	—	3	4	—	—	1	9
Pleurisy . . . .	8	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
Pneumonia . . . .	142	—	4	—	—	—	1	2	6	1	1	—	2	2	1	1	—	—
Asthma . . . .	18	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Lung Disease . . . .	31	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—	—	4
VII. Teething . . . .	79	—	1	—	—	1	—	1	2	1	—	—	1	—	1	—	—	1
Quinsey . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . .	11	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
Enteritis . . . .	58	—	—	—	—	1	4	—	—	—	—	1	—	1	—	—	—	—
Peritonitis . . . .	27	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—
Ascites . . . .	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines	16	—	—	—	—	1	—	1	—	—	—	—	—	2	—	—	—	—
Hernia . . . .	12	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—
Ileus . . . .	29	—	—	—	—	—	1	1	3	—	—	—	1	—	—	—	—	—
Intussusception . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . .	72	—	—	2	—	—	1	2	—	—	1	—	2	—	—	—	—	6
Pancreas Disease . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . .	14	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Jaundice . . . .	13	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Liver Disease . . . .	54	1	1	—	—	—	1	1	—	1	—	1	—	—	—	—	—	—
Spleen Disease . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . .	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Nephria . . . .	13	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Addison's Disease . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . .	21	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1
IX. Paramenia . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . .	8	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	1
Childbirth . . . .	51	—	—	2	—	—	2	—	1	—	—	—	1	—	1	1	—	—
Organs of Generation . .	8	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—
X. Arthritis . . . .	6	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
Rheumatism . . . .	20	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—
Joint and Bone Disease	11	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—	—	—
XI. Carbuncle . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Phlegmon . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . .	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . .	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc. . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . .	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning . . . .	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Fracture and Contusion	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gunshot Wounds . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . .	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified . . . .	254	7	1	3	22	2	4	1	2	1	1	2	1	23	—	—	—	3

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.  
At present included in the Mainland-Rural Districts.—FEMALES. (Continued.)

DISEASES.	Kirriemuir.	Monifieth.	Blairstown.	Grieff.	Burntisland.	Cupar.	Dysart.	St. Andrews, etc.	Alloa.	Tillicoultry.	Alva.	Campsie.	Falkirk (Burghs).	" (Landward).	Kilsyth.	Bonhill.	Dumbarton.	Kirkintilloch.	Row.	Campbeltown.	Rothsay.
Cephalitis . . . . .	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
Apoplexy . . . . .	1	1	1	1	1	2	1	1	1	2	2	1	2	1	3	2	1	1	1	2	4
Paralysis . . . . .	6	1	3	1	2	2	3	4	4	1	1	2	7	1	1	4	1	1	2	1	8
Delirium Tremens . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Chorea . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Epilepsy . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tetanus . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Insanity . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Convulsions . . . . .	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Brain Disease . . . . .	2	1	1	1	1	1	1	1	3	1	1	4	3	2	1	2	2	1	1	1	3
Pericarditis . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Aneurism . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Heart Disease . . . . .	3	3	2	3	1	6	2	3	5	4	4	1	3	1	2	6	6	1	2	7	6
Laryngitis . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bronchitis . . . . .	2	2	3	5	1	5	6	13	12	2	1	4	13	9	5	6	10	6	6	15	8
Pleurisy . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Pneumonia . . . . .	1	1	1	1	1	4	2	4	1	3	2	2	5	3	1	2	3	2	1	5	1
Asthma . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Lung Disease . . . . .	1	1	1	1	1	1	1	1	1	1	1	5	3	2	1	1	1	1	1	1	1
Teething . . . . .	1	1	1	1	1	1	1	1	1	2	1	4	1	3	3	1	4	1	1	1	1
Quinsey . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1
Gastritis . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Enteritis . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	3	3	1	1	1	1	1	1	3
Peritonitis . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ascites . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ulceration of Intestines . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1
Hernia . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ileus . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4
Intussusception . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stricture of Intestines . . . . .	1	2	1	3	3	1	1	1	1	1	1	3	2	1	1	1	1	1	2	1	2
Stomach Disease . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Pancreas Disease . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Hepatitis . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Jaundice . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Liver Disease . . . . .	2	2	1	1	1	2	2	2	1	1	1	3	2	2	1	1	1	1	1	1	2
Spleen Disease . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Nephritis . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Nephria . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Addison's Disease . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ischuria . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diabetes . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stone . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cystitis . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Stricture of Urethra . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Kidney Disease . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Paramenia . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ovarian Dropsy . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Childbirth . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Organs of Generation . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Arthritis . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Rheumatism . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Joint Disease . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Carbuncle . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Phlegmon . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Skin Disease . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Intemperance . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Privation . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Want of Breast Milk . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Neglect . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cold . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Poison . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Poisoned Wounds . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Burns and Scalds . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Hanging, etc. . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Suffocation . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Drowning . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Fracture and Contusion . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Gunshot Wounds . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cuts and Stabs . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other Violent Causes . . . . .	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Not Specified . . . . .	3	1	4	1	1	7	14	1	4	5	2	6	9	6	3	7	10	5	2	1	1



CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND during the YEAR 1868.  
At present included in the Mainland-Rural Districts.—FEMALES. (*Continued.*)

DISEASES.	Abbey (Landward).	Johnstone.	Eastwood.	Neilston.	Barthead.	Port-Glasgow.	Renfrew.	Old Ardrossan.	New Ardrossan.	Beith.	Dalry.	Galston.	Girvan.	Irvine.	Kilbirnie.	Kilwinning.	Maybole.	Riccarton.	Stevenston.	Stewarton.	Avondale.
Cephalitis . . . . .	—	5	1	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	2
Apoplexy . . . . .	—	3	5	2	4	3	—	1	—	1	2	—	1	2	1	1	1	—	2	—	1
Paralysis . . . . .	2	1	3	—	—	2	—	—	—	1	—	1	2	2	—	1	1	1	1	—	—
Delirium Tremens . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	—	—	2	1	—	1	—	—	2	1	1	1	1	—	—	—	—	—	1	1	1
Brain Disease . . . . .	2	—	2	1	1	3	—	1	—	—	1	2	—	4	—	1	—	2	—	2	—
Pericarditis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	1	4	10	4	2	4	1	2	—	3	3	—	—	4	—	4	1	3	3	1	2
Laryngitis . . . . .	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis . . . . .	6	9	24	3	3	8	6	3	—	1	8	2	1	8	5	7	4	11	4	2	2
Pleurisy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
Pneumonia . . . . .	5	1	2	3	2	10	2	1	—	—	1	—	—	3	—	—	—	1	2	1	8
Asthma . . . . .	—	1	—	2	—	1	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—
Lung Disease . . . . .	—	—	—	—	4	—	1	—	—	1	—	—	1	—	—	—	—	—	2	—	—
Teething . . . . .	—	3	1	1	—	13	1	1	—	2	1	—	1	1	—	—	1	1	1	—	2
Quinsey . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
Enteritis . . . . .	1	3	—	1	—	—	—	—	—	1	1	3	4	—	—	—	—	—	1	—	1
Peritonitis . . . . .	—	2	—	—	1	—	—	—	—	—	1	—	—	1	—	1	—	—	1	1	—
Ascites . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Ulceration of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Hernia . . . . .	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	—	1	3	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	—	2	—	—	—	2	1	—	—	1	5	1	1	—	—	—	—	—	2	1	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—
Jaundice . . . . .	—	1	1	—	—	1	1	1	—	—	—	—	—	—	2	—	—	—	—	1	—
Liver Disease . . . . .	1	—	3	—	2	1	—	—	1	—	1	—	1	2	—	2	—	—	1	1	—
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Diabetes . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	3	—	2	2	2	1	—	—	—	—	—	2	—	—	—	—	—	1	—
Organs of Generation . . . . .	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis . . . . .	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
Rheumatism . . . . .	—	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Joint Disease . . . . .	—	1	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Poison . . . . .	—	—	1	—	1	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	1	1	1	—	—
Hanging, etc. . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	—	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—
Fracture and Contusion . . . . .	—	1	2	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—	1	—	—
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Not Specified . . . . .	1	1	4	10	1	3	3	3	1	2	5	5	2	7	1	—	3	1	1	—	3





## CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	69416	6523	2456	4621	6129	3021	2084	1521	3431	1830	2237	2569	2414
SPECIFIED CAUSES . . . . .	66463	5682	2233	4383	5893	2921	2013	1460	3327	1751	2151	2491	2326
I. Zymotic Class . . . . .	15170	765	667	1537	2538	1578	1191	897	1774	562	413	366	306
II. Diseases of Uncertain Seat	2344	38	18	29	29	17	17	15	52	32	31	37	48
III. Tubercular Class . . . . .	11487	183	294	675	945	445	283	200	647	603	1119	1331	1139
IV. Brain and Nervous System	5460	383	159	227	260	130	79	76	190	129	90	106	103
V. Organs of Circulation . . . . .	3274	21	6	8	5	3	3	8	42	49	77	79	119
VI. Respiratory Organs . . . . .	9450	616	530	1099	1249	468	267	158	275	82	113	144	185
VII. Organs of Digestion . . . . .	4822	491	241	570	596	118	53	31	100	71	77	110	92
VIII. Urinary Organs . . . . .	1024	7	5	3	17	14	14	10	51	28	32	57	40
IX. Organs of Generation . . . . .	531	—	—	—	—	—	—	—	—	1	21	74	94
X. Organs of Locomotion . . . . .	450	2	—	3	2	3	7	11	45	54	34	28	24
XI. Skin, etc. . . . .	82	18	12	6	9	6	2	2	1	—	—	3	1
XII. Malformation . . . . .	183	153	8	8	6	2	1	—	2	2	1	—	—
XIII. Premature Debility . . . . .	3251	2843	224	184	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	559	—	—	—	160	54	37	16	31	15	8	10	13
XV. Age . . . . .	5944	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	185	20	8	4	3	—	2	3	5	2	4	8	6
XVII. Violent Deaths . . . . .	2247	142	61	30	74	83	57	33	112	121	131	138	156
I. Small Pox . . . . .	15	4	1	3	3	—	1	—	1	1	—	—	1
Measles . . . . .	1149	9	31	221	432	216	93	62	59	11	4	1	1
Scarlatina . . . . .	3141	10	30	160	415	433	495	418	911	173	31	27	14
Diphtheria . . . . .	749	24	6	63	135	109	104	75	142	33	7	7	8
Hooping Cough . . . . .	2490	146	184	533	795	371	196	127	131	6	—	—	—
Croup . . . . .	939	23	26	94	261	206	138	98	92	—	1	—	—
Thrush . . . . .	25	19	1	1	2	1	—	—	1	—	—	—	—
Diarrhœa . . . . .	2017	326	269	312	330	91	29	10	35	10	14	10	22
Dysentery . . . . .	263	10	10	19	10	7	5	1	3	3	5	7	5
Cholera . . . . .	204	13	22	31	18	4	2	2	9	4	4	5	6
Influenza . . . . .	140	3	4	4	6	4	2	—	2	2	3	2	2
Purpura . . . . .	30	1	1	2	1	1	1	1	2	2	4	—	2
Ague . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Worms . . . . .	18	—	—	—	3	2	1	2	9	1	—	—	—
Typhus . . . . .	1561	8	7	16	36	27	36	29	112	118	134	136	104
Enteric Fever . . . . .	1404	7	11	18	42	67	60	53	203	147	160	106	80
Relapsing Fever . . . . .	45	—	—	—	2	2	1	—	1	5	5	5	4
Simple Continued Fever . . . . .	100	—	—	—	4	5	3	4	18	14	10	8	4
Infantile Remittent . . . . .	132	10	6	19	21	22	20	8	25	1	—	—	—
Metria . . . . .	140	—	—	—	—	—	—	—	—	—	7	32	36
Rheumatic Fever . . . . .	122	—	—	—	—	1	1	2	6	20	18	12	7
Erysipelas . . . . .	258	79	16	14	5	6	—	2	8	7	4	2	3
Pyæmia . . . . .	29	—	—	2	4	—	—	—	1	3	1	2	4
Syphilis . . . . .	185	73	42	24	11	1	1	1	1	1	1	3	3
Noma . . . . .	13	—	—	1	2	2	2	2	2	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	69	12	3	—	1	1	1	—	—	4	2	2	2
Dropsy . . . . .	643	3	3	11	12	9	8	11	37	17	9	10	14
Abscess . . . . .	132	9	9	9	9	2	2	1	5	5	6	6	9
Ulcer . . . . .	38	4	1	2	1	1	2	—	1	—	2	—	2
Fistula . . . . .	14	—	—	—	—	—	—	—	—	—	—	2	1
Mortification . . . . .	109	5	1	3	4	1	—	1	2	—	2	1	1
Cancer . . . . .	1327	5	1	4	2	3	4	2	7	6	10	16	19
Gout . . . . .	12	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	688	22	14	42	71	38	25	22	86	76	66	54	39
Tabes Mesenterica . . . . .	902	62	63	116	239	113	53	36	92	49	22	20	4
Phthisis . . . . .	8154	29	44	104	186	120	79	59	278	441	1016	1254	1092
Hydrocephalus . . . . .	1743	70	173	413	449	174	126	83	191	37	15	3	4

## CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	2194	2155	2075	2208	2306	2479	3005	3205	3225	3115	2535	1320	493	165	38	62
SPECIFIED CAUSES . . .	2123	2085	2013	2123	2193	2355	2839	3179	3222	3115	2535	1320	493	165	38	34
Zymotic Class . . .	274	251	238	227	232	259	266	256	195	189	123	53	10	2	—	1
Uncertain Seat . . .	58	89	128	201	212	239	270	236	216	162	123	36	8	2	—	1
Tubercular Class . . .	897	729	528	449	326	287	199	123	52	19	9	4	—	—	—	1
Brain, etc. . . . .	135	182	194	211	255	301	414	537	460	454	257	103	18	—	—	7
Heart, etc. . . . .	140	155	188	201	242	293	386	409	357	296	132	39	9	2	—	5
Respiratory Organs . . .	184	222	265	348	390	437	520	576	526	407	228	117	36	6	—	2
Digestive Organs . . .	118	141	171	206	265	252	319	283	245	156	85	25	5	1	—	—
Urinary Organs . . .	52	37	47	70	56	59	88	94	100	78	46	15	1	2	—	1
Generative Organs . . .	86	90	66	21	13	16	14	13	13	8	—	1	—	—	—	—
Locomotive Organs . . .	19	14	21	19	19	22	30	24	33	23	10	2	—	—	—	1
Skin . . . . .	1	2	—	2	4	1	3	2	3	2	—	2	—	—	—	—
Malformation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy . . . . .	15	17	26	33	52	71	1	—	—	—	—	—	—	—	—	—
Age . . . . .	—	—	—	—	—	—	197	526	963	1280	1488	901	401	148	38	2
Sudden Deaths . . . . .	9	9	13	10	12	14	20	18	7	8	—	—	—	—	—	—
Violent Deaths . . . . .	135	147	128	125	115	104	112	82	52	33	34	22	5	2	—	13
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	2	2	2	1	1	—	—	1	—	—	—	—	—	—	—	—
Scarlatina . . . . .	9	5	3	2	4	—	—	—	—	1	—	—	—	—	—	—
Diphtheria . . . . .	8	4	4	2	—	5	4	7	2	—	—	—	—	—	—	—
Hooping Cough . . . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa . . . . .	16	23	18	21	35	48	61	83	76	73	75	25	3	2	—	—
Dysentery . . . . .	9	4	13	11	14	19	20	20	23	29	10	5	1	—	—	—
Cholera . . . . .	4	6	5	11	9	13	12	8	7	5	3	1	—	—	—	—
Influenza . . . . .	5	3	2	2	4	7	14	12	15	20	10	9	3	—	—	—
Purpura . . . . .	1	1	2	1	3	—	1	—	—	1	1	1	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	103	102	103	105	105	95	77	60	22	17	7	2	—	—	—	—
Enteric Fever . . . . .	57	52	56	46	42	40	48	43	31	21	11	2	—	—	—	1
Relapsing Fever . . . . .	3	1	1	1	2	3	4	1	—	3	—	1	—	—	—	—
Simple Cont. Fever . . . . .	1	8	3	3	1	2	1	5	1	2	2	1	—	—	—	—
Infantile Remittent . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria . . . . .	34	20	9	2	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	10	6	6	7	1	5	8	5	3	4	—	—	—	—	—	—
Erysipelas . . . . .	5	3	5	10	7	17	15	11	15	11	4	6	3	—	—	—
Pyæmia . . . . .	2	7	1	—	—	1	—	—	—	1	—	—	—	—	—	—
Syphilis . . . . .	5	4	4	2	3	3	1	—	—	1	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	6	2	4	7	5	2	5	4	5	1	—	—	—	—	—	—
Dropsy . . . . .	16	23	29	30	38	45	72	66	70	53	43	11	1	1	—	1
Abscess . . . . .	9	9	7	5	8	8	7	2	3	—	1	1	—	—	—	—
Ulcer . . . . .	—	1	2	2	1	2	5	1	3	1	4	—	—	—	—	—
Fistula . . . . .	1	—	—	2	—	2	2	2	1	—	1	—	—	—	—	—
Mortification . . . . .	—	2	4	1	3	5	10	10	13	15	16	7	2	—	—	—
Cancer . . . . .	26	51	82	154	155	173	167	149	119	91	58	17	5	1	—	—
Gout . . . . .	—	1	—	—	2	2	2	2	2	1	—	—	—	—	—	—
Scrofula . . . . .	30	24	12	18	13	10	9	9	2	5	1	—	—	—	—	—
Tabes Mesenterica . . . . .	5	3	3	4	3	6	1	5	2	—	—	1	—	—	—	—
Phthisis . . . . .	862	698	513	427	310	271	188	109	48	14	8	3	—	1	—	—
Hydrocephalus . . . . .	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—



CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES. (Contd.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	383	17	15	40	49	16	21	18	61	26	19	22	9
Apoplexy . . . . .	1190	21	12	26	23	12	11	8	18	14	10	13	16
Paralysis . . . . .	1653	2	1	1	2	3	1	2	4	9	5	9	9
Delirium Tremens . . . . .	71	—	—	—	—	—	—	—	—	—	—	1	7
Chorea . . . . .	5	—	—	—	1	1	—	—	1	—	1	—	—
Epilepsy . . . . .	213	1	—	—	—	—	1	—	1	9	16	19	22
Tetanus . . . . .	42	17	3	—	1	1	1	2	1	1	2	4	2
Insanity . . . . .	46	—	—	—	—	—	—	—	—	2	—	2	3
Convulsions . . . . .	856	312	109	132	155	62	29	17	38	2	—	—	—
Brain Disease . . . . .	1001	13	19	28	29	35	15	29	66	66	37	36	35
V. Pericarditis . . . . .	66	2	2	—	—	—	—	4	6	4	6	2	6
Aneurism . . . . .	96	—	—	—	—	—	—	—	1	—	—	—	7
Heart Disease . . . . .	3112	19	4	8	5	3	3	4	35	45	71	77	106
VI. Laryngitis . . . . .	142	4	5	13	23	12	9	3	10	2	2	5	7
Bronchitis . . . . .	6261	451	431	866	960	337	185	110	143	34	41	45	59
Pleurisy . . . . .	206	8	1	4	2	2	3	1	14	5	7	7	12
Pneumonia . . . . .	2098	136	84	202	254	112	65	36	93	33	49	70	79
Asthma . . . . .	415	—	—	1	—	—	—	—	—	—	3	4	9
Lung Disease . . . . .	328	17	9	13	10	5	5	18	15	8	11	13	19
VII. Teething . . . . .	937	6	44	390	451	41	4	1	—	—	—	—	—
Quinsey . . . . .	56	8	5	11	6	10	3	1	3	—	1	3	—
Gastritis . . . . .	159	9	4	10	9	4	9	1	3	4	3	8	2
Enteritis . . . . .	783	231	100	88	59	21	15	13	21	17	14	16	13
Peritonitis . . . . .	325	30	14	8	8	11	5	3	18	18	18	25	17
Ascites . . . . .	71	1	—	—	—	2	—	—	3	3	2	3	1
Ulceration of Intestines . . . . .	185	7	1	3	6	1	1	2	4	2	3	9	7
Hernia . . . . .	99	4	4	1	—	2	—	1	1	—	1	1	3
Ileus . . . . .	292	23	11	2	5	1	1	—	4	7	11	13	4
Intussusception . . . . .	30	—	4	4	2	—	—	—	1	—	1	—	—
Stricture of Intestines . . . . .	31	2	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	751	88	43	44	32	15	9	6	22	7	10	14	13
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	146	4	—	3	2	—	1	—	3	3	4	4	6
Jaundice . . . . .	176	57	4	3	7	4	1	1	1	3	1	2	2
Liver Disease . . . . .	759	21	7	3	8	6	4	2	15	7	6	12	22
Spleen Disease . . . . .	22	—	—	—	1	—	—	—	1	—	2	—	2
VIII. Nephritis . . . . .	79	1	—	1	4	3	4	5	18	7	—	3	1
Nephria . . . . .	300	—	—	—	7	5	2	3	15	9	17	25	16
Addison's Disease . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	41	3	2	—	—	—	—	1	5	—	—	2	—
Diabetes . . . . .	91	—	—	1	1	3	2	—	2	4	9	10	12
Stone . . . . .	48	—	—	—	—	—	—	—	1	—	—	3	—
Cystitis . . . . .	174	1	—	—	1	—	1	—	1	1	1	6	1
Stricture of Urethra . . . . .	21	—	—	—	1	—	—	—	—	—	—	—	2
Kidney Disease . . . . .	266	2	3	1	3	3	5	1	9	7	5	8	8
IX. Paramenia . . . . .	33	—	—	—	—	—	—	—	—	1	6	4	6
Ovarian Dropsy . . . . .	65	—	—	—	—	—	—	—	—	—	—	2	5
Childbirth . . . . .	354	—	—	—	—	—	—	—	—	—	9	67	74
Organs of Generation . . . . .	79	—	—	—	—	—	—	—	—	—	6	1	9
X. Arthritis . . . . .	107	1	—	—	1	3	3	2	9	13	13	7	11
Rheumatism . . . . .	177	—	—	—	—	—	1	1	3	12	6	3	2
Joint and Bone Disease . . . . .	166	1	—	3	1	—	3	8	33	29	15	18	11
XI. Carbuncle . . . . .	17	—	3	1	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	8	1	—	—	—	1	—	—	—	—	—	1	1
Skin Disease . . . . .	57	17	9	5	9	5	2	2	1	—	—	2	—
XVII. Intemperance . . . . .	82	—	—	—	—	—	—	—	—	—	3	3	5
Privation . . . . .	6	—	—	—	—	—	—	—	—	—	—	—	1
Want of Breast Milk . . . . .	87	55	24	8	—	—	—	—	—	—	—	—	—
Neglect . . . . .	2	1	—	—	—	—	1	—	—	—	—	—	—
Cold . . . . .	33	3	—	1	1	—	—	—	—	—	—	—	3
Poison . . . . .	53	7	3	1	2	5	2	—	4	—	1	—	4
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	220	—	1	8	38	40	28	15	17	6	4	8	4
Hanging, etc. . . . .	58	—	—	—	—	—	—	—	1	3	1	1	3
Suffocation . . . . .	128	42	29	10	4	3	1	—	4	—	1	1	6
Drowning . . . . .	515	2	—	—	18	19	11	4	28	40	44	53	40
Fracture and Contusion . . . . .	929	3	2	1	10	16	14	11	55	64	65	66	82
Gunshot Wounds . . . . .	19	—	—	—	—	—	—	—	—	3	3	2	1
Cuts and Stabs . . . . .	22	—	—	—	—	—	—	—	—	2	4	1	2
Other Violent Causes . . . . .	93	29	2	1	1	—	—	3	3	3	5	3	5
Not Specified . . . . .	2953	841	223	238	236	100	71	61	104	79	86	78	88

## CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES. (Contd.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . . . .	17	11	6	7	7	9	2	3	—	4	2	1	—	—	—	1
Apoplexy . . . . .	21	48	44	63	82	105	132	174	118	111	70	31	6	—	—	1
Paralysis . . . . .	25	41	49	53	96	120	182	268	263	275	154	66	10	—	—	3
Delirium Tremens . . . . .	11	15	6	14	6	3	4	2	1	—	1	—	—	—	—	—
Chorea . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	20	16	19	21	10	11	14	10	11	6	5	1	—	—	—	—
Tetanus . . . . .	1	1	2	—	—	1	—	1	—	—	1	—	—	—	—	—
Insanity . . . . .	1	2	7	2	5	5	9	5	3	—	—	—	—	—	—	—
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . . . .	39	48	61	51	48	47	71	74	64	58	24	4	2	—	—	2
Pericarditis . . . . .	5	3	4	7	—	8	—	2	2	3	—	—	—	—	—	—
Aneurism . . . . .	9	18	9	12	11	7	7	7	3	2	3	—	—	—	—	—
Heart Disease . . . . .	126	134	175	182	231	278	379	400	352	291	129	39	9	2	—	5
Laryngitis . . . . .	5	5	9	5	4	7	3	5	3	—	—	1	—	—	—	—
Bronchitis . . . . .	81	101	113	179	201	275	324	376	353	295	169	93	31	6	—	2
Pleurisy . . . . .	15	8	12	5	18	9	19	16	17	11	6	2	2	—	—	—
Pneumonia . . . . .	65	72	97	91	93	71	102	96	82	66	33	15	2	—	—	—
Asthma . . . . .	5	14	21	36	50	47	52	61	58	32	17	4	1	—	—	—
Lung Disease . . . . .	13	22	13	32	24	28	20	22	13	3	3	2	—	—	—	—
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	2	2	1	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	6	7	7	11	13	9	6	14	7	6	6	1	—	—	—	—
Enteritis . . . . .	12	14	11	14	18	11	21	27	19	16	10	—	2	—	—	—
Peritonitis . . . . .	21	18	17	10	13	10	20	12	16	8	4	—	—	1	—	—
Ascites . . . . .	2	4	3	8	7	2	6	10	6	3	4	1	—	—	—	—
Ulceration of Intestines . . . . .	10	11	15	14	18	9	21	14	13	7	5	2	—	—	—	—
Hernia . . . . .	2	3	2	4	10	7	10	16	12	8	5	2	—	—	—	—
Ileus . . . . .	10	4	15	9	28	19	35	34	20	18	12	5	1	—	—	—
Intussusception . . . . .	2	1	—	1	3	3	1	1	4	1	1	—	—	—	—	—
Stricture of Intestines . . . . .	—	3	1	2	5	2	4	5	4	3	—	—	—	—	—	—
Stomach Disease . . . . .	17	15	30	37	41	63	68	57	54	44	17	4	1	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	10	8	14	10	11	17	19	9	10	7	1	—	—	—	—	—
Jaundice . . . . .	1	—	5	5	9	9	15	13	17	4	9	3	—	—	—	—
Liver Disease . . . . .	24	50	48	80	82	88	91	70	63	31	11	7	1	—	—	—
Spleen Disease . . . . .	1	3	3	1	5	1	1	1	—	—	—	—	—	—	—	—
Nephritis . . . . .	1	1	2	4	6	1	5	6	3	2	—	1	—	—	—	—
Nephria . . . . .	26	17	19	27	17	20	23	19	19	6	7	—	1	—	—	—
Addison's Disease . . . . .	—	1	—	—	2	—	—	1	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	1	1	1	1	—	3	6	4	4	5	1	—	1	—	—
Diabetes . . . . .	6	2	6	4	6	7	6	3	6	1	—	—	—	—	—	—
Stone . . . . .	—	—	—	1	2	1	5	13	6	11	4	1	—	—	—	—
Cystitis . . . . .	3	4	3	9	4	11	20	15	33	31	18	9	—	1	—	—
Stricture of Urethra . . . . .	1	—	1	3	2	1	2	—	4	3	1	—	—	—	—	—
Kidney Disease . . . . .	15	11	15	21	16	18	24	31	25	20	11	3	—	—	—	1
Paramenia . . . . .	8	1	4	3	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	3	5	4	5	7	7	11	7	6	3	—	—	—	—	—	—
Childbirth . . . . .	71	78	51	3	—	—	1	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	4	6	7	10	6	9	2	6	7	5	—	1	—	—	—	—
Arthritis . . . . .	8	5	4	6	9	3	3	2	3	1	—	—	—	—	—	—
Rheumatism . . . . .	5	3	9	7	7	12	22	19	30	22	10	2	—	—	—	1
Joint Disease . . . . .	6	6	8	6	3	7	5	3	—	—	—	—	—	—	—	—
Carbuncle . . . . .	—	—	—	—	4	1	3	1	1	1	—	2	—	—	—	—
Phlegmon . . . . .	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Skin Disease . . . . .	—	1	—	2	—	—	—	1	1	—	—	—	—	—	—	—
Intemperance . . . . .	10	11	11	12	10	5	8	3	1	—	—	—	—	—	—	—
Privation . . . . .	1	1	—	1	—	—	1	1	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	3	4	2	3	2	2	4	—	3	1	—	—	—	—	—	1
Poison . . . . .	4	6	4	1	4	1	2	1	—	—	—	—	—	1	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	4	3	4	2	7	1	5	5	5	5	6	4	—	—	—	—
Hanging, etc. . . . .	5	6	4	6	3	6	9	5	2	3	—	—	—	—	—	—
Suffocation . . . . .	2	5	3	4	3	3	6	—	1	—	—	—	—	—	—	—
Drowning . . . . .	43	37	29	36	27	28	14	15	12	1	2	1	—	—	—	11
Fracture and Contusion . . . . .	60	67	63	48	52	52	55	46	27	21	26	16	5	1	—	1
Gunshot Wounds . . . . .	2	1	1	4	—	1	—	1	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	1	—	2	2	2	2	—	2	—	1	—	1	—	—	—	—
Other Violent Causes . . . . .	—	6	5	6	5	3	8	3	1	1	—	—	—	—	—	—
Not Specified . . . . .	71	70	62	85	113	124	166	26	3	—	—	—	—	—	—	28



CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	34662	3706	1335	2486	3158	1549	1036	779	1757	878	1130	1321	1154
SPECIFIED CAUSES . . . . .	33068	3236	1214	2348	3044	1491	1004	746	1705	828	1084	1268	1102
I. Zymotic Class . . . . .	7439	404	341	798	1273	781	569	462	864	223	202	172	130
II. Diseases of Uncertain Seat . . . . .	884	21	10	13	12	7	8	4	22	13	14	20	15
III. Tubercular Class . . . . .	5562	99	168	381	530	234	146	99	331	259	493	653	530
IV. Brain and Nervous System . . . . .	2902	219	84	131	147	66	47	42	102	75	60	55	52
V. Organs of Circulation . . . . .	1696	13	3	1	5	1	1	6	26	25	39	45	60
VI. Respiratory Organs . . . . .	4953	362	302	593	634	247	136	81	137	39	59	91	101
VII. Organs of Digestion . . . . .	2441	294	139	304	309	60	29	17	61	39	44	46	43
VIII. Urinary Organs . . . . .	698	5	4	1	7	10	6	4	34	16	21	35	18
IX. Organs of Generation . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	1
X. Organs of Locomotion . . . . .	231	1	—	1	—	3	7	8	24	28	25	19	15
XI. Skin, etc. . . . .	49	11	10	3	4	2	1	2	1	—	—	2	—
XII. Malformation . . . . .	111	98	1	4	4	1	1	—	1	1	—	—	—
XIII. Premature Debility . . . . .	1816	1605	115	96	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	235	—	—	—	75	26	15	7	11	7	4	3	3
XV. Age . . . . .	2220	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	106	8	5	3	2	—	—	1	3	—	2	4	3
XVII. Violent Deaths . . . . .	1723	96	32	19	42	53	38	13	88	103	121	123	131
I. Small Pox . . . . .	5	—	1	1	1	—	1	—	—	—	—	—	1
Measles . . . . .	596	5	11	128	223	112	49	31	27	6	2	1	—
Scarlatina . . . . .	1596	3	20	87	212	227	243	233	451	80	14	12	5
Diphtheria . . . . .	354	14	4	26	69	58	46	37	59	11	4	2	4
Hooping Cough . . . . .	1165	69	88	271	369	159	85	50	73	1	—	—	—
Croup . . . . .	491	17	20	43	146	100	64	57	44	—	—	—	—
Thrush . . . . .	14	9	1	1	1	1	—	—	1	—	—	—	—
Diarrhoea . . . . .	998	170	138	157	165	52	14	5	20	4	12	4	11
Dysentery . . . . .	115	6	4	12	6	3	3	1	2	3	1	4	2
Cholera . . . . .	102	6	13	16	9	—	—	1	3	1	3	2	2
Influenza . . . . .	68	3	4	4	5	2	1	—	—	—	2	2	1
Purpura . . . . .	14	1	—	1	—	—	—	1	1	—	3	—	1
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	9	—	—	—	—	1	1	2	4	1	—	—	—
Typhus . . . . .	831	1	5	10	20	13	21	13	53	48	74	81	57
Enteric Fever . . . . .	654	5	3	9	24	36	25	26	95	52	70	45	41
Relapsing Fever . . . . .	18	—	—	—	—	1	1	—	1	1	—	1	1
Simple Continued Fever . . . . .	35	—	—	—	1	1	2	2	5	2	5	6	—
Infantile Remittent . . . . .	67	5	2	10	11	11	11	2	15	—	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	60	—	—	—	—	—	1	—	5	8	9	9	2
Erysipelas . . . . .	139	47	10	8	2	4	—	—	4	2	2	1	1
Pyæmia . . . . .	14	—	—	1	3	—	—	—	1	2	1	1	—
Syphilis . . . . .	90	43	17	12	5	—	—	1	—	1	—	1	1
Noma . . . . .	4	—	—	1	1	—	1	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	45	7	2	—	—	1	1	1	—	2	1	1	1
Dropsy . . . . .	262	1	3	6	4	3	3	3	17	5	3	5	4
Abscess . . . . .	55	5	3	3	5	—	1	1	—	2	2	3	4
Ulcer . . . . .	18	2	1	2	1	1	1	—	—	—	1	—	—
Fistula . . . . .	12	—	—	—	—	—	—	—	—	—	—	2	1
Mortification . . . . .	49	2	—	1	1	1	—	—	2	—	—	1	1
Cancer . . . . .	436	4	1	1	—	1	2	—	3	4	7	8	4
Gout . . . . .	7	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	386	10	8	29	42	14	15	13	51	43	45	31	23
Tabes Mesenterica . . . . .	493	34	38	59	135	66	25	15	54	27	11	11	2
Phthisis . . . . .	3724	12	23	59	104	64	37	29	129	169	432	608	502
Hydrocephalus . . . . .	959	43	99	234	249	90	69	42	97	20	5	3	3

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . . . .	1046	1042	1020	1185	1167	1271	1494	1550	1451	1353	1023	494	174	54	11	38
SPECIFIED CAUSES . . . . .	1101	1011	984	1138	1115	1218	1405	1536	1449	1353	1023	494	174	54	11	22
Zymotic Class . . . . .	110	113	125	121	127	133	137	110	88	89	43	20	3	—	—	1
Uncertain Seat . . . . .	17	23	43	69	74	84	101	92	79	66	54	17	4	1	—	1
Tubercular Class . . . . .	381	318	216	222	155	145	95	66	24	10	5	2	—	—	—	—
Brain, etc. . . . .	88	114	113	120	125	158	205	265	240	225	114	45	8	—	—	2
Heart, etc. . . . .	76	85	96	113	125	156	201	206	174	151	63	17	3	1	—	4
Respiratory Organs . . . . .	104	122	146	210	218	236	273	300	236	170	87	49	19	—	—	1
Digestive Organs . . . . .	58	61	83	103	126	127	154	118	108	65	39	12	2	—	—	—
Urinary Organs . . . . .	26	24	26	52	37	42	61	71	82	64	35	14	—	2	—	1
Generative Organs . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs . . . . .	8	7	9	13	10	13	10	10	7	8	5	—	—	—	—	—
Skin . . . . .	—	1	—	1	2	1	3	1	1	1	—	2	—	—	—	—
Malformation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy . . . . .	8	10	9	9	18	30	—	—	—	—	—	—	—	—	—	—
Age . . . . .	—	—	—	—	—	—	70	222	372	487	566	309	134	48	11	1
Sudden Deaths . . . . .	7	5	9	7	7	8	11	10	7	4	—	—	—	—	—	—
Violent Deaths . . . . .	127	128	109	98	91	85	84	65	31	13	12	7	1	2	—	11
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Scarlatina . . . . .	3	1	2	1	1	—	—	—	—	1	—	—	—	—	—	—
Diphtheria . . . . .	3	4	3	2	—	4	1	2	1	—	—	—	—	—	—	—
Whooping Cough . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa . . . . .	6	8	9	11	20	26	31	30	40	32	21	11	1	—	—	—
Dysentery . . . . .	2	1	6	7	6	8	11	6	6	9	3	2	1	—	—	—
Cholera . . . . .	2	3	1	9	5	9	7	2	4	2	1	1	—	—	—	—
Influenza . . . . .	2	—	2	—	1	2	9	6	6	8	6	2	—	—	—	—
Purpura . . . . .	1	—	2	—	2	—	1	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	55	52	63	55	64	46	45	29	9	12	4	1	—	—	—	—
Enteric Fever . . . . .	26	29	26	27	18	21	20	23	13	14	5	—	—	—	—	1
Relapsing Fever . . . . .	1	—	—	—	2	1	3	1	—	3	—	1	—	—	—	—
Simple Cont. Fever . . . . .	—	5	1	—	1	1	—	1	—	—	2	—	—	—	—	—
Infantile Remittent . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	3	4	5	3	1	2	3	2	2	1	—	—	—	—	—	—
Erysipelas . . . . .	1	2	4	5	5	11	5	7	7	7	1	2	1	—	—	—
Pyæmia . . . . .	1	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	4	1	1	1	—	1	1	—	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	2	2	2	6	5	—	5	4	2	—	—	—	—	—	—	—
Dropsy . . . . .	7	7	14	11	15	18	26	25	26	25	23	7	—	—	—	1
Abscess . . . . .	1	4	3	2	6	4	3	1	2	—	—	—	—	—	—	—
Ulcer . . . . .	—	—	—	1	—	2	3	—	1	1	1	—	—	—	—	—
Fistula . . . . .	—	—	—	2	—	2	2	2	1	—	—	—	—	—	—	—
Mortification . . . . .	—	1	3	1	2	1	5	5	5	6	7	3	1	—	—	—
Cancer . . . . .	7	9	21	46	44	56	56	53	41	34	23	7	3	1	—	—
Gout . . . . .	—	—	—	—	2	1	1	2	1	—	—	—	—	—	—	—
Scrofula . . . . .	15	10	3	9	7	5	5	4	—	3	1	—	—	—	—	—
Tabes Mesenterica . . . . .	2	2	1	2	2	4	—	3	—	—	—	—	—	—	—	—
Phthisis . . . . .	364	302	212	211	146	136	89	59	24	7	4	2	—	—	—	—
Hydrocephalus . . . . .	—	4	—	—	—	—	1	—	—	—	—	—	—	—	—	—



CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	225	13	9	21	28	7	10	13	33	15	14	11	8
Apoplexy . . . . .	605	10	6	15	11	6	8	5	9	6	8	6	3
Paralysis . . . . .	802	—	—	—	2	—	1	1	3	3	4	7	7
Delirium Tremens . . . . .	60	—	—	—	—	—	—	—	—	—	—	1	6
Chorea . . . . .	2	—	—	—	1	—	—	—	1	—	—	—	—
Epilepsy . . . . .	118	1	—	—	—	—	—	—	—	6	8	9	11
Tetanus . . . . .	30	13	3	—	1	1	1	1	1	1	2	2	—
Insanity . . . . .	13	—	—	—	—	—	—	—	—	1	—	1	1
Convulsions . . . . .	479	176	60	80	89	32	17	5	18	2	—	—	—
Brain Disease . . . . .	568	6	6	15	15	20	10	17	37	41	24	18	16
V. Pericarditis . . . . .	37	1	—	—	—	—	—	3	4	3	4	1	1
Aneurism . . . . .	72	—	—	—	—	—	—	—	1	—	—	—	6
Heart Disease . . . . .	1587	12	3	1	5	1	1	3	21	22	35	44	53
VI. Laryngitis . . . . .	83	2	4	7	10	6	5	2	8	1	1	2	4
Bronchitis . . . . .	3077	262	238	458	488	173	94	56	64	14	15	30	26
Pleurisy . . . . .	139	4	1	2	1	1	3	—	12	4	5	5	9
Pneumonia . . . . .	1232	88	54	117	131	63	31	18	45	14	30	44	47
Asthma . . . . .	226	—	—	1	—	—	—	—	—	—	2	3	4
Lung Disease . . . . .	196	6	5	8	4	4	3	5	8	6	6	7	11
VII. Teething . . . . .	493	4	26	203	238	19	2	1	—	—	—	—	—
Quinsey . . . . .	30	5	1	7	4	4	3	—	1	—	1	2	—
Gastritis . . . . .	74	8	3	4	5	2	4	1	2	2	1	1	1
Enteritis . . . . .	431	137	61	53	27	11	8	6	12	11	8	8	8
Peritonitis . . . . .	132	14	8	6	1	4	4	1	10	11	11	9	2
Ascites . . . . .	27	1	—	—	—	1	—	—	2	—	1	2	1
Ulceration of Intestines . . . . .	89	4	1	1	3	1	1	1	3	2	2	4	4
Hernia . . . . .	48	4	3	1	—	2	—	1	1	—	1	1	3
Ileus . . . . .	152	15	7	2	3	—	1	—	3	4	7	8	2
Intussusception . . . . .	20	—	4	1	2	—	—	—	1	—	1	—	—
Stricture of Intestines . . . . .	14	2	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	355	54	18	20	15	11	2	4	13	3	3	5	4
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	72	3	—	2	—	—	1	—	2	2	3	2	3
Jaundice . . . . .	90	29	2	2	4	1	—	1	1	—	1	—	—
Liver Disease . . . . .	402	14	5	2	7	4	3	1	9	4	3	4	13
Spleen Disease . . . . .	12	—	—	—	—	—	—	—	1	—	1	—	2
VIII. Nephritis . . . . .	51	1	—	—	1	1	2	2	14	4	—	3	—
Nephria . . . . .	173	—	—	—	2	5	—	1	11	5	12	15	5
Addison's Disease . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	32	2	1	—	—	—	—	—	3	—	—	2	—
Diabetes . . . . .	60	—	—	1	1	3	1	—	1	1	7	7	6
Stone . . . . .	45	—	—	—	—	—	—	—	1	—	—	3	—
Cystitis . . . . .	156	1	—	—	1	—	1	—	1	1	—	2	1
Stricture of Urethra . . . . .	19	—	—	—	1	—	—	—	—	—	—	—	1
Kidney Disease . . . . .	159	1	3	—	1	1	2	1	3	5	2	3	5
IX. Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	1
X. Arthritis . . . . .	68	1	—	—	—	3	3	2	5	7	10	3	7
Rheumatism . . . . .	69	—	—	—	—	—	1	1	—	7	5	3	2
Joint and Bone Disease . . . . .	94	—	—	1	—	—	3	5	19	14	10	13	6
XI. Carbuncle . . . . .	12	—	3	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	2	1	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	35	10	7	3	4	2	1	2	1	—	—	2	—
XVII. Intemperance . . . . .	51	—	—	—	—	—	—	—	—	—	3	3	1
Privation . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	54	32	16	6	—	—	—	—	—	—	—	—	—
Neglect . . . . .	1	—	—	—	—	—	1	—	—	—	—	—	—
Cold . . . . .	24	2	—	1	1	—	—	—	—	—	—	—	3
Poison . . . . .	34	4	3	—	1	4	2	—	3	—	—	—	2
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	127	—	—	5	23	26	18	6	11	5	3	6	3
Hanging, etc. . . . .	43	—	—	—	—	—	—	—	—	3	1	—	1
Suffocation . . . . .	75	29	11	6	2	1	1	—	4	—	—	—	4
Drowning . . . . .	440	2	—	—	9	13	8	3	22	36	41	49	37
Fracture and Contusion . . . . .	769	3	1	—	6	9	8	4	48	51	62	62	74
Gunshot Wounds . . . . .	17	—	—	—	—	—	—	—	—	3	3	1	1
Cuts and Stabs . . . . .	19	—	—	—	—	—	—	—	—	2	4	—	1
Other Violent Causes . . . . .	67	24	1	1	—	—	—	—	—	3	4	2	4
Not Specified . . . . .	1594	470	121	138	114	58	32	33	52	50	46	53	52

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . . . .	10	9	6	3	5	7	1	—	—	1	1	—	—	—	—	—
Apoplexy . . . . .	11	27	25	34	38	48	68	90	60	58	33	15	4	—	—	1
Paralysis . . . . .	19	27	28	26	43	63	83	125	138	127	65	27	3	—	—	—
Delirium Tremens . . . . .	10	12	4	13	5	2	3	2	1	—	1	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	9	11	12	11	6	8	7	5	7	3	3	1	—	—	—	—
Tetanus . . . . .	1	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—
Insanity . . . . .	1	—	2	—	1	2	1	2	1	—	—	—	—	—	—	—
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . . . .	27	28	34	33	27	28	42	40	33	36	11	2	1	—	—	1
Pericarditis . . . . .	2	—	3	6	—	5	—	1	1	2	—	—	—	—	—	—
Aneurism . . . . .	7	18	9	11	7	4	3	2	2	1	1	—	—	—	—	—
Heart Disease . . . . .	67	67	84	96	118	147	198	203	171	148	62	17	3	1	—	4
Laryngitis . . . . .	4	4	6	3	2	5	2	3	2	—	—	—	—	—	—	—
Bronchitis . . . . .	39	53	49	88	98	137	156	184	138	112	55	35	14	—	—	1
Pleurisy . . . . .	11	5	4	3	12	6	14	11	12	4	6	2	2	—	—	—
Pneumonia . . . . .	39	45	65	72	59	44	59	58	48	35	16	8	2	—	—	—
Asthma . . . . .	4	6	12	21	27	28	27	33	28	18	8	3	1	—	—	—
Lung Disease . . . . .	7	9	10	23	20	16	15	11	8	1	2	1	—	—	—	—
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	4	1	4	4	6	5	4	4	2	2	3	1	—	—	—	—
Enteritis . . . . .	4	9	5	5	9	7	8	11	10	7	5	—	1	—	—	—
Peritonitis . . . . .	5	6	5	4	5	5	8	4	4	2	3	—	—	—	—	—
Ascites . . . . .	2	3	2	3	2	—	1	3	2	1	—	—	—	—	—	—
Ulceration of Intestines . . . . .	2	5	5	7	10	4	13	7	5	3	—	1	—	—	—	—
Hernia . . . . .	2	1	2	2	2	4	3	3	5	2	3	2	—	—	—	—
Ileus . . . . .	6	2	8	4	13	6	18	16	11	9	5	2	—	—	—	—
Intussusception . . . . .	2	—	—	—	—	2	1	—	4	1	1	—	—	—	—	—
Stricture of Intestines . . . . .	—	1	—	2	2	1	2	2	1	1	—	—	—	—	—	—
Stomach Disease . . . . .	10	3	14	21	17	33	30	26	24	16	7	2	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	4	2	8	7	5	9	10	2	2	4	1	—	—	—	—	—
Jaundice . . . . .	1	—	3	1	5	3	8	6	10	3	8	1	—	—	—	—
Liver Disease . . . . .	15	27	26	43	46	47	46	34	28	14	3	3	1	—	—	—
Spleen Disease . . . . .	1	1	1	—	3	1	1	—	—	—	—	—	—	—	—	—
Nephritis . . . . .	1	1	1	4	4	1	2	5	2	1	—	1	—	—	—	—
Nephria . . . . .	11	10	13	20	12	11	12	10	12	3	3	—	—	—	—	—
Addison's Disease . . . . .	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	1	1	—	3	4	4	4	5	1	—	1	—	—
Diabetes . . . . .	4	1	4	2	4	6	4	2	4	1	—	—	—	—	—	—
Stone . . . . .	—	—	—	1	2	1	5	13	6	10	3	—	—	—	—	—
Cystitis . . . . .	2	3	1	8	3	10	18	14	32	30	17	9	—	1	—	—
Stricture of Urethra . . . . .	1	—	1	3	2	1	2	—	4	2	1	—	—	—	—	—
Kidney Disease . . . . .	7	8	6	13	8	12	15	22	18	13	6	3	—	—	—	1
Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis . . . . .	4	4	1	5	5	2	2	1	2	1	—	—	—	—	—	—
Rheumatism . . . . .	2	2	5	5	3	5	5	6	5	7	5	—	—	—	—	—
Joint Disease . . . . .	2	1	3	3	2	6	3	3	—	—	—	—	—	—	—	—
Carbuncle . . . . .	—	—	—	—	2	1	3	—	1	—	—	2	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Skin Disease . . . . .	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Intemperance . . . . .	9	4	9	7	4	3	5	2	1	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	3	2	2	2	1	1	2	—	2	1	—	—	—	—	—	1
Poison . . . . .	4	5	1	—	2	1	1	—	—	—	—	—	—	1	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	3	1	3	1	3	1	1	3	1	1	3	—	—	—	—	—
Hanging, etc. . . . .	4	5	3	5	3	5	8	4	—	1	—	—	—	—	—	—
Suffocation . . . . .	1	4	1	3	2	2	4	—	—	—	—	—	—	—	—	—
Drowning . . . . .	43	37	24	27	23	23	11	14	6	1	1	1	—	—	—	9
Fracture and Contusion . . . . .	57	63	60	41	49	45	44	38	20	8	8	5	1	1	—	1
Gunshot Wounds . . . . .	2	1	1	4	—	1	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	1	—	2	2	1	2	—	2	—	1	—	1	—	—	—	—
Other Violent Causes . . . . .	—	6	3	5	3	1	7	2	1	—	—	—	—	—	—	—
Not Specified . . . . .	35	31	36	47	52	53	89	14	2	—	—	—	—	—	—	16



CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	34754	2817	1121	2135	2971	1472	1048	742	1674	952	1107	1248	1260
SPECIFIED CAUSES . . . . .	33395	2446	1019	2035	2849	1430	1009	714	1622	923	1067	1223	1224
I. Zymotic Class . . . . .	7731	361	326	739	1265	797	622	435	910	339	211	194	176
II. Diseases of Uncertain Seat	1460	17	8	16	17	10	9	11	30	19	17	17	33
III. Tubercular Class . . . . .	5925	84	126	294	415	211	137	101	316	344	626	678	609
IV. Brain and Nervous System	2558	164	75	96	113	64	32	34	88	54	30	51	51
V. Organs of Circulation . . . . .	1578	8	3	7	-	2	2	2	16	24	38	34	59
VI. Respiratory Organs . . . . .	4497	254	228	506	615	221	131	77	138	43	54	53	84
VII. Organs of Digestion . . . . .	2381	197	102	266	287	58	24	14	39	32	33	64	49
VIII. Urinary Organs . . . . .	326	2	1	2	10	4	8	6	17	12	11	22	22
IX. Organs of Generation . . . . .	529	-	-	-	-	-	-	-	-	1	21	74	93
X. Organs of Locomotion . . . . .	219	1	-	2	2	-	-	3	21	26	9	9	9
XI. Skin, etc. . . . .	33	7	2	3	5	4	1	-	-	-	-	1	1
XII. Malformation . . . . .	72	55	7	4	2	1	-	-	1	1	1	-	-
XIII. Premature Debility . . . . .	1435	1238	109	88	-	-	-	-	-	-	-	-	-
XIV. Atrophy . . . . .	324	-	-	-	85	28	22	9	20	8	4	7	10
XV. Age . . . . .	3724	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Sudden Deaths . . . . .	79	12	3	1	1	-	2	2	2	2	2	4	3
XVII. Violent Deaths . . . . .	524	46	29	11	32	30	19	20	24	18	10	15	25
I. Small Pox . . . . .	10	4	-	2	2	-	-	-	1	1	-	-	-
Measles . . . . .	553	4	20	93	209	104	44	31	32	5	2	-	1
Scarlatina . . . . .	1545	7	10	73	203	206	252	185	460	93	17	15	9
Diphtheria . . . . .	395	10	2	37	66	51	58	38	83	22	3	5	4
Hooping Cough . . . . .	1325	77	96	262	426	212	111	77	58	5	-	-	-
Croup . . . . .	448	6	6	51	115	106	74	41	48	-	1	-	-
Thrush . . . . .	11	10	-	-	1	-	-	-	-	-	-	-	-
Diarrhœa . . . . .	1019	156	131	155	165	39	15	5	15	6	2	6	11
Dysentery . . . . .	148	4	6	7	4	4	2	-	1	-	4	3	3
Cholera . . . . .	102	7	9	15	9	4	2	1	6	3	1	3	4
Influenza . . . . .	72	-	-	-	1	2	1	-	2	2	1	-	1
Purpura . . . . .	16	-	1	1	1	1	1	-	1	2	1	-	1
Ague . . . . .	1	-	-	-	-	-	-	-	-	-	-	1	-
Worms . . . . .	9	-	-	-	3	1	-	-	5	-	-	-	-
Typhus . . . . .	730	7	2	6	16	14	15	16	59	70	60	55	47
Enteric Fever . . . . .	750	2	8	9	18	31	35	27	108	95	90	61	39
Relapsing Fever . . . . .	27	-	-	-	2	1	-	-	-	4	5	4	3
Simple Continued Fever . . . . .	65	-	-	-	3	4	1	2	13	12	5	2	4
Infantile Remittent . . . . .	65	5	4	9	10	11	9	6	10	1	-	-	-
Metria . . . . .	140	-	-	-	-	-	-	-	-	-	7	32	36
Rheumatic Fever . . . . .	62	-	-	-	-	1	-	2	1	12	9	3	5
Erysipelas . . . . .	119	32	6	6	3	2	-	2	4	5	2	1	2
Pyæmia . . . . .	15	-	-	1	1	-	-	-	-	1	-	1	4
Syphilis . . . . .	95	30	25	12	6	1	1	-	1	-	1	2	2
Noma . . . . .	9	-	-	-	1	2	1	2	2	-	-	-	-
Hydrophobia . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Hæmorrhage . . . . .	24	5	1	-	-	-	-	-	-	2	1	1	1
Dropsy . . . . .	381	2	-	5	8	6	5	8	20	12	6	5	10
Abscess . . . . .	77	4	6	6	4	2	1	-	5	3	4	3	5
Ulcer . . . . .	20	2	-	-	-	-	1	-	1	-	1	-	2
Fistula . . . . .	2	-	-	-	-	-	-	-	-	-	-	-	-
Mortification . . . . .	60	3	1	2	3	-	-	1	-	-	2	-	-
Cancer . . . . .	891	1	-	3	2	2	2	2	4	2	3	8	15
Gout . . . . .	5	-	-	-	-	-	-	-	-	-	-	-	-
III. Scrofula . . . . .	302	12	6	13	29	24	10	9	35	33	21	23	16
Tabes Mesenterica . . . . .	409	28	25	57	104	47	28	21	38	22	11	9	2
Phthisis . . . . .	4430	17	21	45	82	56	42	30	149	272	584	646	590
Hydrocephalus . . . . .	784	27	74	179	200	84	57	41	94	17	10	-	1





CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	158	4	6	19	21	9	11	5	28	11	5	11	1
Apoplexy . . . . .	585	11	6	11	12	6	3	3	9	8	2	7	13
Paralysis . . . . .	851	2	1	1	—	3	—	1	1	6	1	2	2
Delirium Tremens . . . . .	11	—	—	—	—	—	—	—	—	—	—	—	1
Chorea . . . . .	3	—	—	—	—	1	—	—	—	—	1	—	—
Epilepsy . . . . .	95	—	—	—	—	—	1	—	1	3	8	10	1
Tetanus . . . . .	12	4	—	—	—	—	—	1	—	—	—	2	2
Insanity . . . . .	33	—	—	—	—	—	—	—	—	1	—	1	2
Convulsions . . . . .	377	136	49	52	66	30	12	12	20	—	—	—	—
Brain Disease . . . . .	433	7	13	13	14	15	5	12	29	25	13	18	19
V. Pericarditis . . . . .	29	1	2	—	—	—	—	1	2	1	2	1	5
Aneurism . . . . .	24	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease . . . . .	1525	7	1	7	—	2	2	1	14	23	36	33	53
VI. Laryngitis . . . . .	59	2	1	6	13	6	4	1	2	1	1	3	3
Bronchitis . . . . .	3184	189	193	408	472	164	91	54	79	20	26	15	33
Pleurisy . . . . .	67	4	—	2	1	1	—	1	2	1	2	2	3
Pneumonia . . . . .	866	48	30	85	123	49	34	18	48	19	19	26	32
Asthma . . . . .	189	—	—	—	—	—	—	—	—	—	1	1	5
Lung Disease . . . . .	132	11	4	5	6	1	2	3	7	2	5	6	8
VII. Teething . . . . .	444	2	18	187	213	22	2	—	—	—	—	—	—
Quinsey . . . . .	26	3	4	4	2	6	—	1	2	—	—	1	—
Gastritis . . . . .	85	1	1	6	4	2	5	—	1	2	2	7	1
Enteritis . . . . .	352	94	39	35	32	10	7	7	9	6	6	8	5
Peritonitis . . . . .	193	16	6	2	7	7	1	2	8	7	7	16	15
Ascites . . . . .	44	—	—	—	—	1	—	—	1	3	1	1	—
Ulceration of Intestines . . . . .	96	3	—	2	3	—	—	1	1	—	1	5	3
Hernia . . . . .	51	—	1	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	140	8	4	—	2	1	—	—	1	3	4	5	2
Intussusception . . . . .	10	—	—	3	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	17	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	396	34	25	24	17	4	7	2	9	4	7	9	9
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	74	1	—	1	2	—	—	—	1	1	1	2	3
Jaundice . . . . .	86	28	2	1	3	3	1	—	—	3	—	2	2
Liver Disease . . . . .	357	7	2	1	1	2	1	1	6	3	3	8	9
Spleen Disease . . . . .	10	—	—	—	1	—	—	—	—	—	1	—	—
VIII. Nephritis . . . . .	28	—	—	1	3	2	2	3	4	3	—	—	1
Nephria . . . . .	127	—	—	—	5	—	2	2	4	4	5	10	11
Addison's Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	9	1	1	—	—	—	—	1	2	—	—	—	—
Diabetes . . . . .	31	—	—	—	—	—	1	—	1	3	2	3	6
Stone . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	18	—	—	—	—	—	—	—	—	—	1	4	—
Stricture of Urethra . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	1
Kidney Disease . . . . .	107	1	—	1	2	2	3	—	6	2	3	5	3
IX. Paramenia . . . . .	33	—	—	—	—	—	—	—	—	1	6	4	6
Ovarian Dropsy . . . . .	65	—	—	—	—	—	—	—	—	—	—	2	5
Childbirth . . . . .	354	—	—	—	—	—	—	—	—	—	9	67	74
Organs of Generation . . . . .	77	—	—	—	—	—	—	—	—	—	6	1	8
X. Arthritis . . . . .	39	—	—	—	1	—	—	—	4	6	3	4	4
Rheumatism . . . . .	108	—	—	—	—	—	—	—	3	5	1	—	—
Joint and Bone Disease . . . . .	72	1	—	2	1	—	—	3	14	15	5	5	5
XI. Carbuncle . . . . .	5	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	6	—	—	—	—	1	—	—	—	—	—	1	1
Skin Disease . . . . .	22	7	2	2	5	3	1	—	—	—	—	—	—
XVII. Intemperance . . . . .	31	—	—	—	—	—	—	—	—	—	—	—	4
Privation . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	1
Want of Breast Milk . . . . .	33	23	8	2	—	—	—	—	—	—	—	—	—
Neglect . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	9	1	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	19	3	—	1	1	1	—	—	1	—	1	—	2
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	93	—	1	3	15	14	10	9	6	1	1	2	1
Hanging, etc. . . . .	15	—	—	—	—	—	—	—	1	—	—	1	2
Suffocation . . . . .	53	13	18	4	2	2	—	—	—	—	1	1	2
Drowning . . . . .	75	—	—	—	9	6	3	1	6	4	3	4	3
Fracture and Contusion . . . . .	160	—	1	1	4	7	6	7	7	13	3	4	8
Gunshot Wounds . . . . .	2	—	—	—	—	—	—	—	—	—	—	1	—
Cuts and Stabs . . . . .	3	—	—	—	—	—	—	—	—	—	—	1	1
Other Violent Causes . . . . .	26	5	1	—	1	—	—	3	3	—	1	1	1
Not Specified . . . . .	1359	371	102	100	122	42	39	28	52	29	40	25	86

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1868.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . . . .	7	2	—	4	2	2	1	3	—	3	1	1	—	—	—	1
Apoplexy . . . . .	10	21	19	29	44	57	64	84	58	53	37	16	2	—	—	—
Paralysis . . . . .	6	14	21	27	53	57	99	143	125	148	89	39	7	—	—	3
Delirium Tremens . . . . .	1	3	2	1	1	1	1	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	11	5	7	10	4	3	7	5	4	3	2	—	—	—	—	—
Tetanus . . . . .	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Insanity . . . . .	—	2	5	2	4	3	8	3	2	—	—	—	—	—	—	—
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . . . .	12	20	27	18	21	19	29	34	31	22	13	2	1	—	—	1
Pericarditis . . . . .	3	3	1	1	—	3	—	1	1	1	—	—	—	—	—	—
Aneurism . . . . .	2	—	—	1	4	3	4	5	1	1	2	—	—	—	—	—
Heart Disease . . . . .	59	67	91	86	113	131	181	197	181	143	67	22	6	1	—	1
Laryngitis . . . . .	1	1	3	2	2	2	1	2	1	—	—	1	—	—	—	—
Bronchitis . . . . .	42	48	64	91	103	138	168	192	215	183	114	58	17	6	—	1
Pleurisy . . . . .	4	3	8	2	6	3	5	5	5	7	—	—	—	—	—	—
Pneumonia . . . . .	26	27	32	19	34	27	43	38	34	31	17	7	—	—	—	—
Asthma . . . . .	1	8	9	15	23	19	25	28	30	14	9	1	—	—	—	—
Lung Disease . . . . .	6	13	3	9	4	12	5	11	5	2	1	1	—	—	—	—
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	2	6	3	7	7	4	2	10	5	4	3	—	—	—	—	—
Enteritis . . . . .	8	5	6	9	9	4	13	16	9	9	5	—	1	—	—	—
Peritonitis . . . . .	16	12	12	6	8	5	12	8	12	6	1	—	—	1	—	—
Ascites . . . . .	—	1	1	5	5	2	5	7	4	2	4	1	—	—	—	—
Ulceration of Intestines . . . . .	8	6	10	7	8	5	8	7	8	4	5	1	—	—	—	—
Hernia . . . . .	—	2	—	2	8	3	7	13	7	6	2	—	—	—	—	—
Ileus . . . . .	4	2	7	5	15	13	17	18	9	9	7	3	1	—	—	—
Intussusception . . . . .	—	1	—	1	3	1	—	1	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	2	1	—	3	1	2	3	3	2	—	—	—	—	—	—
Stomach Disease . . . . .	7	12	16	16	24	30	38	31	30	28	10	2	1	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	6	6	6	3	6	8	9	7	8	3	—	—	—	—	—	—
Jaundice . . . . .	—	—	2	4	4	6	7	7	7	1	1	2	—	—	—	—
Liver Disease . . . . .	9	23	22	37	36	41	45	36	35	17	8	4	—	—	—	—
Spleen Disease . . . . .	—	2	2	1	2	—	—	1	—	—	—	—	—	—	—	—
Nephritis . . . . .	—	—	1	—	2	—	3	1	1	1	—	—	—	—	—	—
Nephria . . . . .	15	7	6	7	5	9	11	9	7	3	4	—	1	—	—	—
Addison's Disease . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	1	1	—	—	—	—	2	—	—	—	—	—	—	—	—
Diabetes . . . . .	2	1	2	2	2	1	2	1	2	—	—	—	—	—	—	—
Stone . . . . .	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—
Cystitis . . . . .	1	1	2	1	1	1	2	1	1	1	1	—	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Kidney Disease . . . . .	8	3	9	8	8	6	9	9	7	7	5	—	—	—	—	—
Paramenia . . . . .	8	1	4	3	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	3	5	4	5	7	7	11	7	6	3	—	—	—	—	—	—
Childbirth . . . . .	71	78	51	3	—	—	1	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	3	6	7	10	6	9	2	6	7	5	—	1	—	—	—	—
Arthritis . . . . .	4	1	3	1	4	1	1	1	1	—	—	—	—	—	—	—
Rheumatism . . . . .	3	1	4	2	4	7	17	13	25	15	5	2	—	—	—	1
Joint Disease . . . . .	4	5	5	3	1	1	2	—	—	—	—	—	—	—	—	—
Carbuncle . . . . .	—	—	—	—	2	—	—	1	—	1	—	—	—	—	—	—
Phlegmon . . . . .	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
Intemperance . . . . .	1	7	2	5	6	2	3	1	—	—	—	—	—	—	—	—
Privation . . . . .	1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	2	—	1	1	1	2	—	1	—	—	—	—	—	—	—
Poison . . . . .	—	1	3	1	2	—	1	1	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	1	2	1	1	4	—	4	2	4	4	3	4	—	—	—	—
Hanging, etc. . . . .	1	1	1	1	—	1	1	1	2	2	—	—	—	—	—	—
Suffocation . . . . .	1	1	2	1	1	1	2	—	1	—	—	—	—	—	—	—
Drowning . . . . .	—	—	5	9	4	5	3	1	6	—	1	—	—	—	—	2
Fracture and Contusion . . . . .	3	4	3	7	3	7	11	8	7	13	18	11	4	—	—	—
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	—	—	2	1	2	2	1	1	—	1	—	—	—	—	—	—
Not Specified . . . . .	36	39	26	38	61	71	77	12	1	—	—	—	—	—	—	12



CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	2511	199	41	72	88	54	39	28	74	62	79	93	97
SPECIFIED CAUSES . . . . .	2110	78	25	56	67	42	29	20	61	52	62	76	80
I. Zymotic Class . . . . .	308	17	13	33	35	18	21	11	29	17	10	10	4
II. Diseases of Uncertain Seat	93	1	—	—	—	—	—	—	—	1	2	1	2
III. Tubercular Class . . . . .	324	1	5	6	12	7	4	2	12	21	28	39	42
IV. Brain and Nervous System	128	8	—	—	2	4	—	—	5	—	2	4	5
V. Organs of Circulation . . . . .	74	—	—	—	1	1	—	—	1	3	3	1	4
VI. Respiratory Organs . . . . .	183	10	4	8	7	6	1	2	9	3	4	6	4
VII. Organs of Digestion . . . . .	138	4	3	6	6	1	—	—	—	3	4	5	3
VIII. Urinary Organs . . . . .	27	—	—	—	—	1	—	—	—	1	—	1	1
IX. Organs of Generation . . . . .	23	—	—	—	—	—	—	—	—	—	2	1	6
X. Organs of Locomotion . . . . .	28	—	—	1	—	—	—	2	—	—	1	2	1
XI. Skin, etc. . . . .	5	1	—	1	2	—	1	—	—	—	—	—	—
XII. Malformation . . . . .	4	4	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	30	30	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	8	—	—	—	1	1	1	—	—	—	—	—	1
XV. Age . . . . .	654	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	6	1	—	—	—	—	—	2	—	—	1	—	—
XVII. Violent Deaths . . . . .	77	1	—	1	1	3	1	1	5	3	5	6	7
I. Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	26	—	—	5	3	5	1	—	3	5	1	—	—
Scarlatina . . . . .	14	—	—	2	3	—	1	3	2	2	—	1	—
Diphtheria . . . . .	6	—	—	1	2	—	—	—	3	—	—	—	—
Hooping Cough . . . . .	80	5	4	13	21	11	8	4	13	1	—	—	—
Croup . . . . .	36	7	2	8	2	2	9	3	3	—	—	—	—
Thrush . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa . . . . .	34	3	3	2	3	—	1	—	1	—	1	1	1
Dysentery . . . . .	4	—	—	—	—	—	—	—	1	—	—	—	—
Cholera . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza . . . . .	16	1	2	—	1	—	—	—	—	1	—	—	—
Purpura . . . . .	2	—	—	—	—	—	—	—	—	1	—	—	1
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	48	—	—	—	—	—	—	1	—	5	5	6	1
Enteric Fever . . . . .	19	—	1	—	—	—	1	—	1	1	2	2	—
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	3	—	—	—	—	—	—	—	—	—	1	—	—
Infantile Remittent . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	9	—	—	—	—	—	—	—	2	1	—	—	1
Erysipelas . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Pyæmia . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	3	—	1	1	—	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	3	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	39	—	—	—	—	—	—	—	—	—	2	—	—
Abscess . . . . .	5	—	—	—	—	—	—	—	—	—	—	1	1
Ulcer . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	43	—	—	—	—	—	—	—	—	1	—	—	1
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	14	—	—	—	—	1	1	—	—	1	1	3	2
Tabes Mesenterica . . . . .	16	1	1	1	4	1	1	2	1	2	—	1	—
Phthisis . . . . .	268	—	—	2	—	2	1	—	6	16	27	35	40
Hydrocephalus . . . . .	26	—	4	3	8	3	1	—	5	2	—	—	—





CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis . . . . .	8	—	—	—	2	—	—	—	2	—	—	1	1
Apoplexy . . . . .	26	—	—	—	—	1	—	—	—	—	—	—	1
Paralysis . . . . .	53	—	—	—	—	—	—	—	—	—	—	—	2
Delirium Tremens . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	10	—	—	—	—	—	—	—	—	—	—	1	1
Tetanus . . . . .	4	4	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	8	4	—	—	—	2	—	—	2	—	—	—	—
Brain Disease . . . . .	18	—	—	—	—	1	—	—	1	—	2	2	—
V. Pericarditis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Aneurism . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	72	—	—	—	1	1	—	—	1	3	3	1	3
VI. Laryngitis . . . . .	2	—	—	—	—	—	—	—	1	—	—	—	—
Bronchitis . . . . .	83	2	4	6	3	1	1	2	3	—	—	2	—
Pleurisy . . . . .	19	6	—	—	—	—	—	—	4	—	1	—	1
Pneumonia . . . . .	42	2	—	2	4	5	—	—	1	3	2	3	3
Asthma . . . . .	34	—	—	—	—	—	—	—	—	—	—	1	—
Lung Disease . . . . .	3	—	—	—	—	—	—	—	—	—	1	—	—
VII. Teething . . . . .	11	—	2	5	4	—	—	—	—	—	—	—	—
Quinsey . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	6	—	—	—	—	—	—	—	—	1	—	—	—
Enteritis . . . . .	13	2	1	1	1	—	—	—	—	—	1	1	—
Peritonitis . . . . .	6	1	—	—	—	—	—	—	—	1	—	—	—
Ascites . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	5	—	—	—	—	—	—	—	—	—	—	—	—
Hernia . . . . .	5	—	—	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	14	—	—	—	—	—	—	—	—	1	1	1	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	28	—	—	—	—	—	—	—	—	—	—	2	2
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	10	—	—	—	—	—	—	—	—	—	2	1	1
Jaundice . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease . . . . .	31	—	—	—	1	1	—	—	—	—	—	—	—
Spleen Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria . . . . .	4	—	—	—	—	1	—	—	—	—	—	1	—
Addison's Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	1
Stone . . . . .	8	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	7	—	—	—	—	—	—	—	—	1	—	—	—
IX. Paramenia . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	1
Ovarian Dropsy . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	12	—	—	—	—	—	—	—	—	—	—	1	3
Organs of Generation . . . . .	7	—	—	—	—	—	—	—	—	—	2	—	2
X. Arthritis . . . . .	4	—	—	—	—	—	—	1	—	—	1	—	—
Rheumatism . . . . .	20	—	—	—	—	—	—	—	—	—	—	1	1
Joint and Bone Disease . . . . .	4	—	—	1	—	—	—	1	—	—	—	1	—
XI. Carbuncle . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	4	1	—	—	2	—	1	—	—	—	—	—	—
XVII. Intemperance . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	7	—	—	1	—	—	—	—	—	—	—	—	1
Poison . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	9	—	—	—	1	3	1	—	—	—	—	—	—
Hanging, etc. . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	39	—	—	—	—	—	—	1	2	—	2	6	4
Fracture and Contusion . . . . .	16	—	—	—	—	—	—	—	2	3	2	—	2
Gunshot Wounds . . . . .	1	—	—	—	—	—	—	—	—	—	1	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	2	1	—	—	—	—	—	—	1	—	—	—	—
Not Specified . . . . .	401	121	16	16	21	12	10	8	13	10	17	17	17

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . . . .	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
Apoplexy . . . . .	2	—	1	—	4	1	4	—	6	4	1	—	1	—	—	—	
Paralysis . . . . .	—	—	—	1	3	5	4	7	10	9	7	3	2	—	—	—	
Delirium Tremens . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . . . .	—	3	1	1	1	—	—	—	2	—	—	—	—	—	—	—	
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease . . . . .	2	—	2	1	—	1	—	1	4	1	—	—	—	—	—	—	
Pericarditis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease . . . . .	1	—	6	1	6	5	7	11	7	8	4	1	—	—	—	2	
Laryngitis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis . . . . .	1	4	3	2	—	3	2	9	10	10	9	5	—	1	—	—	
Pleurisy . . . . .	—	—	—	—	1	—	2	1	2	1	—	—	—	—	—	—	
Pneumonia . . . . .	2	—	—	4	2	—	4	2	3	—	—	—	—	—	—	—	
Asthma . . . . .	1	2	1	—	2	3	7	3	8	5	1	—	—	—	—	—	
Lung Disease . . . . .	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis . . . . .	1	—	—	—	—	2	—	—	1	—	1	—	—	—	—	—	
Enteritis . . . . .	1	—	—	—	2	—	1	—	—	2	—	—	—	—	—	—	
Peritonitis . . . . .	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	
Ascites . . . . .	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines . . . . .	—	—	—	—	1	1	1	1	—	—	1	—	—	—	—	—	
Hernia . . . . .	—	—	1	—	1	—	—	1	—	—	1	1	—	—	—	—	
Ileus . . . . .	1	—	—	1	—	1	2	3	2	—	1	—	—	—	—	—	
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines . . . . .	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
Stomach Disease . . . . .	—	—	2	—	1	4	6	5	1	5	—	—	—	—	—	—	
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . . . .	—	—	2	—	—	1	1	—	2	—	—	—	—	—	—	—	
Jaundice . . . . .	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—	
Liver Disease . . . . .	2	1	2	6	1	7	5	2	2	1	—	—	—	—	—	—	
Spleen Disease . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Nephritis . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Nephria . . . . .	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	
Addison's Disease . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes . . . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone . . . . .	—	—	—	—	—	—	2	2	—	2	1	1	—	—	—	—	
Cystitis . . . . .	—	—	—	—	—	—	1	—	—	2	1	—	—	—	—	—	
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease . . . . .	—	—	—	—	—	1	—	2	3	—	—	—	—	—	—	—	
Paramenia . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . . . .	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
Childbirth . . . . .	3	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation . . . . .	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	
Arthritis . . . . .	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism . . . . .	—	—	1	1	1	1	3	3	4	4	—	—	—	—	—	—	
Joint Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance . . . . .	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . . . .	—	—	1	1	—	—	1	—	1	—	—	—	—	—	—	1	
Poison . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . . . . .	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	
Hanging, etc. . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Suffocation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning . . . . .	7	1	3	3	2	1	—	1	—	—	—	—	—	—	—	6	
Fracture and Contusion . . . . .	—	1	1	—	—	—	1	1	—	1	—	1	1	—	—	—	
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not specified . . . . .	9	10	11	8	25	22	33	3	—	—	—	—	—	—	—	2	



CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	1156	113	20	35	47	27	20	18	39	27	38	55	54
SPECIFIED CAUSES . . . . .	957	45	13	24	37	18	16	12	35	21	29	46	42
I. Zymotic Class . . . . .	143	11	5	16	19	8	11	6	17	6	2	5	3
II. Diseases of Uncertain Seat	43	—	—	—	—	—	—	—	—	—	2	1	1
III. Tubercular Class . . . . .	151	—	2	2	8	3	2	1	5	8	10	24	22
IV. Brain and Nervous System	56	6	—	—	2	2	—	—	2	—	—	1	3
V. Organs of Circulation . . . . .	38	—	—	—	1	—	—	—	1	—	2	—	2
VI. Respiratory Organs . . . . .	87	5	4	1	2	1	—	2	6	2	3	3	3
VII. Organs of Digestion . . . . .	73	2	2	4	2	1	—	—	—	1	4	4	—
VIII. Urinary Organs . . . . .	22	—	—	—	—	1	—	—	—	1	—	—	—
IX. Organs of Generation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
X. Organs of Locomotion . . . . .	10	—	—	—	—	—	—	2	—	—	1	2	1
XI. Skin, etc. . . . .	3	—	—	—	2	—	1	—	—	—	—	—	—
XII. Malformation . . . . .	3	3	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	16	16	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	3	—	—	—	—	—	1	—	—	—	—	—	—
XV. Age . . . . .	238	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	3	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths . . . . .	67	1	—	1	1	2	1	1	4	3	5	6	6
I. Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	15	—	—	3	2	3	1	—	2	4	—	—	—
Scarlatina . . . . .	7	—	—	1	2	—	1	1	2	—	—	—	—
Diphtheria . . . . .	3	—	—	—	2	—	—	—	1	—	—	—	—
Hooping Cough . . . . .	38	3	1	6	10	4	4	2	8	—	—	—	—
Croup . . . . .	17	5	1	3	—	1	4	2	1	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	16	2	1	1	2	—	1	—	—	—	—	1	1
Dysentery . . . . .	3	—	—	—	—	—	—	—	1	—	—	—	—
Cholera . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza . . . . .	9	1	2	—	1	—	—	—	—	—	—	—	—
Purpura . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	22	—	—	—	—	—	—	1	—	2	1	3	1
Enteric Fever . . . . .	6	—	—	—	—	—	—	—	1	—	1	1	—
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	3	—	—	—	—	—	—	—	1	—	—	—	—
Erysipelas . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Pyæmia . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	19	—	—	—	—	—	—	—	—	—	2	—	—
Abscess . . . . .	3	—	—	—	—	—	—	—	—	—	—	1	1
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	17	—	—	—	—	—	—	—	—	—	—	—	—
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	5	—	—	—	—	—	1	—	—	1	—	1	1
Tabes Mesenterica . . . . .	9	—	—	1	3	—	1	1	1	1	—	1	—
Phthisis . . . . .	125	—	—	1	—	1	—	—	2	5	10	22	21
Hydrocephalus . . . . .	12	—	2	—	5	2	—	—	2	1	—	—	—

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	37	27	35	25	35	47	57	72	76	90	79	43	17	9	3	11
SPECIFIED CAUSES . .	33	25	29	21	29	39	43	72	76	90	79	43	17	9	3	11
Zymotic Class . . .	—	1	2	2	4	4	3	8	3	4	2	—	—	—	—	1
Uncertain Seat . . .	1	1	1	2	4	3	6	7	5	4	1	3	—	1	—	—
Tubercular Class . .	14	11	7	7	7	5	6	3	2	1	—	1	—	—	—	—
Brain, etc. . . . .	2	2	3	1	—	7	1	3	11	5	3	1	1	—	—	—
Heart, etc. . . . .	1	1	4	—	2	1	3	7	4	4	2	1	—	—	—	2
Respiratory Organs .	1	4	1	5	3	4	6	8	11	5	3	4	—	—	—	—
Digestive Organs . .	5	2	5	2	5	11	10	5	3	2	1	2	—	—	—	—
Urinary Organs . . .	—	—	—	—	1	2	3	5	3	4	2	—	—	—	—	—
Generative Organs . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Locomotive Organs .	—	—	—	—	1	—	—	1	—	2	—	—	—	—	—	—
Skin . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy . . . . .	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Age . . . . .	—	—	—	—	—	—	3	21	32	59	64	31	16	8	3	1
Sudden Deaths . . .	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Violent Deaths . . .	8	3	6	2	2	1	2	3	1	—	1	—	—	—	—	7
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hooping Cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	—	—	—	—	2	2	—	—	1	1	1	—	—	—	—	—
Dysentery . . . . .	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Cholera . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza . . . . .	—	—	—	—	—	—	1	2	—	2	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	—	—	1	2	2	2	1	4	1	1	—	—	—	—	—	—
Enteric Fever . . . .	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1
Relapsing Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . .	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Erysipelas . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	1	1	1	—	2	2	4	4	—	1	—	1	—	—	—	—
Abscess . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . .	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Cancer . . . . .	—	—	—	1	1	1	1	3	4	2	1	2	—	1	—	—
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Tabes Mesenterica . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis . . . . .	14	11	7	7	7	5	6	2	2	1	—	1	—	—	—	—
Hydrocephalus . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life,  
in 1868.—MALES. (Continued.)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	6	—	—	—	2	—	—	—	1	—	—	—	1
Apoplexy . . . . .	10	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis . . . . .	22	—	—	—	—	—	—	—	—	—	—	—	2
Delirium Tremens . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus . . . . .	4	4	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	5	2	—	—	—	2	—	—	1	—	—	—	—
Brain Disease . . . . .	7	—	—	—	—	—	—	—	—	—	—	1	—
V. Pericarditis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	37	—	—	—	1	—	—	—	1	—	2	—	2
VI. Laryngitis . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—
Bronchitis . . . . .	36	1	4	—	—	—	—	2	2	—	—	2	—
Pleurisy . . . . .	14	4	—	—	—	—	—	—	3	—	1	—	—
Pneumonia . . . . .	22	—	—	1	2	1	—	—	—	2	1	1	3
Asthma . . . . .	12	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease . . . . .	2	—	—	—	—	—	—	—	—	—	1	—	—
VII. Teething . . . . .	6	—	2	3	1	—	—	—	—	—	—	—	—
Quinsey . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis . . . . .	5	—	—	1	—	—	—	—	—	—	1	1	—
Peritonitis . . . . .	4	1	—	—	—	—	—	—	—	—	—	—	—
Ascites . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Hernia . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	8	—	—	—	—	—	—	—	—	1	1	1	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	10	—	—	—	—	—	—	—	—	—	—	1	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	4	—	—	—	—	—	—	—	—	—	2	1	—
Jaundice . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease . . . . .	21	—	—	—	1	1	—	—	—	—	—	—	—
Spleen Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria . . . . .	3	—	—	—	—	1	—	—	—	—	—	—	—
Addison's Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . . . .	7	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	6	—	—	—	—	—	—	—	—	1	—	—	—
IX. Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
X. Arthritis . . . . .	3	—	—	—	—	—	—	1	—	—	1	—	—
Rheumatism . . . . .	5	—	—	—	—	—	—	—	—	—	—	1	1
Joint and Bone Disease . . . . .	2	—	—	—	—	—	—	1	—	—	—	1	—
XI. Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	3	—	—	—	2	—	1	—	—	—	—	—	—
XVII. Intemperance . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	5	—	—	1	—	—	—	—	—	—	—	—	1
Poison . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	7	—	—	—	1	2	1	—	—	—	—	—	—
Hanging, etc. . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	38	—	—	—	—	—	—	1	2	—	2	6	4
Fracture and Contusion . . . . .	12	—	—	—	—	—	—	—	2	3	2	—	1
Gunshot Wounds . . . . .	1	—	—	—	—	—	—	—	—	—	1	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	199	68	7	11	10	9	4	6	4	6	9	9	12





CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	1355	86	21	37	41	27	19	10	35	35	41	38	43
SPECIFIED CAUSES . . . . .	1153	33	12	32	30	24	13	8	26	31	33	30	38
I. Zymotic Class . . . . .	165	6	8	17	16	10	10	5	12	11	8	5	1
II. Diseases of Uncertain Seat	50	1	—	—	—	—	—	—	—	1	—	—	1
III. Tubercular Class . . . . .	173	1	3	4	4	4	2	1	7	13	18	15	20
IV. Brain and Nervous System	72	2	—	—	—	2	—	—	3	—	2	3	2
V. Organs of Circulation . . . . .	36	—	—	—	—	1	—	—	—	3	1	1	2
VI. Respiratory Organs . . . . .	96	5	—	7	5	5	1	—	3	1	1	3	1
VII. Organs of Digestion . . . . .	65	2	1	2	4	—	—	—	—	2	—	1	3
VIII. Urinary Organs . . . . .	5	—	—	—	—	—	—	—	—	—	—	1	1
IX. Organs of Generation . . . . .	22	—	—	—	—	—	—	—	—	—	2	1	5
X. Organs of Locomotion . . . . .	18	—	—	1	—	—	—	—	—	—	—	—	—
XI. Skin, etc. . . . .	2	1	—	1	—	—	—	—	—	—	—	—	—
XII. Malformation . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	14	14	—	—	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	5	—	—	—	1	1	—	—	—	—	—	—	1
XV. Age . . . . .	416	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	3	—	—	—	—	—	—	2	—	—	1	—	—
XVII. Violent Deaths . . . . .	10	—	—	—	—	1	—	—	1	—	—	—	1
I. Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	11	—	—	2	1	2	—	—	1	1	1	—	—
Scarlatina . . . . .	7	—	—	1	1	—	—	2	—	2	—	1	—
Diphtheria . . . . .	3	—	—	1	—	—	—	—	2	—	—	—	—
Hooping Cough . . . . .	42	2	3	7	11	7	4	2	5	1	—	—	—
Croup . . . . .	19	2	1	5	2	1	5	1	2	—	—	—	—
Thrush . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa . . . . .	18	1	2	1	1	—	—	—	1	—	1	—	—
Dysentery . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Cholera . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza . . . . .	7	—	—	—	—	—	—	—	—	1	—	—	—
Purpura . . . . .	1	—	—	—	—	—	—	—	—	1	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	26	—	—	—	—	—	—	—	—	3	4	3	—
Enteric Fever . . . . .	13	—	1	—	—	—	1	—	—	1	1	1	—
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	2	—	—	—	—	—	—	—	—	—	1	—	—
Infantile Remittent . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	6	—	—	—	—	—	—	—	1	1	—	—	1
Erysipelas . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	2	—	1	—	—	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	20	—	—	—	—	—	—	—	—	—	—	—	—
Abscess . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	26	—	—	—	—	—	—	—	—	1	—	—	1
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	9	—	—	—	—	1	—	—	—	—	1	2	1
Tabes Mesenterica . . . . .	7	1	1	—	1	1	—	1	—	1	—	—	—
Phthisis . . . . .	143	—	—	1	—	1	1	—	4	11	17	13	19
Hydrocephalus . . . . .	14	—	2	3	3	1	1	—	3	1	—	—	—





CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis . . . . .	2	—	—	—	—	—	—	—	1	—	—	1	—
Apoplexy . . . . .	16	—	—	—	—	1	—	—	—	—	—	—	1
Paralysis . . . . .	31	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	8	—	—	—	—	—	—	—	—	—	—	1	1
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	3	2	—	—	—	—	—	—	1	—	—	—	—
Brain Disease . . . . .	11	—	—	—	—	1	—	—	1	—	2	1	—
V. Pericarditis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Aneurism . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	35	—	—	—	—	1	—	—	—	3	1	1	1
VI. Laryngitis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis . . . . .	47	1	—	6	3	1	1	—	1	—	—	—	—
Pleurisy . . . . .	5	2	—	—	—	—	—	—	1	—	—	—	1
Pneumonia . . . . .	20	2	—	1	2	4	—	—	1	1	1	2	—
Asthma . . . . .	22	—	—	—	—	—	—	—	—	—	—	1	—
Lung Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething . . . . .	5	—	—	2	3	—	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	3	—	—	—	—	—	—	—	—	1	—	—	—
Enteritis . . . . .	8	2	1	—	1	—	—	—	—	—	—	—	—
Peritonitis . . . . .	2	—	—	—	—	—	—	—	—	1	—	—	—
Ascites . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Hernia . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	6	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	18	—	—	—	—	—	—	—	—	—	—	1	2
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	6	—	—	—	—	—	—	—	—	—	—	—	1
Jaundice . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease . . . . .	10	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	1
Stone . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	1
Ovarian Dropsy . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	12	—	—	—	—	—	—	—	—	—	—	1	3
Organs of Generation . . . . .	6	—	—	—	—	—	—	—	—	—	2	—	1
X. Arthritis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism . . . . .	15	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease . . . . .	2	—	—	1	—	—	—	—	—	—	—	—	—
XI. Carbuncle . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	2	—	—	—	—	1	—	—	—	—	—	—	—
Hanging, etc. . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	1
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—
Not Specified . . . . .	202	53	9	5	11	3	6	2	9	4	8	8	5

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy . . . . .	2	—	—	—	4	—	3	—	2	2	—	—	1	—	—	—
Paralysis . . . . .	—	—	—	1	3	1	4	4	4	6	5	2	1	—	—	—
Delirium Tremens . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	—	1	1	1	1	—	—	—	2	—	—	—	—	—	—	—
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . . . .	—	—	—	—	—	1	—	1	3	1	—	—	—	—	—	—
Pericarditis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	—	—	2	1	4	4	4	4	3	4	2	—	—	—	—	—
Laryngitis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis . . . . .	1	1	2	1	—	1	1	5	7	6	7	1	—	1	—	—
Pleurisy . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Pneumonia . . . . .	2	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—
Asthma . . . . .	—	1	1	—	1	1	5	3	4	5	—	—	—	—	—	—
Lung Disease . . . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Enteritis . . . . .	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—
Peritonitis . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ascites . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—
Hernia . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Ileus . . . . .	—	—	—	1	—	1	1	1	1	—	1	—	—	—	—	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	—	—	1	—	—	—	5	4	1	4	—	—	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	—	—	1	—	—	1	1	—	2	—	—	—	—	—	—	—
Jaundice . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Liver Disease . . . . .	—	—	1	4	—	3	1	—	1	—	—	—	—	—	—	—
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . . . .	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Cystitis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Paramenia . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Childbirth . . . . .	3	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Rheumatism . . . . .	—	—	1	1	1	1	3	2	4	2	—	—	—	—	—	—
Joint Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
Poison . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Hanging, etc. . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion . . . . .	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	5	8	5	4	19	14	19	3	—	—	—	—	—	—	—	2



CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	32184	3064	1027	1769	2204	1094	814	589	1489	899	1108	1216	1041
SPECIFIED CAUSES . . . . .	30200	2496	877	1611	2038	1032	770	554	1418	841	1051	1162	985
I. Zymotic Class . . . . .	6198	308	261	537	883	567	458	360	781	300	216	161	132
II. Diseases of Uncertain Seat	1226	18	6	19	13	5	6	6	24	9	16	17	13
III. Tubercular Class . . . . .	4957	73	131	254	339	140	118	65	268	273	527	643	501
IV. Brain and Nervous System	2516	132	59	85	87	44	31	23	85	66	42	56	47
V. Organs of Circulation . . . . .	1662	12	3	6	2	1	2	4	18	21	25	29	46
VI. Respiratory Organs . . . . .	3629	270	187	363	363	141	86	54	88	36	46	47	59
VII. Organs of Digestion . . . . .	2407	245	116	257	234	53	20	12	44	31	43	52	40
VIII. Urinary Organs . . . . .	488	—	2	3	10	7	5	3	22	7	18	26	17
IX. Organs of Generation . . . . .	238	—	—	—	—	—	—	—	—	1	13	28	41
X. Organs of Locomotion . . . . .	197	1	—	1	2	2	3	4	16	20	14	14	8
XI. Skin, etc. . . . .	41	10	5	3	2	2	1	1	1	—	—	2	—
XII. Malformation . . . . .	95	79	6	4	2	1	—	—	—	2	1	—	—
XIII. Premature Debility . . . . .	1437	1291	79	67	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	226	—	—	—	57	25	12	5	14	7	5	5	7
XV. Age . . . . .	3670	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	80	9	2	2	1	—	—	—	2	—	1	4	—
XVII. Violent Deaths . . . . .	1133	48	20	10	43	44	28	17	55	68	84	78	74
I. Small Pox . . . . .	7	3	1	—	—	—	—	—	1	1	—	—	1
Measles . . . . .	285	3	7	59	102	43	28	17	15	5	2	—	1
Scarlatina . . . . .	1253	3	8	62	149	167	190	173	392	83	22	14	6
Diphtheria . . . . .	448	14	5	27	77	68	51	44	91	29	7	4	6
Hooping Cough . . . . .	757	66	74	161	242	92	50	27	44	1	—	—	—
Croup . . . . .	440	9	17	36	111	105	64	47	51	—	—	—	—
Thrush . . . . .	14	11	—	—	2	1	—	—	—	—	—	—	—
Diarrhoea . . . . .	804	115	97	111	122	27	8	6	14	7	6	2	6
Dysentery . . . . .	135	5	3	14	6	4	3	1	1	1	2	4	—
Cholera . . . . .	100	4	10	17	10	4	2	1	5	1	1	—	1
Influenza . . . . .	90	2	1	3	2	1	1	—	2	—	3	2	1
Purpura . . . . .	15	1	1	1	—	1	1	1	1	1	3	—	1
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	12	—	—	—	1	2	1	2	5	1	—	—	—
Typhus . . . . .	555	7	3	10	16	15	22	11	44	61	52	37	31
Enteric Fever . . . . .	814	4	7	15	22	25	30	23	118	78	96	63	47
Relapsing Fever . . . . .	28	—	—	—	1	2	—	—	1	2	1	4	2
Simple Continued Fever . . . . .	56	—	—	—	2	—	1	2	9	8	7	8	1
Infantile Remittent . . . . .	43	7	2	3	7	7	5	—	11	1	—	—	—
Metria . . . . .	69	—	—	—	—	—	—	—	—	—	3	15	19
Rheumatic Fever . . . . .	61	—	—	—	—	1	—	2	1	15	8	5	3
Erysipelas . . . . .	129	35	9	8	3	1	—	1	5	4	2	1	2
Pyæmia . . . . .	16	—	—	—	2	—	—	—	—	1	1	1	3
Syphilis . . . . .	61	19	16	9	5	—	1	1	—	—	—	1	1
Noma . . . . .	6	—	—	1	1	1	—	1	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	34	9	2	—	1	—	1	—	—	1	—	1	—
Dropsy . . . . .	328	1	1	7	7	2	1	2	14	5	4	4	7
Abscess . . . . .	53	2	3	7	2	—	—	1	4	—	4	3	2
Ulcer . . . . .	21	2	—	2	1	1	1	—	1	—	2	—	—
Fistula . . . . .	5	—	—	—	—	—	—	—	—	—	—	1	—
Mortification . . . . .	61	3	—	1	1	1	—	1	1	—	1	—	1
Cancer . . . . .	720	1	—	2	1	1	3	2	4	3	5	8	3
Gout . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	306	12	5	15	24	9	11	6	32	43	38	25	16
Tabes Mesenterica . . . . .	392	23	28	55	102	42	19	9	42	19	13	14	2
Phthisis . . . . .	3577	14	21	45	52	37	28	14	100	188	465	603	481
Hydrocephalus . . . . .	682	24	77	139	161	52	60	36	94	23	11	1	2





## CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	190	9	7	21	25	9	9	8	29	11	9	15	5
Apoplexy . . . . .	557	11	6	12	6	3	5	4	8	9	1	5	7
Paralysis . . . . .	876	1	1	—	1	2	1	1	2	5	5	5	2
Delirium Tremens . . . . .	24	—	—	—	—	—	—	—	—	—	—	—	2
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	119	—	—	—	—	—	—	—	1	8	9	11	9
Tetanus . . . . .	20	6	2	—	—	—	1	1	—	1	1	1	1
Insanity . . . . .	13	—	—	—	—	—	—	—	—	1	—	2	1
Convulsions . . . . .	269	98	35	41	46	20	12	2	14	1	—	—	—
Brain Disease . . . . .	448	7	8	11	9	10	3	7	31	30	17	17	20
V. Pericarditis . . . . .	86	1	2	—	—	—	—	2	4	1	1	1	3
Aneurism . . . . .	41	—	—	—	—	—	—	—	1	—	—	—	2
Heart Disease . . . . .	1585	11	1	6	2	1	2	2	13	20	24	28	41
VI. Laryngitis . . . . .	67	3	2	5	5	5	5	2	6	2	1	2	5
Bronchitis . . . . .	2238	194	140	280	276	101	56	35	37	12	14	14	17
Pleurisy . . . . .	100	—	1	2	—	1	2	1	2	5	4	—	8
Pneumonia . . . . .	882	65	43	72	76	32	22	12	35	13	21	25	23
Asthma . . . . .	189	—	—	—	—	—	—	—	—	—	3	2	—
Lung Disease . . . . .	153	8	1	4	6	2	1	4	8	4	3	4	6
VII. Teething . . . . .	376	2	19	163	171	19	2	—	—	—	—	—	—
Quinsey . . . . .	31	5	2	7	2	4	2	1	3	—	1	1	—
Gastritis . . . . .	81	3	2	6	3	3	1	—	1	1	1	3	1
Enteritis . . . . .	412	119	54	42	31	6	6	5	7	9	6	10	7
Peritonitis . . . . .	179	17	8	5	4	9	3	3	9	5	13	10	8
Ascites . . . . .	38	—	—	—	—	1	—	—	2	1	—	3	—
Ulceration of Intestines . . . . .	118	5	1	1	3	1	—	—	2	1	3	5	4
Hernia . . . . .	45	3	2	—	—	1	—	—	—	—	1	—	1
Ileus . . . . .	166	8	4	1	3	—	1	—	3	3	5	6	1
Intussusception . . . . .	24	—	3	4	1	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	13	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	376	40	16	23	11	4	2	1	11	1	9	6	6
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	69	3	—	1	1	—	—	—	—	2	2	2	2
Jaundice . . . . .	104	33	—	2	1	1	1	—	—	3	1	1	—
Liver Disease . . . . .	360	7	5	2	3	4	2	2	5	5	—	5	8
Spleen Disease . . . . .	15	—	—	—	—	—	—	—	1	—	1	—	2
VIII. Nephritis . . . . .	30	—	—	1	2	2	1	—	4	3	—	2	—
Nephria . . . . .	115	—	—	—	2	2	—	1	6	—	8	8	5
Addison's Disease . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	22	—	1	—	—	—	—	1	1	—	—	1	—
Diabetes . . . . .	49	—	—	1	1	1	2	—	2	2	7	6	8
Stone . . . . .	25	—	—	—	—	—	—	—	—	—	—	1	—
Cystitis . . . . .	98	—	—	—	1	—	1	—	1	1	1	4	1
Stricture of Urethra . . . . .	7	—	—	—	1	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	140	—	1	1	3	2	1	1	8	1	2	4	3
IX. Paramenia . . . . .	15	—	—	—	—	—	—	—	—	1	4	2	2
Ovarian Dropsy . . . . .	31	—	—	—	—	—	—	—	—	—	—	2	2
Childbirth . . . . .	157	—	—	—	—	—	—	—	—	—	5	23	33
Organs of Generation . . . . .	35	—	—	—	—	—	—	—	—	—	4	1	4
X. Arthritis . . . . .	43	—	—	—	1	2	1	—	3	4	6	3	2
Rheumatism . . . . .	84	—	—	—	—	—	—	1	1	5	1	1	1
Joint and Bone Disease . . . . .	70	1	—	1	1	—	2	3	12	11	7	10	5
XI. Carbuncle . . . . .	11	—	2	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	28	10	3	3	2	2	1	1	1	—	—	2	—
XVII. Intemperance . . . . .	24	—	—	—	—	—	—	—	—	—	—	—	2
Privation . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	18	12	5	1	—	—	—	—	—	—	—	—	—
Neglect . . . . .	1	—	—	—	—	—	1	—	—	—	—	—	—
Cold . . . . .	24	3	—	—	1	—	—	—	—	—	—	—	1
Poison . . . . .	22	2	2	—	1	3	1	—	2	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	115	—	1	4	20	17	14	7	12	4	3	2	2
Hanging, etc. . . . .	25	—	—	—	—	—	—	—	1	2	—	1	—
Suffocation . . . . .	49	16	10	4	—	1	—	—	1	—	—	—	3
Drowning . . . . .	317	1	—	—	14	17	8	2	18	29	34	35	24
Fracture and Contusion . . . . .	461	—	1	—	7	6	4	5	21	30	40	37	38
Gunshot Wounds . . . . .	13	—	—	—	—	—	—	—	—	3	—	1	1
Cuts and Stabs . . . . .	13	—	—	—	—	—	—	—	—	—	3	1	1
Other Violent Causes . . . . .	49	14	1	1	—	—	—	3	—	—	4	1	2
Not Specified . . . . .	1984	568	150	158	166	62	44	35	71	58	57	54	56

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . . . .	8	2	4	3	7	3	—	—	—	2	2	1	—	—	—	1
Apoplexy . . . . .	11	17	18	22	33	46	57	89	60	67	42	18	—	—	—	—
Paralysis . . . . .	11	10	12	24	33	44	86	155	164	156	103	44	5	—	—	3
Delirium Tremens . . . . .	3	5	3	5	—	1	3	1	1	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	10	8	10	13	6	4	9	7	6	4	3	1	—	—	—	—
Tetanus . . . . .	1	1	2	—	—	1	—	—	—	—	1	—	—	—	—	—
Insanity . . . . .	—	—	1	—	—	2	3	2	1	—	—	—	—	—	—	—
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . . . .	16	17	26	20	22	16	36	36	34	29	20	2	2	—	—	2
Pericarditis . . . . .	2	2	3	3	—	4	—	2	2	3	—	—	—	—	—	—
Aneurism . . . . .	2	6	2	5	5	3	4	4	2	2	3	—	—	—	—	—
Heart Disease . . . . .	51	54	59	73	98	133	211	224	231	173	92	24	7	1	—	3
Laryngitis . . . . .	2	2	4	3	4	1	—	5	2	—	—	1	—	—	—	—
Bronchitis . . . . .	20	23	22	61	58	88	109	160	178	162	98	59	21	2	—	1
Pleurisy . . . . .	7	5	5	2	8	6	6	9	13	7	3	1	2	—	—	—
Pneumonia . . . . .	26	29	38	37	39	38	54	46	55	41	26	13	1	—	—	—
Asthma . . . . .	2	3	8	17	20	19	28	27	27	19	10	4	—	—	—	—
Lung Disease . . . . .	5	10	6	16	11	13	14	13	9	2	1	2	—	—	—	—
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	1	4	3	5	9	5	3	10	5	6	4	1	—	—	—	—
Enteritis . . . . .	5	7	8	8	11	6	12	19	13	11	8	—	2	—	—	—
Peritonitis . . . . .	12	10	4	3	9	5	13	9	9	6	4	—	—	1	—	—
Ascites . . . . .	—	1	3	3	5	—	3	6	4	3	2	1	—	—	—	—
Ulceration of Intestines . . . . .	5	9	11	9	10	4	14	10	12	3	4	1	—	—	—	—
Hernia . . . . .	1	2	—	—	2	4	4	6	9	5	3	1	—	—	—	—
Ileus . . . . .	3	3	11	5	19	14	20	17	16	11	9	3	—	—	—	—
Intussusception . . . . .	2	—	—	1	3	3	1	—	4	1	1	—	—	—	—	—
Stricture of Intestines . . . . .	—	2	—	—	2	1	2	2	1	3	—	—	—	—	—	—
Stomach Disease . . . . .	6	6	16	22	16	32	37	33	36	27	11	4	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	1	1	4	5	4	7	14	8	6	5	1	—	—	—	—	—
Jaundice . . . . .	1	—	3	4	7	6	8	9	11	4	6	2	—	—	—	—
Liver Disease . . . . .	6	18	18	31	37	48	46	46	32	18	6	5	1	—	—	—
Spleen Disease . . . . .	—	3	1	1	4	1	—	1	—	—	—	—	—	—	—	—
Nephritis . . . . .	1	1	—	1	2	1	3	2	1	2	—	1	—	—	—	—
Nephria . . . . .	9	1	2	12	5	8	13	12	11	4	5	—	1	—	—	—
Addison's Disease . . . . .	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	1	—	—	—	—	1	3	2	4	5	1	—	1	—	—
Diabetes . . . . .	3	1	—	3	4	3	2	1	2	—	—	—	—	—	—	—
Stone . . . . .	—	—	—	1	2	1	2	5	4	7	2	—	—	—	—	—
Cystitis . . . . .	1	1	—	4	4	3	9	8	23	17	12	6	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	2	3	1	—	—	—	—	—
Kidney Disease . . . . .	2	4	8	7	8	12	18	17	13	14	7	2	—	—	—	1
Paramenia . . . . .	2	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	1	2	2	—	2	5	5	4	4	2	—	—	—	—	—	—
Childbirth . . . . .	33	39	21	2	—	—	1	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	1	2	—	4	2	4	1	3	6	2	—	1	—	—	—	—
Arthritis . . . . .	4	2	2	3	4	—	2	1	2	1	—	—	—	—	—	—
Rheumatism . . . . .	2	2	2	1	3	4	9	10	17	15	7	1	—	—	—	1
Joint Disease . . . . .	2	1	2	3	1	4	2	2	—	—	—	—	—	—	—	—
Carbuncle . . . . .	—	—	—	—	3	1	1	—	1	1	—	2	—	—	—	—
Phlegmon . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	—	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—
Intemperance . . . . .	4	1	5	2	3	1	4	1	1	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	3	4	1	2	2	2	3	—	1	1	—	—	—	—	—	—
Poison . . . . .	2	3	2	—	1	1	1	—	—	—	—	—	—	1	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	1	—	4	2	3	—	2	4	3	4	5	1	—	—	—	—
Hanging, etc. . . . .	3	3	—	2	—	5	5	2	—	1	—	—	—	—	—	—
Suffocation . . . . .	1	4	1	2	1	2	2	—	1	—	—	—	—	—	—	—
Drowning . . . . .	19	23	9	20	14	19	9	8	6	1	2	1	—	—	—	4
Fracture and Contusion . . . . .	26	28	29	23	22	26	29	25	16	12	19	11	4	1	—	1
Gunshot Wounds . . . . .	1	1	1	3	—	1	—	1	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	1	—	1	1	1	1	—	2	—	—	—	1	—	—	—	—
Other Violent Causes . . . . .	—	2	4	2	4	1	5	3	1	1	—	—	—	—	—	—
Not Specified . . . . .	51	48	41	53	70	86	120	20	2	—	—	—	—	—	—	14



CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES . . . . .	15993	1721	543	953	1139	546	406	281	754	438	571	646	502
SPECIFIED CAUSES . . . . .	14922	1405	464	861	1060	511	388	265	717	401	542	608	469
I. Zymotic Class . . . . .	2956	152	124	278	452	268	223	184	371	118	109	76	45
II. Diseases of Uncertain Seat	466	9	3	10	7	3	5	1	8	2	5	8	3
III. Tubercular Class . . . . .	2438	34	82	144	191	68	64	26	144	118	240	319	250
IV. Brain and Nervous System	1306	75	27	47	48	24	17	13	45	39	29	33	20
V. Organs of Circulation . . . . .	838	6	—	1	2	—	1	2	14	13	10	15	16
VI. Respiratory Organs . . . . .	1942	161	106	196	186	72	37	23	42	19	25	29	36
VII. Organs of Digestion . . . . .	1216	146	66	138	117	24	11	2	22	19	19	25	20
VIII. Urinary Organs . . . . .	347	—	1	1	5	5	3	1	13	4	13	16	10
IX. Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion . . . . .	98	—	—	1	—	2	3	4	11	7	10	10	3
XI. Skin, etc. . . . .	27	7	5	1	1	1	—	1	1	—	—	2	—
XII. Malformation . . . . .	55	48	1	3	1	1	—	—	—	1	—	—	—
XIII. Premature Debility . . . . .	796	725	39	32	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	91	—	—	—	25	14	4	3	6	3	2	1	1
XV. Age . . . . .	1407	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	49	3	1	1	1	—	—	—	1	—	1	4	—
XVII. Violent Deaths . . . . .	890	39	9	8	24	29	20	5	39	58	79	70	65
I. Small Pox . . . . .	2	—	1	—	—	—	—	—	—	—	—	—	1
Measles . . . . .	155	2	3	34	58	26	13	7	9	1	2	—	—
Scarlatina . . . . .	631	—	5	34	79	82	99	93	171	46	10	6	2
Diphtheria . . . . .	209	6	3	10	43	36	22	19	37	10	4	1	3
Hooping Cough . . . . .	352	27	35	77	113	38	24	14	24	—	—	—	—
Croup . . . . .	217	5	13	13	59	44	30	26	27	—	—	—	—
Thrush . . . . .	7	5	—	—	1	1	—	—	—	—	—	—	—
Diarrhœa . . . . .	396	60	44	64	59	14	4	3	11	2	6	1	2
Dysentery . . . . .	56	3	1	9	3	2	2	1	1	1	—	2	—
Cholera . . . . .	49	2	5	9	7	—	—	—	1	1	1	—	—
Influenza . . . . .	40	2	1	3	2	—	—	—	—	—	2	2	—
Purpura . . . . .	7	1	—	—	—	—	—	1	1	—	2	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	7	—	—	—	—	1	1	2	2	1	—	—	—
Typhus . . . . .	282	1	1	6	8	5	9	6	22	28	29	26	13
Enteric Fever . . . . .	358	3	1	8	12	13	17	9	51	20	41	25	22
Relapsing Fever . . . . .	12	—	—	—	—	1	—	—	1	—	—	1	—
Simple Continued Fever . . . . .	22	—	—	—	—	—	—	2	2	1	4	6	—
Infantile Remittent . . . . .	22	3	—	2	4	4	2	—	7	—	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	31	—	—	—	—	1	—	—	1	6	5	4	2
Erysipelas . . . . .	65	19	5	4	—	—	—	—	3	1	2	—	—
Pyæmia . . . . .	5	—	—	—	1	—	—	—	—	—	1	1	—
Syphilis . . . . .	29	13	6	4	3	—	—	1	—	—	—	1	—
Noma . . . . .	2	—	—	1	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	23	5	2	—	1	—	1	—	—	—	—	1	—
Dropsy . . . . .	133	—	1	3	3	1	1	—	6	—	—	1	2
Abscess . . . . .	21	2	—	3	2	—	—	1	—	—	1	1	—
Ulcer . . . . .	9	—	—	2	1	1	1	—	—	—	—	—	—
Fistula . . . . .	4	—	—	—	—	—	—	—	—	—	—	1	—
Mortification . . . . .	26	1	—	1	—	1	—	—	1	—	—	—	1
Cancer . . . . .	249	1	—	1	—	—	2	—	1	2	3	4	—
Gout . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	169	5	4	10	12	1	8	4	19	23	28	15	8
Tabes Mesenterica . . . . .	195	10	17	25	56	23	5	2	25	10	4	5	1
Phthisis . . . . .	1686	3	13	26	33	19	14	4	48	72	205	298	239
Hydrocephalus . . . . .	388	16	48	83	90	25	37	16	52	13	3	1	2





## CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	105	7	4	11	12	4	4	6	16	6	5	7	4
Apoplexy . . . . .	289	5	3	6	1	3	4	4	4	3	1	4	1
Paralysis . . . . .	402	—	—	—	1	—	1	—	2	1	4	3	—
Delirium Tremens . . . . .	21	—	—	—	—	—	—	—	—	—	—	—	1
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	66	—	—	—	—	—	—	—	—	5	5	8	3
Tetanus . . . . .	14	4	2	—	—	—	1	1	—	1	1	1	—
Insanity . . . . .	8	—	—	—	—	—	—	—	—	1	—	1	1
Convulsions . . . . .	148	57	17	24	28	10	6	—	5	1	—	—	—
Brain Disease . . . . .	253	2	1	6	6	7	1	2	18	21	13	9	10
V. Pericarditis . . . . .	17	—	—	—	—	—	—	1	3	1	—	—	—
Aneurism . . . . .	25	—	—	—	—	—	—	—	1	—	—	—	1
Heart Disease . . . . .	796	6	—	1	2	—	1	1	10	12	10	15	15
VI. Laryngitis . . . . .	38	1	2	2	2	2	3	1	5	1	—	1	3
Bronchitis . . . . .	1098	112	76	147	142	49	22	14	17	6	6	9	8
Pleurisy . . . . .	63	—	1	—	—	1	2	—	1	4	3	—	6
Pneumonia . . . . .	530	45	27	45	39	19	9	5	14	5	13	16	15
Asthma . . . . .	118	—	—	—	—	—	—	—	—	—	2	2	—
Lung Disease . . . . .	95	3	—	2	3	1	1	3	5	3	1	1	4
VII. Teething . . . . .	192	—	11	87	87	6	1	—	—	—	—	—	—
Quinsey . . . . .	18	3	—	4	1	3	2	—	1	—	1	1	—
Gastritis . . . . .	37	2	1	3	3	2	—	—	—	1	—	—	1
Enteritis . . . . .	223	70	28	26	12	3	4	—	4	8	2	4	5
Peritonitis . . . . .	72	7	5	3	1	3	2	1	5	4	6	5	1
Ascites . . . . .	12	—	—	—	—	—	—	—	1	—	—	2	—
Ulceration of Intestines . . . . .	61	2	1	1	3	1	—	—	1	1	2	2	3
Hernia . . . . .	20	3	2	—	—	1	—	—	—	—	1	—	1
Ileus . . . . .	89	8	3	1	1	—	1	—	2	1	3	4	—
Intussusception . . . . .	16	—	3	1	1	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	7	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	180	28	8	8	5	3	—	—	4	—	2	3	2
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	34	3	—	1	—	—	—	—	—	1	1	1	—
Jaundice . . . . .	50	15	—	2	—	—	—	—	—	—	1	—	—
Liver Disease . . . . .	197	5	4	1	3	2	1	1	3	3	—	3	5
Spleen Disease . . . . .	8	—	—	—	—	—	—	—	1	—	—	—	2
VIII. Nephritis . . . . .	17	—	—	—	—	1	—	—	3	1	—	2	—
Nephria . . . . .	75	—	—	—	1	2	—	—	5	—	6	6	3
Addison's Disease . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	18	—	—	—	—	—	—	—	1	—	—	1	—
Diabetes . . . . .	32	—	—	1	1	1	1	—	1	1	6	4	4
Stone . . . . .	25	—	—	—	—	—	—	—	—	—	—	1	—
Cystitis . . . . .	90	—	—	—	1	—	1	—	1	1	—	1	1
Stricture of Urethra . . . . .	6	—	—	—	1	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	82	—	1	—	1	1	1	1	2	1	1	1	2
IX. Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . . . .	27	—	—	—	—	2	1	—	1	1	5	2	—
Rheumatism . . . . .	29	—	—	—	—	—	—	1	—	2	1	1	1
Joint and Bone Disease . . . . .	42	—	—	1	—	—	2	3	10	4	4	7	2
XI. Carbuncle . . . . .	9	—	2	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	18	7	3	1	1	1	—	1	1	—	—	2	—
XVII. Intemperance . . . . .	18	—	—	—	—	—	—	—	—	—	—	—	1
Privation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	12	9	3	1	—	—	—	—	—	—	—	—	—
Neglect . . . . .	1	—	—	—	—	—	1	—	—	—	—	—	—
Cold . . . . .	18	2	—	—	1	—	—	—	—	—	—	—	1
Poison . . . . .	17	1	2	—	—	2	1	—	2	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	62	—	—	3	11	9	8	2	8	3	2	2	2
Hanging, etc. . . . .	17	—	—	—	—	—	—	—	—	2	—	—	—
Suffocation . . . . .	36	15	4	3	—	1	—	—	1	—	—	—	2
Drowning . . . . .	266	1	—	—	6	12	7	1	12	25	32	34	22
Fracture and Contusion . . . . .	384	—	—	—	6	5	3	2	16	25	39	33	33
Gunshot Wounds . . . . .	11	—	—	—	—	—	—	—	—	3	—	—	1
Cuts and Stabs . . . . .	11	—	—	—	—	—	—	—	—	—	3	—	1
Other Violent Causes . . . . .	35	11	—	1	—	—	—	—	—	—	3	1	2
Not Specified . . . . .	1071	316	79	92	79	35	18	16	37	37	29	38	33

## CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES. (Continued.)

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . . . .	4	2	4	1	5	1	—	—	—	1	1	—	—	—	—	—	
Apoplexy . . . . .	5	10	11	10	14	21	27	53	28	35	26	10	—	—	—	—	
Paralysis . . . . .	8	5	6	6	14	20	41	68	88	66	48	19	1	—	—	—	
Delirium Tremens . . . . .	3	5	2	4	—	1	3	1	1	—	—	—	—	—	—	—	
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . . . .	4	6	5	5	3	4	5	4	5	1	2	1	—	—	—	—	
Tetanus . . . . .	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity . . . . .	—	—	1	—	—	1	—	2	1	—	—	—	—	—	—	—	
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease . . . . .	10	10	12	10	11	10	22	19	19	21	10	1	1	—	—	1	
Pericarditis . . . . .	1	—	2	3	—	2	—	1	1	2	—	—	—	—	—	—	
Aneurism . . . . .	1	6	2	5	3	1	1	—	2	1	1	—	—	—	—	—	
Heart Disease . . . . .	28	26	30	34	47	68	108	115	113	91	48	10	2	1	—	2	
Laryngitis . . . . .	2	2	2	2	2	1	—	3	1	—	—	—	—	—	—	—	
Bronchitis . . . . .	13	14	13	34	30	45	48	79	77	67	36	23	11	—	—	—	
Pleurisy . . . . .	5	3	—	2	4	4	4	6	10	1	3	1	2	—	—	—	
Pneumonia . . . . .	16	19	26	31	28	22	33	28	33	23	12	6	1	—	—	—	
Asthma . . . . .	1	1	6	12	9	15	17	18	14	12	6	3	—	—	—	—	
Lung Disease . . . . .	3	5	5	12	9	9	10	7	6	—	1	1	—	—	—	—	
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . . . .	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
Gastritis . . . . .	1	1	1	2	5	4	2	2	1	2	2	1	—	—	—	—	
Enteritis . . . . .	2	3	4	4	6	5	4	9	8	7	4	—	1	—	—	—	
Peritonitis . . . . .	3	2	—	1	4	3	5	4	2	2	3	—	—	—	—	—	
Ascites . . . . .	—	1	2	—	2	—	—	1	2	1	—	—	—	—	—	—	
Ulceration of Intestines . . . . .	1	4	4	6	6	1	10	4	5	2	—	1	—	—	—	—	
Hernia . . . . .	1	—	—	—	—	2	—	—	4	2	2	1	—	—	—	—	
Ileus . . . . .	2	2	7	3	8	5	9	7	10	6	5	1	—	—	—	—	
Intussusception . . . . .	2	—	—	—	—	2	1	—	4	1	1	—	—	—	—	—	
Stricture of Intestines . . . . .	—	1	—	—	1	1	1	2	—	1	—	—	—	—	—	—	
Stomach Disease . . . . .	3	1	6	11	9	20	16	19	16	9	5	2	—	—	—	—	
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . . . .	—	—	2	5	2	4	6	2	1	4	1	—	—	—	—	—	
Jaundice . . . . .	1	—	2	—	4	2	5	4	6	3	5	—	—	—	—	—	
Liver Disease . . . . .	3	10	10	13	22	28	24	25	14	11	3	2	1	—	—	—	
Spleen Disease . . . . .	—	1	—	—	3	1	—	—	—	—	—	—	—	—	—	—	
Nephritis . . . . .	1	1	—	1	1	1	—	2	1	1	—	1	—	—	—	—	
Nephria . . . . .	6	1	1	10	4	4	8	7	8	1	2	—	—	—	—	—	
Addison's Disease . . . . .	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Ischuria . . . . .	—	—	—	—	—	—	1	2	2	4	5	1	—	1	—	—	
Diabetes . . . . .	2	—	—	1	2	3	2	1	1	—	—	—	—	—	—	—	
Stone . . . . .	—	—	—	1	2	1	2	5	4	7	2	—	—	—	—	—	
Cystitis . . . . .	1	1	—	3	3	3	8	8	22	17	12	6	—	—	—	—	
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	2	2	1	—	—	—	—	—	
Kidney Disease . . . . .	1	1	4	5	3	8	12	12	9	9	3	2	—	—	—	—	
Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis . . . . .	3	2	—	3	3	—	1	—	2	1	—	—	—	—	—	—	
Rheumatism . . . . .	1	1	—	1	2	2	2	3	3	4	4	—	—	—	—	—	
Joint Disease . . . . .	1	—	—	3	—	3	—	2	—	—	—	—	—	—	—	—	
Carbuncle . . . . .	—	—	—	—	2	1	1	—	1	—	—	2	—	—	—	—	
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance . . . . .	3	—	5	1	1	1	4	1	1	—	—	—	—	—	—	—	
Privation . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . . . .	3	2	1	2	1	1	2	—	1	1	—	—	—	—	—	—	
Poison . . . . .	2	3	—	—	1	1	1	—	—	—	—	—	—	1	—	—	
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . . . . .	1	—	3	1	1	—	—	2	1	1	2	—	—	—	—	—	
Hanging, etc. . . . .	2	3	—	1	—	4	4	1	—	—	—	—	—	—	—	—	
Suffocation . . . . .	—	3	1	2	1	2	1	—	—	—	—	—	—	—	—	—	
Drowning . . . . .	19	23	8	15	12	16	7	7	2	1	1	1	—	—	—	2	
Fracture and Contusion . . . . .	25	26	28	19	20	25	26	23	11	6	5	5	1	1	—	1	
Gunshot Wounds . . . . .	1	1	1	3	—	1	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs . . . . .	1	—	1	1	—	1	—	2	—	—	—	1	—	—	—	—	
Other Violent Causes . . . . .	—	2	3	1	3	—	5	2	1	—	—	—	—	—	—	—	
Not Specified . . . . .	29	23	24	31	33	37	64	12	1	—	—	—	—	8	—	8	



CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	16191	1343	484	816	1065	548	408	308	735	461	537	570	539
SPECIFIED CAUSES . . . . .	15278	1091	413	750	978	521	382	289	701	440	509	554	516
I. Zymotic Class . . . . .	3242	156	137	259	431	299	235	176	410	182	107	85	87
II. Diseases of Uncertain Seat	760	9	3	9	6	2	1	5	16	7	11	9	10
III. Tubercular Class . . . . .	2519	39	49	110	148	72	54	39	124	155	287	324	251
IV. Brain and Nervous System	1210	57	32	38	39	20	14	10	40	27	13	23	27
V. Organs of Circulation . . . . .	824	6	3	5	—	1	1	2	4	8	15	14	30
VI. Respiratory Organs . . . . .	1687	109	81	167	177	69	49	31	46	17	21	18	23
VII. Organs of Digestion . . . . .	1191	99	50	119	117	29	9	10	22	12	24	27	20
VIII. Urinary Organs . . . . .	141	—	1	2	5	2	2	2	9	3	5	10	7
IX. Organs of Generation . . . . .	238	—	—	—	—	—	—	—	—	1	13	28	41
X. Organs of Locomotion . . . . .	99	1	—	—	2	—	—	—	5	13	4	4	5
XI. Skin, etc. . . . .	14	3	—	2	1	1	1	—	—	—	—	—	—
XII. Malformation . . . . .	40	31	5	1	1	—	—	—	—	1	1	—	—
XIII. Premature Debility . . . . .	641	566	40	35	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	135	—	—	—	32	11	8	2	8	4	3	4	6
XV. Age . . . . .	2263	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	31	6	1	1	—	—	—	—	1	—	—	—	—
XVII. Violent Deaths . . . . .	243	9	11	2	19	15	8	12	16	10	5	8	9
I. Small Pox . . . . .	5	3	—	—	—	—	—	—	1	1	—	—	—
Measles . . . . .	130	1	4	25	44	17	15	10	6	4	—	—	1
Scarlatina . . . . .	622	3	3	28	70	85	91	80	191	37	12	8	4
Diphtheria . . . . .	239	8	2	17	34	32	29	25	54	19	3	3	3
Hooping Cough . . . . .	405	39	39	84	129	54	26	13	20	1	—	—	—
Croup . . . . .	223	4	4	23	52	61	34	21	24	—	—	—	—
Thrush . . . . .	7	6	—	—	1	—	—	—	—	—	—	—	—
Diarrhœa . . . . .	408	55	53	47	63	13	4	3	3	5	—	1	4
Dysentery . . . . .	79	2	2	5	3	2	1	—	—	—	2	2	—
Cholera . . . . .	51	2	5	8	3	4	2	1	4	—	—	—	1
Influenza . . . . .	50	—	—	—	—	1	1	—	2	—	1	—	1
Purpura . . . . .	8	—	1	1	—	1	1	—	—	1	1	—	1
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	5	—	—	—	1	1	—	—	3	—	—	—	—
Typhus . . . . .	273	6	2	4	8	10	13	5	22	33	23	11	18
Enteric Fever . . . . .	456	1	6	7	10	12	13	14	67	58	55	38	25
Relapsing Fever . . . . .	16	—	—	—	1	1	—	—	—	2	1	3	2
Simple Continued Fever . . . . .	34	—	—	—	2	—	1	—	7	7	3	2	1
Infantile Remittent . . . . .	21	4	2	1	3	3	3	—	4	1	—	—	—
Metria . . . . .	69	—	—	—	—	—	—	—	—	—	3	15	19
Rheumatic Fever . . . . .	30	—	—	—	—	1	—	2	—	9	3	1	1
Erysipelas . . . . .	64	16	4	4	3	—	—	1	2	3	—	1	2
Pyæmia . . . . .	11	—	—	—	1	—	—	—	—	1	—	—	3
Syphilis . . . . .	32	6	10	5	2	—	1	—	—	—	—	—	1
Noma . . . . .	4	—	—	—	1	1	—	1	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	11	4	—	—	—	—	—	—	—	1	—	—	—
Dropsy . . . . .	195	1	—	4	4	1	—	2	8	5	4	3	5
Abscess . . . . .	32	—	3	4	—	—	—	—	4	—	3	2	2
Ulcer . . . . .	12	2	—	—	—	—	—	—	1	—	1	—	—
Fistula . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	35	2	—	—	1	—	—	1	—	—	1	—	—
Cancer . . . . .	471	—	—	1	1	1	1	2	3	1	2	4	3
Gout . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	137	7	1	5	12	8	3	2	13	20	10	10	8
Tabes Mesenterica . . . . .	197	13	11	30	46	19	14	7	17	9	9	9	1
Phthisis . . . . .	1891	11	8	19	19	18	14	10	52	116	260	305	242
Hydrocephalus . . . . .	294	8	29	56	71	27	23	20	42	10	8	—	—

## CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . .	487	458	432	439	507	555	760	895	1017	1047	937	543	203	65	14	18	
SPECIFIED CAUSES .	465	433	415	417	470	506	704	887	1016	1047	937	543	203	65	14	12	
Zymotic Class . . .	70	57	51	41	52	57	64	80	60	65	53	21	6	1	—	—	
Uncertain Seat . . .	13	24	44	69	68	81	79	86	84	64	44	12	3	1	—	—	
Tubercular Class . . .	235	167	130	84	73	65	53	33	19	3	2	2	—	—	—	1	
Brain, etc. . . . .	25	22	33	51	54	59	96	143	124	134	84	35	5	—	—	5	
Heart, etc. . . . .	25	30	30	39	53	69	106	114	119	84	46	14	5	—	—	1	
Respiratory Organs . . .	22	28	31	43	58	69	99	119	143	128	80	46	10	2	—	1	
Digestive Organs . . .	24	40	44	52	66	59	94	97	85	52	28	10	1	1	—	—	
Urinary Organs . . .	5	5	5	7	10	8	15	11	9	10	7	—	1	—	—	—	
Generative Organs . . .	37	44	25	7	4	9	7	7	10	4	—	1	—	—	—	—	
Locomotive Organs . . .	3	2	6	—	3	3	10	8	14	11	3	1	—	—	—	1	
Skin . . . . .	1	1	—	1	1	—	—	—	1	1	—	—	—	—	—	—	
Malformation . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy . . . . .	1	5	8	10	14	18	1	—	—	—	—	—	—	—	—	—	
Age . . . . .	—	—	—	—	—	—	64	176	336	477	572	394	169	60	14	1	
Sudden Deaths . . . .	—	2	2	—	3	2	6	4	—	3	—	—	—	—	—	—	
Violent Deaths . . . .	4	6	6	13	11	7	10	9	12	11	18	7	3	—	—	2	
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles . . . . .	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina . . . . .	3	4	—	—	3	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria . . . . .	3	—	—	—	—	—	3	4	—	—	—	—	—	—	—	—	
Hooping Cough . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa . . . . .	4	2	—	5	7	9	13	27	18	29	32	9	1	1	—	—	
Dysentery . . . . .	4	1	4	4	3	8	5	5	7	12	6	1	—	—	—	—	
Cholera . . . . .	—	2	1	1	2	1	2	6	3	1	2	—	—	—	—	—	
Influenza . . . . .	—	1	—	1	2	5	1	5	8	9	4	5	3	—	—	—	
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus . . . . .	16	15	13	11	16	15	12	14	3	1	2	—	—	—	—	—	
Enteric Fever . . . . .	16	13	21	13	17	10	20	14	15	5	5	1	—	—	—	—	
Relapsing Fever . . . .	1	1	1	1	—	1	1	—	—	—	—	—	—	—	—	—	
Simple Cont. Fever . . .	—	1	2	1	—	1	1	2	—	2	—	1	—	—	—	—	
Infantile Remittent . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria . . . . .	17	10	5	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . . . .	2	1	1	1	—	2	2	2	1	1	—	—	—	—	—	—	
Erysipelas . . . . .	2	—	—	3	1	2	4	1	5	3	2	3	2	—	—	—	
Pyæmia . . . . .	1	3	1	—	—	—	—	—	—	1	—	—	—	—	—	—	
Syphilis . . . . .	—	1	2	—	1	2	—	—	—	1	—	—	—	—	—	—	
Noma . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage . . . . .	2	—	2	—	—	1	—	—	—	1	—	—	—	—	—	—	
Dropsy . . . . .	1	3	10	10	10	12	18	28	33	16	13	2	1	1	—	—	
Abscess . . . . .	3	2	2	1	1	3	1	1	—	—	—	—	—	—	—	—	
Ulcer . . . . .	—	1	1	—	1	—	2	1	1	—	1	—	—	—	—	—	
Fistula . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification . . . . .	—	—	1	—	—	2	1	4	5	7	6	3	1	—	—	—	
Cancer . . . . .	6	17	28	58	56	63	56	52	45	39	24	7	1	—	—	—	
Gout . . . . .	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	
Scrofula . . . . .	11	5	4	4	5	2	2	4	1	—	—	—	—	—	—	—	
Tabes Mesenterica . . .	2	1	2	1	—	2	—	2	1	—	—	1	—	—	—	—	
Phthisis . . . . .	222	161	124	79	68	61	51	27	17	3	2	1	—	—	—	1	
Hydrocephalus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	



CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	85	2	3	10	13	5	5	2	13	5	4	8	1
Apoplexy . . . . .	268	6	3	6	5	—	1	—	4	6	—	1	6
Paralysis . . . . .	474	1	1	—	—	2	—	1	—	4	1	2	2
Delirium Tremens . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	1
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	53	—	—	—	—	—	—	—	1	3	4	3	6
Tetanus . . . . .	6	2	—	—	—	—	—	—	—	—	—	—	1
Insanity . . . . .	5	—	—	—	—	—	—	—	—	—	—	1	—
Convulsions . . . . .	121	41	18	17	18	10	6	2	9	—	—	—	—
Brain Disease . . . . .	195	5	7	5	3	3	2	5	13	9	4	8	10
V. Pericarditis . . . . .	19	1	2	—	—	—	—	1	1	—	1	1	3
Aneurism . . . . .	16	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease . . . . .	789	5	1	5	—	1	1	1	3	8	14	13	26
VI. Laryngitis . . . . .	29	2	—	3	3	3	2	1	1	1	1	1	2
Bronchitis . . . . .	1140	82	64	133	134	52	34	21	20	6	8	5	9
Pleurisy . . . . .	37	—	—	2	—	—	—	1	1	1	1	—	2
Pneumonia . . . . .	352	20	16	27	37	13	13	7	21	8	8	9	8
Asthma . . . . .	71	—	—	—	—	—	—	—	—	—	1	—	—
Lung Disease . . . . .	58	5	1	2	3	1	—	1	3	1	2	3	2
VII. Teething . . . . .	184	2	8	76	84	13	1	—	—	—	—	—	—
Quinsey . . . . .	13	2	2	3	1	1	—	1	2	—	—	—	—
Gastritis . . . . .	44	1	1	3	—	1	1	—	1	—	1	3	—
Enteritis . . . . .	189	49	26	16	19	3	2	5	3	1	4	6	2
Peritonitis . . . . .	107	10	3	2	3	6	1	2	4	1	7	5	7
Ascites . . . . .	26	—	—	—	—	1	—	—	1	1	—	1	—
Ulceration of Intestines . . . . .	57	3	—	—	—	—	—	—	1	—	1	3	1
Hernia . . . . .	25	—	—	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	77	—	1	—	2	—	—	—	1	2	2	2	1
Intussusception . . . . .	8	—	—	3	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	6	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	196	12	8	15	6	1	2	1	7	1	7	3	4
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	35	—	—	—	1	—	—	—	—	1	1	1	2
Jaundice . . . . .	54	18	—	—	1	1	1	—	—	3	—	1	—
Liver Disease . . . . .	163	2	1	1	—	2	1	1	2	2	—	2	3
Spleen Disease . . . . .	7	—	—	—	—	—	—	—	—	—	1	—	—
VIII. Nephritis . . . . .	13	—	—	1	2	1	1	—	1	2	—	—	—
Nephria . . . . .	40	—	—	—	1	—	—	1	1	—	2	2	2
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	4	—	1	—	—	—	—	1	—	—	—	—	—
Diabetes . . . . .	17	—	—	—	—	—	1	—	1	1	1	2	4
Stone . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	8	—	—	—	—	—	—	—	—	—	1	3	—
Stricture of Urethra . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	58	—	—	1	2	1	—	—	6	—	1	3	1
IX. Paramenia . . . . .	15	—	—	—	—	—	—	—	—	1	4	2	2
Ovarian Dropsy . . . . .	31	—	—	—	—	—	—	—	—	—	—	2	2
Childbirth . . . . .	157	—	—	—	—	—	—	—	—	—	5	23	33
Organs of Generation . . . . .	35	—	—	—	—	—	—	—	—	—	4	1	4
X. Arthritis . . . . .	16	—	—	—	1	—	—	—	2	3	1	1	2
Rheumatism . . . . .	55	—	—	—	—	—	—	—	1	3	—	—	—
Joint and Bone Disease . . . . .	28	1	—	—	1	—	—	—	2	7	3	3	3
XI. Carbuncle . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	10	3	—	2	1	1	1	—	—	—	—	—	—
XVII. Intemperance . . . . .	6	—	—	—	—	—	—	—	—	—	—	—	1
Privation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	5	3	2	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	6	1	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	5	1	—	—	1	1	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	53	—	1	1	9	8	6	5	4	1	1	—	—
Hanging, etc. . . . .	8	—	—	—	—	—	—	—	1	—	—	1	—
Suffocation . . . . .	13	1	6	1	—	—	—	—	—	—	—	—	1
Drowning . . . . .	51	—	—	—	8	5	1	1	6	4	2	1	2
Fracture and Contusion . . . . .	77	—	1	—	1	1	1	3	5	5	1	4	5
Gunshot Wounds . . . . .	2	—	—	—	—	—	—	—	—	—	—	1	—
Cuts and Stabs . . . . .	2	—	—	—	—	—	—	—	—	—	—	1	—
Other Violent Causes . . . . .	14	3	1	—	—	—	—	3	—	—	1	—	—
Not Specified . . . . .	913	252	71	66	87	27	26	19	34	21	28	16	23

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES. (Continued.)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . . . .	4	—	—	2	2	2	—	—	—	1	1	1	—	—	—	1
Apoplexy . . . . .	6	7	7	12	19	25	30	36	32	32	16	8	—	—	—	—
Paralysis . . . . .	3	5	6	18	19	24	45	87	76	90	55	25	4	—	—	3
Delirium Tremens . . . . .	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	6	2	5	8	3	—	4	3	1	3	1	—	—	—	—	—
Tetanus . . . . .	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Insanity . . . . .	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . . . .	6	7	14	10	11	6	14	17	15	8	10	1	1	—	—	1
Pericarditis . . . . .	1	2	1	—	—	2	—	1	1	1	—	—	—	—	—	—
Aneurism . . . . .	1	—	—	—	2	2	3	4	—	1	2	—	—	—	—	—
Heart Disease . . . . .	23	28	29	39	51	65	103	109	118	82	44	14	5	—	—	1
Laryngitis . . . . .	—	—	2	1	2	—	—	2	1	—	—	1	—	—	—	—
Bronchitis . . . . .	7	9	9	27	28	43	61	81	101	95	62	36	10	2	—	1
Pleurisy . . . . .	2	2	5	—	4	2	2	3	3	6	—	—	—	—	—	—
Pneumonia . . . . .	10	10	12	6	11	16	21	18	22	18	14	7	—	—	—	—
Asthma . . . . .	1	2	2	5	11	4	11	9	13	7	4	1	—	—	—	—
Lung Disease . . . . .	2	5	1	4	2	4	4	6	3	2	—	1	—	—	—	—
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	—	3	2	3	4	1	1	8	4	4	2	—	—	—	—	—
Enteritis . . . . .	3	4	4	4	5	1	8	10	5	4	4	—	1	—	—	—
Peritonitis . . . . .	9	8	4	2	5	2	8	5	7	4	1	—	—	1	—	—
Ascites . . . . .	—	—	1	3	3	—	3	5	2	2	2	1	—	—	—	—
Ulceration of Intestines . . . . .	4	5	7	3	4	3	4	6	7	1	4	—	—	—	—	—
Hernia . . . . .	—	2	—	—	2	2	4	6	5	3	1	—	—	—	—	—
Ileus . . . . .	1	1	4	2	11	9	11	10	6	5	4	2	—	—	—	—
Intussusception . . . . .	—	—	—	1	3	1	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	1	—	—	1	—	1	—	1	2	—	—	—	—	—	—
Stomach Disease . . . . .	3	5	10	11	7	12	21	14	20	18	6	2	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	1	1	2	—	2	3	8	6	5	1	—	—	—	—	—	—
Jaundice . . . . .	—	—	1	4	3	4	3	5	5	1	1	2	—	—	—	—
Liver Disease . . . . .	3	8	8	18	15	20	22	21	18	7	3	3	—	—	—	—
Spleen Disease . . . . .	—	2	1	1	1	—	—	1	—	—	—	—	—	—	—	—
Nephritis . . . . .	—	—	—	—	1	—	3	—	—	1	—	—	—	—	—	—
Nephria . . . . .	3	—	1	2	1	4	5	5	3	3	3	—	1	—	—	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Diabetes . . . . .	1	1	—	2	2	—	—	—	1	—	—	—	—	—	—	—
Stone . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	—	—	—	1	1	—	1	—	1	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Kidney Disease . . . . .	1	3	4	2	5	4	6	5	4	5	4	—	—	—	—	—
Paramenia . . . . .	2	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	1	2	2	—	2	5	5	4	4	2	—	—	—	—	—	—
Childbirth . . . . .	33	39	21	2	—	—	1	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	1	2	—	4	2	4	1	3	6	2	—	1	—	—	—	—
Arthritis . . . . .	1	—	2	—	1	—	1	1	—	—	—	—	—	—	—	—
Rheumatism . . . . .	1	1	2	—	1	2	7	7	14	11	3	1	—	—	—	1
Joint Disease . . . . .	1	1	2	—	1	1	2	—	—	—	—	—	—	—	—	—
Carbuncle . . . . .	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
Phlegmon . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
Intemperance . . . . .	1	1	—	1	2	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	2	—	—	1	1	1	—	—	—	—	—	—	—	—	—
Poison . . . . .	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	—	—	1	1	2	—	2	2	2	3	3	1	—	—	—	—
Hanging, etc. . . . .	1	—	—	1	—	1	1	1	—	1	—	—	—	—	—	—
Suffocation . . . . .	1	1	—	—	—	3	1	—	1	—	—	—	—	—	—	—
Drowning . . . . .	—	—	1	5	2	3	2	1	4	—	1	—	—	—	—	2
Fracture and Contusion . . . . .	1	2	1	4	2	1	3	2	5	6	14	6	3	—	—	—
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	—	—	1	1	1	1	—	1	—	1	—	—	—	—	—	—
Not Specified . . . . .	22	25	17	22	37	49	56	8	1	—	—	—	—	—	—	6



CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES..											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	34721	3260	1388	2780	3837	1873	1231	904	1868	869	1050	1260	1276
SPECIFIED CAUSES . . . . .	34153	3108	1331	2716	3788	1847	1214	886	1848	858	1038	1253	1261
I. Zymotic Class . . . . .	8664	440	393	967	1620	993	712	526	964	245	187	190	170
II. Diseases of Uncertain Seat	1025	19	12	10	16	12	11	9	28	22	13	19	33
III. Tubercular Class . . . . .	6206	109	158	415	594	298	161	133	367	309	564	649	596
IV. Brain and Nervous System	2816	243	100	142	171	82	48	53	100	63	46	46	51
V. Organs of Circulation . . . . .	1538	9	3	2	2	1	1	4	23	25	49	40	69
VI. Respiratory Organs . . . . .	5638	336	339	728	879	321	180	102	178	43	63	91	122
VII. Organs of Digestion . . . . .	2277	242	122	307	356	64	33	19	56	37	30	53	49
VIII. Urinary Organs . . . . .	509	7	3	—	7	6	9	7	29	20	14	30	22
IX. Organs of Generation . . . . .	270	—	—	—	—	—	—	—	—	—	6	45	47
X. Organs of Locomotion . . . . .	225	1	—	1	—	1	4	5	29	34	19	12	15
XI. Skin, etc. . . . .	36	7	7	2	5	4	—	1	—	—	—	1	1
XII. Malformation . . . . .	84	70	2	4	4	1	1	—	2	—	—	—	—
XIII. Premature Debility . . . . .	1784	1522	145	117	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	325	—	—	—	102	28	24	11	17	8	3	5	5
XV. Age . . . . .	1620	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	99	10	6	2	2	—	2	1	3	2	2	4	6
XVII. Violent Deaths . . . . .	1037	93	41	19	30	36	28	15	52	50	42	54	75
I. Small Pox . . . . .	8	1	—	3	3	—	1	—	—	—	—	—	—
Measles . . . . .	838	6	24	157	327	168	64	45	41	1	1	1	—
Scarlatina . . . . .	1874	7	22	96	263	266	304	242	547	88	9	12	8
Diphtheria . . . . .	295	10	1	35	56	41	53	31	48	4	—	3	2
Hooping Cough . . . . .	1653	75	106	359	532	268	138	96	74	4	—	—	—
Croup . . . . .	463	7	7	50	148	99	65	48	38	—	1	—	—
Thrush . . . . .	10	7	1	1	—	—	—	—	1	—	—	—	—
Diarrhoea . . . . .	1179	208	169	199	205	64	20	4	20	3	7	7	15
Dysentery . . . . .	124	5	7	5	4	3	2	—	1	2	3	3	5
Cholera . . . . .	103	9	12	14	8	—	—	1	4	3	3	5	5
Influenza . . . . .	34	—	1	1	3	3	1	—	—	1	—	—	1
Purpura . . . . .	13	—	—	1	1	—	—	—	1	—	1	—	—
Ague . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Worms . . . . .	6	—	—	—	2	—	—	—	4	—	—	—	—
Typhus . . . . .	958	1	4	6	20	12	14	17	68	52	77	93	72
Enteric Fever . . . . .	571	3	3	3	20	42	29	30	84	68	62	41	33
Relapsing Fever . . . . .	17	—	—	—	1	—	1	—	—	3	4	1	2
Simple Continued Fever . . . . .	41	—	—	—	2	5	2	2	9	6	2	—	3
Infantile Remittent . . . . .	89	3	4	16	14	15	15	8	14	—	—	—	—
Metria . . . . .	70	—	—	—	—	—	—	—	—	—	4	17	17
Rheumatic Fever . . . . .	52	—	—	—	—	—	1	—	3	4	10	7	3
Erysipelas . . . . .	125	44	7	6	2	5	—	1	3	3	2	1	1
Pyæmia . . . . .	12	—	—	1	2	—	—	—	1	2	—	1	1
Syphilis . . . . .	121	54	25	14	6	1	—	—	1	1	1	2	2
Noma . . . . .	7	—	—	—	1	1	2	1	2	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	32	2	1	—	—	1	—	—	—	3	2	1	2
Dropsy . . . . .	276	2	2	4	5	7	7	9	23	12	3	6	7
Abscess . . . . .	74	7	6	2	7	2	2	—	1	5	2	2	6
Ulcer . . . . .	16	2	1	—	—	—	1	—	—	—	—	—	2
Fistula . . . . .	9	—	—	—	—	—	—	—	—	—	—	1	1
Mortification . . . . .	46	2	1	2	3	—	—	—	1	—	1	1	—
Cancer . . . . .	564	4	1	2	1	2	1	—	3	2	5	8	15
Gout . . . . .	8	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	368	10	9	27	47	28	13	16	54	32	27	26	21
Tabes Mesenterica . . . . .	494	38	34	60	133	70	33	25	49	28	9	5	2
Phthisis . . . . .	4309	15	23	57	134	81	50	45	172	237	524	616	571
Hydrocephalus . . . . .	1035	46	92	271	280	119	65	47	92	12	4	2	2





## CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	185	8	8	19	22	7	12	10	30	15	10	6	3
Apoplexy . . . . .	607	10	6	14	17	8	6	4	10	5	9	8	8
Paralysis . . . . .	724	1	—	1	1	1	—	1	2	4	—	4	5
Delirium Tremens . . . . .	47	—	—	—	—	—	—	—	—	—	—	1	5
Chorea . . . . .	5	—	—	—	1	1	—	—	1	—	1	—	—
Epilepsy . . . . .	84	1	—	—	—	—	1	—	—	1	7	7	12
Tetanus . . . . .	18	7	1	—	1	1	—	1	1	—	1	3	1
Insanity . . . . .	32	—	—	—	—	—	—	—	—	1	—	—	2
Convulsions . . . . .	579	210	74	91	109	40	17	15	22	1	—	—	—
Brain Disease . . . . .	535	6	11	17	20	24	12	22	34	36	18	17	15
V. Pericarditis . . . . .	29	1	—	—	—	—	—	2	2	3	5	1	2
Aneurism . . . . .	54	—	—	—	—	—	—	—	—	—	—	—	5
Heart Disease . . . . .	1455	8	3	2	2	1	1	2	21	22	44	48	62
VI. Laryngitis . . . . .	73	1	3	8	18	7	4	1	3	—	1	3	2
Bronchitis . . . . .	3940	255	287	580	681	235	128	73	103	22	27	29	42
Pleurisy . . . . .	87	2	—	2	2	1	1	—	8	—	2	7	3
Pneumonia . . . . .	1174	69	41	128	174	75	43	24	57	17	26	42	53
Asthma . . . . .	192	—	—	1	—	—	—	—	—	—	—	1	9
Lung Disease . . . . .	172	9	8	9	4	3	4	4	7	4	7	9	13
VII. Teething . . . . .	550	4	23	222	276	22	2	1	—	—	—	—	—
Quinsey . . . . .	24	2	3	4	4	6	1	—	—	—	—	2	—
Gastritis . . . . .	72	6	2	4	6	1	8	1	2	2	2	5	1
Enteritis . . . . .	358	110	45	45	27	15	9	8	14	8	7	5	6
Peritonitis . . . . .	140	12	6	3	4	2	2	—	9	12	5	15	9
Ascites . . . . .	31	1	—	—	—	1	—	—	1	2	2	—	1
Ulceration of Intestines . . . . .	62	2	—	2	3	—	1	2	2	1	—	4	3
Hernia . . . . .	49	1	2	1	—	1	—	1	1	—	—	1	2
Ileus . . . . .	112	15	7	1	2	1	—	—	1	3	5	6	3
Intussusception . . . . .	6	—	1	—	1	—	—	—	1	—	1	—	—
Stricture of Intestines . . . . .	16	2	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	347	48	27	21	21	11	7	5	11	6	1	6	5
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	67	1	—	2	1	—	1	—	3	1	—	1	3
Jaundice . . . . .	69	24	4	1	6	3	—	1	1	—	—	1	2
Liver Disease . . . . .	368	14	2	1	4	1	2	—	10	2	6	7	14
Spleen Disease . . . . .	6	—	—	—	1	—	—	—	—	—	1	—	—
VIII. Nephritis . . . . .	48	1	—	—	2	1	3	5	14	4	—	1	1
Nephria . . . . .	181	—	—	—	5	2	2	2	9	9	9	16	11
Addison's Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	19	3	1	—	—	—	—	—	4	—	—	1	—
Diabetes . . . . .	40	—	—	—	—	2	—	—	—	2	2	4	3
Stone . . . . .	15	—	—	—	—	—	—	—	1	—	—	2	—
Cystitis . . . . .	72	1	—	—	—	—	—	—	—	—	—	2	—
Stricture of Urethra . . . . .	14	—	—	—	—	—	—	—	—	—	—	—	2
Kidney Disease . . . . .	119	2	2	—	—	1	4	—	1	5	3	4	5
IX. Paramenia . . . . .	16	—	—	—	—	—	—	—	—	—	2	2	3
Ovarian Dropsy . . . . .	32	—	—	—	—	—	—	—	—	—	—	—	3
Childbirth . . . . .	185	—	—	—	—	—	—	—	—	—	4	43	38
Organs of Generation . . . . .	37	—	—	—	—	—	—	—	—	—	—	—	3
X. Arthritis . . . . .	60	1	—	—	—	1	2	1	6	9	6	4	9
Rheumatism . . . . .	73	—	—	—	—	—	1	—	2	7	5	1	—
Joint and Bone Disease . . . . .	92	—	—	1	—	—	1	4	21	18	8	7	6
XI. Carbuncle . . . . .	5	—	1	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	6	1	—	—	—	1	—	—	—	—	—	1	1
Skin Disease . . . . .	25	6	6	2	5	3	—	1	—	—	—	—	—
XVII. Intemperance . . . . .	56	—	—	—	—	—	—	—	—	—	3	3	3
Privation . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	1
Want of Breast Milk . . . . .	69	43	19	7	—	—	—	—	—	—	—	—	—
Neglect . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	1
Poison . . . . .	31	5	1	1	1	2	1	—	2	—	1	—	4
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	96	—	—	4	17	20	13	8	5	2	1	6	2
Hanging, etc. . . . .	32	—	—	—	—	—	—	—	—	1	1	—	3
Suffocation . . . . .	79	26	19	6	4	2	1	—	3	—	1	1	3
Drowning . . . . .	159	1	—	—	4	2	3	1	8	11	8	12	12
Fracture and Contusion . . . . .	452	3	1	1	3	10	10	6	32	31	23	29	42
Gunshot Wounds . . . . .	5	—	—	—	—	—	—	—	—	—	2	1	—
Cuts and Stabs . . . . .	9	—	—	—	—	—	—	—	—	2	1	—	1
Other Violent Causes . . . . .	42	14	1	—	1	—	—	—	2	3	1	2	3
Not Specified . . . . .	568	152	57	64	49	26	17	18	20	11	12	7	15

## CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . . . .	9	9	2	4	—	4	2	3	—	2	—	—	—	—	—	—	
Apoplexy . . . . .	8	31	25	41	45	58	71	85	52	40	27	13	5	—	—	1	
Paralysis . . . . .	14	31	37	28	60	71	92	106	89	110	44	19	3	—	—	—	
Delirium Tremens . . . . .	8	10	3	9	6	2	1	1	—	—	1	—	—	—	—	—	
Chorea . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . . . .	10	5	8	7	3	7	5	3	3	2	2	—	—	—	—	—	
Tetanus . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Insanity . . . . .	1	1	6	2	5	3	6	3	2	—	—	—	—	—	—	—	
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease . . . . .	21	31	33	30	26	30	35	37	26	28	4	2	—	—	—	—	
Pericarditis . . . . .	3	1	1	4	—	4	—	—	—	—	—	—	—	—	—	—	
Aneurism . . . . .	7	11	7	7	6	4	3	3	1	—	—	—	—	—	—	—	
Heart Disease . . . . .	74	80	110	108	127	140	161	165	114	110	33	14	2	1	—	—	
Laryngitis . . . . .	2	3	5	2	—	6	3	—	1	—	—	—	—	—	—	—	
Bronchitis . . . . .	60	74	88	116	143	184	213	207	165	123	62	29	10	3	—	1	
Pleurisy . . . . .	8	3	7	3	9	3	11	6	2	3	3	1	—	—	—	—	
Pneumonia . . . . .	37	43	59	50	52	33	44	48	24	25	7	2	1	—	—	—	
Asthma . . . . .	2	9	12	19	28	25	17	31	23	8	6	—	1	—	—	—	
Lung Disease . . . . .	8	12	7	15	13	15	6	8	4	1	2	—	—	—	—	—	
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . . . .	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Gastritis . . . . .	4	3	4	6	4	2	3	4	1	—	1	—	—	—	—	—	
Enteritis . . . . .	6	7	3	6	5	5	8	8	6	3	2	—	—	—	—	—	
Peritonitis . . . . .	8	7	12	7	4	4	7	3	7	2	—	—	—	—	—	—	
Ascites . . . . .	2	2	—	5	2	2	2	4	2	—	2	—	—	—	—	—	
Ulceration of Intestines . . . . .	5	2	4	5	7	4	6	3	1	4	—	1	—	—	—	—	
Hernia . . . . .	1	1	1	4	7	3	6	9	3	3	1	—	—	—	—	—	
Ileus . . . . .	6	1	4	3	9	4	13	14	2	7	2	2	1	—	—	—	
Intussusception . . . . .	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Stricture of Intestines . . . . .	—	1	1	2	2	1	2	2	3	—	—	—	—	—	—	—	
Stomach Disease . . . . .	11	9	12	15	24	27	25	19	17	12	6	—	1	—	—	—	
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . . . .	9	7	8	5	7	9	4	1	2	2	—	—	—	—	—	—	
Jaundice . . . . .	—	—	2	1	2	3	5	4	6	—	3	—	—	—	—	—	
Liver Disease . . . . .	16	31	28	43	44	33	40	22	29	12	5	2	—	—	—	—	
Spleen Disease . . . . .	1	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	
Nephritis . . . . .	—	—	2	3	3	—	2	4	2	—	—	—	—	—	—	—	
Nephria . . . . .	17	16	17	15	12	11	10	7	7	2	2	—	—	—	—	—	
Addison's Disease . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Ischuria . . . . .	—	—	1	1	1	—	2	3	2	—	—	—	—	—	—	—	
Diabetes . . . . .	3	1	5	1	2	4	4	2	4	1	—	—	—	—	—	—	
Stone . . . . .	—	—	—	—	—	—	1	6	2	2	1	—	—	—	—	—	
Cystitis . . . . .	2	3	3	5	—	8	10	7	10	12	5	3	—	1	—	—	
Stricture of Urethra . . . . .	1	—	1	3	2	1	2	—	2	—	—	—	—	—	—	—	
Kidney Disease . . . . .	13	7	7	14	8	5	6	12	9	6	4	1	—	—	—	—	
Paramenia . . . . .	5	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . . . .	2	3	2	4	5	2	6	2	2	1	—	—	—	—	—	—	
Childbirth . . . . .	35	39	26	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation . . . . .	3	4	6	6	2	5	1	3	1	3	—	—	—	—	—	—	
Arthritis . . . . .	4	3	2	3	3	3	1	1	1	—	—	—	—	—	—	—	
Rheumatism . . . . .	3	1	6	5	3	7	10	6	9	3	3	1	—	—	—	—	
Joint Disease . . . . .	3	5	6	3	2	3	3	1	—	—	—	—	—	—	—	—	
Carbuncle . . . . .	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	
Phlegmon . . . . .	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	
Skin Disease . . . . .	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	
Intemperance . . . . .	6	10	5	10	7	4	4	1	—	—	—	—	—	—	—	—	
Privation . . . . .	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Poison . . . . .	2	3	2	1	3	—	1	1	—	—	—	—	—	—	—	—	
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . . . . .	2	2	—	—	4	1	3	1	2	—	—	3	—	—	—	—	
Hanging, etc. . . . .	2	3	4	4	3	1	3	3	2	2	—	—	—	—	—	—	
Suffocation . . . . .	1	1	2	2	2	1	4	—	—	—	—	—	—	—	—	—	
Drowning . . . . .	17	13	17	13	11	8	5	6	6	—	—	—	—	—	—	1	
Fracture and Contusion . . . . .	34	38	33	25	30	26	25	20	11	8	7	4	—	—	—	—	
Gunshot Wounds . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs . . . . .	—	—	1	1	1	1	—	—	—	1	—	—	—	—	—	—	
Other Violent Causes . . . . .	—	4	1	4	1	2	3	—	—	—	—	—	—	—	—	—	
Not Specified . . . . .	11	12	10	24	18	16	13	3	1	—	—	—	—	—	—	12	



CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	17513	1872	772	1498	1972	976	610	480	964	413	521	620	598
SPECIFIED CAUSES . . . . .	17189	1786	737	1463	1947	962	600	469	953	406	513	614	591
I. Zymotic Class . . . . .	4340	241	212	504	802	505	335	272	476	99	91	91	82
II. Diseases of Uncertain Seat	375	12	7	3	5	4	3	3	14	11	7	11	11
III. Tubercular Class . . . . .	2973	65	84	235	331	163	80	72	182	133	243	310	258
IV. Brain and Nervous System	1540	138	57	84	97	40	30	29	55	36	31	21	29
V. Organs of Circulation . . . . .	820	7	3	—	2	1	—	4	11	12	27	30	42
VI. Respiratory Organs . . . . .	2924	196	192	396	446	174	99	56	89	18	31	59	62
VII. Organs of Digestion . . . . .	1152	146	71	162	190	35	18	15	39	19	21	17	23
VIII. Urinary Organs . . . . .	329	5	3	—	2	4	3	3	21	11	8	19	8
IX. Organs of Generation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion . . . . .	123	1	—	—	—	1	4	2	13	21	14	7	11
XI. Skin, etc. . . . .	19	4	5	2	1	1	—	1	—	—	—	—	—
XII. Malformation . . . . .	53	47	—	1	3	—	1	—	1	—	—	—	—
XIII. Premature Debility . . . . .	1004	864	76	64	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	141	—	—	—	50	12	10	4	5	4	2	2	2
XV. Age . . . . .	575	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	54	4	4	2	1	—	—	1	2	—	1	—	3
XVII. Violent Deaths . . . . .	766	56	23	10	17	22	17	7	45	42	37	47	60
I. Small Pox . . . . .	3	—	—	1	1	—	1	—	—	—	—	—	—
Measles . . . . .	426	3	8	91	163	83	35	24	16	1	—	1	—
Scarlatina . . . . .	958	3	15	52	131	145	143	139	278	34	4	6	3
Diphtheria . . . . .	142	8	1	16	24	22	24	18	21	1	—	1	1
Hooping Cough . . . . .	775	39	52	188	246	117	57	34	41	1	—	—	—
Croup . . . . .	257	7	6	27	87	55	30	29	16	—	—	—	—
Thrush . . . . .	7	4	1	1	—	—	—	—	1	—	—	—	—
Diarrhœa . . . . .	586	108	93	92	104	38	9	2	9	2	6	2	8
Dysentery . . . . .	56	3	3	3	3	1	1	—	—	2	1	2	2
Cholera . . . . .	53	4	8	7	2	—	—	1	2	—	2	2	2
Influenza . . . . .	19	—	1	1	2	2	1	—	—	—	—	—	1
Purpura . . . . .	6	—	—	1	—	—	—	—	—	—	1	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	2	—	—	—	—	—	—	—	2	—	—	—	—
Typhus . . . . .	527	—	4	4	12	8	12	6	31	18	44	52	43
Enteric Fever . . . . .	290	2	2	1	12	23	8	17	43	32	28	19	19
Relapsing Fever . . . . .	6	—	—	—	—	—	1	—	—	1	—	—	1
Simple Continued Fever . . . . .	12	—	—	—	1	1	2	—	3	1	1	—	—
Infantile Remittent . . . . .	45	2	2	8	7	7	9	2	8	—	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	26	—	—	—	—	—	1	—	3	2	4	5	—
Erysipelas . . . . .	74	28	5	4	2	3	—	—	1	1	—	1	1
Pyæmia . . . . .	8	—	—	—	2	—	—	—	1	2	—	—	—
Syphilis . . . . .	60	30	11	7	2	—	—	—	—	1	—	—	1
Noma . . . . .	2	—	—	—	1	—	1	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	20	2	—	—	—	1	—	—	—	2	1	—	1
Dropsy . . . . .	110	1	2	3	1	2	2	3	11	5	1	4	2
Abscess . . . . .	31	3	3	—	3	—	1	—	—	2	1	1	3
Ulcer . . . . .	9	2	1	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	8	—	—	—	—	—	—	—	—	—	—	1	1
Mortification . . . . .	21	1	—	—	1	—	—	—	1	—	—	1	—
Cancer . . . . .	170	3	1	—	—	1	—	—	2	2	4	4	4
Gout . . . . .	6	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	212	5	4	19	30	13	6	9	32	19	17	15	14
Tabes Mesenterica . . . . .	289	24	21	33	76	43	19	12	28	16	7	5	1
Phthisis . . . . .	1913	9	10	32	71	44	23	25	79	92	217	288	242
Hydrocephalus . . . . .	559	27	49	151	154	63	32	26	43	6	2	2	1





CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES. (Continued.)

DISEASES.	MALES.												
	AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	114	6	5	10	14	3	6	7	16	9	9	4	3
Apoplexy . . . . .	306	5	3	9	10	3	4	1	5	3	7	2	2
Paralysis . . . . .	378	—	—	—	1	—	—	1	1	2	—	4	5
Delirium Tremens . . . . .	39	—	—	—	—	—	—	—	—	—	—	1	5
Chorea . . . . .	2	—	—	—	1	—	—	—	1	—	—	—	—
Epilepsy . . . . .	50	1	—	—	—	—	—	—	—	1	3	1	8
Tetanus . . . . .	12	5	1	—	1	1	—	—	1	—	1	1	—
Insanity . . . . .	5	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	326	117	43	56	61	20	11	5	12	1	—	—	—
Brain Disease . . . . .	308	4	5	9	9	13	9	15	19	20	11	8	6
V. Pericarditis . . . . .	20	1	—	—	—	—	—	2	1	2	4	1	1
Aneurism . . . . .	46	—	—	—	—	—	—	—	—	—	—	—	5
Heart Disease . . . . .	754	6	3	—	2	1	—	2	10	10	23	29	36
VI. Laryngitis . . . . .	44	1	2	5	8	4	2	1	2	—	1	1	1
Bronchitis . . . . .	1943	149	158	311	346	124	72	40	45	8	9	19	18
Pleurisy . . . . .	62	—	—	2	1	—	1	—	8	—	1	5	3
Pneumonia . . . . .	680	43	27	71	90	43	22	13	31	7	16	27	29
Asthma . . . . .	96	—	—	1	—	—	—	—	—	—	—	1	4
Lung Disease . . . . .	99	3	5	6	1	3	2	2	3	3	4	6	7
VII. Teething . . . . .	295	4	13	113	150	13	1	1	—	—	—	—	—
Quinsey . . . . .	11	1	1	3	3	1	1	—	—	—	—	—	—
Gastritis . . . . .	34	6	2	1	2	—	4	1	2	1	1	1	—
Enteritis . . . . .	203	67	33	26	15	8	4	6	8	3	5	3	3
Peritonitis . . . . .	56	6	3	3	—	1	2	—	5	7	5	4	1
Ascites . . . . .	13	1	—	—	—	1	—	—	1	—	1	—	1
Ulceration of Intestines . . . . .	26	2	—	—	—	—	1	1	2	1	—	2	1
Hernia . . . . .	24	1	1	1	—	1	—	1	1	—	—	1	2
Ileus . . . . .	55	7	4	1	2	—	—	—	1	2	3	3	2
Intussusception . . . . .	4	—	1	—	1	—	—	—	1	—	1	—	—
Stricture of Intestines . . . . .	7	2	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	165	26	10	12	10	8	2	4	9	3	1	1	2
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	34	—	—	1	—	—	1	—	2	1	—	—	3
Jaundice . . . . .	38	14	2	—	4	1	—	1	1	—	—	—	—
Liver Disease . . . . .	184	9	1	1	3	1	2	—	6	1	3	1	8
Spleen Disease . . . . .	3	—	—	—	—	—	—	—	—	—	1	—	—
VIII. Nephritis . . . . .	33	1	—	—	1	—	2	2	11	3	—	1	—
Nephria . . . . .	95	—	—	—	1	2	—	1	6	5	6	9	2
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	14	2	1	—	—	—	—	—	2	—	—	1	—
Diabetes . . . . .	28	—	—	—	—	2	—	—	—	—	1	3	2
Stone . . . . .	13	—	—	—	—	—	—	—	1	—	—	2	—
Cystitis . . . . .	62	1	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra . . . . .	13	—	—	—	—	—	—	—	—	—	—	—	1
Kidney Disease . . . . .	71	1	2	—	—	—	1	—	1	3	1	2	3
IX. Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . . . .	38	1	—	—	—	1	2	1	4	6	4	1	7
Rheumatism . . . . .	35	—	—	—	—	—	1	—	—	5	4	1	—
Joint and Bone Disease . . . . .	50	—	—	—	—	—	1	1	9	10	6	5	4
XI. Carbuncle . . . . .	3	—	1	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	2	1	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	14	3	4	2	1	1	—	1	—	—	—	—	—
XVII. Intemperance . . . . .	31	—	—	—	—	—	—	—	—	—	3	3	—
Privation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	41	23	13	5	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Poison . . . . .	17	3	1	—	1	2	1	—	1	—	—	—	2
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	58	—	—	2	11	15	9	4	3	2	1	4	1
Hanging, etc. . . . .	25	—	—	—	—	—	—	—	—	1	1	—	1
Suffocation . . . . .	39	14	7	3	2	—	1	—	3	—	—	—	2
Drowning . . . . .	136	1	—	—	3	1	1	1	8	11	7	9	11
Fracture and Contusion . . . . .	373	3	1	—	—	4	5	2	30	23	21	29	40
Gunshot Wounds . . . . .	5	—	—	—	—	—	—	—	—	—	2	1	—
Cuts and Stabs . . . . .	8	—	—	—	—	—	—	—	—	2	1	—	—
Other Violent Causes . . . . .	31	12	1	—	—	1	—	—	—	3	1	1	2
Not Specified . . . . .	324	86	35	35	25	14	10	11	11	7	8	6	7

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . . . .	6	7	2	2	—	4	1	—	—	—	—	—	—	—	—	—
Apoplexy . . . . .	6	17	13	24	24	26	40	37	28	21	6	5	4	—	—	1
Paralysis . . . . .	11	22	22	20	29	39	42	54	44	58	15	7	1	—	—	—
Delirium Tremens . . . . .	7	7	2	9	5	1	—	1	—	—	1	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	5	3	7	6	3	4	2	1	2	2	1	—	—	—	—	—
Tetanus . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Insanity . . . . .	1	—	1	—	1	1	1	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . . . .	15	18	20	22	16	18	20	21	13	15	1	1	—	—	—	—
Pericarditis . . . . .	1	—	1	3	—	3	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	6	11	7	6	4	3	2	2	—	—	—	—	—	—	—	—
Heart Disease . . . . .	38	41	50	62	69	78	87	81	54	53	12	6	1	—	—	—
Laryngitis . . . . .	2	2	4	1	—	4	2	—	1	—	—	—	—	—	—	—
Bronchitis . . . . .	26	36	35	53	68	90	107	101	58	41	17	8	3	—	—	1
Pleurisy . . . . .	6	2	4	1	7	2	8	4	1	2	3	1	—	—	—	—
Pneumonia . . . . .	23	26	39	37	30	22	25	28	12	12	4	2	1	—	—	—
Asthma . . . . .	2	4	6	9	17	11	8	15	10	6	1	—	1	—	—	—
Lung Disease . . . . .	4	4	5	11	11	7	5	3	2	1	1	—	—	—	—	—
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	2	—	3	2	1	—	2	2	—	—	1	—	—	—	—	—
Enteritis . . . . .	2	6	1	1	2	2	3	2	2	—	1	—	—	—	—	—
Peritonitis . . . . .	1	4	4	3	1	1	3	—	2	—	—	—	—	—	—	—
Ascites . . . . .	2	1	—	3	—	—	—	2	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	1	1	1	1	3	2	3	3	—	1	—	—	—	—	—	—
Hernia . . . . .	1	1	1	2	1	2	3	3	1	—	—	—	—	—	—	—
Ileus . . . . .	3	—	1	1	5	1	8	7	—	3	—	1	—	—	—	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	—	2	1	—	1	—	1	—	—	—	—	—	—	—
Stomach Disease . . . . .	7	2	7	10	7	9	13	6	8	6	2	—	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	4	2	5	2	3	5	4	—	1	—	—	—	—	—	—	—
Jaundice . . . . .	—	—	1	1	1	1	2	4	—	—	3	—	—	—	—	—
Liver Disease . . . . .	10	16	15	28	23	15	18	7	13	2	—	1	—	—	—	—
Spleen Disease . . . . .	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . . . .	—	—	1	3	2	—	2	3	1	—	—	—	—	—	—	—
Nephria . . . . .	5	9	12	10	8	6	4	3	3	2	1	—	—	—	—	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	1	1	—	2	2	2	—	—	—	—	—	—	—
Diabetes . . . . .	2	1	4	1	2	3	2	1	3	1	—	—	—	—	—	—
Stone . . . . .	—	—	—	—	—	—	—	6	2	1	—	—	—	—	—	—
Cystitis . . . . .	1	2	1	5	—	7	9	6	10	11	4	3	—	1	—	—
Stricture of Urethra . . . . .	1	—	1	3	2	1	2	—	2	—	—	—	—	—	—	—
Kidney Disease . . . . .	6	7	2	8	5	3	3	8	7	4	3	1	—	—	—	—
Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis . . . . .	1	2	1	2	1	2	1	1	—	—	—	—	—	—	—	—
Rheumatism . . . . .	1	1	5	4	1	3	3	2	2	1	1	—	—	—	—	—
Joint Disease . . . . .	1	1	3	—	2	3	3	1	—	—	—	—	—	—	—	—
Carbuncle . . . . .	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—
Intemperance . . . . .	6	4	3	6	3	2	1	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	2	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	1	—	—	—	2	1	1	1	—	—	—	—	—	—	—	—
Hanging, etc. . . . .	2	2	3	4	3	1	3	3	—	1	—	—	—	—	—	—
Suffocation . . . . .	1	1	—	1	1	—	3	—	—	—	—	—	—	—	—	—
Drowning . . . . .	17	13	13	10	9	6	4	6	4	—	—	—	—	—	—	1
Fracture and Contusion . . . . .	32	36	31	22	29	20	17	14	9	2	3	—	—	—	—	—
Gunshot Wounds . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	1	1	1	1	—	—	—	1	—	—	—	—	—	—
Other Violent Causes . . . . .	—	4	—	4	—	1	2	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	2	6	6	12	13	8	11	2	1	—	—	—	—	—	—	8



CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	17208	1388	616	1282	1865	897	621	424	904	456	529	640	678
SPECIFIED CAUSES . . . . .	16964	1322	594	1253	1841	885	614	417	895	452	525	639	670
I. Zymotic Class . . . . .	4324	199	181	463	818	488	377	254	488	146	96	104	88
II. Diseases of Uncertain Seat	650	7	5	7	11	8	8	6	14	11	6	8	22
III. Tubercular Class . . . . .	3233	44	74	180	263	135	81	61	185	176	321	339	338
IV. Brain and Nervous System	1276	105	43	58	74	42	18	24	45	27	15	25	22
V. Organs of Circulation . . . . .	718	2	—	2	—	—	1	—	12	13	22	19	27
VI. Respiratory Organs . . . . .	2714	140	147	332	433	147	81	46	89	25	32	32	60
VII. Organs of Digestion . . . . .	1125	96	51	145	166	29	15	4	17	18	9	36	26
VIII. Urinary Organs . . . . .	180	2	—	—	5	2	6	4	8	9	6	11	14
IX. Organs of Generation . . . . .	269	—	—	—	—	—	—	—	—	—	6	45	47
X. Organs of Locomotion . . . . .	102	—	—	1	—	—	—	3	16	13	5	5	4
XI. Skin, etc. . . . .	17	3	2	—	4	3	—	—	—	—	—	1	1
XII. Malformation . . . . .	31	23	2	3	1	1	—	—	1	—	—	—	—
XIII. Premature Debility . . . . .	780	658	69	53	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	184	—	—	—	52	16	14	7	12	4	1	3	3
XV. Age . . . . .	1045	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	45	6	2	—	1	—	2	—	1	2	1	4	3
XVII. Violent Deaths . . . . .	271	37	18	9	13	14	11	8	7	8	5	7	15
I. Small Pox . . . . .	5	1	—	2	2	—	—	—	—	—	—	—	—
Measles . . . . .	412	3	16	66	164	85	29	21	25	—	1	—	—
Scarlatina . . . . .	916	4	7	44	132	121	161	103	269	54	5	6	5
Diphtheria . . . . .	153	2	—	19	32	19	29	13	27	3	—	2	1
Hooping Cough . . . . .	878	36	54	171	286	151	81	62	33	3	—	—	—
Croup . . . . .	206	—	1	23	61	44	35	19	22	—	1	—	—
Thrush . . . . .	3	3	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	593	100	76	107	101	26	11	2	11	1	1	5	7
Dysentery . . . . .	68	2	4	2	1	2	1	—	1	—	2	1	3
Cholera . . . . .	50	5	4	7	6	—	—	—	2	3	1	3	3
Influenza . . . . .	15	—	—	—	1	1	—	—	—	1	—	—	—
Purpura . . . . .	7	—	—	—	1	—	—	—	1	—	—	—	—
Ague . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Worms . . . . .	4	—	—	—	2	—	—	—	2	—	—	—	—
Typhus . . . . .	431	1	—	2	8	4	2	11	37	34	33	41	29
Enteric Fever . . . . .	281	1	1	2	8	19	21	13	41	36	34	22	14
Relapsing Fever . . . . .	11	—	—	—	1	—	—	—	—	2	4	1	1
Simple Continued Fever . . . . .	29	—	—	—	1	4	—	2	6	5	1	—	3
Infantile Remittent . . . . .	44	1	2	8	7	8	6	6	6	—	—	—	—
Metria . . . . .	70	—	—	—	—	—	—	—	—	—	4	17	17
Rheumatic Fever . . . . .	26	—	—	—	—	—	—	—	—	2	6	2	3
Erysipelas . . . . .	51	16	2	2	—	2	—	1	2	2	2	—	—
Pyæmia . . . . .	4	—	—	1	—	—	—	—	—	—	—	1	1
Syphilis . . . . .	61	24	14	7	4	1	—	—	1	—	1	2	1
Noma . . . . .	5	—	—	—	—	1	1	1	2	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	12	—	1	—	—	—	—	—	—	1	1	1	1
Dropsy . . . . .	166	1	—	1	4	5	5	6	12	7	2	2	5
Abscess . . . . .	43	4	3	3	4	2	1	—	1	3	1	1	3
Ulcer . . . . .	7	—	—	—	—	—	1	—	—	—	—	—	2
Fistula . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	25	1	1	2	2	—	—	—	—	—	1	—	—
Cancer . . . . .	394	1	—	2	1	1	1	—	1	—	1	4	11
Gout . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	156	5	5	8	17	15	7	7	22	13	10	11	7
Tabes Mesenterica . . . . .	205	14	13	27	57	27	14	13	21	12	2	—	1
Phthisis . . . . .	2396	6	13	25	63	37	27	20	93	145	307	328	329
Hydrocephalus . . . . .	476	19	43	120	126	56	33	21	49	6	2	—	1





CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	71	2	3	9	8	4	6	3	14	6	1	2	—
Apoplexy . . . . .	301	5	3	5	7	5	2	3	5	2	2	6	6
Paralysis . . . . .	346	1	—	1	—	1	—	—	1	2	—	—	—
Delirium Tremens . . . . .	8	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	3	—	—	—	—	1	—	—	—	—	1	—	—
Epilepsy . . . . .	34	—	—	—	—	—	1	—	—	—	4	6	4
Tetanus . . . . .	6	2	—	—	—	—	—	1	—	—	—	2	1
Insanity . . . . .	27	—	—	—	—	—	—	—	—	1	—	—	2
Convulsions . . . . .	253	93	31	35	48	20	6	10	10	—	—	—	—
Brain Disease . . . . .	227	2	6	8	11	11	3	7	15	16	7	9	9
V. Pericarditis . . . . .	9	—	—	—	—	—	—	—	1	1	1	—	1
Aneurism . . . . .	8	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	701	2	—	2	—	—	1	—	11	12	21	19	26
VI. Laryngitis . . . . .	29	—	1	3	10	3	2	—	1	—	—	2	1
Bronchitis . . . . .	1997	106	129	269	335	111	56	33	58	14	18	10	24
Pleurisy . . . . .	25	2	—	—	1	1	—	—	—	—	1	2	—
Pneumonia . . . . .	494	26	14	57	84	32	21	11	26	10	10	15	24
Asthma . . . . .	96	—	—	—	—	—	—	—	—	—	—	—	5
Lung Disease . . . . .	73	6	3	3	3	—	2	2	4	1	3	3	6
VII. Teething . . . . .	255	—	10	109	126	9	1	—	—	—	—	—	—
Quinsey . . . . .	13	1	2	1	1	5	—	—	—	—	—	1	—
Gastritis . . . . .	38	—	—	3	4	1	4	—	—	1	1	4	1
Enteritis . . . . .	155	43	12	19	12	7	5	2	6	5	2	2	3
Peritonitis . . . . .	84	6	3	—	4	1	—	—	4	5	—	11	8
Ascites . . . . .	18	—	—	—	—	—	—	—	—	2	1	—	—
Ulceration of Intestines . . . . .	36	—	—	2	3	—	—	1	—	—	—	2	2
Hernia . . . . .	25	—	1	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	57	8	3	—	—	1	—	—	—	1	2	3	1
Intussusception . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	9	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	182	22	17	9	11	3	5	1	2	3	—	5	3
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	33	1	—	1	1	—	—	—	1	—	—	1	—
Jaundice . . . . .	31	10	2	1	2	2	—	—	—	—	—	1	2
Liver Disease . . . . .	184	5	1	—	1	—	—	—	4	1	3	6	6
Spleen Disease . . . . .	3	—	—	—	1	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	15	—	—	—	1	1	1	3	3	1	—	—	1
Nephria . . . . .	86	—	—	—	4	—	2	1	3	4	3	7	9
Addison's Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	5	1	—	—	—	—	—	—	2	—	—	—	—
Diabetes . . . . .	12	—	—	—	—	—	—	—	—	2	1	1	1
Stone . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	10	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Kidney Disease . . . . .	48	1	—	—	—	1	3	—	—	2	2	2	2
IX. Paramenia . . . . .	16	—	—	—	—	—	—	—	—	—	2	2	3
Ovarian Dropsy . . . . .	32	—	—	—	—	—	—	—	—	—	—	—	3
Childbirth . . . . .	185	—	—	—	—	—	—	—	—	—	4	43	38
Organs of Generation . . . . .	36	—	—	—	—	—	—	—	—	—	—	—	3
X. Arthritis . . . . .	22	—	—	—	—	—	—	—	2	3	2	3	2
Rheumatism . . . . .	38	—	—	—	—	—	—	—	2	2	1	—	—
Joint and Bone Disease . . . . .	42	—	—	1	—	—	—	3	12	8	2	2	2
XI. Carbuncle . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	4	—	—	—	—	1	—	—	—	—	—	1	1
Skin Disease . . . . .	11	3	2	—	4	2	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	25	—	—	—	—	—	—	—	—	—	—	—	3
Privation . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	1
Want of Breast Milk . . . . .	28	20	6	2	—	—	—	—	—	—	—	—	—
Neglect . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	14	2	—	1	—	—	—	—	1	—	1	—	2
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	38	—	—	2	6	5	4	4	2	—	—	2	1
Hanging, etc. . . . .	7	—	—	—	—	—	—	—	—	—	—	—	2
Suffocation . . . . .	40	12	12	3	2	2	—	—	—	—	1	1	1
Drowning . . . . .	23	—	—	—	1	1	2	—	—	—	1	3	1
Fracture and Contusion . . . . .	79	—	—	1	3	6	5	4	2	8	2	—	2
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Other Violent Causes . . . . .	11	2	—	—	1	—	—	—	2	—	—	1	1
Not Specified . . . . .	244	66	22	29	24	12	7	7	9	4	4	1	8

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1868.—FEMALES. (Continued.)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . . . .	3	2	—	2	—	—	1	3	—	2	—	—	—	—	—	—	
Apoplexy . . . . .	2	14	12	17	21	32	31	48	24	19	21	8	1	—	—	—	
Paralysis . . . . .	3	9	15	8	31	32	50	52	45	52	29	12	2	—	—	—	
Delirium Tremens . . . . .	1	3	1	—	1	1	1	—	—	—	—	—	—	—	—	—	
Chorea . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . . . .	5	2	1	1	—	3	3	2	1	—	1	—	—	—	—	—	
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity . . . . .	—	1	5	2	4	2	5	3	2	—	—	—	—	—	—	—	
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease . . . . .	6	13	13	8	10	12	15	16	13	13	3	1	—	—	—	—	
Pericarditis . . . . .	2	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
Aneurism . . . . .	1	—	—	1	2	1	1	1	1	—	—	—	—	—	—	—	
Heart Disease . . . . .	36	39	60	46	58	62	74	84	60	57	21	8	1	1	—	—	
Laryngitis . . . . .	—	1	1	1	—	2	1	—	—	—	—	—	—	—	—	—	
Bronchitis . . . . .	34	38	53	63	75	94	106	106	107	82	45	21	7	3	—	—	
Pleurisy . . . . .	2	1	3	2	2	1	3	2	1	1	—	—	—	—	—	—	
Pneumonia . . . . .	14	17	20	13	22	11	19	20	12	13	3	—	—	—	—	—	
Asthma . . . . .	—	5	6	10	11	14	9	16	13	2	5	—	—	—	—	—	
Lung Disease . . . . .	4	8	2	4	2	8	1	5	2	—	1	—	—	—	—	—	
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . . . .	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Gastritis . . . . .	2	3	1	4	3	2	1	2	1	—	—	—	—	—	—	—	
Enteritis . . . . .	4	1	2	5	3	3	5	6	4	3	1	—	—	—	—	—	
Peritonitis . . . . .	7	3	8	4	3	3	4	3	5	2	—	—	—	—	—	—	
Ascites . . . . .	—	1	—	2	2	2	2	2	2	—	2	—	—	—	—	—	
Ulceration of Intestines . . . . .	4	1	3	4	4	2	3	—	1	3	—	1	—	—	—	—	
Hernia . . . . .	—	—	—	2	6	1	3	6	2	3	1	—	—	—	—	—	
Ileus . . . . .	3	1	3	2	4	3	5	7	2	4	2	1	1	—	—	—	
Intussusception . . . . .	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Stricture of Intestines . . . . .	—	1	1	—	1	1	1	2	2	—	—	—	—	—	—	—	
Stomach Disease . . . . .	4	7	5	5	17	18	12	13	9	6	4	—	1	—	—	—	
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . . . .	5	5	3	3	4	4	1	1	1	2	—	—	—	—	—	—	
Jaundice . . . . .	—	—	1	—	1	2	3	2	2	—	—	—	—	—	—	—	
Liver Disease . . . . .	6	15	13	15	21	18	22	15	16	10	5	1	—	—	—	—	
Spleen Disease . . . . .	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Nephritis . . . . .	—	—	1	—	1	—	—	1	1	—	—	—	—	—	—	—	
Nephria . . . . .	12	7	5	5	4	5	6	4	4	—	1	—	—	—	—	—	
Addison's Disease . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Ischuria . . . . .	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
Diabetes . . . . .	1	—	1	—	—	1	2	1	1	—	—	—	—	—	—	—	
Stone . . . . .	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	
Cystitis . . . . .	1	1	2	—	—	1	1	1	—	1	1	—	—	—	—	—	
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease . . . . .	7	—	5	6	3	2	3	4	2	2	1	—	—	—	—	—	
Paramenia . . . . .	5	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . . . .	2	3	2	4	5	2	6	2	2	1	—	—	—	—	—	—	
Childbirth . . . . .	35	39	26	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation . . . . .	2	4	6	6	2	5	1	3	1	3	—	—	—	—	—	—	
Arthritis . . . . .	3	1	1	1	2	1	—	—	1	—	—	—	—	—	—	—	
Rheumatism . . . . .	2	—	1	1	2	4	7	4	7	2	2	1	—	—	—	—	
Joint Disease . . . . .	2	4	3	3	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle . . . . .	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	
Phlegmon . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Skin Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance . . . . .	—	6	2	4	4	2	3	1	—	—	—	—	—	—	—	—	
Privation . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Poison . . . . .	—	1	1	1	2	—	1	1	—	—	—	—	—	—	—	—	
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . . . . .	1	2	—	—	2	—	2	—	2	—	—	3	—	—	—	—	
Hanging, etc. . . . .	—	1	1	—	—	—	—	—	2	1	—	—	—	—	—	—	
Suffocation . . . . .	—	—	2	1	1	1	1	—	—	—	—	—	—	—	—	—	
Drowning . . . . .	—	—	4	3	2	2	1	—	2	—	—	—	—	—	—	—	
Fracture and Contusion . . . . .	2	2	2	3	1	6	8	6	2	6	4	4	—	—	—	—	
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes . . . . .	—	—	1	—	1	1	1	—	—	—	—	—	—	—	—	—	
Not Specified . . . . .	9	6	4	12	5	8	2	1	—	—	—	—	—	—	—	4	



## CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . .	13832	1242	572	1313	1818	918	585	442	834	369	401	492	512
SPECIFIED CAUSES . . . .	13672	1206	555	1292	1807	911	581	438	831	363	395	491	508
I. Zymotic Class . . . .	3759	146	154	457	774	464	335	250	443	99	92	67	65
II. Diseases of Uncertain Seat	341	6	3	4	9	6	7	4	11	11	4	8	10
III. Tubercular Class . . . .	2578	36	60	182	261	156	72	68	158	146	205	264	245
IV. Brain and Nervous System	951	96	40	59	72	39	26	25	41	26	20	13	16
V. Organs of Circulation . . . .	442	1	—	1	1	1	—	—	6	5	12	21	28
VI. Respiratory Organs . . . .	2657	120	173	400	469	184	96	65	103	21	20	46	53
VII. Organs of Digestion . . . .	923	111	58	139	164	32	17	9	22	19	13	19	21
VIII. Urinary Organs . . . .	166	2	2	—	1	4	4	7	13	6	6	6	9
IX. Organs of Generation . . . .	103	—	—	—	—	—	—	—	—	—	2	19	17
X. Organs of Locomotion . . . .	75	1	—	—	—	—	2	2	11	12	3	4	6
XI. Skin, etc. . . . .	8	1	1	—	2	2	—	—	—	—	—	—	1
XII. Malformation . . . . .	29	26	2	—	1	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . .	710	621	49	40	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	105	—	—	—	41	11	10	6	2	—	1	3	3
XV. Age . . . . .	377	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . .	59	2	1	1	2	—	1	1	3	2	2	3	3
XVII. Violent Deaths . . . .	389	37	12	9	10	12	11	1	18	16	15	18	31
I. Small Pox . . . . .	3	—	—	3	—	—	—	—	—	—	—	—	—
Measles . . . . .	348	—	6	64	143	70	30	20	13	—	—	1	—
Scarlatina . . . . .	918	2	14	59	134	127	142	116	270	39	6	2	3
Diphtheria . . . . .	106	3	—	15	23	12	18	15	14	1	—	—	2
Hooping Cough . . . . .	926	30	48	194	305	155	88	58	47	1	—	—	—
Croup . . . . .	149	2	4	15	52	33	17	11	15	—	—	—	—
Thrush . . . . .	3	2	—	—	—	—	—	—	1	—	—	—	—
Diarrhoea . . . . .	450	72	67	85	84	28	13	3	10	1	3	3	6
Dysentery . . . . .	30	1	1	3	—	—	—	—	—	—	2	1	4
Cholera . . . . .	27	1	7	4	2	—	—	1	—	—	2	1	3
Influenza . . . . .	16	—	1	—	3	2	1	—	—	1	—	—	—
Purpura . . . . .	4	—	—	1	—	—	—	—	1	—	1	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	3	—	—	—	1	—	—	—	2	—	—	—	—
Typhus . . . . .	367	—	—	1	1	3	2	6	22	22	36	34	28
Enteric Fever . . . . .	229	2	1	2	10	24	13	14	35	26	31	17	10
Relapsing Fever . . . . .	5	—	—	—	—	—	—	—	—	2	2	—	—
Simple Continued Fever . . . .	16	—	—	—	2	—	—	1	4	3	—	—	—
Infantile Remittent . . . . .	41	1	—	4	9	8	8	5	6	—	—	—	—
Metria . . . . .	27	—	—	—	—	—	—	—	—	—	3	3	6
Rheumatic Fever . . . . .	13	—	—	—	—	—	1	—	1	2	4	2	—
Erysipelas . . . . .	35	14	2	1	1	2	—	—	—	1	1	—	1
Pyæmia . . . . .	3	—	—	—	1	—	—	—	1	—	—	—	1
Syphilis . . . . .	36	16	3	6	2	—	—	—	—	—	1	—	1
Noma . . . . .	4	—	—	—	1	—	2	—	1	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	10	—	—	—	—	1	—	—	—	1	1	—	1
Dropsy . . . . .	103	1	—	1	2	5	5	4	8	8	—	3	1
Abscess . . . . .	30	2	2	1	5	—	—	—	1	1	—	2	2
Ulcer . . . . .	6	—	—	—	—	—	1	—	—	—	—	—	—
Fistula . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	12	—	—	1	2	—	—	—	1	—	—	—	—
Cancer . . . . .	176	3	1	1	—	—	1	—	1	1	3	3	6
Gout . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	132	3	2	12	19	10	8	8	23	11	7	9	6
Tabes Mesenterica . . . . .	211	12	13	25	44	41	18	14	23	12	5	2	—
Phthisis . . . . .	1804	6	10	22	76	51	23	26	81	119	193	252	239
Hydrocephalus . . . . .	431	15	35	123	122	54	23	20	31	4	—	1	—

## CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	488	455	441	486	460	427	428	386	281	231	154	53	27	11	3	3
SPECIFIED CAUSES . .	485	449	438	475	456	423	422	385	281	231	154	53	27	11	3	1
Zymotic Class . . .	62	55	60	62	48	40	26	22	18	11	4	5	—	—	—	—
Uncertain Seat . . .	17	25	33	35	36	36	34	14	15	10	2	1	—	—	—	—
Tubercular Class . .	180	145	122	90	72	56	43	13	3	—	1	—	—	—	—	—
Brain, etc. . . . .	21	35	24	47	41	54	63	72	40	58	18	2	3	—	—	—
Heart, etc. . . . .	33	32	26	46	50	43	41	42	26	18	4	4	—	1	—	—
Respiratory Organs .	71	64	73	101	110	116	113	114	63	42	28	6	5	1	—	—
Digestive Organs . .	32	35	25	34	43	30	39	27	12	11	10	1	—	—	—	—
Urinary Organs . . .	11	9	13	23	12	7	8	11	7	3	2	—	—	—	—	—
Generative Organs .	19	17	12	6	4	2	2	1	—	2	—	—	—	—	—	—
Locomotive Organs .	1	1	8	3	3	2	6	3	5	2	—	—	—	—	—	—
Skin . . . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Malformation . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy . . . . .	5	—	3	2	7	11	—	—	—	—	—	—	—	—	—	—
Age . . . . .	—	—	—	—	—	—	26	50	84	70	82	34	19	9	3	—
Sudden Deaths . . .	5	2	3	6	5	6	7	4	—	—	—	—	—	—	—	—
Violent Deaths . . .	28	29	36	20	25	20	14	12	8	3	3	—	—	—	—	1
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria . . . . .	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Whooping Cough . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	5	7	4	9	11	7	8	9	6	5	3	1	—	—	—	—
Dysentery . . . . .	2	—	4	2	3	1	1	—	3	1	—	1	—	—	—	—
Cholera . . . . .	1	—	—	1	2	—	1	1	—	—	—	—	—	—	—	—
Influenza . . . . .	1	1	1	—	1	1	2	—	1	—	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	28	31	39	37	26	24	11	7	6	2	—	1	—	—	—	—
Enteric Fever . . . .	6	9	7	6	3	2	1	4	2	2	1	1	—	—	—	—
Relapsing Fever . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . .	1	2	—	2	—	—	—	1	—	—	—	—	—	—	—	—
Infantile Remittent .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria . . . . .	7	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . .	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
Erysipelas . . . . .	1	1	1	2	—	4	2	—	—	—	—	1	—	—	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	3	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	—	1	1	1	1	—	2	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	7	7	6	3	9	7	15	4	5	2	—	—	—	—	—	—
Abscess . . . . .	3	4	2	—	2	1	1	—	—	—	—	1	—	—	—	—
Ulcer . . . . .	—	—	—	—	—	2	1	—	—	—	1	1	—	—	—	—
Fistula . . . . .	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—
Mortification . . . .	—	1	1	—	—	—	3	2	—	1	—	—	—	—	—	—
Cancer . . . . .	7	12	23	30	23	25	11	8	10	6	1	—	—	—	—	—
Gout . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Scrofula . . . . .	1	5	1	2	2	1	2	—	—	—	—	—	—	—	—	—
Tabes Mesenterica . .	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis . . . . .	178	138	121	87	70	55	40	13	3	—	1	—	—	—	—	—
Hydrocephalus . . . .	—	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—



CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	69	3	6	9	8	3	6	6	13	4	4	2	—
Apoplexy . . . . .	171	2	—	5	6	4	4	1	4	2	4	1	4
Paralysis . . . . .	212	—	—	1	1	1	—	—	1	1	—	1	2
Delirium Tremens . . . . .	13	—	—	—	—	—	—	—	—	—	—	—	1
Chorea . . . . .	3	—	—	—	1	1	—	—	—	—	—	—	—
Epilepsy . . . . .	22	—	—	—	—	—	—	—	—	1	1	1	3
Tetanus . . . . .	7	1	—	—	—	—	—	1	—	—	1	2	1
Insanity . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	245	89	29	35	47	19	11	7	7	1	—	—	—
Brain Disease . . . . .	207	1	5	9	9	11	5	10	16	17	10	6	5
V. Pericarditis . . . . .	7	—	—	—	—	—	—	—	1	1	—	—	—
Aneurism . . . . .	16	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease . . . . .	419	1	—	1	1	1	—	—	5	4	12	21	27
VI. Laryngitis . . . . .	26	—	1	3	8	2	3	—	—	—	—	1	—
Bronchitis . . . . .	1921	82	149	322	365	130	73	47	58	12	9	15	20
Pleurisy . . . . .	18	—	—	1	—	—	1	—	2	—	—	1	1
Pneumonia . . . . .	561	37	22	69	95	50	18	16	41	6	7	23	24
Asthma . . . . .	62	—	—	1	—	—	—	—	—	—	—	1	3
Lung Disease . . . . .	69	1	1	4	1	2	1	2	2	3	4	5	5
VII. Teething . . . . .	237	1	5	98	125	7	1	—	—	—	—	—	—
Quinsey . . . . .	12	2	3	1	2	3	—	—	—	—	—	1	—
Gastritis . . . . .	34	2	2	4	2	1	3	1	1	1	1	2	—
Enteritis . . . . .	177	57	24	23	13	8	4	3	7	5	4	2	3
Peritonitis . . . . .	30	—	—	—	—	1	1	—	3	5	1	4	1
Ascites . . . . .	16	—	—	—	—	1	—	—	—	1	1	—	1
Ulceration of Intestines . . . . .	15	—	—	—	1	—	1	—	—	1	—	1	2
Hernia . . . . .	14	—	—	—	—	1	—	1	—	—	—	—	—
Ileus . . . . .	42	10	5	—	1	1	—	—	—	1	2	3	1
Intussusception . . . . .	2	—	—	—	—	—	—	—	1	—	—	—	—
Stricture of Intestines . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	155	25	16	12	15	8	5	3	5	5	—	1	2
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	23	—	—	—	1	—	1	—	—	—	—	—	2
Jaundice . . . . .	17	5	2	1	2	1	—	1	1	—	—	1	—
Liver Disease . . . . .	144	9	1	—	2	—	1	—	4	—	4	4	9
Spleen Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	27	—	—	—	1	1	1	5	8	3	—	1	1
Nephria . . . . .	40	—	—	—	—	—	1	2	2	2	2	3	2
Addison's Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	8	2	1	—	—	—	—	—	2	—	—	—	—
Diabetes . . . . .	12	—	—	—	—	2	—	—	—	1	1	1	1
Stone . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Cystitis . . . . .	18	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	7	—	—	—	—	—	—	—	—	—	—	—	1
Kidney Disease . . . . .	52	—	1	—	—	1	2	—	1	—	3	—	4
IX. Paramenia . . . . .	7	—	—	—	—	—	—	—	—	—	1	—	3
Ovarian Dropsy . . . . .	9	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	73	—	—	—	—	—	—	—	—	—	1	19	13
Organs of Generation . . . . .	14	—	—	—	—	—	—	—	—	—	—	—	1
X. Arthritis . . . . .	21	1	—	—	—	—	1	—	2	3	—	1	4
Rheumatism . . . . .	25	—	—	—	—	—	—	—	1	1	2	—	—
Joint and Bone Disease . . . . .	29	—	—	—	—	—	1	2	8	8	1	3	2
XI. Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	3	—	—	—	—	1	—	—	—	—	—	—	1
Skin Disease . . . . .	5	1	1	—	2	1	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	23	—	—	—	—	—	—	—	—	—	2	2	—
Privation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Want of Breast Milk . . . . .	31	19	8	4	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	15	3	—	—	—	2	1	—	2	—	—	—	2
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	25	—	—	2	4	7	4	—	—	—	—	1	1
Hanging, etc. . . . .	12	—	—	—	—	—	—	—	—	—	—	—	1
Suffocation . . . . .	28	9	4	2	1	1	—	—	2	—	—	1	2
Drowning . . . . .	73	1	—	—	4	1	—	—	3	3	4	5	6
Fracture and Contusion . . . . .	160	—	—	1	1	1	6	1	10	10	9	8	17
Gunshot Wounds . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	4	—	—	—	—	—	—	—	—	1	—	—	—
Other Violent Causes . . . . .	16	5	—	—	—	—	—	—	1	2	—	1	1
Not Specified . . . . .	160	36	17	21	11	7	4	4	3	6	6	1	4

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . . . .	1	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy . . . . .	3	11	8	15	12	19	18	18	8	13	6	1	2	—	—	—
Paralysis . . . . .	4	8	4	11	20	22	30	32	26	34	11	1	1	—	—	—
Delirium Tremens . . . . .	2	3	1	3	1	—	1	1	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	3	1	1	1	—	4	—	2	2	2	—	—	—	—	—	—
Tetanus . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Insanity . . . . .	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . . . .	8	10	10	15	7	9	14	17	3	9	1	—	—	—	—	—
Pericarditis . . . . .	2	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	2	4	1	1	3	3	1	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	29	28	25	43	47	39	40	42	26	18	4	4	—	1	—	—
Laryngitis . . . . .	2	—	1	2	—	3	—	—	—	—	—	—	—	—	—	—
Bronchitis . . . . .	39	38	45	59	73	92	91	83	48	34	26	5	5	1	—	—
Pleurisy . . . . .	3	1	2	—	3	—	2	—	1	—	—	—	—	—	—	—
Pneumonia . . . . .	21	17	21	23	16	9	14	18	6	7	—	1	—	—	—	—
Asthma . . . . .	—	3	1	9	14	8	3	10	8	—	1	—	—	—	—	—
Lung Disease . . . . .	6	5	3	8	4	4	3	3	—	1	1	—	—	—	—	—
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	3	2	1	3	2	1	—	1	—	—	1	—	—	—	—	—
Enteritis . . . . .	2	3	—	1	3	2	5	4	2	2	—	—	—	—	—	—
Peritonitis . . . . .	4	2	3	1	1	1	1	—	1	—	—	—	—	—	—	—
Ascites . . . . .	2	1	—	3	1	1	1	2	—	—	1	—	—	—	—	—
Ulceration of Intestines . . . . .	2	—	1	1	2	1	1	1	—	—	—	—	—	—	—	—
Hernia . . . . .	—	1	—	—	4	—	—	3	2	1	1	—	—	—	—	—
Ileus . . . . .	2	1	1	1	3	—	5	1	—	1	2	1	—	—	—	—
Intussusception . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	1	—	1	1	—	1	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	4	4	5	3	6	10	11	7	2	3	3	—	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	5	2	2	1	2	5	—	—	—	2	—	—	—	—	—	—
Jaundice . . . . .	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—
Liver Disease . . . . .	8	17	11	19	17	8	14	8	4	2	2	—	—	—	—	—
Spleen Disease . . . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . . . .	—	—	—	3	1	—	—	2	—	—	—	—	—	—	—	—
Nephria . . . . .	4	3	6	6	3	1	1	1	1	—	—	—	—	—	—	—
Addison's Disease . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—
Diabetes . . . . .	1	1	2	—	—	2	—	—	—	—	—	—	—	—	—	—
Stone . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	—	1	1	3	—	3	4	2	2	2	—	—	—	—	—	—
Stricture of Urethra . . . . .	1	—	1	—	1	—	1	—	2	—	—	—	—	—	—	—
Kidney Disease . . . . .	5	4	3	10	5	1	2	5	2	1	2	—	—	—	—	—
Paramenia . . . . .	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	1	—	1	1	3	—	2	—	—	1	—	—	—	—	—	—
Childbirth . . . . .	15	17	8	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	1	—	3	4	1	2	—	1	—	1	—	—	—	—	—	—
Arthritis . . . . .	—	1	2	2	2	—	1	—	1	—	—	—	—	—	—	—
Rheumatism . . . . .	1	—	4	1	1	1	4	3	4	2	—	—	—	—	—	—
Joint Disease . . . . .	—	—	2	—	—	1	1	—	—	—	—	—	—	—	—	—
Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance . . . . .	2	5	4	3	3	1	1	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	—	1	1	—	1	—	1	1	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	1	—	—	—	2	1	2	—	—	—	—	—	—	—	—	—
Hanging, etc. . . . .	—	1	2	1	2	1	1	1	1	1	—	—	—	—	—	—
Suffocation . . . . .	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	9	3	11	5	4	5	1	4	3	—	—	—	—	—	—	1
Fracture and Contusion . . . . .	14	16	16	8	11	9	8	6	4	1	3	—	—	—	—	—
Gunshot Wounds . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—
Other Violent Causes . . . . .	—	2	1	2	—	1	—	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	3	6	3	11	4	4	6	1	—	—	—	—	—	—	—	2



CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	7039	691	320	729	945	479	294	235	415	177	202	247	239
SPECIFIED CAUSES . . . . .	6950	671	309	717	942	478	292	231	412	174	198	246	239
I. Zymotic Class . . . . .	1874	77	85	252	374	235	152	122	208	38	42	31	35
II. Diseases of Uncertain Seat	124	4	2	1	4	2	2	1	5	7	2	5	1
III. Tubercular Class . . . . .	1264	22	33	111	154	85	35	42	75	69	96	130	105
IV. Brain and Nervous System	536	52	22	34	39	20	19	13	26	15	12	5	5
V. Organs of Circulation	247	—	—	—	1	1	—	—	4	2	8	13	20
VI. Respiratory Organs . . . . .	1382	67	99	219	241	103	56	39	46	11	9	31	26
VII. Organs of Digestion . . . . .	475	64	31	75	101	18	9	7	15	11	9	8	12
VIII. Urinary Organs . . . . .	102	1	2	—	—	2	2	3	10	2	2	3	2
IX. Organs of Generation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion . . . . .	41	1	—	—	—	—	2	—	5	4	2	4	5
XI. Skin, etc. . . . .	2	—	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation . . . . .	19	19	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	389	342	26	21	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	47	—	—	—	21	4	8	3	—	—	1	1	1
XV. Age . . . . .	125	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	31	1	1	1	1	—	—	1	2	—	1	—	1
XVII. Violent Deaths . . . . .	291	21	7	3	6	8	7	—	16	15	14	15	26
I. Small Pox . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—
Measles . . . . .	164	—	2	38	60	31	18	9	5	—	—	1	—
Scarlatina . . . . .	440	—	10	31	65	68	59	67	120	14	2	1	1
Diphtheria . . . . .	50	3	—	10	9	5	10	6	5	—	—	—	1
Hooping Cough . . . . .	457	16	25	112	145	69	38	25	27	—	—	—	—
Croup . . . . .	79	2	3	7	32	17	9	4	5	—	—	—	—
Thrush . . . . .	3	2	—	—	—	—	—	—	1	—	—	—	—
Diarrhœa . . . . .	237	35	37	41	47	18	5	1	5	1	3	1	2
Dysentery . . . . .	15	—	—	2	—	—	—	—	—	—	—	—	2
Cholera . . . . .	15	—	4	2	—	—	—	1	—	—	1	—	2
Influenza . . . . .	10	—	1	—	2	2	1	—	—	—	—	—	—
Purpura . . . . .	2	—	—	1	—	—	—	—	—	—	1	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	2	—	—	—	—	—	—	—	2	—	—	—	—
Typhus . . . . .	195	—	—	—	—	2	1	1	7	5	20	17	20
Enteric Fever . . . . .	125	1	—	1	5	16	4	8	22	15	13	9	6
Relapsing Fever . . . . .	1	—	—	—	—	—	—	—	—	1	—	—	—
Simple Continued Fever . . . . .	6	—	—	—	1	—	—	—	3	1	—	—	—
Infantile Remittent . . . . .	20	—	—	2	4	5	5	—	4	—	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	8	—	—	—	—	—	1	—	1	1	2	2	—
Erysipelas . . . . .	18	8	1	—	1	2	—	—	—	—	—	—	1
Pyæmia . . . . .	2	—	—	—	1	—	—	—	1	—	—	—	—
Syphilis . . . . .	22	10	2	4	1	—	—	—	—	—	—	—	—
Noma . . . . .	2	—	—	—	1	—	1	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	8	—	—	—	—	1	—	—	—	1	—	—	—
Dropsy . . . . .	37	—	—	1	—	1	2	1	3	4	—	2	—
Abscess . . . . .	12	1	1	—	3	—	—	—	—	1	—	1	1
Ulcer . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	7	—	—	—	1	—	—	—	1	—	—	—	—
Cancer . . . . .	52	3	1	—	—	—	—	—	1	1	2	2	—
Gout . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	74	—	1	9	11	4	3	6	15	5	6	4	4
Tabes Mesenterica . . . . .	126	8	7	16	26	23	10	9	13	7	4	2	—
Phthisis . . . . .	817	2	4	13	46	28	12	15	36	54	86	123	101
Hydrocephalus . . . . .	247	12	21	73	71	30	10	12	11	3	—	1	—





CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—MALES. (Continued).

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
IV. Cephalitis . . . . .	42	2	3	4	5	2	3	4	9	2	3	2	—
Apoplexy . . . . .	88	1	—	3	3	2	3	—	1	2	2	—	—
Paralysis . . . . .	119	—	—	—	1	—	—	—	1	—	—	1	2
Delirium Tremens . . . . .	9	—	—	—	—	—	—	—	—	—	—	—	1
Chorea . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—
Epilepsy . . . . .	12	—	—	—	—	—	—	—	—	1	1	—	—
Tetanus . . . . .	3	1	—	—	—	—	—	—	—	—	1	—	—
Insanity . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	139	47	17	23	25	10	9	2	5	1	—	—	—
Brain Disease . . . . .	123	1	2	4	4	6	4	7	10	9	5	2	2
V. Pericarditis . . . . .	5	—	—	—	—	—	—	—	—	1	—	—	—
Aneurism . . . . .	13	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease . . . . .	229	—	—	—	1	1	—	—	4	1	8	13	19
VI. Laryngitis . . . . .	14	—	—	3	4	1	2	—	—	—	—	—	—
Bronchitis . . . . .	948	44	85	170	187	69	39	29	21	7	4	11	9
Pleurisy . . . . .	14	—	—	1	—	—	1	—	2	—	—	1	1
Pneumonia . . . . .	332	22	14	41	49	31	14	9	22	2	2	16	13
Asthma . . . . .	32	—	—	1	—	—	—	—	—	—	—	1	—
Lung Disease . . . . .	42	1	—	3	1	2	—	1	1	2	3	2	3
VII. Teething . . . . .	135	1	2	48	80	3	1	—	—	—	—	—	—
Quinsey . . . . .	5	1	1	1	1	1	—	—	—	—	—	—	—
Gastritis . . . . .	18	2	2	1	1	—	1	1	1	1	1	1	—
Enteritis . . . . .	97	30	15	15	7	6	1	2	4	3	3	2	1
Peritonitis . . . . .	12	—	—	—	—	1	1	—	2	3	1	1	1
Ascites . . . . .	7	—	—	—	—	1	—	—	—	—	1	—	1
Ulceration of Intestines . . . . .	6	—	—	—	—	—	1	—	—	1	—	1	—
Hernia . . . . .	4	—	—	—	—	1	—	1	—	—	—	—	—
Ileus . . . . .	22	4	3	—	1	—	—	—	—	1	2	2	—
Intussusception . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—
Stricture of Intestines . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	77	16	5	10	8	5	2	2	4	2	—	—	1
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	9	—	—	—	—	—	1	—	—	—	—	—	2
Jaundice . . . . .	9	4	2	—	1	—	—	1	1	—	—	—	—
Liver Disease . . . . .	71	6	1	—	2	—	1	—	2	—	1	1	6
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	19	—	—	—	—	—	1	2	7	2	—	1	—
Nephria . . . . .	22	—	—	—	—	—	—	1	1	—	1	1	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	6	1	1	—	—	—	—	—	1	—	—	—	—
Diabetes . . . . .	6	—	—	—	—	2	—	—	—	—	—	—	—
Stone . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Cystitis . . . . .	15	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	6	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	27	—	1	—	—	—	1	—	1	—	1	—	2
IX. Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . . . .	14	1	—	—	—	—	1	—	1	1	—	1	3
Rheumatism . . . . .	10	—	—	—	—	—	—	—	—	—	1	—	—
Joint and Bone Disease . . . . .	17	—	—	—	—	—	1	—	4	3	1	3	2
XI. Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	1	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	16	—	—	—	—	—	—	—	—	—	2	2	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	16	8	6	2	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	8	2	—	—	—	2	1	—	1	—	—	—	1
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	16	—	—	1	2	5	3	—	—	—	—	1	—
Hanging, etc. . . . .	10	—	—	—	—	—	—	—	—	—	—	—	1
Suffocation . . . . .	13	5	1	—	1	—	—	—	2	—	—	—	1
Drowning . . . . .	62	1	—	—	3	1	—	—	3	3	4	3	5
Fracture and Contusion . . . . .	131	—	—	—	—	—	3	—	10	9	8	8	17
Gunshot Wounds . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	4	—	—	—	—	—	—	—	—	1	—	—	—
Other Violent Causes . . . . .	14	5	—	—	—	—	—	—	—	2	—	1	1
Not Specified . . . . .	89	20	11	12	3	1	2	4	3	3	4	1	—

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . . . .	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy . . . . .	2	7	5	9	7	8	12	4	3	9	3	—	2	—	—	—
Paralysis . . . . .	3	3	—	9	13	11	19	15	13	22	4	1	1	—	—	—
Delirium Tremens . . . . .	1	1	1	3	1	—	—	1	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	2	—	1	1	—	1	—	1	2	2	—	—	—	—	—	—
Tetanus . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Insanity . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . . . .	6	5	8	13	5	6	7	9	2	6	—	—	—	—	—	—
Pericarditis . . . . .	1	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	1	4	1	1	2	3	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	15	15	14	27	27	21	19	23	9	11	1	—	—	—	—	—
Laryngitis . . . . .	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Bronchitis . . . . .	14	18	19	33	33	37	41	45	12	12	6	1	2	—	—	—
Pleurisy . . . . .	2	—	1	—	2	—	2	—	1	—	—	—	—	—	—	—
Pneumonia . . . . .	15	9	14	17	9	4	9	11	4	4	—	1	—	—	—	—
Asthma . . . . .	—	3	—	6	7	4	—	5	5	—	—	—	—	—	—	—
Lung Disease . . . . .	3	1	3	6	3	2	2	2	—	1	—	—	—	—	—	—
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	2	—	—	2	1	—	—	—	—	—	1	—	—	—	—	—
Enteritis . . . . .	—	3	—	—	1	—	2	2	—	—	—	—	—	—	—	—
Peritonitis . . . . .	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ascites . . . . .	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	—
Hernia . . . . .	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Ileus . . . . .	1	—	1	—	2	—	2	1	—	1	—	1	—	—	—	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	2	1	5	1	—	3	5	3	—	1	1	—	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	1	—	1	1	1	2	—	—	—	—	—	—	—	—	—	—
Jaundice . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease . . . . .	4	7	5	12	7	5	8	2	1	—	—	—	—	—	—	—
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . . . .	—	—	—	3	1	—	—	2	—	—	—	—	—	—	—	—
Nephria . . . . .	2	2	4	4	2	1	1	1	1	—	—	—	—	—	—	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—
Diabetes . . . . .	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—
Stone . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	—	—	—	3	—	3	4	1	2	2	—	—	—	—	—	—
Stricture of Urethra . . . . .	1	—	1	—	1	—	1	—	2	—	—	—	—	—	—	—
Kidney Disease . . . . .	2	4	2	5	3	—	—	2	1	1	1	—	—	—	—	—
Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis . . . . .	—	1	1	2	1	—	1	—	—	—	—	—	—	—	—	—
Rheumatism . . . . .	—	—	4	1	1	1	1	1	—	—	—	—	—	—	—	—
Joint Disease . . . . .	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—
Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance . . . . .	2	3	3	1	3	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
Hanging, etc. . . . .	—	1	1	1	2	1	1	1	—	1	—	—	—	—	—	—
Suffocation . . . . .	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	9	3	8	3	3	5	1	4	2	—	—	—	—	—	—	1
Fracture and Contusion . . . . .	13	14	15	7	10	5	6	3	3	—	—	—	—	—	—	—
Gunshot Wounds . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—
Other Violent Causes . . . . .	—	2	—	2	—	1	—	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	1	2	2	7	3	3	5	1	—	—	—	—	—	—	—	1



## CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	6793	551	252	584	873	439	291	207	419	192	199	245	273
SPECIFIED CAUSES . . . . .	6722	535	246	575	865	433	289	207	419	189	197	245	269
I. Zymotic Class . . . . .	1885	69	69	205	400	229	183	128	235	61	50	36	30
II. Diseases of Uncertain Seat . . . . .	217	2	1	3	5	4	5	3	6	4	2	3	9
III. Tubercular Class . . . . .	1314	14	27	71	107	71	37	26	83	77	109	134	140
IV. Brain and Nervous System . . . . .	415	44	18	25	33	19	7	12	15	11	8	8	11
V. Organs of Circulation . . . . .	195	1	—	1	—	—	—	—	2	3	4	8	8
VI. Respiratory Organs . . . . .	1275	53	74	181	228	81	40	26	57	10	11	15	27
VII. Organs of Digestion . . . . .	448	47	27	64	63	14	8	2	7	8	4	11	9
VIII. Urinary Organs . . . . .	64	1	—	—	1	2	2	4	3	4	4	3	7
IX. Organs of Generation . . . . .	102	—	—	—	—	—	—	—	—	—	2	19	17
X. Organs of Locomotion . . . . .	34	—	—	—	—	—	—	2	6	8	1	—	1
XI. Skin, etc. . . . .	6	1	—	—	2	2	—	—	—	—	—	—	1
XII. Malformation . . . . .	10	7	2	—	1	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	321	279	23	19	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	58	—	—	—	20	7	2	3	2	—	—	2	2
XV. Age . . . . .	252	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	28	1	—	—	1	—	1	—	1	2	1	3	2
XVII. Violent Deaths . . . . .	98	16	5	6	4	4	4	1	2	1	1	3	5
I. Small Pox . . . . .	2	—	—	2	—	—	—	—	—	—	—	—	—
Measles . . . . .	184	—	4	26	83	39	12	11	8	—	—	—	—
Scarlatina . . . . .	478	2	4	28	69	59	83	49	150	25	4	1	2
Diphtheria . . . . .	56	—	—	5	14	7	8	9	9	1	—	—	1
Hooping Cough . . . . .	469	14	23	82	160	86	50	33	20	1	—	—	—
Croup . . . . .	70	—	1	8	20	16	8	7	10	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	213	37	30	44	37	10	8	2	5	—	—	2	4
Dysentery . . . . .	15	1	1	1	—	—	—	—	—	—	2	1	2
Cholera . . . . .	12	1	3	2	2	—	—	—	—	—	1	1	1
Influenza . . . . .	6	—	—	—	1	—	—	—	—	1	—	—	—
Purpura . . . . .	2	—	—	—	—	—	—	—	1	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—
Typhus . . . . .	172	—	—	1	1	1	1	5	15	17	16	17	8
Enteric Fever . . . . .	104	1	1	1	5	8	9	6	13	11	18	8	4
Relapsing Fever . . . . .	4	—	—	—	—	—	—	—	—	1	2	—	—
Simple Continued Fever . . . . .	10	—	—	—	1	—	—	1	1	2	—	—	—
Infantile Remittent . . . . .	21	1	—	2	5	3	3	5	2	—	—	—	—
Metria . . . . .	27	—	—	—	—	—	—	—	—	—	3	6	6
Rheumatic Fever . . . . .	5	—	—	—	—	—	—	—	—	1	2	—	—
Erysipelas . . . . .	17	6	1	1	—	—	—	—	—	1	1	—	—
Pyæmia . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Syphilis . . . . .	14	6	1	2	1	—	—	—	—	—	1	—	1
Noma . . . . .	2	—	—	—	—	—	1	—	1	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	2	—	—	—	—	—	—	—	—	—	1	—	1
Dropsy . . . . .	66	1	—	—	2	4	3	3	5	4	—	1	1
Abscess . . . . .	18	1	1	1	2	—	—	—	1	—	—	1	1
Ulcer . . . . .	2	—	—	—	—	—	1	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	5	—	—	1	1	—	—	—	—	—	—	—	—
Cancer . . . . .	124	—	—	1	—	—	1	—	—	—	1	1	6
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	58	3	1	3	8	6	5	2	8	6	1	5	2
Tabes Mesenterica . . . . .	85	4	6	9	18	18	8	5	10	5	1	—	—
Phthisis . . . . .	987	4	6	9	30	23	11	11	45	65	107	129	138
Hydrocephalus . . . . .	184	3	14	50	51	24	13	8	20	1	—	—	—





CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—FEMALES. (Continued.)

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis . . . . .	27	1	3	5	3	1	3	2	4	2	1	—	—
Apoplexy . . . . .	83	1	—	2	3	2	1	1	3	—	2	1	4
Paralysis . . . . .	93	—	—	1	—	1	—	—	—	1	—	—	—
Delirium Tremens . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	2	—	—	—	—	1	—	—	—	—	—	—	—
Epilepsy . . . . .	10	—	—	—	—	—	—	—	—	—	—	1	3
Tetanus . . . . .	4	—	—	—	—	—	—	1	—	—	—	2	1
Insanity . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	106	42	12	12	22	9	2	5	2	—	—	—	—
Brain Disease . . . . .	84	—	3	5	5	5	1	3	6	8	5	4	3
V. Pericarditis . . . . .	2	—	—	—	—	—	—	—	1	—	—	—	—
Aneurism . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	190	1	—	1	—	—	—	—	1	3	4	8	8
VI. Laryngitis . . . . .	12	—	1	—	4	1	1	—	—	—	—	1	—
Bronchitis . . . . .	973	38	64	152	178	61	34	18	37	5	5	4	11
Pleurisy . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia . . . . .	229	15	8	28	46	19	4	7	19	4	5	7	11
Asthma . . . . .	30	—	—	—	—	—	—	—	—	—	—	—	3
Lung Disease . . . . .	27	—	1	1	—	—	1	1	1	1	1	3	2
VII. Teething . . . . .	102	—	3	50	45	4	—	—	—	—	—	—	—
Quinsey . . . . .	7	1	2	—	1	2	—	—	—	—	—	1	—
Gastritis . . . . .	16	—	—	3	1	1	2	—	—	—	—	1	—
Enteritis . . . . .	80	27	9	8	6	2	3	1	3	2	1	—	2
Peritonitis . . . . .	18	—	—	—	—	—	—	—	1	2	—	3	—
Ascites . . . . .	9	—	—	—	—	—	—	—	—	1	—	—	—
Ulceration of Intestines . . . . .	9	—	—	—	1	—	—	—	—	—	—	—	2
Hernia . . . . .	10	—	—	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	20	6	2	—	—	1	—	—	—	—	—	1	1
Intussusception . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	78	9	11	2	7	3	3	1	1	3	—	1	1
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	14	—	—	—	1	—	—	—	—	—	—	—	—
Jaundice . . . . .	8	1	—	1	1	1	—	—	—	—	—	1	—
Liver Disease . . . . .	73	3	—	—	—	—	—	—	2	—	3	3	3
Spleen Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	8	—	—	—	1	1	—	3	1	1	—	—	1
Nephria . . . . .	18	—	—	—	—	—	1	1	1	2	1	2	2
Addison's Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	2	1	—	—	—	—	—	—	1	—	—	—	—
Diabetes . . . . .	6	—	—	—	—	—	—	—	—	1	1	1	1
Stone . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Kidney Disease . . . . .	25	—	—	—	—	1	1	—	—	—	2	—	2
IX. Paramenia . . . . .	7	—	—	—	—	—	—	—	—	—	1	—	3
Ovarian Dropsy . . . . .	9	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	73	—	—	—	—	—	—	—	—	—	1	19	13
Organs of Generation . . . . .	13	—	—	—	—	—	—	—	—	—	—	—	1
X. Arthritis . . . . .	7	—	—	—	—	—	—	—	1	2	—	—	1
Rheumatism . . . . .	15	—	—	—	—	—	—	—	1	1	1	—	—
Joint and Bone Disease . . . . .	12	—	—	—	—	—	—	2	4	5	—	—	—
XI. Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	2	—	—	—	—	1	—	—	—	—	—	—	1
Skin Disease . . . . .	4	1	—	—	2	1	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	7	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Want of Breast Milk . . . . .	15	11	2	2	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	7	1	—	—	—	—	—	—	1	—	—	—	1
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	9	—	—	1	2	2	1	—	—	—	—	—	1
Hanging, etc. . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	15	4	3	2	—	1	—	—	—	—	—	1	1
Drowning . . . . .	11	—	—	—	1	—	—	—	—	—	—	2	1
Fracture and Contusion . . . . .	29	—	—	1	1	1	3	1	—	1	1	—	—
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	2	—	—	—	—	—	—	—	1	—	—	—	—
Not Specified . . . . .	71	16	6	9	8	6	2	—	—	3	2	—	4

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1868.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy . . . . .	1	4	3	6	5	11	6	14	5	4	3	1	—	—	—	—
Paralysis . . . . .	1	5	4	2	7	11	11	17	13	12	7	—	—	—	—	—
Delirium Tremens . . . . .	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	1	1	—	—	—	3	—	1	—	—	—	—	—	—	—	—
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . . . .	2	5	2	2	2	3	7	8	1	3	1	—	—	—	—	—
Pericarditis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	14	13	11	16	20	18	21	19	17	7	3	4	—	1	—	—
Laryngitis . . . . .	—	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—
Bronchitis . . . . .	25	20	26	26	40	55	50	38	36	22	20	4	3	1	—	—
Pleurisy . . . . .	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Pneumonia . . . . .	6	8	7	6	7	5	5	7	3	3	—	—	—	—	—	—
Asthma . . . . .	—	—	1	3	7	4	3	5	3	—	1	—	—	—	—	—
Lung Disease . . . . .	3	4	—	2	1	2	1	1	—	—	1	—	—	—	—	—
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	1	2	1	1	1	1	—	1	—	—	—	—	—	—	—	—
Enteritis . . . . .	2	—	—	1	2	2	3	2	2	2	—	—	—	—	—	—
Peritonitis . . . . .	4	—	3	1	1	1	1	—	1	—	—	—	—	—	—	—
Ascites . . . . .	—	—	—	2	1	1	1	2	—	—	1	—	—	—	—	—
Ulceration of Intestines . . . . .	2	—	1	1	1	—	1	—	—	—	—	—	—	—	—	—
Hernia . . . . .	—	—	—	—	4	—	—	2	2	1	1	—	—	—	—	—
Ileus . . . . .	1	1	—	1	1	—	3	—	—	—	2	—	—	—	—	—
Intussusception . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	2	3	—	2	6	7	6	4	2	2	2	—	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	4	2	1	—	1	3	—	—	—	2	—	—	—	—	—	—
Jaundice . . . . .	—	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—
Liver Disease . . . . .	4	10	6	7	10	3	6	6	3	2	2	—	—	—	—	—
Spleen Disease . . . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria . . . . .	2	1	2	2	1	—	—	—	—	—	—	—	—	—	—	—
Addison's Disease . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	3	—	1	5	2	1	2	3	1	—	1	—	—	—	—	—
Paramenia . . . . .	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	1	—	1	1	3	—	2	—	—	1	—	—	—	—	—	—
Childbirth . . . . .	15	17	8	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	—	—	3	4	1	2	—	1	—	1	—	—	—	—	—	—
Arthritis . . . . .	—	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—
Rheumatism . . . . .	1	—	—	—	—	—	3	2	4	2	—	—	—	—	—	—
Joint Disease . . . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance . . . . .	—	2	1	2	—	1	1	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	—	1	1	—	—	—	1	1	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
Hanging, etc. . . . .	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Suffocation . . . . .	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	—	—	3	2	1	—	—	—	1	—	—	—	—	—	—	—
Fracture and Contusion . . . . .	1	2	1	1	1	4	2	3	1	1	3	—	—	—	—	—
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	2	4	1	4	1	1	1	—	—	—	—	—	—	—	—	1



CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	1877	154	73	138	243	91	60	50	114	52	65	67	74
SPECIFIED CAUSES . . . . .	1846	148	71	135	238	89	60	50	114	50	64	65	73
I. Zymotic Class . . . . .	470	15	25	45	106	59	33	28	64	11	8	4	8
II. Diseases of Uncertain Seat	40	1	—	—	1	1	1	—	—	—	1	2	2
III. Tubercular Class . . . . .	380	11	6	24	44	12	9	10	20	21	38	39	38
IV. Brain and Nervous System	145	5	8	5	9	3	2	3	6	2	2	4	2
V. Organs of Circulation . . . . .	73	—	—	—	—	—	—	—	—	3	4	2	2
VI. Respiratory Organs . . . . .	275	17	15	37	46	9	7	4	11	3	6	3	6
VII. Organs of Digestion . . . . .	127	15	4	21	19	4	4	—	5	1	1	5	5
VIII. Urinary Organs . . . . .	19	—	—	—	—	—	—	—	1	—	1	1	2
IX. Organs of Generation . . . . .	12	—	—	—	—	—	—	—	—	—	—	1	3
X. Organs of Locomotion . . . . .	18	—	—	—	—	—	1	1	—	1	1	1	1
XI. Skin, etc. . . . .	1	—	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation . . . . .	3	2	—	—	—	—	—	—	1	—	—	—	—
XIII. Premature Debility . . . . .	89	78	9	2	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	30	—	—	—	10	1	—	3	1	1	—	—	1
XV. Age . . . . .	100	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	2	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths . . . . .	62	4	2	1	3	—	3	1	5	7	2	3	3
I. Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	33	—	1	8	17	6	—	1	—	—	—	—	—
Scarlatina . . . . .	104	—	1	4	16	18	16	11	33	3	1	—	—
Diphtheria . . . . .	23	—	—	3	4	2	4	2	7	1	—	—	—
Hooping Cough . . . . .	95	2	8	16	35	20	6	4	4	—	—	—	—
Croup . . . . .	29	—	1	2	11	4	5	4	2	—	—	—	—
Thrush . . . . .	1	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	56	6	7	8	15	5	1	—	2	—	—	—	—
Dysentery . . . . .	2	—	1	—	—	—	—	—	—	—	—	—	—
Cholera . . . . .	4	1	—	1	—	—	—	—	—	—	—	—	1
Influenza . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—
Typhus . . . . .	61	—	1	—	1	—	—	2	7	4	3	4	3
Enteric Fever . . . . .	34	—	—	—	5	4	—	4	6	3	2	—	4
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—
Infantile Remittent . . . . .	4	—	1	1	—	—	1	—	1	—	—	—	—
Metria . . . . .	3	—	—	—	—	—	—	—	—	—	1	—	—
Rheumatic Fever . . . . .	1	—	—	—	—	—	—	—	—	—	1	—	—
Erysipelas . . . . .	7	3	1	1	—	—	—	—	—	—	—	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	8	3	2	1	2	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	2	—	—	—	—	—	—	—	—	—	—	1	—
Dropsy . . . . .	9	—	—	—	—	—	—	—	—	—	1	—	—
Abscess . . . . .	4	1	—	—	—	1	1	—	—	—	—	—	—
Ulcer . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Mortification . . . . .	3	—	—	—	1	—	—	—	—	—	—	—	—
Cancer . . . . .	20	—	—	—	—	—	—	—	—	—	—	1	1
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	17	—	—	1	1	—	1	1	4	1	2	1	1
Tabes Mesenterica . . . . .	40	3	1	6	16	3	3	1	2	5	—	—	—
Phthisis . . . . .	278	5	—	7	11	4	5	6	10	15	36	38	37
Hydrocephalus . . . . .	45	3	5	10	16	5	—	2	4	—	—	—	—





CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	8	1	—	—	3	—	—	—	—	2	—	—	—
Apoplexy . . . . .	33	—	1	1	4	—	—	1	1	—	—	1	1
Paralysis . . . . .	38	—	—	—	—	—	—	—	1	—	—	—	—
Delirium Tremens . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	4	—	—	—	—	—	—	—	—	—	1	—	1
Tetanus . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—
Insanity . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	22	4	6	3	2	3	1	2	1	—	—	—	—
Brain Disease . . . . .	38	—	1	1	—	—	1	—	2	—	1	3	—
V. Pericarditis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	69	—	—	—	—	—	—	—	—	3	4	2	2
VI. Laryngitis . . . . .	2	—	1	—	1	—	—	—	—	—	—	—	—
Bronchitis . . . . .	180	13	11	27	34	6	5	3	7	2	2	1	3
Pleurisy . . . . .	3	—	—	1	—	—	—	—	1	—	—	—	1
Pneumonia . . . . .	75	4	3	9	11	3	2	1	3	1	4	2	—
Asthma . . . . .	10	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease . . . . .	5	—	—	—	—	—	—	—	—	—	—	—	2
VII. Teething . . . . .	33	—	—	17	15	—	1	—	—	—	—	—	—
Quinsey . . . . .	3	—	—	1	1	1	—	—	—	—	—	—	—
Gastritis . . . . .	6	—	—	—	—	—	2	—	—	—	—	1	1
Enteritis . . . . .	20	5	2	3	2	1	1	—	2	—	—	2	—
Peritonitis . . . . .	7	1	—	—	1	—	—	—	—	—	—	—	1
Ascites . . . . .	2	1	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	4	—	—	—	—	—	—	—	1	—	—	—	—
Hernia . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	10	1	—	—	—	—	—	—	—	—	1	1	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	15	5	1	—	—	1	—	—	—	—	—	1	2
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	5	—	—	—	—	—	—	—	1	1	—	—	—
Jaundice . . . . .	5	1	1	—	—	—	—	—	—	—	—	—	—
Liver Disease . . . . .	15	1	—	—	—	1	—	—	1	—	—	—	—
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	2	—	—	—	—	—	—	—	1	—	—	—	—
Nephria . . . . .	5	—	—	—	—	—	—	—	—	—	1	1	1
Addison's Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	1
Stone . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	11	—	—	—	—	—	—	—	—	—	—	1	3
Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . . . .	7	—	—	—	—	—	—	1	—	1	1	1	1
Rheumatism . . . . .	7	—	—	—	—	—	1	—	—	—	—	—	—
Joint and Bone Disease . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	1	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	2	2	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	2	1	—	1	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	6	—	—	—	2	—	2	—	1	—	—	—	—
Hanging, etc. . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	3	—	2	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	15	—	—	—	—	—	—	—	—	3	—	1	1
Fracture and Contusion . . . . .	28	—	—	—	1	—	1	1	4	3	2	2	2
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	1	—	—	—	—	—	—	—	—	1	—	—	—
Not Specified . . . . .	31	6	2	3	5	2	—	—	—	2	1	2	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . . .	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Apoplexy . . . .	2	—	—	2	2	3	2	2	5	2	2	1	—	—	—	—	
Paralysis . . . .	1	1	6	1	1	6	4	10	2	4	—	1	—	—	—	—	
Delirium Tremens . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . . .	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Tetanus . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease . . . .	5	4	4	—	4	6	2	2	—	1	—	1	—	—	—	—	
Pericarditis . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism . . . .	—	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
Heart Disease . . . .	5	8	4	5	10	5	8	3	4	5	—	—	1	—	—	—	
Laryngitis . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis . . . .	1	2	4	5	6	12	5	11	6	9	2	2	—	—	—	1	
Pleurisy . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Pneumonia . . . .	1	3	6	3	2	4	1	5	1	4	1	1	—	—	—	—	
Asthma . . . .	—	1	—	—	1	2	1	3	2	—	—	—	—	—	—	—	
Lung Disease . . . .	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	
Teething . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis . . . .	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Enteritis . . . .	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Peritonitis . . . .	—	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—	
Ascites . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines . . . .	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
Hernia . . . .	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Ileus . . . .	1	—	1	—	—	1	2	1	—	—	—	—	—	—	—	—	
Intussusception . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease . . . .	—	—	—	1	1	—	1	1	1	—	—	—	—	—	—	—	
Pancreas Disease . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . . .	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Jaundice . . . .	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—	
Liver Disease . . . .	1	—	1	3	2	—	1	2	1	1	—	—	—	—	—	—	
Spleen Disease . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Nephria . . . .	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Addison's Disease . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Ischuria . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes . . . .	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	
Stone . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Cystitis . . . .	—	—	1	—	—	1	—	—	—	1	1	—	—	—	—	—	
Stricture of Urethra . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Kidney Disease . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Paramenia . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Childbirth . . . .	4	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Arthritis . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism . . . .	—	1	—	1	—	2	1	1	—	—	—	—	—	—	—	—	
Joint Disease . . . .	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
Carbuncle . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Privation . . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . . . .	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
Hanging, etc. . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Suffocation . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Drowning . . . .	2	4	1	2	1	—	—	—	—	—	—	—	—	—	—	—	
Fracture and Contusion . . . .	2	2	1	1	2	—	2	1	—	—	—	1	—	—	—	—	
Gunshot Wounds . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified . . . .	1	1	—	2	1	1	—	—	—	—	—	—	—	—	—	1	



CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—MALES

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	970	100	40	75	134	54	29	22	66	31	29	21	28
SPECIFIED CAUSES . . . . .	947	95	38	73	131	52	29	22	66	29	28	19	28
I. Zymotic Class . . . . .	252	6	14	25	68	37	15	11	33	7	5	—	4
II. Diseases of Uncertain Seat	14	—	—	—	—	—	—	—	—	—	—	—	2
III. Tubercular Class . . . . .	155	7	2	13	16	9	4	5	15	9	14	13	12
IV. Brain and Nervous System	88	4	6	2	6	—	2	1	3	1	—	1	—
V. Organs of Circulation . . . . .	39	—	—	—	—	—	—	—	—	2	—	1	1
VI. Respiratory Organs . . . . .	143	11	7	21	23	3	4	2	5	1	5	1	1
VII. Organs of Digestion . . . . .	76	11	3	11	12	2	2	—	4	1	—	1	2
VIII. Urinary Organs . . . . .	13	—	—	—	—	—	—	—	1	—	1	—	1
IX. Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion . . . . .	9	—	—	—	—	—	1	1	—	1	1	—	1
XI. Skin, etc. . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	59	53	5	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	14	—	—	—	5	1	—	1	—	1	—	—	1
XV. Age . . . . .	36	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths . . . . .	47	2	1	—	1	—	1	1	5	6	2	2	3
I. Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	22	—	1	4	14	3	—	—	—	—	—	—	—
Scarlatina . . . . .	58	—	1	3	10	12	8	4	17	1	1	—	—
Diphtheria . . . . .	14	—	—	2	2	1	1	2	5	1	—	—	—
Hooping Cough . . . . .	58	2	4	9	24	14	3	—	2	—	—	—	—
Croup . . . . .	14	—	1	1	6	2	1	1	2	—	—	—	—
Thrush . . . . .	1	—	1	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	26	1	3	5	6	4	1	—	1	—	—	—	—
Dysentery . . . . .	1	—	1	—	—	—	—	—	—	—	—	—	—
Cholera . . . . .	2	1	—	—	—	—	—	—	—	—	—	—	—
Influenza . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	27	—	1	—	1	—	—	1	4	2	1	—	2
Enteric Fever . . . . .	18	—	—	—	4	1	—	3	2	3	2	—	2
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent . . . . .	1	—	—	—	—	—	1	—	—	—	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	1	—	—	—	—	—	—	—	—	—	1	—	—
Erysipelas . . . . .	5	1	1	1	—	—	—	—	—	—	—	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	2	1	—	—	1	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Abscess . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Mortification . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	8	—	—	—	—	—	—	—	—	—	—	—	1
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	10	—	—	1	—	—	1	—	2	1	1	1	—
Tabes Mesenterica . . . . .	19	2	—	2	8	2	1	—	2	2	—	—	—
Phthisis . . . . .	102	4	—	3	2	4	2	3	8	6	13	12	12
Hydrocephalus . . . . .	24	1	2	7	6	3	—	2	3	—	—	—	—

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . . . .	35	35	25	32	29	44	31	37	25	28	8	9	1	—	—	2	
SPECIFIED CAUSES . . . . .	35	34	25	31	29	43	31	37	25	28	8	9	1	—	—	1	
Zymotic Class . . . . .	5	4	1	4	—	4	2	2	2	2	—	1	—	—	—	—	
Uncertain Seat . . . . .	1	1	2	—	2	2	—	1	2	1	—	—	—	—	—	—	
Tubercular Class . . . . .	12	8	4	5	2	2	2	—	1	—	—	—	—	—	—	—	
Brain, etc. . . . .	6	5	5	3	5	11	8	10	4	4	—	1	—	—	—	—	
Heart, etc. . . . .	—	7	3	3	5	4	3	2	3	4	—	—	1	—	—	—	
Respiratory Organs . . . . .	1	2	3	5	7	13	4	12	2	6	1	2	—	—	—	1	
Digestive Organs . . . . .	4	—	3	3	4	1	5	4	3	—	—	—	—	—	—	—	
Urinary Organs . . . . .	—	—	1	1	1	2	1	2	1	1	—	—	—	—	—	—	
Generative Organs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Locomotive Organs . . . . .	—	1	—	1	—	2	—	—	—	—	—	—	—	—	—	—	
Skin . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malformation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy . . . . .	1	—	1	1	—	2	—	—	—	—	—	—	—	—	—	—	
Age . . . . .	—	—	—	—	—	—	4	4	6	10	7	5	—	—	—	—	
Sudden Deaths . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Violent Deaths . . . . .	5	6	2	5	3	—	2	—	—	—	—	—	—	—	—	—	
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina . . . . .	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
Diphtheria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping Cough . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa . . . . .	—	—	—	—	—	2	1	1	1	—	—	—	—	—	—	—	
Dysentery . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cholera . . . . .	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
Influenza . . . . .	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus . . . . .	3	4	1	3	—	1	1	1	—	1	—	—	—	—	—	—	
Enteric Fever . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Simple Cont. Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Remittent . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Erysipelas . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dropsy . . . . .	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—	
Abscess . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cancer . . . . .	—	—	1	—	2	1	—	1	1	1	—	—	—	—	—	—	
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula . . . . .	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	
Tabes Mesenterica . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis . . . . .	12	7	3	4	2	2	2	—	1	—	—	—	—	—	—	—	
Hydrocephalus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	



CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis . . . . .	4	—	—	—	1	—	—	—	—	1	—	—	—
Apoplexy . . . . .	21	—	1	1	3	—	—	—	1	—	—	—	—
Paralysis . . . . .	23	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—
Insanity . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	13	4	4	1	2	—	1	1	—	—	—	—	—
Brain Disease . . . . .	23	—	1	—	—	—	1	—	1	—	—	1	—
V. Pericarditis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	37	—	—	—	—	—	—	—	—	2	—	1	1
VI. Laryngitis . . . . .	1	—	1	—	—	—	—	—	—	—	—	—	—
Bronchitis . . . . .	92	7	4	14	16	2	4	1	4	1	1	—	—
Pleurisy . . . . .	3	—	—	1	—	—	—	—	1	—	—	—	1
Pneumonia . . . . .	41	4	2	6	7	1	—	1	—	—	4	1	—
Asthma . . . . .	5	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething . . . . .	17	—	—	7	10	—	—	—	—	—	—	—	—
Quinsey . . . . .	2	—	—	1	1	—	—	—	—	—	—	—	—
Gastritis . . . . .	2	—	—	—	—	—	1	—	—	—	—	—	—
Enteritis . . . . .	14	4	2	3	1	—	1	—	2	—	—	—	—
Peritonitis . . . . .	2	1	—	—	—	—	—	—	—	—	—	—	—
Ascites . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	2	—	—	—	—	—	—	—	1	—	—	—	—
Hernia . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	7	1	—	—	—	—	—	—	—	—	—	—	1
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	11	3	1	—	—	1	—	—	—	—	—	1	1
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	3	—	—	—	—	—	—	—	1	1	—	—	—
Jaundice . . . . .	3	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease . . . . .	11	—	—	—	—	1	—	—	—	—	—	—	—
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—
Nephria . . . . .	2	—	—	—	—	—	—	—	—	—	1	—	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	1
Stone . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . . . .	4	—	—	—	—	—	—	1	—	1	1	—	1
Rheumatism . . . . .	4	—	—	—	—	—	1	—	—	—	—	—	—
Joint and Bone Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	3	—	—	—	1	—	1	—	1	—	—	—	—
Hanging, etc. . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	2	—	1	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	14	—	—	—	—	—	—	—	—	3	—	—	1
Fracture and Contusion . . . . .	21	—	—	—	—	—	—	1	4	2	2	2	2
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	1	—	—	—	—	—	—	—	—	1	—	—	—
Not Specified . . . . .	23	5	2	2	3	2	—	—	—	2	1	2	—





CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	907	54	33	63	109	37	31	28	48	21	36	46	46
SPECIFIED CAUSES . . . . .	899	53	33	62	107	37	31	28	48	21	36	46	45
I. Zymotic Class . . . . .	218	9	11	20	38	22	18	17	31	4	3	4	4
II. Diseases of Uncertain Seat	26	1	—	—	1	1	1	—	—	—	1	2	—
III. Tubercular Class . . . . .	225	4	4	11	28	3	5	5	5	12	24	26	26
IV. Brain and Nervous System	57	1	2	3	3	3	—	2	3	1	2	3	2
V. Organs of Circulation . . . . .	34	—	—	—	—	—	—	—	—	1	4	1	1
VI. Respiratory Organs . . . . .	132	6	8	16	23	6	3	2	6	2	1	2	5
VII. Organs of Digestion . . . . .	51	4	1	10	7	2	2	—	1	—	1	4	3
VIII. Urinary Organs . . . . .	6	—	—	—	—	—	—	—	—	—	—	1	1
IX. Organs of Generation . . . . .	12	—	—	—	—	—	—	—	—	—	—	1	3
X. Organs of Locomotion . . . . .	9	—	—	—	—	—	—	—	—	—	—	1	—
XI. Skin, etc. . . . .	1	—	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation . . . . .	2	1	—	—	—	—	—	—	1	—	—	—	—
XIII. Premature Debility . . . . .	30	25	4	1	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	16	—	—	—	5	—	—	2	1	—	—	—	—
XV. Age . . . . .	64	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	1	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths . . . . .	15	2	1	1	2	—	2	—	—	1	—	1	—
I. Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	11	—	—	4	3	3	—	1	—	—	—	—	—
Scarlatina . . . . .	46	—	—	1	6	6	8	7	16	2	—	—	—
Diphtheria . . . . .	9	—	—	1	2	1	3	—	2	—	—	—	—
Hooping Cough . . . . .	37	—	4	7	11	6	3	4	2	—	—	—	—
Croup . . . . .	15	—	—	1	5	2	4	3	—	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa . . . . .	30	5	4	3	9	1	—	—	1	—	—	—	—
Dysentery . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Cholera . . . . .	2	—	—	1	—	—	—	—	—	—	—	—	1
Influenza . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—
Typhus . . . . .	34	—	—	—	—	—	—	1	3	2	2	4	1
Enteric Fever . . . . .	16	—	—	—	1	3	—	1	4	—	—	—	2
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—
Infantile Remittent . . . . .	3	—	1	1	—	—	—	—	1	—	—	—	—
Metria . . . . .	3	—	—	—	—	—	—	—	—	—	1	—	—
Rheumatic Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas . . . . .	2	2	—	—	—	—	—	—	—	—	—	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	6	2	2	1	1	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	2	—	—	—	—	—	—	—	—	—	—	1	—
Dropsy . . . . .	6	—	—	—	—	—	—	—	—	—	1	—	—
Abscess . . . . .	3	1	—	—	—	1	1	—	—	—	—	—	—
Ulcer . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	2	—	—	—	1	—	—	—	—	—	—	—	—
Cancer . . . . .	12	—	—	—	—	—	—	—	—	—	—	1	—
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	7	—	—	—	1	—	—	1	2	—	1	—	1
Tabes Mesenterica . . . . .	21	1	1	4	8	1	2	1	—	3	—	—	—
Phthisis . . . . .	176	1	—	4	9	—	3	3	2	9	23	26	25
Hydrocephalus . . . . .	21	2	3	3	10	2	—	—	1	—	—	—	—





CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis . . . .	4	1	—	—	2	—	—	—	—	1	—	—	—
Apoplexy . . . .	12	—	—	—	1	—	—	1	—	—	—	1	1
Paralysis . . . .	15	—	—	—	—	—	—	—	1	—	—	—	—
Delirium Tremens . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . .	2	—	—	—	—	—	—	—	—	—	1	—	1
Tetanus . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . .	9	—	2	2	—	3	—	1	1	—	—	—	—
Brain Disease . . . .	15	—	—	1	—	—	—	—	1	—	1	2	—
V. Pericarditis . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . .	32	—	—	—	—	—	—	—	—	1	4	1	1
VI. Laryngitis . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—
Bronchitis . . . .	88	6	7	13	18	4	1	2	3	1	1	1	3
Pleurisy . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia . . . .	34	—	1	3	4	2	2	—	3	1	—	1	—
Asthma . . . .	5	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease . . . .	4	—	—	—	—	—	—	—	—	—	—	—	2
VII. Teething . . . .	16	—	—	10	5	—	1	—	—	—	—	—	—
Quinsey . . . .	1	—	—	—	—	1	—	—	—	—	—	—	—
Gastritis . . . .	4	—	—	—	—	—	1	—	—	—	—	1	1
Enteritis . . . .	6	1	—	—	1	1	—	—	—	—	—	2	—
Peritonitis . . . .	5	—	—	—	1	—	—	—	—	—	—	—	1
Ascites . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Hernia . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus . . . .	3	—	—	—	—	—	—	—	—	—	1	1	—
Intussusception . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . .	4	2	—	—	—	—	—	—	—	—	—	—	1
Pancreas Disease . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice . . . .	2	—	1	—	—	—	—	—	—	—	—	—	—
Liver Disease . . . .	4	1	—	—	—	—	—	—	1	—	—	—	—
Spleen Disease . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria . . . .	3	—	—	—	—	—	—	—	—	—	—	1	1
Addison's Disease . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . .	11	—	—	—	—	—	—	—	—	—	—	1	3
Organs of Generation . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . . .	3	—	—	—	—	—	—	—	—	—	—	1	—
Rheumatism . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
XI. Carbuncle . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . .	1	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Cold . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . .	3	—	—	—	1	—	1	—	—	—	—	—	—
Hanging, etc. . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . .	1	—	1	—	—	—	—	—	—	—	—	—	—
Drowning . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Fracture and Contusion . . . .	7	—	—	—	1	—	1	—	—	1	—	—	—
Gunshot Wounds . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified . . . .	8	1	—	1	2	—	—	—	—	—	—	—	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1868.—FEMALES. (*Continued.*)

[illegible]



CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
ALL CAUSES . . . . .	4781	409	163	298	394	211	130	130	245	121	130	198	190
SPECIFIED CAUSES . . . . .	4757	404	162	297	393	209	128	130	244	121	129	197	190
I. Zymotic Class . . . . .	1096	64	47	88	173	115	91	83	138	44	22	36	24
II. Diseases of Uncertain Seat . . . . .	189	3	3	1	2	1	—	—	3	3	1	1	8
III. Tubercular Class . . . . .	808	9	26	66	71	38	12	18	41	31	65	87	75
IV. Brain and Nervous System . . . . .	500	30	16	20	29	11	4	7	14	7	7	7	10
V. Organs of Circulation . . . . .	311	4	2	—	1	—	—	1	2	7	7	8	13
VI. Respiratory Organs . . . . .	655	39	26	72	78	29	16	15	18	3	8	10	14
VII. Organs of Digestion . . . . .	287	25	11	23	24	6	2	—	7	7	2	8	8
VIII. Urinary Organs . . . . .	111	3	—	—	3	—	1	—	6	6	3	7	6
IX. Organs of Generation . . . . .	56	—	—	—	—	—	—	—	—	—	2	12	10
X. Organs of Locomotion . . . . .	40	—	—	1	—	—	—	—	5	9	4	2	4
XI. Skin, etc. . . . .	10	1	2	2	—	1	—	—	—	—	—	1	—
XII. Malformation . . . . .	12	11	—	1	—	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	241	200	22	19	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	31	—	—	—	10	3	—	1	1	3	—	—	—
XV. Age . . . . .	240	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	2	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths . . . . .	168	14	7	4	2	5	2	5	9	1	8	18	18
I. Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	34	—	2	7	15	6	3	—	1	—	—	—	—
Scarlatina . . . . .	342	2	1	7	52	49	56	55	94	17	—	5	1
Diphtheria . . . . .	61	2	1	10	8	11	9	5	9	1	—	2	—
Hooping Cough . . . . .	118	5	10	35	36	15	6	5	2	3	—	—	—
Croup . . . . .	77	2	1	4	23	19	10	12	6	—	—	—	—
Thrush . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	163	34	25	23	29	9	1	—	3	—	—	1	4
Dysentery . . . . .	28	—	1	—	2	—	—	—	1	1	—	1	—
Cholera . . . . .	23	3	—	1	3	—	—	—	1	2	1	2	—
Influenza . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	116	1	—	—	2	2	2	3	13	5	13	16	8
Enteric Fever . . . . .	56	—	1	—	1	2	4	2	5	10	6	3	5
Relapsing Fever . . . . .	1	—	—	—	—	—	—	—	—	1	—	—	—
Simple Continued Fever . . . . .	2	—	—	—	—	1	—	—	—	—	—	—	—
Infantile Remittent . . . . .	3	—	—	—	1	—	—	1	1	—	—	—	—
Metria . . . . .	12	—	—	—	—	—	—	—	—	—	—	3	4
Rheumatic Fever . . . . .	9	—	—	—	—	—	—	—	1	2	1	—	1
Erysipelas . . . . .	21	6	—	1	—	1	—	—	—	1	1	—	—
Pyæmia . . . . .	2	—	—	—	—	—	—	—	—	1	—	—	—
Syphilis . . . . .	23	8	5	—	1	—	—	—	1	—	—	2	1
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	5	—	1	—	—	—	—	—	—	—	—	—	1
Dropsy . . . . .	21	1	—	1	—	—	—	—	2	1	—	—	1
Abscess . . . . .	13	1	1	—	1	—	—	—	—	1	—	—	1
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	2	—	—	—	—	—	—	—	—	—	—	1	—
Mortification . . . . .	16	1	1	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	129	—	—	—	1	1	—	—	1	1	1	—	5
Gout . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	61	—	2	4	8	5	2	4	7	4	3	8	6
Tabes Mesenterica . . . . .	58	4	6	8	17	8	—	2	4	3	2	1	1
Phthisis . . . . .	532	—	5	8	9	3	2	1	18	23	59	78	67
Hydrocephalus . . . . .	157	5	13	46	37	22	8	11	12	1	1	—	1





CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	32	—	2	3	5	1	1	1	6	1	1	—	—
Apoplexy . . . . .	131	—	1	2	3	2	1	1	1	—	2	2	1
Paralysis . . . . .	127	1	—	—	—	—	—	—	—	2	—	2	1
Delirium Tremens . . . . .	8	—	—	—	—	—	—	—	—	—	—	—	2
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	19	—	—	—	—	—	—	—	—	—	2	1	3
Tetanus . . . . .	7	3	1	—	1	1	—	—	—	—	—	1	—
Insanity . . . . .	8	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions . . . . .	79	24	12	14	18	3	1	3	4	—	—	—	—
Brain Disease . . . . .	89	2	—	1	2	4	1	2	3	4	2	1	2
V. Pericarditis . . . . .	6	1	—	—	—	—	—	—	—	2	1	1	1
Aneurism . . . . .	15	—	—	—	—	—	—	—	—	—	—	—	3
Heart Disease . . . . .	290	3	2	—	1	—	—	1	2	5	6	7	9
VI. Laryngitis . . . . .	11	—	—	1	2	3	—	—	1	—	1	—	1
Bronchitis . . . . .	445	28	19	55	58	21	13	11	8	1	2	2	5
Pleurisy . . . . .	17	—	—	—	—	—	—	—	2	—	—	3	1
Pneumonia . . . . .	129	8	3	14	16	5	3	3	5	1	4	3	4
Asthma . . . . .	17	—	—	—	—	—	—	—	—	—	—	—	2
Lung Disease . . . . .	36	3	4	2	2	—	—	1	2	1	1	2	1
VII. Teething . . . . .	27	—	1	11	14	1	—	—	—	—	—	—	—
Quinsey . . . . .	3	—	—	—	—	1	—	—	—	—	—	—	—
Gastritis . . . . .	6	1	—	—	—	—	—	—	—	1	—	—	—
Enteritis . . . . .	33	9	5	7	1	2	—	—	1	—	1	—	1
Peritonitis . . . . .	36	3	3	1	1	1	1	—	2	2	—	3	4
Ascites . . . . .	4	—	—	—	—	—	—	—	1	1	—	—	—
Ulceration of Intestines . . . . .	19	—	—	—	1	—	—	—	—	—	—	1	—
Hernia . . . . .	10	—	1	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	13	1	—	—	1	—	—	—	—	1	1	1	1
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	59	6	1	4	4	1	1	—	1	—	—	3	1
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	8	—	—	—	—	—	—	—	1	—	—	—	—
Jaundice . . . . .	10	5	—	—	1	—	—	—	—	—	—	—	—
Liver Disease . . . . .	54	—	—	—	—	—	—	—	1	2	—	—	1
Spleen Disease . . . . .	2	—	—	—	1	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	3	1	—	—	—	—	—	—	—	1	—	—	—
Nephria . . . . .	60	—	—	—	3	—	1	—	4	4	3	5	5
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	3	—	—	—	—	—	—	—	2	—	—	—	—
Diabetes . . . . .	7	—	—	—	—	—	—	—	—	—	—	1	—
Stone . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	16	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	1
Kidney Disease . . . . .	14	2	—	—	—	—	—	—	—	1	—	1	—
IX. Paramenia . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Ovarian Dropsy . . . . .	8	—	—	—	—	—	—	—	—	—	—	—	1
Childbirth . . . . .	36	—	—	—	—	—	—	—	—	2	11	9	—
Organs of Generation . . . . .	11	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . . . .	13	—	—	—	—	—	—	—	1	4	2	1	2
Rheumatism . . . . .	9	—	—	—	—	—	—	—	—	3	—	—	—
Joint and Bone Disease . . . . .	18	—	—	1	—	—	—	—	4	2	2	1	2
XI. Carbuncle . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	2	—	—	—	—	—	—	—	—	—	—	1	—
Skin Disease . . . . .	7	1	2	2	—	1	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	9	—	—	—	—	—	—	—	—	—	—	1	—
Privation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	9	7	1	1	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	6	—	1	—	—	—	—	—	—	—	—	—	2
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	13	—	—	1	1	2	—	3	—	—	—	2	1
Hanging, etc. . . . .	5	—	—	—	—	—	—	—	—	—	—	—	1
Suffocation . . . . .	14	4	4	2	—	—	—	—	—	—	1	—	—
Drowning . . . . .	7	—	—	—	—	—	1	—	—	—	1	2	—
Fracture and Contusion . . . . .	93	1	1	—	—	3	1	2	8	1	5	11	13
Gunshot Wounds . . . . .	2	—	—	—	—	—	—	—	—	—	1	1	—
Cuts and Stabs . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	8	2	—	—	1	—	—	—	1	—	—	1	1
Not Specified . . . . .	24	5	1	1	1	2	2	—	1	—	1	1	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . . . .	5	2	—	1	—	—	1	1	—	1	—	—	—	—	—	—
Apoplexy . . . . .	1	6	8	9	8	9	13	22	17	7	8	6	1	—	—	—
Paralysis . . . . .	4	6	11	2	9	15	17	14	15	17	6	5	—	—	—	—
Delirium Tremens . . . . .	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	2	1	1	2	2	2	2	—	—	—	1	—	—	—	—	—
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	—	—	—	2	2	1	1	1	—	—	—	—	—	—	—	—
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . . . .	2	6	5	5	4	7	4	7	14	10	1	—	—	—	—	—
Pericarditis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	3	3	3	2	—	—	1	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	13	9	24	21	28	24	41	39	26	18	8	3	—	—	—	—
Laryngitis . . . . .	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Bronchitis . . . . .	7	8	6	16	13	24	28	41	33	24	11	6	3	2	—	—
Pleurisy . . . . .	—	—	2	3	2	1	1	2	—	—	—	—	—	—	—	—
Pneumonia . . . . .	4	5	12	6	6	4	6	5	4	5	2	—	1	—	—	—
Asthma . . . . .	1	1	1	1	2	2	1	2	1	1	1	—	1	—	—	—
Lung Disease . . . . .	1	2	2	1	4	3	2	1	1	—	—	—	—	—	—	—
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	—	—	1	2	—	—	1	—	—	—	—	—	—	—	—	—
Enteritis . . . . .	—	1	—	—	—	1	—	3	1	—	—	—	—	—	—	—
Peritonitis . . . . .	2	2	3	1	—	1	1	2	2	1	—	—	—	—	—	—
Ascites . . . . .	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	—	1	2	1	4	2	2	1	—	4	—	—	—	—	—	—
Hernia . . . . .	—	—	—	2	1	2	1	2	—	1	—	—	—	—	—	—
Ileus . . . . .	—	—	—	1	1	—	3	1	—	—	—	1	—	—	—	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	—
Stomach Disease . . . . .	2	1	3	1	5	8	5	4	2	5	—	—	1	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	2	1	—	—	1	—	1	1	1	—	—	—	—	—	—	—
Jaundice . . . . .	—	—	1	1	—	—	—	2	—	—	—	—	—	—	—	—
Liver Disease . . . . .	3	2	2	5	10	7	8	4	6	2	—	1	—	—	—	—
Spleen Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria . . . . .	7	6	4	4	3	4	4	2	—	1	—	—	—	—	—	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diabetes . . . . .	1	—	1	—	—	1	1	1	1	—	—	—	—	—	—	—
Stone . . . . .	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—
Cystitis . . . . .	—	1	—	—	—	1	3	3	3	3	—	2	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	1	1	1	—	1	—	—	2	2	1	1	—	—	—	—	—
Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	2	1	—	1	1	—	1	1	—	—	—	—	—	—	—
Childbirth . . . . .	5	5	4	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	2	1	1	2	1	2	—	1	—	1	—	—	—	—	—	—
Arthritis . . . . .	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Rheumatism . . . . .	—	—	—	—	1	—	1	1	—	—	3	—	—	—	—	—
Joint Disease . . . . .	1	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Intemperance . . . . .	1	1	—	1	3	1	—	1	—	—	—	—	—	—	—	—
Privation . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Hanging, etc. . . . .	—	1	—	—	1	—	—	2	—	—	—	—	—	—	—	—
Suffocation . . . . .	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—
Drowning . . . . .	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Fracture and Contusion . . . . .	7	6	3	6	4	4	5	7	—	3	1	1	—	—	—	—
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	—	—	1	1	3	1	2	—	1	—	—	—	—	—	—	—



CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	2423	241	91	148	194	106	58	80	143	54	73	108	101
SPECIFIED CAUSES . . . . .	2409	237	91	148	194	106	57	80	142	54	72	107	101
I. Zymotic Class . . . . .	563	36	23	44	80	63	38	57	84	15	15	20	13
II. Diseases of Uncertain Seat	65	2	1	1	—	—	—	—	1	1	1	1	5
III. Tubercular Class . . . . .	420	4	14	34	43	19	5	7	20	14	28	47	39
IV. Brain and Nervous System	265	17	12	11	16	5	1	6	8	3	6	5	7
V. Organs of Circulation . . . . .	160	3	2	—	1	—	—	1	—	4	5	5	9
VI. Respiratory Organs . . . . .	335	24	16	34	40	12	12	6	9	1	5	6	8
VII. Organs of Digestion . . . . .	122	14	7	10	9	3	1	—	4	1	1	2	2
VIII. Urinary Organs . . . . .	82	2	—	—	—	—	—	—	4	6	2	6	2
IX. Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion . . . . .	23	—	—	—	—	—	—	—	4	8	3	—	2
XI. Skin, etc. . . . .	5	—	1	2	—	1	—	—	—	—	—	—	—
XII. Malformation . . . . .	9	8	—	1	—	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	132	114	10	8	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	12	—	—	—	4	1	—	—	—	—	—	—	—
XV. Age . . . . .	90	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths . . . . .	125	13	5	3	1	2	—	3	8	1	6	15	14
I. Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	20	—	—	5	9	4	1	—	1	—	—	—	—
Scarlatina . . . . .	192	1	—	4	23	27	27	39	62	5	—	3	—
Diphtheria . . . . .	27	—	1	2	4	7	3	3	4	—	—	1	—
Hooping Cough . . . . .	49	3	5	19	11	5	2	2	1	1	—	—	—
Croup . . . . .	43	2	1	1	10	12	4	9	4	—	—	—	—
Thrush . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa . . . . .	81	17	13	12	18	4	—	—	1	—	—	—	4
Dysentery . . . . .	10	—	—	—	1	—	—	—	—	1	—	1	—
Cholera . . . . .	10	2	—	—	1	—	—	—	1	—	1	1	—
Influenza . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	64	—	—	—	2	1	1	2	5	2	11	11	4
Enteric Fever . . . . .	31	—	1	—	1	1	—	1	3	4	3	3	4
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	2	—	—	—	—	1	—	—	—	—	—	—	—
Infantile Remittent . . . . .	2	—	—	—	—	—	—	1	1	—	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	3	—	—	—	—	—	—	—	1	1	—	—	—
Erysipelas . . . . .	14	5	—	1	—	1	—	—	—	—	—	—	—
Pyæmia . . . . .	2	—	—	—	—	—	—	—	—	1	—	—	—
Syphilis . . . . .	11	5	2	—	—	—	—	—	—	—	—	—	1
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	1
Dropsy . . . . .	10	1	—	1	—	—	—	—	1	—	—	—	1
Abscess . . . . .	7	—	1	—	—	—	—	—	—	—	—	—	—
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Mortification . . . . .	6	1	—	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	36	—	—	—	—	—	—	—	—	1	1	—	3
Gout . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	35	—	1	2	5	3	—	2	2	3	1	5	5
Tabes Mesenterica . . . . .	32	2	5	6	9	6	—	—	—	2	1	1	—
Phthisis . . . . .	269	—	2	4	3	1	1	—	9	9	26	41	33
Hydrocephalus . . . . .	84	2	6	22	26	9	4	5	9	—	—	—	1





CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	17	—	2	1	3	1	—	1	1	1	1	—	—
Apoplexy . . . . .	59	—	—	1	2	—	1	1	1	—	2	1	1
Paralysis . . . . .	69	—	—	—	—	—	—	—	—	1	—	2	1
Delirium Tremens . . . . .	8	—	—	—	—	—	—	—	—	—	—	—	2
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	14	—	—	—	—	—	—	—	—	—	1	—	3
Tetanus . . . . .	7	3	1	—	1	1	—	—	—	—	—	1	—
Insanity . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	45	12	9	8	9	2	—	2	3	—	—	—	—
Brain Disease . . . . .	45	2	—	1	1	1	—	2	3	1	2	1	—
V. Pericarditis . . . . .	5	1	—	—	—	—	—	—	—	1	1	1	1
Aneurism . . . . .	15	—	—	—	—	—	—	—	—	—	—	—	3
Heart Disease . . . . .	140	2	2	—	1	—	—	1	—	3	4	4	5
VI. Laryngitis . . . . .	7	—	—	1	1	2	—	—	1	—	1	—	—
Bronchitis . . . . .	216	19	10	26	30	9	10	6	3	—	1	1	3
Pleurisy . . . . .	13	—	—	—	—	—	—	—	2	—	—	2	1
Pneumonia . . . . .	71	5	3	6	9	1	2	—	2	—	2	1	1
Asthma . . . . .	8	—	—	—	—	—	—	—	—	—	—	—	2
Lung Disease . . . . .	20	—	3	1	—	—	—	—	1	1	1	2	1
VII. Teething . . . . .	12	—	—	7	4	1	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	2	1	—	—	—	—	—	—	—	—	—	—	—
Enteritis . . . . .	17	6	4	2	1	1	—	—	—	—	1	—	1
Peritonitis . . . . .	11	2	1	1	—	—	1	—	1	—	—	1	—
Ascites . . . . .	2	—	—	—	—	—	—	—	1	—	—	—	—
Ulceration of Intestines . . . . .	6	—	—	—	—	—	—	—	—	—	—	—	—
Hernia . . . . .	7	—	1	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	6	—	—	—	1	—	—	—	—	—	—	1	1
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	19	3	1	—	2	1	—	—	—	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	5	—	—	—	—	—	—	—	1	—	—	—	—
Jaundice . . . . .	5	2	—	—	1	—	—	—	—	—	—	—	—
Liver Disease . . . . .	29	—	—	—	—	—	—	—	1	1	—	—	—
Spleen Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	2	1	—	—	—	—	—	—	—	1	—	—	—
Nephria . . . . .	36	—	—	—	—	—	—	—	3	4	2	4	1
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	2	—	—	—	—	—	—	—	1	—	—	—	—
Diabetes . . . . .	6	—	—	—	—	—	—	—	—	—	—	1	—
Stone . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	16	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	1
Kidney Disease . . . . .	12	1	—	—	—	—	—	—	—	1	—	1	—
IX. Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . . . .	8	—	—	—	—	—	—	—	1	3	2	—	1
Rheumatism . . . . .	5	—	—	—	—	—	—	—	—	3	—	—	—
Joint and Bone Disease . . . . .	10	—	—	—	—	—	—	—	3	2	1	—	1
XI. Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	5	—	1	2	—	1	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	3	—	—	—	—	—	—	—	—	—	—	1	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	9	7	1	1	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	4	—	1	—	—	—	—	—	—	—	—	—	1
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	5	—	—	—	1	1	—	2	—	—	—	—	1
Hanging, etc. . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	8	3	2	2	—	—	—	—	—	—	—	—	—
Drowning . . . . .	5	—	—	—	—	—	—	—	—	—	—	2	—
Fracture and Contusion . . . . .	81	1	1	—	—	1	—	1	8	1	5	11	12
Gunshot Wounds . . . . .	2	—	—	—	—	—	—	—	—	—	1	1	—
Cuts and Stabs . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	3	2	—	—	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	14	4	—	—	—	—	1	—	1	—	1	1	—

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—MALES. (Continued.)

DISEASES.	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . . . .	3	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Apoplexy . . . . .	1	1	3	6	3	2	7	11	9	3	1	1	1	—	—	—
Paralysis . . . . .	4	5	9	2	3	11	3	9	8	7	2	2	—	—	—	—
Delirium Tremens . . . . .	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	1	1	—	2	2	2	1	—	—	—	1	—	—	—	—	—
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . . . .	1	3	3	2	3	3	4	2	5	4	1	—	—	—	—	—
Pericarditis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	3	3	3	2	—	—	1	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	7	4	9	10	12	15	20	17	11	8	3	2	—	—	—	—
Laryngitis . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis . . . . .	7	4	3	5	9	15	13	17	13	6	4	1	1	—	—	—
Pleurisy . . . . .	—	—	2	1	2	—	1	2	—	—	—	—	—	—	—	—
Pneumonia . . . . .	2	5	11	4	4	3	4	2	1	1	1	—	1	—	—	—
Asthma . . . . .	1	—	—	1	1	—	1	—	—	1	—	—	1	—	—	—
Lung Disease . . . . .	1	1	—	1	4	—	2	—	1	—	—	—	—	—	—	—
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
Enteritis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Peritonitis . . . . .	1	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—
Ascites . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	—	1	1	—	1	—	1	1	—	1	—	—	—	—	—	—
Hernia . . . . .	—	—	—	2	—	2	1	1	—	—	—	—	—	—	—	—
Ileus . . . . .	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	1	—	—	1	2	2	1	1	1	3	—	—	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	1	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Jaundice . . . . .	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease . . . . .	3	2	1	4	6	5	1	1	3	—	—	1	—	—	—	—
Spleen Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria . . . . .	2	3	4	4	3	2	2	1	—	1	—	—	—	—	—	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diabetes . . . . .	1	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—
Stone . . . . .	—	—	—	—	—	—	1	3	3	3	—	—	—	—	—	—
Cystitis . . . . .	—	1	—	—	—	1	3	3	3	3	—	2	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	1	1	—	—	1	—	—	2	2	1	1	—	—	—	—	—
Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arthritis . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Rheumatism . . . . .	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
Joint Disease . . . . .	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Intemperance . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc. . . . .	—	1	—	—	1	—	—	2	—	—	—	—	—	—	—	—
Suffocation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Fracture and Contusion . . . . .	7	6	3	4	4	4	4	6	—	2	—	—	—	—	—	—
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	—	—	—	1	3	—	1	—	1	—	—	—	—	—	—	—



CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	2358	168	72	150	200	105	72	50	102	67	57	90	89
SPECIFIED CAUSES . . . . .	2348	167	71	149	199	103	71	50	102	67	57	90	89
I. Zymotic Class . . . . .	533	28	24	44	93	52	53	26	54	29	7	16	11
II. Diseases of Uncertain Seat	124	1	2	—	2	1	—	—	2	2	—	—	3
III. Tubercular Class . . . . .	388	5	12	32	28	19	7	11	21	17	37	40	36
IV. Brain and Nervous System	235	13	4	9	13	6	3	1	6	4	1	2	3
V. Organs of Circulation . . . . .	151	1	—	—	—	—	—	—	2	3	2	3	4
VI. Respiratory Organs . . . . .	320	15	10	38	38	17	4	9	9	2	3	4	6
VII. Organs of Digestion . . . . .	165	11	4	13	15	3	1	—	3	6	1	6	6
VIII. Urinary Organs . . . . .	29	1	—	—	3	—	1	—	2	—	1	1	4
IX. Organs of Generation . . . . .	56	—	—	—	—	—	—	—	—	—	2	12	10
X. Organs of Locomotion . . . . .	17	—	—	1	—	—	—	—	1	1	1	2	2
XI. Skin, etc. . . . .	5	1	1	—	—	—	—	—	—	—	—	1	—
XII. Malformation . . . . .	3	3	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	109	86	12	11	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	19	—	—	—	6	2	—	1	1	3	—	—	—
XV. Age . . . . .	150	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths . . . . .	43	1	2	1	1	3	2	2	1	—	2	3	4
I. Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	14	—	2	2	6	2	2	—	—	—	—	—	—
Scarlatina . . . . .	150	1	1	3	29	22	29	16	32	12	—	2	1
Diphtheria . . . . .	34	2	—	8	4	4	6	2	5	1	—	1	—
Hooping Cough . . . . .	69	2	5	16	25	10	4	3	1	2	—	—	—
Croup . . . . .	34	—	—	3	13	7	6	3	2	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa . . . . .	82	17	12	11	11	5	1	—	2	—	—	1	—
Dysentery . . . . .	18	—	1	—	1	—	—	—	1	—	—	—	—
Cholera . . . . .	13	1	—	1	2	—	—	—	—	2	—	1	—
Influenza . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	52	1	—	—	—	1	1	1	8	3	2	5	4
Enteric Fever . . . . .	25	—	—	—	—	1	4	1	2	6	3	—	1
Relapsing Fever . . . . .	1	—	—	—	—	—	—	—	—	1	—	—	—
Simple Continued Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—
Metria . . . . .	12	—	—	—	—	—	—	—	—	—	—	3	4
Rheumatic Fever . . . . .	6	—	—	—	—	—	—	—	—	1	1	—	1
Erysipelas . . . . .	7	1	—	—	—	—	—	—	—	1	1	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	12	3	3	—	1	—	—	—	1	—	—	2	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	3	—	1	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	11	—	—	—	—	—	—	—	1	1	—	—	—
Abscess . . . . .	6	1	—	—	1	—	—	—	—	1	—	—	1
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	10	—	1	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	53	—	—	—	1	1	—	—	1	—	—	—	2
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	26	—	1	2	3	2	2	2	5	1	2	3	1
Tabes Mesenterica . . . . .	26	2	1	2	8	2	—	2	4	1	1	—	1
Phthisis . . . . .	263	—	3	4	6	2	1	1	9	14	33	37	34
Hydrocephalus . . . . .	73	3	7	24	11	13	4	6	3	1	1	—	—

## CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . .	67	82	87	83	87	97	122	132	121	112	80	44	16	6	—	—
SPECIFIED CAUSES . . .	67	82	86	83	87	96	121	132	121	112	80	44	16	6	—	—
Zymotic Class . . .	4	10	8	8	6	7	10	10	15	11	4	3	—	—	—	—
Uncertain Seat . . .	7	7	6	13	11	16	18	12	8	6	6	1	—	—	—	—
Tubercular Class . . .	25	26	24	14	11	11	4	3	3	1	1	—	—	—	—	—
Brain, etc. . . . .	4	9	10	9	13	16	22	23	24	21	11	8	—	—	—	—
Heart, etc. . . . .	6	5	15	11	16	9	21	22	15	10	5	1	—	—	—	—
Respiratory Organs . . .	2	6	7	15	7	16	18	30	24	22	9	5	2	2	—	—
Digestive Organs . . .	3	4	7	5	14	13	16	16	7	9	—	1	1	—	—	—
Urinary Organs . . .	5	3	2	—	—	2	3	1	—	—	—	—	—	—	—	—
Generative Organs . . .	7	8	6	2	2	3	—	2	1	1	—	—	—	—	—	—
Locomotive Organs . . .	3	1	—	1	1	—	1	—	—	—	2	—	—	—	—	—
Skin . . . . .	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
Malformation . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy . . . . .	—	—	—	3	1	2	—	—	—	—	—	—	—	—	—	—
Age . . . . .	—	—	—	—	—	—	5	10	23	30	41	24	13	4	—	—
Sudden Deaths . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Violent Deaths . . .	1	3	1	2	5	1	3	2	—	1	1	1	—	—	—	—
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina . . . . .	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Hooping Cough . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	—	1	2	3	—	—	2	4	4	4	2	—	—	—	—	—
Dysentery . . . . .	—	—	1	—	1	1	1	2	4	3	1	1	—	—	—	—
Cholera . . . . .	—	—	—	1	1	2	1	—	—	1	—	—	—	—	—	—
Influenza . . . . .	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	2	3	2	2	3	3	3	2	3	1	1	1	—	—	—	—
Enteric Fever . . . . .	—	2	—	—	1	1	2	1	—	—	—	—	—	—	—	—
Relapsing Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria . . . . .	1	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . .	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
Erysipelas . . . . .	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Dropsy . . . . .	—	—	—	2	1	2	2	1	1	—	—	—	—	—	—	—
Abscess . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Mortification . . . . .	—	—	—	—	1	1	—	1	2	2	2	—	—	—	—	—
Cancer . . . . .	5	7	6	10	9	13	16	10	4	4	3	1	—	—	—	—
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scrofula . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Tabes Mesenterica . . .	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
Phthisis . . . . .	24	26	24	14	10	11	4	3	1	1	1	—	—	—	—	—
Hydrocephalus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1868.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
IV. Cephalitis . . . . .	15	—	—	2	2	—	1	—	5	—	—	—	—
Apoplexy . . . . .	72	—	1	1	1	2	—	—	—	—	—	1	—
Paralysis . . . . .	58	1	—	—	—	—	—	—	—	1	—	—	—
Delirium Tremens . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	5	—	—	—	—	—	—	—	—	—	1	1	—
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	7	—	—	—	—	—	—	—	—	—	—	—	1
Convulsions . . . . .	34	12	3	6	9	1	1	1	1	—	—	—	—
Brain Disease . . . . .	44	—	—	—	1	3	1	—	—	3	—	—	2
V. Pericarditis . . . . .	1	—	—	—	—	—	—	—	—	1	—	—	—
Aneurism . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	150	1	—	—	—	—	—	—	2	2	2	3	4
VI. Laryngitis . . . . .	4	—	—	—	1	1	—	—	—	—	—	—	1
Bronchitis . . . . .	229	9	9	29	28	12	3	5	5	1	1	1	2
Pleurisy . . . . .	4	—	—	—	—	—	—	—	—	—	—	1	—
Pneumonia . . . . .	58	3	—	8	7	4	1	3	3	1	2	2	3
Asthma . . . . .	9	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease . . . . .	16	3	1	1	2	—	—	1	1	—	—	—	—
VII. Teething . . . . .	15	—	1	4	10	—	—	—	—	—	—	—	—
Quinsey . . . . .	3	—	—	—	—	1	—	—	—	—	—	—	—
Gastritis . . . . .	4	—	—	—	—	—	—	—	—	1	—	—	—
Enteritis . . . . .	16	3	1	5	—	1	—	—	1	—	—	—	—
Peritonitis . . . . .	25	1	2	—	1	1	—	—	1	2	—	2	4
Ascites . . . . .	2	—	—	—	—	—	—	—	—	1	—	—	—
Ulceration of Intestines . . . . .	13	—	—	—	1	—	—	—	—	—	—	1	—
Hernia . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	7	1	—	—	—	—	—	—	—	1	1	—	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	40	3	—	4	2	—	1	—	1	—	—	3	1
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice . . . . .	5	3	—	—	—	—	—	—	—	—	—	—	—
Liver Disease . . . . .	25	—	—	—	—	—	—	—	—	1	—	—	1
Spleen Disease . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria . . . . .	24	—	—	—	3	—	1	—	1	—	1	1	4
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—
Diabetes . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	2	1	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Ovarian Dropsy . . . . .	8	—	—	—	—	—	—	—	—	—	—	—	1
Childbirth . . . . .	36	—	—	—	—	—	—	—	—	—	2	11	9
Organs of Generation . . . . .	11	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . . . .	5	—	—	—	—	—	—	—	—	1	—	1	1
Rheumatism . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease . . . . .	8	—	—	1	—	—	—	—	1	—	1	1	1
XI. Carbuncle . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	2	—	—	—	—	—	—	—	—	—	—	1	—
Skin Disease . . . . .	2	1	1	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	6	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	1
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	8	—	—	1	—	1	—	1	—	—	—	2	—
Hanging, etc. . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Suffocation . . . . .	6	1	2	—	—	—	—	—	—	—	1	—	—
Drowning . . . . .	2	—	—	—	—	—	1	—	—	—	—	—	—
Fracture and Contusion . . . . .	12	—	—	—	—	2	1	1	—	—	—	—	1
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	5	—	—	—	1	—	—	—	1	—	—	1	1
Not Specified . . . . .	10	1	1	1	1	2	1	—	—	—	—	—	—





CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	2917	364	146	241	328	127	77	49	102	58	69	95	101
SPECIFIED CAUSES . . . . .	2874	351	136	237	325	126	77	49	101	58	69	95	100
I. Zymotic Class . . . . .	706	49	44	84	124	70	36	27	43	14	14	22	16
II. Diseases of Uncertain Seat	87	1	1	—	—	—	1	2	3	—	2	2	—
III. Tubercular Class . . . . .	517	14	13	34	52	19	16	10	27	23	39	42	53
IV. Brain and Nervous System	229	39	11	9	10	6	2	1	8	2	2	6	4
V. Organs of Circulation . . . . .	128	2	1	—	—	—	—	1	5	3	1	2	2
VI. Respiratory Organs . . . . .	474	50	27	58	80	17	13	6	8	5	3	8	7
VII. Organs of Digestion . . . . .	183	15	9	34	48	7	—	1	2	2	2	3	5
VIII. Urinary Organs . . . . .	33	—	1	—	—	—	—	—	2	4	—	3	1
IX. Organs of Generation . . . . .	20	—	—	—	—	—	—	—	—	—	—	2	4
X. Organs of Locomotion . . . . .	18	—	—	—	—	—	—	—	1	2	2	—	1
XI. Skin, etc. . . . .	3	—	1	—	1	—	—	—	—	—	—	—	—
XII. Malformation . . . . .	6	5	—	—	—	—	1	—	—	—	—	—	—
XIII. Premature Debility . . . . .	202	166	18	18	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	31	—	—	—	10	3	4	—	—	1	—	—	—
XV. Age . . . . .	148	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	10	2	2	—	—	—	—	—	—	—	—	1	2
XVII. Violent Deaths . . . . .	79	8	8	—	—	4	4	1	2	2	4	4	5
I. Small Pox . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	177	3	2	34	63	42	9	12	10	1	1	—	—
Scarlatina . . . . .	40	1	3	2	8	6	5	1	12	1	1	—	—
Diphtheria . . . . .	24	1	—	1	1	2	7	5	3	—	—	1	—
Hooping Cough . . . . .	49	1	3	15	22	3	3	1	1	—	—	—	—
Croup . . . . .	37	—	—	4	14	7	6	5	1	—	—	—	—
Thrush . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	119	26	22	19	12	6	1	1	3	—	1	1	3
Dysentery . . . . .	19	—	1	—	—	—	—	—	—	1	—	1	1
Cholera . . . . .	20	3	4	3	—	—	—	—	1	1	—	2	—
Influenza . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	1
Purpura . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	132	—	2	—	1	—	2	1	4	8	9	13	8
Enteric Fever . . . . .	30	—	—	—	—	2	3	1	4	2	1	1	2
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	4	—	—	—	—	1	—	—	2	—	1	—	—
Infantile Remittent . . . . .	9	1	1	3	2	1	—	—	1	—	—	—	—
Metria . . . . .	6	—	—	—	—	—	—	—	—	—	—	2	1
Rheumatic Fever . . . . .	7	—	—	—	—	—	—	—	—	—	—	1	—
Erysipelas . . . . .	9	3	—	2	—	—	—	—	1	—	—	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	17	8	6	1	1	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	42	—	—	—	—	—	—	2	3	—	1	1	—
Abscess . . . . .	4	—	1	—	—	—	1	—	—	—	1	—	—
Ulcer . . . . .	3	1	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	36	—	—	—	—	—	—	—	—	—	—	1	—
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	22	—	—	—	7	3	1	1	—	—	2	—	2
Tabes Mesenterica . . . . .	37	7	4	5	11	—	—	2	4	2	—	1	1
Phthisis . . . . .	363	1	1	6	10	5	7	4	13	20	36	41	50
Hydrocephalus . . . . .	95	6	8	23	24	11	8	3	10	1	1	—	—





CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1868.—BOTH SEXES. (Continued.)

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	11	1	—	2	1	1	—	—	4	1	—	—	—
Apoplexy . . . . .	53	2	—	—	—	1	—	—	—	—	—	2	—
Paralysis . . . . .	56	—	—	—	—	—	—	1	—	—	—	—	—
Delirium Tremens . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	1
Chorea . . . . .	2	—	—	—	—	—	—	—	1	—	1	—	—
Epilepsy . . . . .	11	1	—	—	—	—	—	—	—	—	1	2	1
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	68	35	11	6	9	4	1	—	2	—	—	—	—
Brain Disease . . . . .	25	—	—	1	—	—	1	—	1	1	—	2	2
V. Pericarditis . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	123	2	1	—	—	—	—	1	5	3	1	2	2
VI. Laryngitis . . . . .	2	—	—	1	1	—	—	—	—	—	—	—	—
Bronchitis . . . . .	329	39	24	46	66	15	9	4	5	1	—	4	2
Pleurisy . . . . .	6	2	—	—	—	—	—	—	—	—	—	—	—
Pneumonia . . . . .	102	8	2	11	13	2	3	2	2	4	3	3	3
Asthma . . . . .	24	—	—	—	—	—	—	—	—	—	—	—	2
Lung Disease . . . . .	11	1	1	—	—	—	1	—	1	—	—	1	—
VII. Teething . . . . .	90	1	6	33	44	6	—	—	—	—	—	—	—
Quinsey . . . . .	2	—	—	1	—	—	—	—	—	—	—	1	—
Gastritis . . . . .	4	—	—	—	1	—	—	—	—	—	1	—	—
Enteritis . . . . .	14	5	2	—	1	—	—	—	1	1	—	—	—
Peritonitis . . . . .	6	—	—	—	—	—	—	—	—	1	—	1	—
Ascites . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	7	1	—	—	—	—	—	1	—	—	—	1	1
Hernia . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	1
Ileus . . . . .	8	1	—	—	—	—	—	—	—	—	1	—	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	16	5	—	—	—	—	—	—	1	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	5	—	—	—	—	—	—	—	—	—	—	—	1
Jaundice . . . . .	11	2	1	—	2	1	—	—	—	—	—	—	1
Liver Disease . . . . .	14	—	—	—	—	—	—	—	—	—	—	—	1
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	3	—	—	—	—	—	—	—	2	—	—	—	—
Nephria . . . . .	12	—	—	—	—	—	—	—	—	2	—	1	1
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diaabetes . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	3	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	9	—	1	—	—	—	—	—	—	2	—	1	—
IX. Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	17	—	—	—	—	—	—	—	—	—	—	2	4
Organs of Generation . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . . . .	4	—	—	—	—	—	—	—	—	1	—	—	1
Rheumatism . . . . .	8	—	—	—	—	—	—	—	—	—	1	—	—
Joint and Bone Disease . . . . .	6	—	—	—	—	—	—	—	1	1	1	—	—
XI. Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	3	—	1	—	1	—	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	7	—	—	—	—	—	—	—	—	—	—	—	1
Privation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	9	3	6	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	2	1	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	9	—	—	—	—	2	3	1	1	—	—	—	—
Hanging, etc. . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	5	3	2	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	14	—	—	—	—	—	1	—	—	—	2	2	1
Fracture and Contusion . . . . .	28	—	—	—	—	2	—	—	1	2	1	2	2
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	3	1	—	—	—	—	—	—	—	—	1	—	1
Not Specified . . . . .	43	13	10	4	3	1	—	—	1	—	—	—	1





## CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1868.—MALES.

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	1420	200	84	127	156	69	46	30	51	26	29	36	46
SPECIFIED CAUSES . . . . .	1397	193	78	126	153	68	46	30	51	26	29	36	45
I. Zymotic Class . . . . .	361	21	32	43	57	36	23	16	23	9	7	9	7
II. Diseases of Uncertain Seat	24	1	—	—	—	—	1	—	1	—	—	—	—
III. Tubercular Class . . . . .	227	9	5	24	27	7	10	6	10	8	13	15	22
IV. Brain and Nervous System	117	23	4	6	9	3	1	1	5	1	1	—	3
V. Organs of Circulation . . . . .	61	2	1	—	—	—	—	1	2	1	1	2	—
VI. Respiratory Organs . . . . .	227	22	14	26	33	12	6	4	5	1	1	4	3
VII. Organs of Digestion . . . . .	88	9	5	15	20	6	—	1	1	1	1	1	4
VIII. Urinary Organs . . . . .	21	—	1	—	—	—	—	—	2	2	—	1	—
IX. Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion . . . . .	11	—	—	—	—	—	—	—	—	1	2	—	1
XI. Skin, etc. . . . .	2	—	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation . . . . .	6	5	—	—	—	—	1	—	—	—	—	—	—
XIII. Premature Debility . . . . .	115	95	8	12	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	20	—	—	—	7	2	1	—	—	1	—	—	—
XV. Age . . . . .	53	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	7	1	2	—	—	—	—	—	—	—	—	—	1
XVII. Violent Deaths . . . . .	57	5	5	—	—	2	3	1	2	1	3	4	4
I. Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	94	1	1	22	30	20	6	8	5	1	—	—	—
Scarlatina . . . . .	23	1	2	2	4	2	2	—	9	1	—	—	—
Diphtheria . . . . .	13	1	—	—	1	1	4	3	2	—	—	—	—
Hooping Cough . . . . .	22	—	2	5	10	2	2	—	1	—	—	—	—
Croup . . . . .	24	—	—	1	9	7	4	3	—	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	55	11	17	8	1	4	1	1	—	—	1	—	1
Dysentery . . . . .	10	—	1	—	—	—	—	—	—	1	—	1	—
Cholera . . . . .	10	1	3	3	—	—	—	—	—	—	—	1	—
Influenza . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	1
Purpura . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	71	—	2	—	—	—	2	—	2	5	4	7	3
Enteric Fever . . . . .	16	—	—	—	—	—	2	1	2	1	1	—	2
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	1	—	—	—	—	—	—	—	—	—	1	—	—
Infantile Remittent . . . . .	5	1	1	—	2	—	—	—	1	—	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas . . . . .	4	1	—	1	—	—	—	—	1	—	—	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	8	4	3	1	—	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	9	—	—	—	—	—	—	—	1	—	—	—	—
Abscess . . . . .	1	—	—	—	—	—	1	—	—	—	—	—	—
Ulcer . . . . .	2	1	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	11	—	—	—	—	—	—	—	—	—	—	—	—
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	11	—	—	—	6	1	1	—	—	—	—	—	1
Tabes Mesenterica . . . . .	24	4	2	4	8	—	—	1	2	1	—	1	1
Phthisis . . . . .	144	1	—	5	5	—	4	3	4	7	12	14	20
Hydrocephalus . . . . .	48	4	3	15	8	6	5	2	4	—	1	—	—





CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1868.—MALES. (Continued.)

DISEASES.	ALL AGES	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	7	1	—	2	1	—	—	—	2	—	—	—	—
Apoplexy . . . . .	23	—	—	—	—	—	—	—	—	—	—	—	—
Paralysis . . . . .	24	—	—	—	—	—	—	1	—	—	—	—	—
Delirium Tremens . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	1
Chorea . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—
Epilepsy . . . . .	6	1	—	—	—	—	—	—	—	—	1	—	1
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	41	21	4	3	8	3	—	—	2	—	—	—	—
Brain Disease . . . . .	13	—	—	1	—	—	1	—	—	1	—	—	1
V. Pericarditis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	59	2	1	—	—	—	—	1	2	1	1	2	—
VI. Laryngitis . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—
Bronchitis . . . . .	146	18	13	19	30	10	4	2	2	—	—	2	1
Pleurisy . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia . . . . .	54	4	—	6	3	2	1	2	2	1	1	1	1
Asthma . . . . .	15	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease . . . . .	8	—	1	—	—	—	1	—	1	—	—	1	—
VII. Teething . . . . .	41	1	3	15	17	5	—	—	—	—	—	—	—
Quinsey . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Gastritis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis . . . . .	9	4	2	—	1	—	—	—	—	—	—	—	—
Peritonitis . . . . .	3	—	—	—	—	—	—	—	—	1	—	—	—
Ascites . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	3	1	—	—	—	—	—	1	—	—	—	—	1
Hernia . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	1
Ileus . . . . .	4	1	—	—	—	—	—	—	—	—	1	—	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	7	1	—	—	—	—	—	—	1	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	1
Jaundice . . . . .	6	1	—	—	2	1	—	—	—	—	—	—	—
Liver Disease . . . . .	9	—	—	—	—	—	—	—	—	—	—	—	1
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	3	—	—	—	—	—	—	—	2	—	—	—	—
Nephria . . . . .	4	—	—	—	—	—	—	—	—	—	—	1	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	8	—	1	—	—	—	—	—	—	2	—	—	—
IX. Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . . . .	3	—	—	—	—	—	—	—	—	1	—	—	1
Rheumatism . . . . .	5	—	—	—	—	—	—	—	—	—	1	—	—
Joint and Bone Disease . . . . .	3	—	—	—	—	—	—	—	—	—	1	—	—
XI. Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	2	—	1	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	7	3	4	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	7	—	—	—	—	2	2	1	1	—	—	—	—
Hanging, etc. . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	2	1	1	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	14	—	—	—	—	—	1	—	—	—	2	2	1
Fracture and Contusion . . . . .	21	—	—	—	—	—	—	—	1	1	—	2	2
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	3	1	—	—	—	—	—	—	—	—	1	—	1
Not Specified . . . . .	23	7	6	1	3	1	—	—	—	—	—	—	1





## CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	1497	164	62	114	172	58	31	19	51	32	40	59	55
SPECIFIED CAUSES . . . . .	1477	158	58	111	172	58	31	19	50	32	40	59	55
I. Zymotic Class . . . . .	345	28	12	41	67	34	13	11	20	5	7	13	9
II. Diseases of Uncertain Seat . . . . .	63	—	1	—	—	—	—	2	2	—	2	2	—
III. Tubercular Class . . . . .	290	5	8	10	25	12	6	4	17	15	26	27	31
IV. Brain and Nervous System . . . . .	112	16	7	3	1	3	1	—	3	1	1	6	1
V. Organs of Circulation . . . . .	67	—	—	—	—	—	—	—	3	2	—	—	2
VI. Respiratory Organs . . . . .	247	28	13	32	47	5	7	2	3	4	2	4	4
VII. Organs of Digestion . . . . .	95	6	4	19	28	1	—	—	1	1	1	2	1
VIII. Urinary Organs . . . . .	12	—	—	—	—	—	—	—	—	2	—	2	1
IX. Organs of Generation . . . . .	20	—	—	—	—	—	—	—	—	—	—	2	4
X. Organs of Locomotion . . . . .	7	—	—	—	—	—	—	—	1	1	—	—	—
XI. Skin, etc. . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—
XII. Malformation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	87	71	10	6	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	11	—	—	—	3	1	3	—	—	—	—	—	—
XV. Age . . . . .	95	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	3	1	—	—	—	—	—	—	—	—	—	1	1
XVII. Violent Deaths . . . . .	22	3	3	—	—	2	1	—	—	1	1	—	1
I. Small Pox . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	83	2	1	12	33	22	3	4	5	—	1	—	—
Scarlatina . . . . .	17	—	1	—	4	4	3	1	3	—	1	—	—
Diphtheria . . . . .	11	—	—	1	—	1	3	2	1	—	—	1	—
Hooping Cough . . . . .	27	1	1	10	12	1	1	1	—	—	—	—	—
Croup . . . . .	13	—	—	3	5	—	2	2	1	—	—	—	—
Thrush . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa . . . . .	64	15	5	11	11	2	—	—	3	—	—	1	2
Dysentery . . . . .	9	—	—	—	—	—	—	—	—	—	—	—	1
Cholera . . . . .	10	2	1	—	—	—	—	—	1	1	—	1	—
Influenza . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	61	—	—	—	1	—	—	1	2	3	5	6	5
Enteric Fever . . . . .	14	—	—	—	—	2	1	—	2	1	—	1	—
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	3	—	—	—	—	1	—	—	2	—	—	—	—
Infantile Remittent . . . . .	4	—	—	3	—	1	—	—	—	—	—	—	—
Metria . . . . .	6	—	—	—	—	—	—	—	—	—	—	2	1
Rheumatic Fever . . . . .	5	—	—	—	—	—	—	—	—	—	—	1	—
Erysipelas . . . . .	5	2	—	1	—	—	—	—	—	—	—	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	9	4	3	—	1	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	33	—	—	—	—	—	—	2	2	—	1	1	—
Abscess . . . . .	3	—	1	—	—	—	—	—	—	—	1	—	—
Ulcer . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	25	—	—	—	—	—	—	—	—	—	—	1	—
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	11	—	—	—	1	2	—	1	—	—	2	—	1
Tabes Mesenterica . . . . .	13	3	2	1	3	—	—	1	2	1	—	—	—
Phthisis . . . . .	219	—	1	1	5	5	3	1	9	13	24	27	30
Hydrocephalus . . . . .	47	2	5	8	16	5	3	1	6	1	—	—	—





CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1868.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
3	6	12											
IV. Cephalitis . . . . .	4	—	—	—	—	1	—	—	2	1	—	—	—
Apoplexy . . . . .	30	2	—	—	—	1	—	—	—	—	—	2	—
Paralysis . . . . .	32	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	1	—	—	—	—	—	—	—	—	—	1	—	—
Epilepsy . . . . .	5	—	—	—	—	—	—	—	—	—	—	2	—
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	27	14	7	3	1	1	1	—	—	—	—	—	—
Brain Disease . . . . .	12	—	—	—	—	—	—	—	1	—	—	2	1
V. Pericarditis . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	64	—	—	—	—	—	—	—	3	2	—	—	2
VI. Laryngitis . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—
Bronchitis . . . . .	183	21	11	27	36	5	5	2	3	1	—	2	1
Pleurisy . . . . .	3	2	—	—	—	—	—	—	—	—	—	—	—
Pneumonia . . . . .	48	4	2	5	10	—	2	—	—	3	2	2	2
Asthma . . . . .	9	—	—	—	—	—	—	—	—	—	—	—	1
Lung Disease . . . . .	3	1	—	—	—	—	—	—	—	—	—	—	—
VII. Teething . . . . .	49	—	3	18	27	1	—	—	—	—	—	—	—
Quinsey . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	4	—	—	—	1	—	—	—	—	—	1	—	—
Enteritis . . . . .	5	1	—	—	—	—	—	—	1	1	—	—	—
Peritonitis . . . . .	3	—	—	—	—	—	—	—	—	—	—	1	—
Ascites . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	4	—	—	—	—	—	—	—	—	—	—	1	—
Hernia . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	9	4	—	—	—	—	—	—	—	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice . . . . .	5	1	1	—	—	—	—	—	—	—	—	—	1
Liver Disease . . . . .	5	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria . . . . .	8	—	—	—	—	—	—	—	—	2	—	—	1
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
IX. Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	17	—	—	—	—	—	—	—	—	—	—	2	4
Organs of Generation . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease . . . . .	3	—	—	—	—	—	—	—	1	1	—	—	—
XI. Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	1
Privation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	2	—	2	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	2	1	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	2	—	—	—	—	—	1	—	—	—	—	—	—
Hanging, etc. . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	3	2	1	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion . . . . .	7	—	—	—	—	2	—	—	—	1	1	—	—
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	20	6	4	3	—	—	—	—	1	—	—	—	—





CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	2029	203	78	159	169	96	61	36	78	45	71	66	73
SPECIFIED CAUSES . . . . .	2006	193	76	157	168	95	61	36	76	45	71	65	73
I. Zymotic Class . . . . .	436	28	24	59	74	58	32	21	29	9	8	10	6
II. Diseases of Uncertain Seat . . . . .	83	—	1	—	—	1	—	—	2	2	2	1	2
III. Tubercular Class . . . . .	370	10	7	24	29	16	14	3	25	18	40	31	38
IV. Brain and Nervous System . . . . .	200	26	9	16	8	3	4	4	5	5	2	—	4
V. Organs of Circulation . . . . .	102	—	—	—	—	—	—	—	1	—	4	4	5
VI. Respiratory Organs . . . . .	280	10	21	36	29	12	6	5	8	2	4	6	6
VII. Organs of Digestion . . . . .	132	16	4	14	21	2	2	1	2	2	3	3	3
VIII. Urinary Organs . . . . .	42	1	—	—	—	—	1	—	1	1	2	3	2
IX. Organs of Generation . . . . .	12	—	—	—	—	—	—	—	—	—	1	2	5
X. Organs of Locomotion . . . . .	18	—	—	—	—	—	1	—	1	1	2	4	1
XI. Skin, etc. . . . .	4	2	1	—	—	1	—	—	—	—	—	—	—
XII. Malformation . . . . .	10	7	—	1	2	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	87	78	4	5	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	21	—	—	—	5	1	—	1	1	1	—	1	—
XV. Age . . . . .	145	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	5	1	—	—	—	—	1	—	—	—	—	—	—
XVII. Violent Deaths . . . . .	59	14	5	2	—	1	—	1	1	4	3	—	1
I. Small Pox . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—
Measles . . . . .	118	1	7	26	39	24	11	3	7	—	—	—	—
Scarlatina . . . . .	48	—	—	1	5	7	6	11	8	4	1	3	1
Diphtheria . . . . .	6	—	—	1	1	—	2	1	1	—	—	—	—
Hooping Cough . . . . .	70	1	6	18	19	11	8	6	1	—	—	—	—
Croup . . . . .	11	1	—	2	2	4	1	—	1	—	—	—	—
Thrush . . . . .	2	2	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	58	14	9	6	4	1	—	—	—	1	—	—	—
Dysentery . . . . .	15	—	—	—	—	2	—	—	—	—	—	—	—
Cholera . . . . .	4	1	—	—	1	—	—	—	1	—	—	—	—
Influenza . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	26	—	—	—	1	1	1	—	1	1	2	1	1
Enteric Fever . . . . .	33	—	—	—	1	2	3	—	7	—	3	3	3
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	1	—	—	—	—	—	—	—	—	1	—	—	—
Infantile Remittent . . . . .	4	—	—	2	—	2	—	—	—	—	—	—	—
Metria . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Rheumatic Fever . . . . .	9	—	—	—	—	—	—	—	1	—	2	2	—
Erysipelas . . . . .	12	3	1	—	—	2	—	—	—	1	—	—	—
Pyæmia . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Syphilis . . . . .	11	5	1	3	—	1	—	—	—	1	—	—	—
Noma . . . . .	2	—	—	—	—	1	—	—	1	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	3	—	—	—	—	—	—	—	—	—	1	—	—
Dropsy . . . . .	13	—	—	—	—	—	—	—	2	1	—	1	—
Abscess . . . . .	4	—	1	—	—	—	—	—	—	1	—	—	—
Ulcer . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	2
Fistula . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	54	—	—	—	—	1	—	—	—	—	1	—	—
Gout . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	35	4	2	5	2	5	—	—	7	3	1	—	—
Tabes Mesenterica . . . . .	23	1	—	1	8	1	4	2	2	2	1	1	—
Phthisis . . . . .	250	—	—	4	4	3	2	1	9	12	38	30	38
Hydrocephalus . . . . .	62	5	5	14	15	7	8	—	7	1	—	—	—

## CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . . .	56	70	54	63	73	81	95	100	95	85	66	35	15	3	1	2
SPECIFIED CAUSES . .	56	69	54	63	72	81	95	100	95	85	66	35	15	3	1	—
Zymotic Class . . . .	5	8	4	2	8	11	14	13	1	8	2	2	—	—	—	—
Uncertain Seat . . . .	2	4	5	8	13	3	11	7	10	3	4	1	1	—	—	—
Tubercular Class . . .	28	28	9	20	6	10	7	5	2	—	—	—	—	—	—	—
Brain, etc. . . . .	4	13	8	4	9	10	17	17	14	6	8	3	1	—	—	—
Heart, etc. . . . .	4	1	9	8	8	12	11	13	9	8	5	—	—	—	—	—
Respiratory Organs . .	7	7	10	10	15	14	14	14	17	13	10	3	1	—	—	—
Digestive Organs . . .	2	2	3	4	9	8	6	13	4	4	4	—	—	—	—	—
Urinary Organs . . . .	3	3	2	1	1	2	4	4	6	3	2	—	—	—	—	—
Generative Organs . .	—	—	—	1	—	—	2	—	1	—	—	—	—	—	—	—
Locomotive Organs . .	—	—	—	—	1	—	4	1	2	—	—	—	—	—	—	—
Skin . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy . . . . .	—	1	1	—	1	8	—	—	—	—	—	—	—	—	—	—
Age . . . . .	—	—	—	—	—	—	5	8	25	38	29	24	12	3	1	—
Sudden Deaths . . . .	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—
Violent Deaths . . . .	1	2	3	5	1	3	—	3	4	1	2	2	—	—	—	—
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping Cough . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	—	1	—	—	2	4	6	4	—	4	2	—	—	—	—	—
Dysentery . . . . .	2	1	—	—	—	2	3	3	—	2	—	—	—	—	—	—
Cholera . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Influenza . . . . .	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	1	3	4	1	4	1	1	2	—	—	—	—	—	—	—	—
Enteric Fever . . . . .	1	2	—	—	2	1	3	—	—	2	—	—	—	—	—	—
Relapsing Fever . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . .	—	1	—	—	—	1	1	1	—	—	—	—	—	—	—	—
Erysipelas . . . . .	—	—	—	1	—	1	—	1	1	—	—	1	—	—	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	—	1	1	—	1	—	1	—	3	—	2	—	—	—	—	—
Abscess . . . . .	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Mortification . . . . .	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—	—
Cancer . . . . .	1	3	4	6	11	3	7	6	5	3	2	—	1	—	—	—
Gout . . . . .	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—
Scrofula . . . . .	1	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis . . . . .	27	24	9	20	5	10	7	5	2	—	—	—	—	—	—	—
Hydrocephalus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.			2	3	4	5	10	15	20	25	30	
3	6	12												
IV. Cephalitis . . . . .	11	—	—	2	1	—	—	1	2	1	1	—	1	
Apoplexy . . . . .	42	2	—	2	—	—	—	—	—	—	—	—	1	
Paralysis . . . . .	47	—	—	—	—	—	—	—	—	—	—	—	—	
Delirium Tremens . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . . . .	7	—	—	—	—	—	—	—	—	—	—	—	2	
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	
Convulsions . . . . .	55	23	8	11	6	3	2	2	—	—	—	—	—	
Brain Disease . . . . .	32	1	1	1	1	—	2	1	3	4	1	—	—	
V. Pericarditis . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	
Aneurism . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease . . . . .	96	—	—	—	—	—	—	—	1	—	4	4	5	
VI. Laryngitis . . . . .	8	—	1	1	1	1	—	—	1	—	—	2	—	
Bronchitis . . . . .	178	7	16	26	22	8	3	3	3	2	3	3	3	
Pleurisy . . . . .	10	—	—	—	—	—	—	—	1	—	—	—	—	
Pneumonia . . . . .	62	2	4	8	5	2	3	1	2	—	1	—	2	
Asthma . . . . .	10	—	—	—	—	—	—	—	—	—	—	—	—	
Lung Disease . . . . .	12	1	—	1	1	1	—	1	1	—	—	1	1	
VII. Teething . . . . .	32	1	—	10	20	1	—	—	—	—	—	—	—	
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis . . . . .	3	—	—	—	—	—	2	—	—	—	—	1	—	
Enteritis . . . . .	16	4	—	3	1	—	—	1	—	1	—	1	—	
Peritonitis . . . . .	7	—	—	1	—	—	—	—	1	—	2	—	1	
Ascites . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	
Hernia . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	
Ileus . . . . .	18	—	1	—	—	—	—	—	—	—	—	1	—	
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease . . . . .	19	4	3	—	—	1	—	—	1	1	1	—	—	
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	
Jaundice . . . . .	11	5	—	—	—	—	—	—	—	—	—	—	1	
Liver Disease . . . . .	18	1	—	—	—	—	—	—	—	—	—	—	1	
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
VIII. Nephritis . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—	
Nephria . . . . .	11	—	—	—	—	—	—	—	—	—	1	1	2	
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes . . . . .	3	—	—	—	—	—	—	—	—	—	1	—	—	
Stone . . . . .	2	—	—	—	—	—	—	—	—	—	—	1	—	
Cystitis . . . . .	6	1	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease . . . . .	16	—	—	—	—	—	1	—	—	1	—	1	—	
IX. Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	1	
Childbirth . . . . .	6	—	—	—	—	—	—	—	—	—	1	2	3	
Organs of Generation . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	1	
X. Arthritis . . . . .	3	—	—	—	—	—	1	—	—	—	1	1	—	
Rheumatism . . . . .	7	—	—	—	—	—	—	—	—	—	—	1	—	
Joint and Bone Disease . . . . .	8	—	—	—	—	—	—	—	1	1	1	2	1	
XI. Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease . . . . .	4	2	1	—	—	1	—	—	—	—	—	—	—	
XVII. Intemperance . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk . . . . .	8	4	3	1	—	—	—	—	—	—	—	—	—	
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . . . . .	4	—	—	—	—	—	—	1	1	—	—	—	—	
Hanging, etc. . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation . . . . .	8	4	2	1	—	1	—	—	—	—	—	—	—	
Drowning . . . . .	7	—	—	—	—	—	—	—	—	2	—	—	—	
Fracture and Contusion . . . . .	25	1	—	—	—	—	—	—	—	1	2	—	1	
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs . . . . .	2	—	—	—	—	—	—	—	—	1	1	—	—	
Other Violent Causes . . . . .	5	5	—	—	—	—	—	—	—	—	—	—	—	
Not Specified . . . . .	23	10	2	2	1	1	—	—	2	—	—	1	—	





CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	979	111	40	84	92	49	26	16	42	22	38	28	30
SPECIFIED CAUSES . . . . .	966	107	39	83	92	48	26	16	40	22	38	28	30
I. Zymotic Class . . . . .	204	15	9	27	37	29	14	10	10	4	3	4	2
II. Diseases of Uncertain Seat . . . . .	32	—	—	—	—	1	—	—	1	—	2	1	—
III. Tubercular Class . . . . .	176	5	4	15	17	9	7	1	18	7	17	12	16
IV. Brain and Nervous System . . . . .	107	15	5	8	7	1	2	2	3	4	2	—	4
V. Organs of Circulation . . . . .	46	—	—	—	—	—	—	—	—	—	1	2	4
VI. Respiratory Organs . . . . .	136	6	11	18	17	7	1	2	6	—	3	4	1
VII. Organs of Digestion . . . . .	71	8	2	11	11	1	1	1	2	1	3	1	1
VIII. Urinary Organs . . . . .	27	1	—	—	—	—	—	—	—	—	2	2	1
IX. Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion . . . . .	9	—	—	—	—	—	1	—	—	1	2	2	—
XI. Skin, etc. . . . .	3	2	1	—	—	—	—	—	—	—	—	—	—
XII. Malformation . . . . .	5	3	—	—	2	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	50	44	4	2	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	6	—	—	—	1	—	—	—	—	1	—	—	—
XV. Age . . . . .	52	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths . . . . .	42	8	3	2	—	—	—	—	—	4	3	—	1
I. Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	58	1	1	12	23	13	5	1	2	—	—	—	—
Scarlatina . . . . .	23	—	—	—	2	5	4	4	4	2	1	1	—
Diphtheria . . . . .	3	—	—	—	—	—	2	1	—	—	—	—	—
Hooping Cough . . . . .	33	1	3	11	7	5	2	4	—	—	—	—	—
Croup . . . . .	6	1	—	1	2	2	—	—	—	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	25	9	3	1	1	—	—	—	—	—	—	—	—
Dysentery . . . . .	5	—	—	—	—	—	—	—	—	—	—	—	—
Cholera . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—
Influenza . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	13	—	—	—	1	1	1	—	—	—	—	1	—
Enteric Fever . . . . .	14	—	—	—	—	1	—	—	3	—	1	1	2
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent . . . . .	3	—	—	1	—	2	—	—	—	—	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	7	—	—	—	—	—	—	—	1	—	1	1	—
Erysipelas . . . . .	7	2	1	—	—	—	—	—	—	1	—	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	4	1	1	1	—	—	—	—	—	1	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	2	—	—	—	—	—	—	—	—	—	1	—	—
Dropsy . . . . .	9	—	—	—	—	—	—	—	1	—	—	1	—
Abscess . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	16	—	—	—	—	1	—	—	—	—	1	—	—
Gout . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	21	3	1	4	1	1	—	—	5	2	1	—	—
Tabes Mesenterica . . . . .	16	—	—	—	7	1	3	—	2	1	1	1	—
Phthisis . . . . .	106	—	—	3	2	2	—	1	8	3	15	11	16
Hydrocephalus . . . . .	33	2	3	8	7	5	4	—	3	1	—	—	—





CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—MALES. (Continued.)

DISEASES.	ALL AGES.	MALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	8	—	—	1	1	—	—	1	1	1	1	—	1
Apoplexy . . . . .	21	2	—	1	—	—	—	—	—	—	—	—	1
Paralysis . . . . .	19	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	5	—	—	—	—	—	—	—	—	—	—	—	2
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	28	12	4	5	5	1	1	—	—	—	—	—	—
Brain Disease . . . . .	23	1	1	1	1	—	1	1	2	3	1	—	—
V. Pericarditis . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	41	—	—	—	—	—	—	—	—	—	1	2	4
VI. Laryngitis . . . . .	5	—	1	—	—	1	—	—	1	—	—	1	—
Bronchitis . . . . .	79	3	7	13	13	4	1	1	2	—	2	2	—
Pleurisy . . . . .	6	—	—	—	—	—	—	—	1	—	—	—	—
Pneumonia . . . . .	34	2	3	4	4	1	—	—	2	—	1	—	—
Asthma . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease . . . . .	9	1	—	1	—	1	—	1	—	—	—	1	1
VII. Teething . . . . .	18	1	—	7	10	—	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	1	—	—	—	—	—	1	—	—	—	—	—	—
Enteritis . . . . .	11	2	—	3	1	—	—	1	—	—	—	1	—
Peritonitis . . . . .	4	—	—	1	—	—	—	—	1	—	2	—	—
Ascites . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Hernia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	6	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	13	2	2	—	—	1	—	—	1	1	1	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice . . . . .	5	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease . . . . .	8	1	—	—	—	—	—	—	—	—	—	—	1
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Nephria . . . . .	7	—	—	—	—	—	—	—	—	—	1	1	1
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	3	—	—	—	—	—	—	—	—	—	1	—	—
Stone . . . . .	2	—	—	—	—	—	—	—	—	—	—	1	—
Cystitis . . . . .	6	1	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	7	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . . . .	2	—	—	—	—	—	1	—	—	—	1	—	—
Rheumatism . . . . .	2	—	—	—	—	—	—	—	—	—	—	1	—
Joint and Bone Disease . . . . .	5	—	—	—	—	—	—	—	—	1	1	1	—
XI. Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	3	2	1	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	3	1	1	1	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc. . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	5	2	2	1	—	—	—	—	—	—	—	—	—
Drowning . . . . .	6	—	—	—	—	—	—	—	—	2	—	—	—
Fracture and Contusion . . . . .	22	1	—	—	—	—	—	—	—	1	2	—	1
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	2	—	—	—	—	—	—	—	—	1	1	—	—
Other Violent Causes . . . . .	4	4	—	—	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	13	4	1	1	—	1	—	—	2	—	—	—	—





## CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	ALL AGES.	FEMALES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	1050	92	38	75	77	47	35	20	36	23	33	38	43
SPECIFIED CAUSES . . . . .	1040	86	37	74	76	47	35	20	36	23	33	37	43
I. Zymotic Class . . . . .	232	13	15	32	37	29	18	11	19	5	5	6	4
II. Diseases of Uncertain Seat	51	—	1	—	—	—	—	—	1	2	—	—	2
III. Tubercular Class . . . . .	194	5	3	9	12	7	7	2	7	11	23	19	22
IV. Brain and Nervous System	93	11	4	8	1	2	2	2	2	1	—	—	—
V. Organs of Circulation . . . . .	56	—	—	—	—	—	—	—	1	—	3	2	1
VI. Respiratory Organs . . . . .	144	4	10	18	12	5	5	3	2	2	1	2	5
VII. Organs of Digestion . . . . .	61	8	2	3	10	1	1	—	—	1	—	2	2
VIII. Urinary Organs . . . . .	15	—	—	—	—	—	1	—	1	1	—	1	1
IX. Organs of Generation . . . . .	12	—	—	—	—	—	—	—	—	—	1	2	5
X. Organs of Locomotion . . . . .	9	—	—	—	—	—	—	—	1	—	—	2	1
XI. Skin, etc. . . . .	1	—	—	—	—	1	—	—	—	—	—	—	—
XII. Malformation . . . . .	5	4	—	1	—	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	37	34	—	3	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	15	—	—	—	4	1	—	1	1	—	—	1	—
XV. Age . . . . .	93	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	5	1	—	—	—	—	1	—	—	—	—	—	—
XVII. Violent Deaths . . . . .	17	6	2	—	—	1	—	1	1	—	—	—	—
I. Small Pox . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—
Measles . . . . .	60	—	6	14	16	11	6	2	5	—	—	—	—
Scarlatina . . . . .	25	—	—	1	3	2	2	7	4	2	—	2	1
Diphtheria . . . . .	3	—	—	1	1	—	—	—	1	—	—	—	—
Hooping Cough . . . . .	37	—	3	7	12	6	6	2	1	—	—	—	—
Croup . . . . .	5	—	—	1	—	2	1	—	1	—	—	—	—
Thrush . . . . .	2	2	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa . . . . .	33	5	6	5	3	1	—	—	—	1	—	—	—
Dysentery . . . . .	10	—	—	—	—	2	—	—	—	—	—	—	—
Cholera . . . . .	3	1	—	—	—	—	—	—	1	—	—	—	—
Influenza . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	13	—	—	—	—	—	—	—	1	1	2	—	1
Enteric Fever . . . . .	19	—	—	—	1	1	3	—	4	—	2	2	1
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	1	—	—	—	—	—	—	—	—	1	—	—	—
Infantile Remittent . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—
Metria . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Rheumatic Fever . . . . .	2	—	—	—	—	—	—	—	—	—	1	1	—
Erysipelas . . . . .	5	1	—	—	—	2	—	—	—	—	—	—	—
Pyæmia . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Syphilis . . . . .	7	4	—	2	—	1	—	—	—	—	—	—	—
Noma . . . . .	2	—	—	—	—	1	—	—	1	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	4	—	—	—	—	—	—	—	1	1	—	—	—
Abscess . . . . .	3	—	1	—	—	—	—	—	—	1	—	—	—
Ulcer . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	2
Pistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	38	—	—	—	—	—	—	—	—	—	—	—	—
Gout . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	14	1	1	1	1	4	—	—	2	1	—	—	—
Tabes Mesenterica . . . . .	7	1	—	1	1	—	1	2	—	1	—	—	—
Phthisis . . . . .	144	—	—	1	2	1	2	—	1	9	23	19	22
Hydrocephalus . . . . .	29	3	2	6	8	2	4	—	4	—	—	—	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—FEMALES.

DISEASES.	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES . . . . .	31	32	32	29	39	43	48	56	45	57	44	25	9	2	1	—
SPECIFIED CAUSES . . . . .	31	32	32	29	39	43	48	56	45	57	44	25	9	2	1	—
Zymotic Class . . . . .	3	4	3	1	3	6	5	4	1	5	2	1	—	—	—	—
Uncertain Seat . . . . .	2	3	4	3	12	2	7	5	3	2	1	1	—	—	—	—
Tubercular Class . . . . .	19	13	5	11	—	7	5	5	2	—	—	—	—	—	—	—
Brain, etc. . . . .	—	5	3	1	6	5	7	11	7	4	8	2	1	—	—	—
Heart, etc. . . . .	1	—	5	5	3	7	5	9	6	6	2	—	—	—	—	—
Respiratory Organs . . . . .	4	5	6	4	7	7	8	7	6	10	8	2	1	—	—	—
Digestive Organs . . . . .	—	1	3	2	5	3	4	7	1	2	3	—	—	—	—	—
Urinary Organs . . . . .	2	—	1	1	1	2	—	2	1	—	—	—	—	—	—	—
Generative Organs . . . . .	—	—	—	1	—	—	2	—	1	—	—	—	—	—	—	—
Locomotive Organs . . . . .	—	—	—	—	1	—	2	—	2	—	—	—	—	—	—	—
Skin . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malformation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Premature Debility . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Atrophy . . . . .	—	1	1	—	1	4	—	—	—	—	—	—	—	—	—	—
Age . . . . .	—	—	—	—	—	—	3	4	13	26	20	17	7	2	1	—
Sudden Deaths . . . . .	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—
Violent Deaths . . . . .	—	—	1	—	—	—	—	—	2	1	—	2	—	—	—	—
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlatina . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping Cough . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Croup . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhœa . . . . .	—	—	—	—	—	3	3	2	—	2	2	—	—	—	—	—
Dysentery . . . . .	1	1	—	—	—	1	1	2	—	2	—	—	—	—	—	—
Cholera . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Influenza . . . . .	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	—	2	3	—	2	—	1	—	—	—	—	—	—	—	—	—
Enteric Fever . . . . .	1	1	—	—	1	1	—	—	—	1	—	—	—	—	—	—
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Cont. Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas . . . . .	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hæmorrhage . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Abscess . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
Cancer . . . . .	1	2	4	3	11	2	5	5	2	2	1	—	—	—	—	—
Gout . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Scrofula . . . . .	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tabes Mesenterica . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phthisis . . . . .	19	10	5	11	—	7	5	5	2	—	—	—	—	—	—	—
Hydrocephalus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—



CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—FEMALES. (Continued.)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	3	—	—	1	—	—	—	—	1	—	—	—	—
Apoplexy . . . . .	21	—	—	1	—	—	—	—	—	—	—	—	—
Paralysis . . . . .	28	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	27	11	4	6	1	2	1	2	—	—	—	—	—
Brain Disease . . . . .	9	—	—	—	—	—	1	—	1	1	—	—	—
V. Pericarditis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	55	—	—	—	—	—	—	—	1	—	3	2	1
VI. Laryngitis . . . . .	3	—	—	1	1	—	—	—	—	—	—	1	—
Bronchitis . . . . .	99	4	9	13	9	4	2	2	1	2	1	1	3
Pleurisy . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia . . . . .	28	—	1	4	1	1	3	1	—	—	—	—	2
Asthma . . . . .	7	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease . . . . .	3	—	—	—	1	—	—	—	1	—	—	—	—
VII. Teething . . . . .	14	—	—	3	10	1	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	2	—	—	—	—	—	1	—	—	—	—	1	—
Enteritis . . . . .	5	2	—	—	—	—	—	—	—	1	—	—	—
Peritonitis . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	1
Ascites . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hernia . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	12	—	1	—	—	—	—	—	—	—	—	1	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	6	2	1	—	—	—	—	—	—	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice . . . . .	6	4	—	—	—	—	—	—	—	—	—	—	1
Liver Disease . . . . .	10	—	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—
Nephria . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	1
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	9	—	—	—	—	—	1	—	—	1	—	1	—
IX. Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	1
Childbirth . . . . .	6	—	—	—	—	—	—	—	—	—	1	2	3
Organs of Generation . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	1
X. Arthritis . . . . .	1	—	—	—	—	—	—	—	—	—	—	1	—
Rheumatism . . . . .	5	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease . . . . .	3	—	—	—	—	—	—	—	1	—	—	1	1
XI. Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	1	—	—	—	—	1	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	5	3	2	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	4	—	—	—	—	—	—	1	1	—	—	—	—
Hanging, etc. . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	3	2	—	—	—	1	—	—	—	—	—	—	—
Drowning . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	10	6	1	1	1	—	—	—	—	—	—	1	—

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1868.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
Cephalitis . . . . .	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Apoplexy . . . . .	—	1	—	1	2	2	3	4	1	1	4	1	—	—	—	—	
Paralysis . . . . .	—	1	—	—	3	2	4	4	6	3	3	1	1	—	—	—	
Delirium Tremens . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Epilepsy . . . . .	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Insanity . . . . .	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Brain Disease . . . . .	—	1	2	—	—	1	—	2	—	—	—	—	—	—	—	—	
Pericarditis . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Aneurism . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Heart Disease . . . . .	1	—	5	5	3	6	5	9	6	6	2	—	—	—	—	—	
Laryngitis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Bronchitis . . . . .	2	2	3	—	5	3	7	4	5	8	6	2	1	—	—	—	
Pleurisy . . . . .	1	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	
Pneumonia . . . . .	1	3	2	1	2	1	—	2	1	1	1	—	—	—	—	—	
Asthma . . . . .	—	—	—	2	—	3	1	—	—	—	1	—	—	—	—	—	
Lung Disease . . . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gastritis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Enteritis . . . . .	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	
Peritonitis . . . . .	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
Ascites . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulceration of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hernia . . . . .	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	
Ileus . . . . .	—	—	1	—	2	2	—	4	—	1	—	—	—	—	—	—	
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stomach Disease . . . . .	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hepatitis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Jaundice . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
Liver Disease . . . . .	—	1	1	—	1	1	1	1	1	1	2	—	—	—	—	—	
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephritis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Nephria . . . . .	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ischuria . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Diabetes . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stone . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cystitis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kidney Disease . . . . .	1	—	1	—	1	1	—	1	1	—	—	—	—	—	—	—	
Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ovarian Dropsy . . . . .	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	
Childbirth . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Organs of Generation . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Arthritis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatism . . . . .	—	—	—	—	1	—	2	—	2	—	—	—	—	—	—	—	
Joint Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Skin Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Intemperance . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poison . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds . . . . .	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	
Hanging, etc. . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suffocation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Drowning . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
Fracture and Contusion . . . . .	—	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Violent Causes . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Not Specified . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	



CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	1221	93	56	73	81	68	52	25	76	32	60	50	43
SPECIFIED CAUSES . . . . .	1186	77	50	66	79	66	51	25	76	32	60	50	43
I. Zymotic Class . . . . .	314	17	15	21	39	37	34	17	47	12	6	6	8
II. Diseases of Uncertain Seat	44	1	—	—	—	—	—	1	2	1	—	—	5
III. Tubercular Class . . . . .	228	3	9	8	16	13	11	3	15	8	39	29	18
IV. Brain and Nervous System	104	2	5	2	3	3	—	1	2	5	2	1	2
V. Organs of Circulation . . . . .	38	—	—	—	—	—	—	1	—	—	3	1	2
VI. Respiratory Organs . . . . .	159	5	9	14	12	7	3	—	2	2	4	6	3
VII. Organs of Digestion . . . . .	81	10	4	14	5	4	1	1	—	2	1	—	1
VIII. Urinary Organs . . . . .	14	—	—	—	—	—	—	—	3	—	—	2	—
IX. Organs of Generation . . . . .	14	—	—	—	—	—	—	—	—	—	1	4	—
X. Organs of Locomotion . . . . .	9	—	—	—	—	—	—	1	—	1	2	—	—
XI. Skin, etc. . . . .	2	—	—	—	1	—	—	—	—	—	—	—	—
XII. Malformation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	51	37	8	6	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	11	—	—	—	1	1	2	—	2	—	1	—	1
XV. Age . . . . .	85	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	4	1	—	1	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths . . . . .	28	1	—	—	2	1	—	—	3	1	1	1	3
I. Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	6	—	—	—	3	2	—	1	—	—	—	—	—
Scarlatina . . . . .	111	1	2	6	15	21	16	10	35	4	—	—	1
Diphtheria . . . . .	10	—	—	—	2	2	4	—	2	—	—	—	—
Whooping Cough . . . . .	23	1	3	4	7	3	2	2	1	—	—	—	—
Croup . . . . .	22	—	—	2	6	5	5	4	—	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	38	7	7	6	5	—	—	—	—	—	—	1	—
Dysentery . . . . .	6	—	1	1	—	—	1	—	—	—	—	—	—
Cholera . . . . .	4	—	1	1	—	—	—	—	1	—	—	—	—
Influenza . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	2	—	—	—	1	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	34	—	—	—	—	2	—	—	2	1	1	3	4
Enteric Fever . . . . .	30	—	—	—	—	1	2	—	3	7	4	2	2
Relapsing Fever . . . . .	3	—	—	—	—	—	1	—	—	—	—	—	1
Simple Continued Fever . . . . .	3	—	—	—	—	—	2	—	—	—	1	—	—
Infantile Remittent . . . . .	5	—	—	—	—	1	1	—	3	—	—	—	—
Metria . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatic Fever . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas . . . . .	3	2	—	—	—	—	—	—	—	—	—	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	8	6	1	1	—	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	3	1	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	20	—	—	—	—	—	—	1	1	1	—	—	2
Abscess . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	20	—	—	—	—	—	—	—	1	—	—	—	3
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	16	—	—	—	2	1	—	1	2	1	3	2	—
Tabes Mesenterica . . . . .	21	1	2	1	3	6	3	—	4	1	—	—	—
Phthisis . . . . .	150	—	—	1	1	3	2	—	6	5	35	27	18
Hydrocephalus . . . . .	41	2	7	6	10	3	6	2	3	1	1	—	—





CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1868.—BOTH SEXES. (Continued.)

DISEASES.		BOTH SEXES.											
		ALL AGES.	AGE UNDER										
			MONTHS.			2	3	4	5	10	15	20	25
3	6	12											
IV. Cephalitis . . . . .	6	—	—	—	—	—	—	—	2	1	1	1	1
Apoplexy . . . . .	28	1	2	1	3	1	—	—	—	—	1	—	—
Paralysis . . . . .	41	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	7	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	4	1	2	1	—	—	—	—	—	—	—	—	—
Brain Disease . . . . .	13	—	1	—	—	2	—	1	—	4	—	—	1
V. Pericarditis . . . . .	1	—	—	—	—	—	—	1	—	—	—	—	—
Aneurism . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	35	—	—	—	—	—	—	—	—	—	3	1	2
VI. Laryngitis . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis . . . . .	120	4	8	12	7	6	2	—	2	2	3	3	1
Pleurisy . . . . .	3	—	—	—	—	—	—	—	—	—	1	1	—
Pneumonia . . . . .	29	1	1	2	5	1	1	—	—	—	—	2	2
Asthma . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
VII. Teething . . . . .	23	—	3	11	5	4	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis . . . . .	16	7	1	2	—	—	—	1	—	1	1	—	—
Peritonitis . . . . .	2	—	—	—	—	—	—	—	—	1	—	—	—
Ascites . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Hernia . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	6	2	—	—	—	—	1	—	—	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	7	—	—	1	—	—	—	—	—	—	—	—	—
Jaundice . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Liver Disease . . . . .	17	—	—	—	—	—	—	—	—	—	—	—	1
Spleen Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	2	—	—	—	—	—	—	—	2	—	—	—	—
Nephria . . . . .	3	—	—	—	—	—	—	—	1	—	—	1	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	4	—	—	—	—	—	—	—	—	—	—	1	—
Stricture of Urethra . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia . . . . .	2	—	—	—	—	—	—	—	—	—	1	—	—
Ovarian Dropsy . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	10	—	—	—	—	—	—	—	—	—	—	4	—
Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism . . . . .	5	—	—	—	—	—	—	—	—	1	1	—	—
Joint and Bone Disease . . . . .	2	—	—	—	—	—	—	1	—	—	1	—	—
XI. Carbuncle . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Poison . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	4	—	—	—	2	1	—	—	—	—	—	—	—
Hanging, etc. . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	6	—	—	—	—	—	—	—	1	—	—	—	—
Fracture and Contusion . . . . .	12	—	—	—	—	—	—	—	2	1	1	1	2
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	35	16	6	7	2	2	1	—	—	—	—	—	—





CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	1658	144	67	158	246	100	90	45	89	40	46	64	57
SPECIFIED CAUSES . . . . .	1534	119	59	143	228	90	84	35	79	38	45	64	55
I. Zymotic Class . . . . .	493	32	22	59	114	58	52	22	42	9	6	15	9
II. Diseases of Uncertain Seat . . . . .	37	1	—	1	1	1	—	1	2	2	1	1	—
III. Tubercular Class . . . . .	241	1	6	21	21	12	5	3	10	13	22	28	24
IV. Brain and Nervous System . . . . .	122	10	2	7	11	2	4	3	6	3	2	4	4
V. Organs of Circulation . . . . .	75	—	—	—	—	—	1	—	—	3	4	4	4
VI. Respiratory Organs . . . . .	213	10	12	26	40	12	14	1	10	1	6	5	8
VII. Organs of Digestion . . . . .	95	4	3	16	26	1	3	2	—	1	1	2	2
VIII. Urinary Organs . . . . .	15	—	—	—	1	—	—	—	—	—	—	—	—
IX. Organs of Generation . . . . .	6	—	—	—	—	—	—	—	—	—	—	—	1
X. Organs of Locomotion . . . . .	11	—	—	—	—	—	—	1	2	2	1	—	—
XI. Skin, etc. . . . .	2	1	—	—	1	—	—	—	—	—	—	—	—
XII. Malformation . . . . .	3	3	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	74	54	8	12	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	34	—	—	—	10	4	5	—	6	1	—	1	—
XV. Age . . . . .	52	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	8	2	1	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths . . . . .	53	1	5	1	3	—	—	2	1	3	2	4	3
I. Small Pox . . . . .	2	—	—	—	1	—	1	—	—	—	—	—	—
Measles . . . . .	33	1	2	4	14	4	3	3	2	—	—	—	—
Scarlatina . . . . .	84	1	—	5	9	11	22	9	21	5	—	1	—
Diphtheria . . . . .	14	—	—	4	3	3	2	1	1	—	—	—	—
Hooping Cough . . . . .	140	13	11	20	41	23	15	6	11	—	—	—	—
Croup . . . . .	34	1	—	7	13	8	4	1	—	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	74	13	8	10	21	8	2	—	—	—	—	1	—
Dysentery . . . . .	2	1	—	—	—	—	—	—	—	—	1	—	—
Cholera . . . . .	8	—	—	3	2	—	—	—	—	—	—	—	—
Influenza . . . . .	2	—	—	1	—	1	—	—	—	—	—	—	—
Purpura . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	66	—	1	3	8	—	2	—	5	1	3	5	6
Enteric Fever . . . . .	18	—	—	—	1	—	1	1	1	3	2	5	—
Relapsing Fever . . . . .	2	—	—	—	1	—	—	—	—	—	—	—	1
Simple Continued Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Infantile Remittent . . . . .	1	—	—	—	—	—	—	—	1	—	—	—	—
Metria . . . . .	4	—	—	—	—	—	—	—	—	—	—	1	2
Rheumatic Fever . . . . .	2	—	—	—	—	—	—	—	—	—	—	2	—
Erysipelas . . . . .	2	1	—	—	—	—	—	—	—	—	—	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	3	1	—	2	—	—	—	—	—	—	—	—	—
Noma . . . . .	1	—	—	—	—	—	—	1	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	15	—	—	1	—	1	—	1	2	1	1	—	—
Abscess . . . . .	5	1	—	—	1	—	—	—	—	1	—	—	—
Ulcer . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	3	—	—	—	—	—	—	—	—	—	—	1	—
Cancer . . . . .	13	—	—	—	—	—	—	—	—	—	—	—	—
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	16	—	2	1	2	1	—	—	2	2	2	1	—
Tabes Mesenterica . . . . .	8	—	—	3	4	1	—	—	—	—	—	—	—
Phthisis . . . . .	176	—	1	2	5	6	3	1	5	10	20	27	24
Hydrocephalus . . . . .	41	1	3	15	10	4	2	2	3	1	—	—	—

## CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES.																
	AGE UNDER																
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?	
ALL CAUSES . . . .	47	64	41	57	54	48	51	37	37	28	32	13	2	—	—	1	
SPECIFIED CAUSES . .	46	61	39	55	52	45	49	36	37	28	32	13	2	—	—	—	
Zymotic Class . . . .	6	7	3	7	7	7	6	3	2	—	3	2	—	—	—	—	
Uncertain Seat . . . .	1	2	3	6	3	1	2	4	—	2	2	—	—	—	—	—	
Tubercular Class . . .	17	24	11	8	2	8	3	1	1	—	—	—	—	—	—	—	
Brain, etc. . . . .	5	4	2	6	9	8	6	7	8	7	2	—	—	—	—	—	
Heart, etc. . . . .	5	5	5	6	7	6	6	8	3	4	1	3	—	—	—	—	
Respiratory Organs . .	3	4	6	10	9	5	13	8	6	3	—	1	—	—	—	—	
Digestive Organs . . .	4	1	5	6	6	4	4	—	1	1	2	—	—	—	—	—	
Urinary Organs . . . .	1	—	1	2	2	—	3	1	3	1	—	—	—	—	—	—	
Generative Organs . .	1	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
Locomotive Organs . .	—	1	—	—	1	2	—	—	—	1	—	—	—	—	—	—	
Skin . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Malformation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Debility . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atrophy . . . . .	—	3	—	1	2	1	—	—	—	—	—	—	—	—	—	—	
Age . . . . .	—	—	—	—	—	—	—	3	9	9	22	7	2	—	—	—	
Sudden Deaths . . . .	—	—	1	1	—	—	1	1	1	—	—	—	—	—	—	—	
Violent Deaths . . . .	3	7	2	2	4	2	5	—	3	—	—	—	—	—	—	—	
Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlatina . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hooping Cough . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Croup . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa . . . . .	1	—	—	1	1	1	—	2	1	—	2	2	—	—	—	—	
Dysentery . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cholera . . . . .	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	
Influenza . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Purpura . . . . .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus . . . . .	4	4	2	4	6	6	6	—	—	—	—	—	—	—	—	—	
Enteric Fever . . . . .	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Relapsing Fever . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Simple Cont. Fever . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Infantile Remittent . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Metria . . . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Rheumatic Fever . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Erysipelas . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Syphilis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmorrhage . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dropsy . . . . .	—	—	1	2	—	—	1	2	—	1	1	—	—	—	—	—	
Abscess . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Ulcer . . . . .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mortification . . . . .	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	
Cancer . . . . .	—	2	2	2	3	1	—	2	—	1	—	—	—	—	—	—	
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scrofula . . . . .	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	
Tabes Mesenterica . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phthisis . . . . .	—	23	11	8	2	8	1	1	1	—	—	—	—	—	—	—	
Hydrocephalus . . . .	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	



CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1868.—BOTH SEXES. (Continued.)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	14	—	—	—	3	—	3	2	1	1	1	1	—
Apoplexy . . . . .	29	2	—	—	—	—	—	—	—	—	1	2	—
Paralysis . . . . .	21	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	2	—	—	—	—	—	—	—	—	—	—	1	1
Tetanus . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	3	—	—	—	—	—	—	—	—	1	—	—	—
Convulsions . . . . .	22	6	2	5	3	2	—	1	3	—	—	—	—
Brain Disease . . . . .	28	1	—	2	5	—	1	—	2	1	—	—	3
V. Pericarditis . . . . .	1	—	—	—	—	—	—	—	—	—	1	—	—
Aneurism . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	1
Heart Disease . . . . .	70	—	—	—	—	—	1	—	—	3	3	4	3
VI. Laryngitis . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—
Bronchitis . . . . .	144	9	12	23	31	9	7	1	7	1	—	1	2
Pleurisy . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonia . . . . .	50	1	—	1	9	3	5	—	3	—	5	4	4
Asthma . . . . .	8	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease . . . . .	9	—	—	1	—	—	2	—	—	—	1	—	2
VII. Teething . . . . .	34	—	2	13	19	—	—	—	—	—	—	—	—
Quinsey . . . . .	3	—	—	—	1	1	1	—	—	—	—	—	—
Gastritis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis . . . . .	12	1	—	1	5	—	2	—	—	—	—	—	1
Peritonitis . . . . .	10	—	—	—	1	—	—	—	—	1	1	1	—
Ascites . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia . . . . .	3	—	—	1	—	—	—	—	—	—	—	—	1
Ileus . . . . .	3	—	—	1	—	—	—	—	—	—	—	—	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	7	—	1	—	—	—	—	2	—	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	3	—	—	—	—	—	—	—	—	—	—	1	—
Jaundice . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease . . . . .	13	2	—	—	—	—	—	—	—	—	—	—	—
Spleen Disease . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
VIII. Nephritis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Nephria . . . . .	4	—	—	—	1	—	—	—	—	—	—	—	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Stone . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	6	—	—	—	—	—	—	—	—	—	—	—	—
IX. Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	5	—	—	—	—	—	—	—	—	—	—	—	1
Organs of Generation . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . . . .	2	—	—	—	—	—	—	—	1	—	1	—	—
Rheumatism . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Joint and Bone Disease . . . . .	6	—	—	—	—	—	—	1	1	2	—	—	—
XI. Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	1	—	1	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	3	—	—	—	1	—	—	1	—	—	—	1	—
Hanging, etc. . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	6	—	3	1	2	—	—	—	—	—	—	—	—
Drowning . . . . .	9	—	—	—	—	—	—	—	—	1	—	1	1
Fracture and Contusion . . . . .	27	1	—	—	—	—	—	1	1	2	2	2	2
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	3	—	1	—	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	124	25	8	15	18	10	6	10	10	2	1	—	2

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1868.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Apoplexy . . . . .	—	2	1	2	5	4	1	4	3	1	1	—	—	—	—	—
Paralysis . . . . .	—	1	—	1	2	3	2	2	3	6	1	—	—	—	—	—
Delirium Tremens . . . . .	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Brain Disease . . . . .	2	1	1	1	2	1	2	1	2	—	—	—	—	—	—	—
Pericarditis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aneurism . . . . .	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—
Heart Disease . . . . .	5	4	4	6	7	6	6	7	3	4	1	3	—	—	—	—
Laryngitis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis . . . . .	2	2	4	5	5	4	8	5	3	2	—	1	—	—	—	—
Pleurisy . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Pneumonia . . . . .	1	—	1	4	2	—	3	1	2	1	—	—	—	—	—	—
Asthma . . . . .	—	—	1	1	1	1	1	2	1	—	—	—	—	—	—	—
Lung Disease . . . . .	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Teething . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Quinsey . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis . . . . .	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
Peritonitis . . . . .	1	1	1	1	—	1	1	—	—	—	—	—	—	—	—	—
Ascites . . . . .	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—
Ulceration of Intestines . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Hernia . . . . .	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	—	—	—	—	1	2	—	—	—	1	—	—	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Liver Disease . . . . .	—	—	2	4	2	—	2	—	1	—	—	—	—	—	—	—
Spleen Disease . . . . .	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Nephritis . . . . .	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Nephria . . . . .	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Stone . . . . .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Cystitis . . . . .	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	—	—	1	1	1	—	1	—	1	1	—	—	—	—	—	—
Paramenia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Organs of Generation . . . . .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Arthritis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism . . . . .	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—
Joint Disease . . . . .	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Intemperance . . . . .	—	1	—	1	—	—	2	—	—	—	—	—	—	—	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hanging, etc. . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Suffocation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	1	1	—	1	2	1	—	—	—	—	—	—	—	—	—	—
Fracture and Contusion . . . . .	2	5	2	—	2	1	1	—	3	—	—	—	—	—	—	—
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	1	3	2	2	2	3	2	1	—	—	—	—	—	—	—	1



CAUSES of DEATH in LEITH, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	973	119	40	71	89	47	42	32	85	29	16	28	35
SPECIFIED CAUSES . . . . .	969	118	40	70	87	47	42	32	85	29	16	28	35
I. Zymotic Class . . . . .	250	11	10	21	28	30	30	25	52	14	2	3	6
II. Diseases of Uncertain Seat	27	2	—	—	1	—	—	—	2	2	—	—	1
III. Tubercular Class . . . . .	143	7	10	13	19	4	3	5	12	3	5	13	17
IV. Brain and Nervous System	85	9	1	8	2	2	1	—	4	1	—	1	2
V. Organs of Circulation . . . . .	48	—	—	1	—	—	—	—	3	2	2	1	1
VI. Respiratory Organs . . . . .	149	19	8	16	20	4	5	—	4	2	2	2	2
VII. Organs of Digestion . . . . .	66	10	1	8	7	1	—	—	1	—	3	3	—
VIII. Urinary Organs . . . . .	24	—	—	—	2	2	1	—	2	1	—	2	1
IX. Organs of Generation . . . . .	11	—	—	—	—	—	—	—	—	—	—	1	2
X. Organs of Locomotion . . . . .	2	—	—	—	—	—	—	—	—	1	1	—	—
XI. Skin, etc. . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation . . . . .	4	2	—	1	—	1	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	59	49	8	2	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	13	—	—	—	6	—	1	—	3	—	—	—	—
XV. Age . . . . .	37	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	2	1	—	—	—	—	—	—	—	—	—	—	1
XVII. Violent Deaths . . . . .	49	8	2	—	2	3	1	2	2	3	1	2	2
I. Small Pox . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—
Scarlatina . . . . .	131	—	1	4	11	17	26	19	43	8	—	—	2
Diphtheria . . . . .	6	—	—	—	2	1	1	—	2	—	—	—	—
Hooping Cough . . . . .	23	2	1	6	6	6	—	2	—	—	—	—	—
Croup . . . . .	13	—	—	3	3	3	2	1	1	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	27	7	6	5	5	1	—	—	—	—	—	—	—
Dysentery . . . . .	4	—	1	1	—	—	—	—	—	—	—	—	—
Cholera . . . . .	3	—	—	1	—	—	—	—	—	—	—	—	—
Influenza . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	11	—	—	—	—	—	—	—	2	2	—	—	1
Enteric Fever . . . . .	16	—	—	—	—	1	—	2	4	3	2	1	—
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	6	—	—	—	—	1	—	1	—	1	—	—	2
Infantile Remittent . . . . .	1	—	—	—	—	—	1	—	—	—	—	—	—
Metria . . . . .	2	—	—	—	—	—	—	—	—	—	—	1	1
Rheumatic Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas . . . . .	5	1	1	1	—	—	—	—	—	—	—	1	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	2	—	—	—	—	—	—	—	—	2	—	—	—
Dropsy . . . . .	7	—	—	—	1	—	—	—	2	—	—	—	1
Abscess . . . . .	2	1	—	—	—	—	—	—	—	—	—	—	—
Ulcer . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cancer . . . . .	14	—	—	—	—	—	—	—	—	—	—	—	—
Gout . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	11	2	—	1	1	—	—	1	4	—	1	—	1
Tabes Mesenterica . . . . .	18	5	3	2	3	1	1	1	2	—	—	—	—
Phthisis . . . . .	76	—	1	—	4	—	—	—	3	3	4	13	16
Hydrocephalus . . . . .	38	—	6	10	11	3	2	3	3	—	—	—	—





CAUSES of DEATH in LEITH, at different Periods of Life, in 1868.—BOTH SEXES. (Continued.)

DISEASES:	ALL AGES.	BOTH SEXES.											
		AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis . . . . .	7	—	—	—	—	1	1	—	—	1	—	—	1
Apoplexy . . . . .	10	—	—	3	—	—	—	—	—	—	—	—	1
Paralysis . . . . .	29	—	—	—	—	—	—	—	—	—	—	—	—
Delirium Tremens . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Chorea . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Epilepsy . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Insanity . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Convulsions . . . . .	19	9	1	5	1	1	—	—	2	—	—	—	—
Brain Disease . . . . .	13	—	—	—	1	—	—	—	2	—	—	1	—
V. Pericarditis . . . . .	1	—	—	—	—	—	—	—	—	—	1	—	—
Aneurism . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart Disease . . . . .	47	—	—	1	—	—	—	—	3	2	1	1	1
VI. Laryngitis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis . . . . .	97	13	7	8	13	4	2	—	3	—	1	—	1
Pleurisy . . . . .	2	—	—	—	—	—	—	—	1	—	—	1	—
Pneumonia . . . . .	39	3	1	7	7	—	3	—	—	2	1	1	1
Asthma . . . . .	5	—	—	—	—	—	—	—	—	—	—	—	—
Lung Disease . . . . .	5	3	—	1	—	—	—	—	—	—	—	—	—
VII. Teething . . . . .	16	1	1	6	7	1	—	—	—	—	—	—	—
Quinsey . . . . .	1	—	—	1	—	—	—	—	—	—	—	—	—
Gastritis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Enteritis . . . . .	10	5	—	1	—	—	—	—	—	—	—	—	—
Peritonitis . . . . .	10	2	—	—	—	—	—	—	—	—	1	3	—
Ascites . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulceration of Intestines . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Hernia . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
Ileus . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Intussusception . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Intestines . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Stomach Disease . . . . .	8	—	—	—	—	—	—	—	1	—	—	—	—
Pancreas Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hepatitis . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Jaundice . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Liver Disease . . . . .	11	1	—	—	—	—	—	—	—	—	1	—	—
Spleen Disease . . . . .	1	—	—	—	—	—	—	—	—	—	1	—	—
VIII. Nephritis . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—
Nephria . . . . .	14	—	—	—	1	2	—	—	2	1	—	2	—
Addison's Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ischuria . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Stone . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cystitis . . . . .	4	—	—	—	—	—	—	—	—	—	—	—	—
Stricture of Urethra . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney Disease . . . . .	4	—	—	—	—	—	1	—	—	—	—	—	—
IX. Paramenia . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Ovarian Dropsy . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Childbirth . . . . .	9	—	—	—	—	—	—	—	—	—	—	1	2
Organs of Generation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
X. Arthritis . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Rheumatism . . . . .	1	—	—	—	—	—	—	—	—	—	1	—	—
Joint and Bone Disease . . . . .	1	—	—	—	—	—	—	—	—	1	—	—	—
XI. Carbuncle . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Skin Disease . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Intemperance . . . . .	1	—	—	—	—	—	—	—	—	—	1	—	—
Privation . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk . . . . .	6	6	—	—	—	—	—	—	—	—	—	—	—
Neglect . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cold . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Poison . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Poisoned Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Burns and Scalds . . . . .	6	—	—	—	2	3	—	1	—	—	—	—	—
Hanging, etc. . . . .	3	—	—	—	—	—	—	—	—	1	—	—	—
Suffocation . . . . .	4	2	2	—	—	—	—	—	—	—	—	—	—
Drowning . . . . .	7	—	—	—	—	—	—	—	1	—	—	1	—
Fracture and Contusion . . . . .	20	—	—	—	—	—	1	1	1	2	—	1	2
Gunshot Wounds . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Cuts and Stabs . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Violent Causes . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Not Specified . . . . .	4	1	—	1	2	—	—	—	—	—	—	—	—





CAUSES of DEATH in PERTH, at different Periods of Life, in 1868.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES . . . . .	626	39	23	35	60	26	10	8	32	7	15	20	31
SPECIFIED CAUSES . . . . .	621	35	23	34	60	26	10	8	32	7	15	20	31
I. Zymotic Class . . . . .	130	7	6	10	27	19	4	5	16	1	3	4	3
II. Diseases of Uncertain Seat	30	1	—	1	—	—	—	—	—	—	—	2	2
III. Tubercular Class . . . . .	100	—	1	4	12	2	1	1	6	4	7	12	18
IV. Brain and Nervous System	55	2	—	2	2	1	—	—	1	2	—	1	—
V. Organs of Circulation . . . . .	49	—	—	—	—	—	—	—	—	—	2	—	2
VI. Respiratory Organs . . . . .	80	6	6	8	12	3	1	1	3	—	2	—	2
VII. Organs of Digestion . . . . .	36	—	1	4	4	—	1	1	1	—	—	—	—
VIII. Urinary Organs . . . . .	18	1	—	—	—	—	—	—	1	—	1	—	—
IX. Organs of Generation . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
X. Organs of Locomotion . . . . .	3	—	—	—	—	—	—	—	2	—	—	—	—
XI. Skin, etc. . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
XII. Malformation . . . . .	1	1	—	—	—	—	—	—	—	—	—	—	—
XIII. Premature Debility . . . . .	31	17	9	5	—	—	—	—	—	—	—	—	—
XIV. Atrophy . . . . .	7	—	—	—	3	—	1	—	—	—	—	—	—
XV. Age . . . . .	53	—	—	—	—	—	—	—	—	—	—	—	—
XVI. Sudden Deaths . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
XVII. Violent Deaths . . . . .	22	—	—	—	—	1	2	—	2	—	—	1	4
I. Small Pox . . . . .	1	—	—	—	1	—	—	—	—	—	—	—	—
Measles . . . . .	8	—	—	1	2	2	—	—	3	—	—	—	—
Scarlatina . . . . .	19	—	—	2	3	3	2	2	6	—	—	1	—
Diphtheria . . . . .	2	—	—	—	1	—	1	—	—	—	—	—	—
Hooping Cough . . . . .	33	2	3	3	14	9	1	—	1	—	—	—	—
Croup . . . . .	9	—	—	2	1	1	—	2	3	—	—	—	—
Thrush . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea . . . . .	19	2	1	2	4	1	—	—	—	—	1	—	—
Dysentery . . . . .	2	—	—	—	1	—	—	—	—	—	—	—	—
Cholera . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Purpura . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Ague . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Worms . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus . . . . .	18	—	—	—	—	—	—	—	1	—	2	2	3
Enteric Fever . . . . .	3	—	—	—	—	1	—	—	—	1	—	—	—
Relapsing Fever . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Simple Continued Fever . . . . .	4	—	—	—	—	2	—	—	2	—	—	—	—
Infantile Remittent . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Metria . . . . .	2	—	—	—	—	—	—	—	—	—	—	1	—
Rheumatic Fever . . . . .	2	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas . . . . .	4	1	1	—	—	—	—	1	—	—	—	—	—
Pyæmia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis . . . . .	3	2	1	—	—	—	—	—	—	—	—	—	—
Noma . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
II. Hæmorrhage . . . . .	3	—	—	—	—	—	—	—	—	—	—	—	—
Dropsy . . . . .	6	—	—	—	—	—	—	—	—	—	—	—	1
Abscess . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	1
Ulcer . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Fistula . . . . .	—	—	—	—	—	—	—	—	—	—	—	—	—
Mortification . . . . .	3	1	—	1	—	—	—	—	—	—	—	1	—
Cancer . . . . .	16	—	—	—	—	—	—	—	—	—	—	1	—
Gout . . . . .	1	—	—	—	—	—	—	—	—	—	—	—	—
III. Scrofula . . . . .	7	—	—	—	1	—	—	—	—	1	1	1	—
Tabes Mesenterica . . . . .	9	—	—	—	5	2	—	—	2	—	—	—	—
Phthisis . . . . .	70	—	—	—	1	—	—	—	2	3	6	11	18
Hydrocephalus . . . . .	14	—	1	4	5	—	1	1	2	—	—	—	—











TABLE showing the Distribution of DEATHS according to MONTHS,  
or the Influence of SEASON on the MORTALITY.

The Population is estimated to the middle of the year 1868.

			DEATHS in 1868.													
			Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.	
MEAN TEMPERATURE in 1868			37°·5	41°·6	42°·8	46°·0	51°·4	55°·6	60°·4	58°·5	53°·2	44°·8	39°·2	40°·6	47°·6	
		Population 1868.														
SCOTLAND . . .			3,188,125	6305	5687	6050	5753	5689	5516	5639	5855	5165	5437	5709	6611	69,416
INSULAR DISTRICTS .			156,564	247	229	215	219	203	218	198	183	207	176	186	230	2,511
MAINLAND DISTRICTS			1,799,443	3058	2792	2829	2704	2712	2551	2474	2669	2397	2435	2494	3069	32,184
TOWN DISTRICTS .			1,232,118	3000	2666	3006	2830	2774	2747	2967	3003	2561	2826	3029	3312	34,721
DIVISIONS.																
1	Northern . . .	132,879	170	146	165	183	166	164	147	130	115	126	125	174	1,811	
2	North-Western . .	161,239	241	227	213	265	213	196	184	183	216	198	182	246	2,564	
3	North-Eastern . .	380,130	642	562	593	553	538	564	521	526	450	479	546	660	6,634	
4	East-Midland . . .	529,519	969	944	975	915	959	856	925	993	772	781	848	1086	11,023	
5	West-Midland . . .	243,275	489	443	444	357	399	409	404	402	385	387	463	445	5,027	
6	South-Western . .	1,100,447	2594	2193	2455	2398	2315	2254	2408	2447	2051	2330	2477	2731	28,653	
7	South-Eastern . .	427,623	829	824	858	735	746	754	722	873	861	770	757	910	9,639	
8	Southern . . . .	213,013	371	348	347	347	353	319	328	301	315	366	311	359	4,065	
COUNTIES.																
I. NORTHERN.																
1	Shetland . . . .	32,098	43	38	36	42	35	46	36	36	28	27	30	36	433	
2	Orkney . . . . .	33,076	38	31	42	35	39	42	39	28	30	35	30	41	430	
3	Caithness . . . .	43,946	58	51	53	70	66	54	44	40	38	40	44	59	617	
4	Sutherland . . . .	23,759	31	26	34	36	26	22	28	26	19	24	21	38	331	
II. NORTH-WESTERN.																
5	Ross and Cromarty .	81,442	117	103	101	119	86	94	77	79	75	83	79	110	1,123	
6	Inverness . . . .	79,797	124	124	112	146	127	102	107	104	141	115	103	136	1,441	
III. NORTH-EASTERN.																
7	Nairn . . . . .	8,542	17	9	9	8	6	9	6	15	7	14	9	14	123	
8	Elgin (or Moray) . .	46,886	75	63	66	57	55	50	52	58	52	51	52	74	705	
9	Banff . . . . .	59,399	131	101	94	79	73	79	80	64	56	70	72	109	1,008	
10	Aberdeen . . . . .	230,507	374	351	379	351	368	389	357	347	285	291	375	404	4,271	
11	Kincardine . . . .	34,796	45	38	45	58	36	37	26	42	50	53	38	59	527	
IV. EAST-MIDLAND.																
12	Forfar . . . . .	216,261	416	407	456	441	467	427	454	474	354	347	394	519	5,156	
13	Perth . . . . .	130,175	228	215	205	183	208	184	208	214	151	180	179	264	2,419	
14	Fife . . . . .	155,912	254	268	262	221	236	197	206	252	229	215	229	242	2,811	
15	Kinross . . . . .	8,086	10	6	4	11	10	6	12	16	9	11	16	16	127	
16	Clackmannan . . .	19,085	61	48	48	59	38	42	45	37	29	28	30	45	510	
V. WEST-MIDLAND.																
17	Stirling . . . . .	91,277	182	165	185	150	151	157	141	159	134	166	201	171	1,962	
18	Dumbarton . . . .	59,392	119	94	114	90	100	94	116	111	117	104	113	118	1,290	
19	Argyll . . . . .	76,479	148	156	118	93	113	120	100	95	95	85	120	128	1,371	
20	Bute . . . . .	16,127	40	28	27	24	35	38	47	37	39	32	29	28	404	
VI. SOUTH-WESTERN.																
21	Renfrew . . . . .	176,577	443	334	355	391	418	382	406	430	341	399	447	452	4,798	
22	Ayr . . . . .	205,647	368	309	330	342	304	304	298	338	274	300	268	361	3,796	
23	Lanark . . . . .	718,223	1783	1550	1770	1665	1593	1568	1074	1679	1436	1631	1762	1918	20,039	
VII. SOUTH-EASTERN.																
24	Linlithgow . . . .	45,178	69	70	75	57	51	60	61	67	69	62	59	69	775	
25	Edinburgh . . . .	284,678	605	586	641	552	546	565	552	679	652	586	594	701	7,259	
26	Haddington . . . .	38,540	57	60	54	50	55	47	47	60	58	56	46	57	647	
27	Berwick . . . . .	36,719	51	53	43	40	50	41	37	34	48	41	35	49	522	
28	Peebles . . . . .	11,655	21	21	12	15	21	10	10	14	18	13	5	15	175	
29	Selkirk . . . . .	10,853	26	28	33	21	23	31	15	19	16	12	18	19	261	
VIII. SOUTHERN.																
30	Roxburgh . . . . .	55,527	91	90	90	70	76	92	77	70	76	94	67	72	965	
31	Dumfries . . . . .	74,280	139	135	107	137	127	117	132	107	97	104	104	121	1,423	
32	Kirkcudbright . . .	42,045	80	62	71	69	79	56	74	69	72	73	64	92	862	
33	Wigtown . . . . .	41,161	61	61	82	71	71	54	45	55	70	95	76	74	815	

## CONSTITUTION OF THE COMPOUND DISTRICTS.

No.	District.	Component Parts (Parishes).
13	Birsay . . . .	Part of Harray & Birsay.
14	Deerness . . . .	Part of St Andrews.
15	Eday & Pharay . . . .	Part of Stronsay & Eday.
22	North Ronaldshay . . . .	Part of Cross & Burness.
26	Sanday . . . .	Lady, and part of Cross & Burness.
86b	Carloway . . . .	Parts of Lochs and Uig.
87	Lochs . . . .	Parts of Lochs and Uig.
112	Kilmuir . . . .	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin . . . .	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff . . . .	Banff, and part of Gamrie.
152	Enzie . . . .	Parts of Bellie and Rathven.
155b	Glenrinnnes . . . .	Part of Aberlour and Mortlach.
167	Seafeld . . . .	Parts of Cullen and Rathven.
222b	Millbrex . . . .	Parts of Fyvie and Monquhitter.
227a	New Machar . . . .	New Machar, and part of Udney.
227b	New Pitsligo . . . .	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237b	Savoch . . . .	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon . . . .	Strathdon, and part of Tarland.
249b	Ythan Wells . . . .	Parts of Auchterless and Forgue.
272	Arbroath . . . .	Arbroath, and part of St Vigean.
282	Dundee . . . .	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose . . . .	Montrose, and part of Dun.
324	Aberfeldy . . . .	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
331	Balquhidder . . . .	Balquhidder, and part of Comrie.
333	Blackford . . . .	Blackford, and part of Ardoch.
344	Dowally . . . .	Part of Dunkeld & Dowally.
348	Dunblane . . . .	Dunblane, and part of Ardoch.
349	Dunkeld . . . .	Parts of Caputh and of Dunkeld & Dowally.
355a	Fortingall . . . .	Parts of Fortingall and Weem.
355b	Foss . . . .	Part of Dull.
360	Kenmore . . . .	Parts of Kenmore and Weem.
361	Killin . . . .	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch . . . .	Parts of Fortingall and Logierait. [Redgorton.]
375	Logiealmond . . . .	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and
379	Meigle . . . .	Meigle, and part of Coupar-Angus.
386a	Muthill . . . .	Muthill, and part of Ardoch. [& Kinloch, and Rattray.]
386b	Persie . . . .	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy
387	Perth . . . .	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394b	Strathfillan . . . .	Part of Killin.
394c	Tenandry . . . .	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog . . . .	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy . . . .	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling . . . .	Stirling, and part of St Ninians.
493	Bonhill . . . .	Bonhill, and part of Dumbarton.
496	Dumbarton . . . .	Parts of Cardross and Dumbarton.
506	Ballachulish, &c. . . .	Part of Kilmalie.
509	Cumlodden . . . .	Parts of Glassary and Inveraray.
515	Kilbrandon & Kilchattan . . . .	Kilbrandon & Kilchattan, and part of Jura.
526	Lochgilphead . . . .	Parts of Glassary and South Knapdale. [Knapdale.]
535	Tarbert . . . .	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South
536	Bowmore (or Killarrow) . . . .	Part of Killarrow & Kilmeny.
538	Iona . . . .	Part of Kilfinichen & Kilviekeon.
542	Kilfinichen & Kilviekeon . . . .	Parts of Kilfinichen & Kilviekeon, and of Torosay.
543	Kilmeny . . . .	Part of Killarrow & Kilmeny.
545	Kinlochspelve . . . .	Part of Torosay.
546	Oa . . . .	Part of Kildalton.
547	Portnahaven . . . .	Part of Kilchoman.
548	Salen . . . .	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory . . . .	Part of Kilninian & Kilmore.
556	Lochranza . . . .	Parts of Kilbride and of Kilmory.
557	North Bute . . . .	North Bute, and part of Rothesay.
559	Abbey . . . .	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
578	Ayr . . . .	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine . . . .	Irvine, and part of Dundonald.
612	St Quivox, &c. . . .	Parts of Newton-upon-Ayr, and St Quivox.
626b	Calderhead . . . .	Parts of Cambusnethan and Shotts.
644	Glasgow . . . .	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry . . . .	Queensferry, and part of Dalmeny.
684	Portobello . . . .	Parts of Duddingstone and South Leith.
685	Edinburgh . . . .	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingstone, Liberton, and South Leith.
690	Kirknewton & East Calder . . . .	Kirknewton & East Calder, and part of Kirkliston.
692	Leith . . . .	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
698b	Stobhill . . . .	Parts of Borthwick, Cockpen, Newbattle, and Temple.
787b	Edgerston . . . .	Parts of Jedburgh, Oxnam, and Southdean.
813b	Brydekirk . . . .	Parts of Annan, Cummertrees, and Hoddam.
853b	Wanlockhead . . . .	Part of Sanquhar.
857b	Bargrennan . . . .	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigton).
862	Corsockbridge . . . .	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie . . . .	Part of Urr.
899	Stranraer . . . .	Stranraer, and parts of Inch and Leswalt.



# INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 to 901.\**

Abbey, . . . . . 559	Auldearn, . . . . . 121	Bressay, . . . . . 1	Collessie, . . . . . 416	Daviot, . . . . . 187
Abbey St Bath- ans, . . . . . 726	Avoch, . . . . . 59	Bridgeton, . . . . . 644	Colmonell, . . . . . 582	Daviot & Dun- lichty, . . . . . 95
Abbotshall, . . . . . 399	Avondale, . . . . . 621	Brodick, . . . . . 553	Colonsay, . . . . . 539	Deerness, . . . . . 14
Abdie, . . . . . 400	Ayr, . . . . . 578	Broughton, . . . . . 758	Colvend, . . . . . 861	Delting, . . . . . 2
Abercorn, . . . . . 661	Ayton, . . . . . 727	Brydekirk, . . . . . 813b	Comrie, . . . . . 341	Denny, . . . . . 476
Aberdalgie, . . . . . 323	Baldernock, . . . . . 471	Buchanan, . . . . . 474	Contin, . . . . . 60	Deskford, . . . . . 151
Aberdeen, . . . . . 168	Balfron, . . . . . 472	Buittle, . . . . . 859	Cookney, . . . . . 258	Dingwall, . . . . . 62
Aberdour (Aber- deen), . . . . . 169	Ballachulish & Cor- ran of Ardgour, 506	Bunkle and Preston, . . . . . 728	Corsock-Bridge, 862	Dirleton, . . . . . 705
Aberdour (Fife), 401	Ballantrae, . . . . . 579	Burntisland, . . . . . 411	Corstorphine, . . . . . 678	Dollar, . . . . . 467
Aberfeldy, . . . . . 324	Ballingry, . . . . . 408	Burra & Quarff, 1	Cortachy and Clova, . . . . . 278	Dolphington, . . . . . 640
Aberfoyle, . . . . . 325	Balmaclellan, . . . . . 856	Cabrach, . . . . . 177	Coull, . . . . . 182	Dores, . . . . . 96
Aberlady, . . . . . 702	Balmaghie, . . . . . 857	Cadder, . . . . . 626	Coupar-Angus, . . . . . 279	Dornoch (Suth- erland), . . . . . 47
Aberlemno, . . . . . 269	Balmerino, . . . . . 409	Cairney, . . . . . 178	Covington and Thankerton, . . . . . 634	Dornock (Dum- fries), . . . . . 819
Aberlour, . . . . . 145	Balquhiddy, . . . . . 331	Calderhead, . . . . . 626	Coylton, . . . . . 583	Douglas, . . . . . 641
Abernethy, . . . . . 326	Banchory-Deve- nick, . . . . . 251	Callander, . . . . . 336	Craig, . . . . . 280	Dowally, . . . . . 344
Abernethy and Kincairdine, . . . . . 124	Banchory-Ter- nan, . . . . . 252	Calton, . . . . . 644	Craigie, . . . . . 584	Drainie, . . . . . 130
Abernyte, . . . . . 327	Banff, . . . . . 147	Cambuslang, . . . . . 627	Craignish, . . . . . 508	Dreghorn, . . . . . 589
Aboyne, . . . . . 170	Bargrennan, . . . . . 857b	Cambusnethan, . . . . . 628	Crail, . . . . . 417	Dron, . . . . . 345
Aharacle, . . . . . 505	Barony, . . . . . 622	Cameron, . . . . . 412	Crailing, . . . . . 786	Drumblade, . . . . . 188
Airdrie, . . . . . 651	Barr, . . . . . 580	Campbeltown, . . . . . 507	Cramond, . . . . . 679	Drumelzier, . . . . . 759
Airlie, . . . . . 270	Barra (Inver- ness), . . . . . 108	Campsie, . . . . . 475	Cranshaws, . . . . . 734	Drumoak, . . . . . 189
Airth, . . . . . 469	Barrhead, . . . . . 572	Canisbay, . . . . . 35	Cranston, . . . . . 680	Dryfesdale, . . . . . 820
Alford, . . . . . 171	Barry (Forfar), . . . . . 274	Canonbie, . . . . . 814	Crathie and Braemar, . . . . . 183	Drymen, . . . . . 477
Alloa, . . . . . 465	Barvas, . . . . . 86a	Canongate, . . . . . 685	Crawford, . . . . . 635	Duddingston, . . . . . 684
Alness, . . . . . 57	Bathgate, . . . . . 662	Caputh, . . . . . 337	Crawfordjohn, . . . . . 636	Duffus, . . . . . 131
Alva (Stirling), . . . . . 470	Beath (Fife), . . . . . 410	Cardross, . . . . . 494	Creich (Suther- land), . . . . . 46	Duirinish, . . . . . 110
Alvah (Banff), . . . . . 146	Bedrule, . . . . . 782	Careston, . . . . . 277	Crichton, . . . . . 681	Dull, . . . . . 346
Alves, . . . . . 125	Beith (Ayr), . . . . . 581	Cargill, . . . . . 338	Criech (Fife), . . . . . 418	Dumbarton, . . . . . 496
Alvie, . . . . . 90	Belhelvie, . . . . . 174	Carlaverock, . . . . . 815	Crieff, . . . . . 342	Dumfries, . . . . . 821
Alyth, . . . . . 328	Bellie, . . . . . 126	Carloway, . . . . . 86b	Crimond, . . . . . 184	Dun, . . . . . 281
Ancrum, . . . . . 780	Benbecula, . . . . . 118	Carluke, . . . . . 629	Cromarty, . . . . . 61	Dunbar, . . . . . 706
Anderston, . . . . . 644	Bendochy, . . . . . 332	Carmichael, . . . . . 630	Cromdale and Inverallan, . . . . . 93	Dunbarney, . . . . . 347
Annan, . . . . . 812	Benholm, . . . . . 253	Carmunnock, . . . . . 631	Crossmichael, . . . . . 863	Dunblane, . . . . . 348
Anstruther- Easter, . . . . . 402	Bernera, . . . . . 111	Carmylie, . . . . . 276	Croy & Dalcross, . . . . . 94	Dunbog, . . . . . 423
Anstruther- Wester, . . . . . 403	Bervie, . . . . . 254	Carnbee, . . . . . 413	Cruden, . . . . . 185	Dundee, . . . . . 282
Anwoth, . . . . . 855	Biggar, . . . . . 623	Carnock, . . . . . 414	Cullen, . . . . . 150	Dundonald, . . . . . 590
Appin, . . . . . 525	Birnie, . . . . . 127	Carnwath, . . . . . 632	Culross, . . . . . 343	Dunfermline, . . . . . 424
Applecross, . . . . . 58	Birsay, . . . . . 13	Carraiden, . . . . . 664	Culsamond, . . . . . 186	Dunino, . . . . . 425
Applegarth, . . . . . 813a	Birse, . . . . . 175	Carrington, . . . . . 675	Culter, . . . . . 637	Dunipace, . . . . . 478
Arbirlot, . . . . . 271	Blackford, . . . . . 333	Carsphairn, . . . . . 860	Cults, . . . . . 419	Dunkeld, . . . . . 349
Arbroath, . . . . . 272	Blair-Athol, . . . . . 334	Carstairs, . . . . . 633	Cumbernauld, . . . . . 495	Dunlop, . . . . . 591
Arbuthnott, . . . . . 250	Blairgowrie, . . . . . 335	Castleton, . . . . . 784	Cumbranes, . . . . . 552	Dunnet, . . . . . 36
Ardochattan, . . . . . 504	Blantyre, . . . . . 624	Cathcart, . . . . . 560	Cumlodden, . . . . . 509	Dunnichen, . . . . . 283
Ardelach, . . . . . 120	Blythswood, . . . . . 644	Cavers, . . . . . 785	Cummertrees, . . . . . 817	Dunning, . . . . . 350
Ardersier, . . . . . 91	Boharm, . . . . . 128	Cawdor, . . . . . 122	Cupar, . . . . . 420	Dunnottar, . . . . . 255
Ardnamurchan, . . . . . 505	Boisdale, . . . . . 118	Ceres, . . . . . 415	Currie, . . . . . 682	Dunoon & Kil- mun, . . . . . 510
Ardrossan, . . . . . 506	Boleskine, . . . . . 92	Channelkirk, . . . . . 729		Dunrossness, . . . . . 3
Arisaig, . . . . . 575	Bolton, . . . . . 704	Chapel-of-Gari- och, . . . . . 179		Dunscore, . . . . . 822
Armadale, . . . . . 662	Bonar, . . . . . 46	Chirnside, . . . . . 730	Dailly, . . . . . 585	Dunse, . . . . . 735
Arngask, . . . . . 404	Bonhill, . . . . . 493	Clackmannan, . . . . . 466	Dairsie, . . . . . 421	Dunsyre, . . . . . 642
Arrochar, . . . . . 492	Borgue, . . . . . 858	Clatt, . . . . . 180	Dalavich, . . . . . 517	Durness, . . . . . 48
Ashkirk, . . . . . 781	Bo'ness, . . . . . 663	Cleish, . . . . . 460	Dalbeattie, . . . . . 864	Duror, . . . . . 525
Assynt, . . . . . 44	Borthwick, . . . . . 674	Closeburn, . . . . . 816	Dalgetty, . . . . . 422	Durris, . . . . . 256
Athelstaneford, . . . . . 703	Bothkennar, . . . . . 473	Clunie (Perth), . . . . . 339	Dalkeith, . . . . . 683	Durrisdeer, . . . . . 823
Auchindoir, . . . . . 172	Bothwell, . . . . . 625	Cluny (Aberd'n), . . . . . 181	Dallas, . . . . . 129	Duthil, . . . . . 132
Auchinleck, . . . . . 577	Botriphnie, . . . . . 148	Clyde, . . . . . 644	Dalmellington, . . . . . 586	Dyce, . . . . . 190
Auchterarder, . . . . . 329	Bourtie, . . . . . 176	Clyne, . . . . . 45	Dalmeny, . . . . . 665	Dyke, . . . . . 133
Auchterderran, . . . . . 405	Bowden, . . . . . 783	Cockburnspath, . . . . . 731	Dalry (Ayr), . . . . . 587	Dysart, . . . . . 426
Auchtergaven, . . . . . 330	Bower, . . . . . 34	Cockpen, . . . . . 676	Dalry (Kirk- cudbright), . . . . . 865	Eaglesham, . . . . . 561
Auchterhouse, . . . . . 273	Bowmore, . . . . . 536	Coigach, . . . . . 75	Dalrymple, . . . . . 588	Earlsferry, . . . . . 436
Auchterless, . . . . . 173	Boyndie, . . . . . 149	Coldingham, . . . . . 732	Dalserf, . . . . . 638	Earlston, . . . . . 734
Auchtermuchty, . . . . . 406	Bracadale, . . . . . 109	Coldstream, . . . . . 733	Dalton, . . . . . 818	Eassie & Nevay, . . . . . 286
Auchtertool, . . . . . 407	Brechin, . . . . . 275	Colinton, . . . . . 677	Dalziel, . . . . . 639	East Kilbride, . . . . . 643
		Coll, . . . . . 551		
		Collace, . . . . . 340		

\* The actual number of Districts is 1018—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place compound names in the order in which they are pronounced.



Eastwood, .	562	Garvock, .	260	Inveresk, .	689	Kilwinning, .	599	Ladykirk, .	746
Eccles, .	737	Gigha, .	537	Inverkeillor, .	293	Kincardine		Laggan, .	104
Ecclesmachan, .	666	Girthon, .	866	Inverkeithing, .	432	(Perth), .	364	Lairg, .	53
Echt, .	191	Girvan, .	594	Inverkeithny, .	158	Kincardine		Lanark, .	648
Eckford, .	787a	Gladsmuir, .	708	Inverness, .	98	(Ross), .	71	Langholm, .	839
Eday & Pharay, .	15	Glammis, .	289	Inverurie, .	204	Kincardine		Langton, .	747
Edderton, .	63	Glasgow, .	644	Iona, .	538	O'Neil, .	209	Larbert, .	485
Eddlestone, .	760	Glass, .	199	Irongray, .	867	Kinclaven, .	365	Largo, .	443
Eddrachillis, .	49	Glassary, .	511	Irvine, .	595	Kinfauns, .	366	Largs, .	602
Edgerston, .	787b	Glasserton, .	885	Jedburgh, .	792	Kingarth, .	555	Larkhall, .	638
Edinburgh, .	685	Glassford, .	645	Johnstone		King-Edward, .	210	Lasswade, .	691
Edinkillie, .	134	Glenbervie, .	261	(Dumfries), .	832	Kinghorn, .	439	Latheron, .	38
Ednam, .	788	Glenbucket, .	200	Johnstone (Ren-		Kinglassie, .	440	Lauder, .	748
Edrom, .	738	Glencairn, .	826	frew), .	559	Kingoldrum, .	295	Laurencekirk, .	263
Edzell, .	285	Glencoe and		Jura, .	539	Kingsbarns, .	441	Leadhills, .	635
Elgin, .	135	Ballachulish, .	525	Keig, .	205	Kingussie, &c., .	102	Lecropt, .	371
Elie, .	427	Glencross, .	687	Keir, .	833	Kinloch, .	372	Legerwood, .	749
Ellon, .	192	Glendevon, .	358	Keith, .	159	Kinlochbervie, .	49	Leith, .	692
Enzie, .	152	Glenelg, .	97	Keith-hall, .	206	Kinloch-Ran-		Leochel-Cush-	
Errol, .	351	Glengarry, .	99	Kells, .	868	noch, .	367	nie, .	214
Erskine, .	563	Glenholm, .	761	Kelso, .	793	Kinlochspelve, .	545	Lerwick, .	5
Eskdalemuir, .	824	Glenisla, .	290	Kelton, .	869	Kinloss, .	138	Leslie (Aber-	
Ettrick, .	774	Glenlivet, .	157	Kemback, .	433	Kinnaird, .	368	deen), .	215
Evie & Rendall, .	10	Glenmoriston, .	107	Kemnay, .	207	Kinneff and		Leslie (Fife), .	444
Ewes, .	825	Glenmuick, Tul-		Kenmore, .	360	Catterline, .	262	Lesmahagow, .	649
Eyemouth, .	739	lich, &c., .	201	Kennoway, .	434	Kinnell, .	296	Leswalt, .	891
Fair Isle, .	3	Glenorchy and		Kettins, .	294	Kinnellar, .	211	Lethendy, .	372
Fala & Soutra, .	686	Inishail, .	512	Kettle, .	435	Kinnethmont, .	212	Lethnott and	
Falkirk, .	479	Glenrines, .	155b	Kilbarchan, .	568	Kinnettles, .	297	Navar, .	300
Falkland, .	428	Glenshee, .	370	Kilberry, .	516	Kinnoull, .	369	Leuchars, .	445
Farnell, .	286	Glenshiel, .	67	Kilbirnie, .	596	Kinross, .	462	Libberton (Lan-	
Farr, .	50	Golspie, .	51	Kilbrandon and		Kintail, .	72	ark), .	650
Fearn (Forfar), .	287	Gordon, .	742	Kilchattan, .	515	Kintore, .	213	Liberton (Edin-	
Fearn (Ross), .	64	Gourock, .	567	Kilchride, .	553	Kippen, .	484	burgh), .	693
Fenwick, .	592	Govan Church, .	646	Kilbruce, &c., .	763	Kirkbean, .	870	Liff, Benvie, &	
Ferry-Port-on-		Graitney (or		Kilcalmonell, .	516	Kirkcaldy, .	442	Invergowrie, .	301
Craig, .	429	Gretna), .	827	Kilchoman, .	540	Kirkcolm, .	887	Lilliesleaf, .	795
Fetlar, .	4	Grange, .	156	Kilchrenan, .	517	Kirkconnel, .	834	Linlithgow, .	668
Fettercairn, .	257	Greenlaw, .	743	Kilconquhar, .	436	Kirkcowan, .	888	Linton, .	796
Fetteresso, .	258	Greenock, .	564	Kildalton, .	541	Kirkcudbright, .	871	Lintrathen, .	302
Findo-Gask, .	352	Guthrie, .	291	Kildonan, .	52	Kirkden, .	298	Lismore, .	525
Fintray (Aber-		Haddington, .	709	Kildrummy, .	208	Kirkgunzeon, .	872	Little Dun-	
deen), .	193	Halfmorton, .	828	Kilfinan, .	518	Kirkhill, .	103	keld, .	373
Fintry (Stirling), .	480	Halkirk, .	37	Kilfinichen and		Kirkhope, .	776	Livingstone, .	669
Firth & Stennes, .	17	Hamilton, .	647	Kilviekeon, .	542	Kirkinner, .	889	Lochaber, .	99
Flisk, .	430	Harray, .	18	Killeen and		Kirkintilloch, .	498	Lochalsh, .	74
Flotta, .	32	Harris, .	111	Kilchenzie, .	519	Kirkliston, .	667	Lochbroom, .	75
Fodderty, .	65	Hawick, .	789	Killearn, .	482	Kirkmabreck, .	873	Lochcarron, .	76
Fogo, .	740	Heriot, .	688	Killearnan, .	68	Kirkmahoe, .	835	Lochgilphead, .	526
Fordoun, .	259	Hobkirk, .	790	Killin, .	361	Kirkmaiden, .	890	Lochgoilhead, .	527
Fordyce, .	153	Hoddam, .	829	Kilmaddock, .	362	Kirkmichael		Lochlee, .	303
Forfar, .	288	Holm & Paplay, .	19	Kilmalecolm, .	569	(Ayr), .	600	Lochmaben, .	840
Forgan, .	431	Holytown, .	625	Kilmalie, .	520	Kirkmichael		Lochranza, .	556
Forgandenny, .	353	Holywood, .	830	Kilmany (Fife), .	437	(Banff), .	160	Lochrutton, .	875
Forglen, .	154	Houston and		Kilmarnock, .	597	Kirkmichael		Lochs, .	87
Forgue, .	194	Killellan, .	565	Kilmaronock, .	497	(Dumfries), .	836	Lochwinnoch, .	570
Forres, .	137	Howmore, .	118	Kilmartin, .	521	Kirkmichael		Logie (Fife), .	446
Fort-Augustus		Hownam, .	791	Kilmaurs, .	598	(Perth), .	370	Logie (Perth), .	374
(or Abertarff), .	92	Hoy & Græmsay, .	20	Kilmelford, .	524	Kirknewton and		Logiealmond, .	375
Forteviot, .	354	Humbie, .	710	Kilmeny (Ar-		East-Calder, .	690	Logie-Buchan, .	216
Fortingall, .	355a	Hume, .	744	gyll), .	543	Kirkoswald, .	601	Logie-Cold-	
Fortrose, .	80	Huntly, .	202	Kilmodan, .	522	Kirkpatrick-		stone, .	217
Foss, .	355b	Hutchesontown, .	644	Kilmonivaig, .	99	Durham, .	874	Logie-Easter, .	77
Fossaway and		Hutton (Ber-		Kilmorack, .	100	Kirkpatrick-		Logie-Pert, .	304
Tulliebole, .	461	wick), .	745	Kilmore & Kil-		Fleming, .	837	Logierait, .	376
Foula, .	12	Hutton (Dum-		bride, .	523	Kirkpatrick-		Longforan, .	377
Foulden, .	741	fries), .	831	Kilmorich, .	527	Juxta, .	838	Longformacus, .	750
Foveran, .	195	Inch (Wigtown), .	886	Kilmory, .	554	Kirkton (As-		Longside, .	218
Fowlis-Easter, .	356	Inchinnan, .	566	Kilmuir, .	112	synt), .	44	Lonmay, .	219
Fowlis-Wester, .	357	Inchture, .	359	Kilmuir-Easter, .	69	Kirkton (Farr), .	50	Loth, .	54
Fraserburgh, .	196	Innerkip, .	567	Kilmun, .	509	Kirktown (Rox-		Loudoun, .	603
Fyvie, .	197	Innerleithen, .	762	Kilninian and		burgh), .	794	Lumphanan, .	220
Gairloch, .	66	Innerwick, .	711	Kilmore, .	544	Kirkurd, .	764	Lunan, .	305
Galashiels, .	775	Insch (Aberd'n), .	203	Kilninver, .	524	Kirkwall & St Ola	21	Lundie, .	306
Galston, .	593	Inverallan, .	93	Kilpenny, .	438	Kirriemuir, .	299	Lunnasting, .	7
Gamrie, .	155	Inveraray, .	513	Kilspindie, .	363	Knockando, .	139	Luss, .	499
Gargunnoch, .	481	Inverarity, .	292	Kilsyth, .	483	Knockbain, .	73	Lyne, .	765
Gartly, .	198	Inveravon, .	157	Kiltarlity, .	101	Knoydart, .	97	Madderty, .	770
Garvald, .	707	Inverchaolain, .	514	Kiltearn, .	70	Ladhope, .	799	Mains, .	833



Makerston, . . . . .	797	New Pitsligo, . . . . .	227b	Rathven, . . . . .	164	Shettleston, . . . . .	622	Tingwall, . . . . .	10
Manor, . . . . .	766	New Spynie, . . . . .	136	Rattray, . . . . .	389	Shieldaig, . . . . .	58	Tinwald, . . . . .	849
Markinch, . . . . .	447	Newton, . . . . .	696	Rayne, . . . . .	236	Shotts, . . . . .	655	Tobermory, . . . . .	549
Marnoch, . . . . .	161	Newtyle, . . . . .	314	Reay, . . . . .	40	Skene, . . . . .	238	Tomintoul, . . . . .	160
Maryculter, . . . . .	264	Nigg (Kincard.) . . . . .	266	Redgorton, . . . . .	390	Skipness, . . . . .	531	Tongland, . . . . .	881
Maryhill, . . . . .	622	Nigg (Ross), . . . . .	78	Renfrew, . . . . .	575	Skirling, . . . . .	769	Tongue, . . . . .	56
Marykirk, . . . . .	265	North Berwick, . . . . .	713	Rerrick, . . . . .	879	Slains, . . . . .	239	Torosay, . . . . .	550
Marytown, . . . . .	308	North Bute, . . . . .	557	Rescobie, . . . . .	317	Slamannan, . . . . .	489	Torphichen, . . . . .	671
Mauchline, . . . . .	604	North Knapdale, . . . . .	530	Resolis, . . . . .	79	Sleat, . . . . .	115	Torryburn, . . . . .	458
Maxton, . . . . .	798	North Leith, . . . . .	692	Rhynd, . . . . .	391	Smailholm, . . . . .	805	Torthorwald, . . . . .	850
Maybole, . . . . .	605	Northmavine, . . . . .	8	Rhynie, . . . . .	237	Small Isles, . . . . .	116	Tough, . . . . .	244
Mearns, . . . . .	571	North Morar, . . . . .	97	Riccarton, . . . . .	611	Snizort, . . . . .	117	Towie, . . . . .	245
Megget, . . . . .	765	North Ronald-		Roberton, . . . . .	777	Sorbie, . . . . .	897	Tradeston, . . . . .	644
Meigle, . . . . .	379	shay, . . . . .	22	Rogart, . . . . .	55	Sorn, . . . . .	613	Tranent, . . . . .	722
Melrose, . . . . .	799	North Uist, . . . . .	113	Rosehall, . . . . .	46	Southdean, . . . . .	806	Traquair, . . . . .	771
Menmuir, . . . . .	309	North Yell, . . . . .	4	Rosemarkie, . . . . .	80	Southend, . . . . .	532	Trinity-Gask, . . . . .	396
Merton, . . . . .	751	Oa, . . . . .	546	Roseneath, . . . . .	502	South Knapdale, . . . . .	533	Troon, . . . . .	590
Methlic, . . . . .	221	Oathlaw, . . . . .	315	Rosskeen, . . . . .	81	South Leith, . . . . .	692	Troqueer, . . . . .	882
Methven, . . . . .	380	Oban, . . . . .	523	Rothas, . . . . .	141	South Ronald-		Tulliallan, . . . . .	397
Mid-Calder, . . . . .	694	Ochiltree, . . . . .	609	Rothsay, . . . . .	558	shay & Burray, . . . . .	29	Tullynessle and	
Middlebie, . . . . .	841	Old Ardrossan, . . . . .	576	Rothiemay, . . . . .	165	South Uist, . . . . .	118	Forbes, . . . . .	246
Midmar, . . . . .	222	Old Cumnock, . . . . .	610	Rothiemurchus, . . . . .	132	Speymouth, . . . . .	143	Tundergarth, . . . . .	851
Mid & S. Yell, . . . . .	6	Old Deer, . . . . .	228	Rousay and		Spott, . . . . .	720	Turriff, . . . . .	247
Millbrex, . . . . .	222b	Oldhamstocks, . . . . .	714	Egilshay, . . . . .	24	Springburn, . . . . .	622	Tweedsmuir, . . . . .	772
Milton, . . . . .	644	Old, or West,		Row, . . . . .	503	Sprouston, . . . . .	807	Twynholm, . . . . .	883
Minnigaff, . . . . .	876	Kilpatrick, . . . . .	501	Roxburgh, . . . . .	803	Stair, . . . . .	614	Tynron, . . . . .	852
Minto, . . . . .	800	Old Luce, . . . . .	894	Rutherglen, . . . . .	654	Stenscholl, . . . . .	112	Tyree, . . . . .	551
Mochrum, . . . . .	892	Old Machar, . . . . .	168	Ruthven, . . . . .	318	Stenton, . . . . .	721	Tyrie, . . . . .	248
Moffat, . . . . .	842	Old Meldrum, . . . . .	229	Ruthwell, . . . . .	846	Stevenston, . . . . .	615	Udny, . . . . .	249
Moneydie, . . . . .	381	Old Monkland, . . . . .	652	Saddell, . . . . .	531	Stewarton, . . . . .	616	Uig, . . . . .	89
Monifieth, . . . . .	310	Olrig, . . . . .	39	St Andrews		Stirling, . . . . .	490	Unst, . . . . .	11
Monikie, . . . . .	311	Ordiquhill, . . . . .	163	(Dundee), . . . . .	282	Stitchel, . . . . .	808	Uphall, . . . . .	672
Monimail, . . . . .	448	Ormiston, . . . . .	715	St Andrew		Stobhill, . . . . .	698	Urquhart (El-	
Monkton and		Orphir, . . . . .	23	(Edinburgh), . . . . .	685	Stobo, . . . . .	770	gin), . . . . .	144
Prestwick, . . . . .	606	Orwell, . . . . .	463	St Andrews		Stoer, . . . . .	44	Urquhart (In-	
Monquhitter, . . . . .	223	Oxnam, . . . . .	802	(Orkney), . . . . .	25	Stonehouse, . . . . .	656	verness), . . . . .	107
Monrose, . . . . .	312	Oyne, . . . . .	230	St Andrews-		Stoneykirk, . . . . .	898	Urquhart and	
Monymusk, . . . . .	224	Paisley, . . . . .	573	Lhanbryde, . . . . .	142	Stornoway, . . . . .	88	Logie-Wester, . . . . .	84
Monzie (Perth), . . . . .	382	Panbride, . . . . .	316	St Andrews and		Stow, . . . . .	699	Urr, . . . . .	884
Monzievaird, . . . . .	383	Papa-Stour, . . . . .	12	St Leonards		Stracathro, . . . . .	320	Urray, . . . . .	85
Moonzie (Fife), . . . . .	449	Papa-Westray, . . . . .	33	(Fife), . . . . .	453	Strachan, . . . . .	268	Walls (Shetland), . . . . .	12
Mordington, . . . . .	752	Park, . . . . .	646	St Boswells, . . . . .	804	Strachur, . . . . .	534	Walls (Orkney), . . . . .	32
Morebattle, . . . . .	801	Partick, . . . . .	646	St Clements, . . . . .	282	Straiton, . . . . .	617	Walston, . . . . .	658
Morham, . . . . .	712	Parton, . . . . .	878	St Cyrus, . . . . .	267	Stralachlan, . . . . .	534	Wamphray, . . . . .	853a
Mortlach, . . . . .	162	Peebles, . . . . .	768	St Fergus, . . . . .	166	Stranraer, . . . . .	899	Wandell and	
Morton, . . . . .	843	Pencaitland, . . . . .	716	St George, . . . . .	685	Strath, . . . . .	119	Lamington, . . . . .	659
Morvern, . . . . .	528	Penicuik, . . . . .	697	St Giles, . . . . .	685	Strathblane, . . . . .	491	Wanlockhead, . . . . .	853b
Moulin, . . . . .	384	Penninghame, . . . . .	895	St Kilda, . . . . .	111	Strathdon, . . . . .	240	Watten, . . . . .	42
Mousewald, . . . . .	844	Penpont, . . . . .	845	St Madoes, . . . . .	392	Strathfillan, . . . . .	394b	Weem, . . . . .	398
Moy and Dala-		Persie, . . . . .	386b	St Marys, . . . . .	282	Strathmartine, . . . . .	307	Wemyss, . . . . .	459
rossie, . . . . .	105	Perth, . . . . .	387	St Martins, . . . . .	393	Strathmiglo, . . . . .	457	West Calder, . . . . .	701
Muckairn, . . . . .	529	Peterculter, . . . . .	231	St Monance (or		Strathoykell, . . . . .	71	Westerkirk, . . . . .	854
Muckhart, . . . . .	385	Peterhead, . . . . .	232	Abercrombie), . . . . .	454	Strathy, . . . . .	50	West Kilbride, . . . . .	620
Muiravonside, . . . . .	486	Pettinain, . . . . .	653	St Mungo, . . . . .	847	Strichen, . . . . .	241	West Linton, . . . . .	773
Muirkirk, . . . . .	607	Petty, . . . . .	106	St Nicholas, . . . . .	168	Stromness, . . . . .	30	Westray, . . . . .	33
Murroes, . . . . .	313	Pitsligo, . . . . .	233	St Ninians, . . . . .	488	Stronsay, . . . . .	31	Westruther, . . . . .	756
Musselburgh, . . . . .	689	Pittenweem, . . . . .	452	St Peters, . . . . .	282	Sunart, . . . . .	505	Whalsay and	
Muthill, . . . . .	386	Polmont, . . . . .	487	St Quivox, &c., . . . . .	612	Swinton, . . . . .	755	Skerries, . . . . .	7
Nairn, . . . . .	123	Polwarth, . . . . .	754	St Vigean, . . . . .	319	Symington		Whitburn, . . . . .	673
Neilston, . . . . .	572	Port-Glasgow, . . . . .	574	Salen (Argyll), . . . . .	548	(Ayr), . . . . .	618	Whitekirk and	
Nenthorn, . . . . .	753	Portlethen, . . . . .	251	Saline (Fife), . . . . .	455	Symington		Tynninghame, . . . . .	723
Nesting, . . . . .	7	Port of Men-		Salton, . . . . .	719	(Lanark), . . . . .	657	Whiteness and	
New Abbey, . . . . .	877	teith, . . . . .	388	Sanday, . . . . .	26	Tain, . . . . .	82	Weisdale, . . . . .	10
Newbattle, . . . . .	695	Portmoak, . . . . .	464	Sandness, . . . . .	12	Tannadice, . . . . .	321	Whithorn, . . . . .	900
Newburgh, . . . . .	450	Portnahaven, . . . . .	547	Sandsting and		Tarbat, . . . . .	83	Whitsome, . . . . .	757
Newburn, . . . . .	451	Portobello, . . . . .	684	Aithsting, . . . . .	9	Tarbert, . . . . .	535	Whittinghame, . . . . .	724
New Cumnock, . . . . .	608	Portpatrick, . . . . .	896	Sandwick, . . . . .	27	Tarbolton, . . . . .	619	Wick, . . . . .	43
New Deer, . . . . .	225	Portree, . . . . .	114	Sandwick & Cun-		Tarland, . . . . .	242	Wigtown, . . . . .	901
New Galloway, . . . . .	868	Premnay, . . . . .	234	ningsburgh, . . . . .	3	Tarves, . . . . .	243	Wilton, . . . . .	810
New Kilpatrick, . . . . .	500	Prestonkirk, . . . . .	717	Sanquhar, . . . . .	848	Tealing, . . . . .	322	Wiston and Ro-	
Newhills, . . . . .	226	Prestonpans, . . . . .	718	Savoche, . . . . .	237b	Temple, . . . . .	700	berton, . . . . .	660
Newington, . . . . .	685	Queensferry, . . . . .	670	Scone, . . . . .	394a	Tenandry, . . . . .	394c	Yarrow, . . . . .	779
Newlands, . . . . .	767	Rafford, . . . . .	140	Scoonie, . . . . .	456	Terregles, . . . . .	880	Yester (or Gif-	
New Ardrossan, . . . . .	576	Raasay, . . . . .	114	Scourie, . . . . .	49	Teviothead, . . . . .	809	ford), . . . . .	725
New Luce, . . . . .	893	Rathen, . . . . .	235	Seafield, . . . . .	167	Thurso, . . . . .	41	Yetholm, . . . . .	811
New Machar, . . . . .	227a	Ratho, . . . . .	698	Selkirk, . . . . .	778	Tibbermore, . . . . .	395	Ythan Wells, . . . . .	249
New Monkland, . . . . .	651			Shapinsay, . . . . .	28	Tillicoultry, . . . . .	468		



















